

Kept at Eynsford
in the County of

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Level.....

THE MORNING MEASUREMENT

An observer who does not conform to the
year in the space on the right of the

399

EYNSFORD

1931 - 1940

061320002

780108

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

Y.
following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.04		.25		.13		.08	.13				1
2	.25	.05		.23				.03	.35			.02	2
3		.01		.26	1.52			.33	.54		.02	.26	3
4				.06				.03			.02		4
5				.30	.03	.47			.09	.01		.16	5
6		.09		.02		.01				.23	.50		6
7					.03			.15			.19		7
8		.04					.02				.03		8
9		.06							.03		.46	.01	9
10	.10	.15				.01		.13			.57		10
11	.12	.40	.02						.03		.32		11
12	.12						.12	.01	.37				12
13	.01							.13					13
14	.01	.09					.57	.39					14
15	.05	.04		.28	.25		.43	.39			.01	.05	15
16		.04		.10	.23			.37	.05		.01		16
17		.04		.40	.01		.17	.47	.03	.02			17
18	.01	.12	.01	.25		.21	.06	.73			.48		18
19	.01			.60		.14	.02	.23	.05				19
20		.04		.03			.02	.22					20
21	.01				.46		.02	.03					21
22	.21		.18						.16		.01		22
23	.44	.04			.21	.03			.06		.10		23
24			.03	.90		.03		.12	.01				24
25	.04			.40			.44						25
26		.05		.21			.55				.21		26
27	.15	.24		.02	.24		.24				.01		27
28	.04	.11		.02								.05	28
29	.10				.02		.06			.25		.03	29
30	.05	X			.01			.05					30
31	.12	X		X		X			X		X		31
TOTAL	1.70	1.65	.24	4.33	3.01	1.03	2.72	3.89	1.90	.51	2.94	.58	YEAR'S TOTAL 24.50
*Days with .01 in. or more.	15	13	4	17	11	8	13	18	13	4	15	7	145
*Days with .04 in. or more.	12	17	1	13	6	4	9	14	9		8	4	99

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P. H. Davis

P.T.O.

Section

A

for the entry of Daily Observations.

392
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Eynford

in the County of KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.04		.25		.13		.08	.13				1
2	.25	.05		.23				.03	.35			.02	2
3		.04		.26	1.52			.33	.54		.02	.26	3
4				.06				.03			.02		4
5				.30	.03	.47			.09	.01		.16	5
6		.09		.02		.01				.23	.50		6
7					.03			.15			.19		7
8		.04					.02				.03		8
9		.06							.03		.46	.01	9
10	.10	.15				.01		.13			.57		10
11	.12	.40	.02						.03		.32		11
12	.12						.12	.01	.37				12
13	.01							.13					13
14	.01	.09					.57	.39					14
15	.05	.04		.28	.25		.43	.39			.01	.05	15
16		.04		.10	.23			.37	.05		.01		16
17		.04		.40	.01		.17	.47	.03	.02			17
18	.01	.12	.01	.25		.21	.06	.73			.48		18
19	.01			.60		.14	.02	.23	.05				19
20		.04		.03			.02	.22					20
21	.01				.46		.02	.03					21
22	.21		.18						.16		.01		22
23	.44	.04			.21	.03			.06		.10		23
24			.03	.90		.03		.12	.01				24
25	.04			.40			.44						25
26		.05		.21			.55				.21		26
27	.15	.24		.02	.24		.24				.01		27
28	.04	.11		.02								.05	28
29	.10				.02		.06			.25		.03	29
30	.05	X			.01			.05					30
31	.12	X		X		X			X		X		31
TOTAL	1.70	1.65	.24	4.33	3.01	1.03	2.72	3.89	1.90	.51	2.94	.58	YEAR'S TOTAL
*Days with .01 in. or more.	15	19	4	17	11	8	13	18	13	4	15	7	24.50
*Days with .04 in. or more.	12	17	1	13	6	4	9	14	8		8	4	99

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P. H. Davis

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

392

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Eynsford
in the County of KENTDiameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.01		.03	.54			.16	.01	.03	.01	.04	1
2	.01			.09				.02	.15	.005	.03	.15	2
3				.04	.04			.005	.45				3
4					.23	.15					.01		4
5	.12		.01		.05	.09	.26		.06				5
6	.42		.02	.23									6
7	.06		.11	.03			.02			.04			7
8			.15	.14	.19				.10	.49			8
9	.32	.03		.10	.62					.005			9
10	.63	.01	.01	.17	.08					.04			10
11	.03	.02	.005	.07			.02			.33	.01	.02	11
12	.22	.04								.25			12
13	.04			.10	.005				.005	.57		.005	13
14	.15			.15	.07					.13			14
15				.09	.03					.12			15
16	.10			.29	.11				.01				16
17				.02			.14			.01			17
18									.02		.09		18
19									.02	.14	.03		19
20				.20	.10		.07	.005		.58	.16		20
21				.03	.29					.23		.04	21
22			.27	.09	.19		.51		.31	.21	.30		22
23		.09	.09		.07				.08	1.04	.06	.10	23
24		.07					.30		.12	.05	.03		24
25							.35		.01	.12	.01	.01	25
26			.01	.01	.01		.30	.13		.01			26
27			.24	.09	.35	.01	.04		.02	.37	.07		27
28			.02		.10		.08			.17			28
29			.33		.02			.24	.05	.53	.005		29
30		X	.10	.06	.01	.86		.005	.03	.05	.17	.13	30
31		X	.09	X		X	.01		X		X	.03	31
TOTAL	2.19	.27	1.61	2.03	3.16	1.11	2.10	.58	1.45	5.53	.99	.53	YEAR'S TOTAL
*Days with or in. or more.	12	7	13	20	19	4	12	4	15	22	13	8	149
*Days with .04 in. or more.	10	3	8	15	15	3	9	3	8	19	6	5	104

40-9999

*See Instruction 2(f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

392

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at EYNSFORD.

in the County of KENT

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	~~.01~~ .005	.11	.13							.06	.03			1
2	.26		.44		.14									2
3	.01	.09	.32								~~.01~~ ~~.005~~			3
4	.20		~~.01~~ ~~.005~~		.10									4
5	.14		.33		.19									5
6		.09	.08		.39					.09	.10			6
7	.25	.05	.10		.12					.14		.05		7
8	.09				.03		.25			.02				8
9					.10		.08			~~.01~~ ~~.005~~	.17			9
10					.01	.05	.01			.14				10
11	.09					.01	.07	.03	.10	.01	.06			11
12				.01	.02	.13			.15		~~.01~~ ~~.005~~			12
13	.04				.06	.04	.31		.20		.18			13
14					.02			.01		.23	.27			14
15	.13		.14				.70	.12		.01	.01			15
16	.06		.78			.17	.26				.07			16
17			.30			.02		.01	.07		.03			17
18			.08			.03					~~.01~~ ~~.005~~			18
19	.02		.16	~~.01~~ ~~.005~~		.09			.19		~~.01~~ ~~.005~~			19
20		~~.10~~ SNOW	.03	.10		.09	.38		~~.01~~ ~~.005~~		~~.01~~ ~~.005~~			20
21		~~.07~~ SNOW				.07		.21	.33					21
22						.02		.13		.03	.01			22
23				.13	.35	~~.02~~ ~~.015~~			.23					23
24		~~.23~~ SNOW		.10	.03	.23			.42		.02			24
25		.30		.20	.02					.01	.02	.05		25
26		.35		.02					.56	.04	.10	.12		26
27					.08					.30		.12		27
28					.06		.25			.43				28
29	.02						.03			.06		.10		29
30	.10	X	.17				.02		.03	.06		.17		30
31	.09	X		X		X		.12	X	.01	X			31
TOTAL	1.56 1.605	1.39	3.07 3.005	.57 .565	1.72	.97 .965	2.36	.63	3.29 3.285	1.65 1.645	1.12 1.095	.61	Year's total 18.835	
*Days with or in. or more.	14	9	13	6	16	13	11	7	10	16	13	6	134	
*Days with .04 in. or more.	11	8	12	4	10	8	8	4	9	10	7	6	98	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

S. H. Davies

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

392

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Eynsford

in the County of KENT

Total 13.0

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02 .015									.04	.01	.23		1
2	.01		.11						1.06		Trace	.26		2
3		.03		.03						.68		Trace		3
4	.11	.01			.02	Trace				.05	.09	.52		4
5			Trace	Trace	.05			.01			.06	.32		5
6			.31	Trace	.19	.13		.08		.17	.02	.40		6
7			Trace	Trace		Trace				.09		.19		7
8		.01		Trace	.10			.02	.03		.48	.01		8
9			.02								.81	.38		9
10	.02	.01	.42	.17				.05		.04	.72	.01		10
11	.65		.22	.05			.20	.29		Trace	Trace	.10		11
12	.08		.02				.14	.51			Trace	.05		12
13	.45		.04	.03			.40	.18			.02	Trace		13
14	.07 .01		.47	.03						.02	.51	.51		14
15	.005	.01	Trace		.06						.08	.66		15
16	.11	.01	.21	.10	.12					.05	Trace			16
17	.01		.03	Trace						.09	Trace	.32		17
18	.07		Trace	.26			.13					.24		18
19			.23	.04		Trace			.13	Trace	Trace, fog	.25		19
20			.09	Trace		Trace	.04				Trace, fog	.01		20
21			Trace	.15		.05				.06	Trace, fog	.03		21
22							.14	.28	.16		Trace, fog	.05		22
23				.44		.72					Trace	.10		23
24		.01	Trace	.03		.19	.67		.07	Trace				24
25	.07	Trace		.31	.03					.02		.31		25
26	.08			.15		.10			.04			.07		26
27		.01		.07		.03				Trace		.25		27
28		.07		.06		.32	.01	.52			Trace	.22		28
29			Trace	Trace			.14	.09	.08		Trace	.02		29
30	.18	X								Trace, fog		.16		30
31	.01	X		X		X			X	.17	X	.09		31
TOTAL	1.95 1.94	.17	2.17	1.92	.57	1.54	1.87	2.13	1.57	1.48	2.80	5.76	Year's Total.	
* Days with .01 in. or more.	15	9	12	15	7	7	9	11	7	12	10	27	2392	
* Days with .04 in. or more.	10	1	9	11	5	6	8	9	6	10	7	22	141	
													104	

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

392

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Eynsford,

in the County of KENT

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	.06	Trace	.02		.06	.14		.09	.08	.04	Trace		1
2	.13			.03		Trace			.03	.24	.13			2
3		.07	.18	.05		Trace			.11	.96	.14	Trace		3
4		.02		.22		.27			.13	.16		.16		4
5	Trace	.56	.04	.06		.22			.54	Trace	Trace			5
6	.02	.04		.27		.53					.01	Trace		6
7	.04	.11	Trace	.21		.09				Trace	.84	.10		7
8	Trace		.01	.25		.02		.02		.24	.38	.14		8
9	Trace			.22		.42				.48	.10	Trace		9
10	.03	.01		Trace		.02					.04	.11		10
11	.27	Trace		.07		.01	Trace			.03	.32	.01		11
12		Trace				.16		.66	.02		.92			12
13	.07	.12		.10	.09	Trace			Trace		.05	Trace		13
14				Trace	.22	.06			Trace		.01	.10		14
15		.14		.31	.01	.14			.21	Trace	.20	.04		15
16	.01	.01		.10		.10			.29	.03	.83	.01		16
17	Trace		.09	Trace		.11			Trace		.68	Trace		17
18				.23	.05	.09	.11	Trace	.40	.05	.02	Trace		18
19		Trace		Trace	.16	Trace	.10		.03		.04	.01		19
20		.55		.04	.02	.04	.16			.02	.09			20
21	.03	.36							.04	.11	.04			21
22	Trace	.16	.01					.22	.40			Trace		22
23			.04		.01			.29	.06			.08		23
24	.04	.70			.85			.86	.33	.01		.19		24
25	.19	.16		.29	.07	.13					.01	.26		25
26	.04	.16						.17	.02	.02	Trace	.32		26
27	.05	.52					Trace		.06	Trace	.09	.14		27
28	Trace	.01							.05	.08	Trace	.24		28
29	Trace		Trace						.31	Trace		.26		29
30	.05	X	Trace	.07	.10			.66	Trace	.10	.34	.53		30
31		X		X	.11	X			X	.24	X	.50		31
TOTAL	1.20	3.76	.37	2.64	1.69	2.47	.51	2.88	3.12	3.18	5.35	3.29	Year's Total.	
* Days with .01 in. or more.	14	13	6	17	11	17	4	7	18	16	22	18	168	
* Days with .04 in. or more.	10	14	4	15	8	14	4	6	14	18	15	133		

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

392

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at EYNSFORD

in the County of KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	.06	.03	.16		.28	.37	.03			.02	.15		1
2	Trace	.01		Trace		.41	.05	.08			.08			2
3	Trace	Trace		.43	Trace	Trace	.01	.04	.08		.24			3
4			.06		Trace	.14			.23	Trace	Trace	.10		4
5	.35		.03					.01	.25	.07	.10	.02		5
6	.17		Trace			.05		Trace	.08	.03	.57	Trace		6
7	.38		.01			.13	Trace	.04	.02	.02	.34	Trace		7
8	.33		.01	Trace	Trace		.15			.08	.28	.25		8
9	.60		.01		Trace		.33	.03	.11	.02		.03		9
10	.09			Trace	Trace		.23	.15	Trace	Trace				10
11				.11			.24		Trace		.82			11
12				.08		.27	.09	Trace	.04	Trace	.38	.06		12
13				.02		.05				Trace	.02	.54		13
14		.04				.05	.51		.02		.12	.53		14
15		.07				.01			.01	.03	Trace	.09		15
16	Trace	.03			.06		.03		.02		.29	.02		16
17	.24	.60			.02	.15		.01	Trace	.01	.17	.29		17
18	.09	.07				.04	.14	Trace	Trace	.02	.19	.13		18
19	.21	.01	Trace	Trace		.54	.24	.15		.04	.03			19
20	.26	.02	Trace	.35			.10		1.32					20
21		.02		.39	Trace	.36	.03		.02		Trace; Fog			21
22	.14	.35	.08		.16	.03	.07			Trace	Trace; Fog	.10		22
23	Trace	.02		.05			.25			.05				23
24	.02	.08							.01	.41	Trace; Fog			24
25	.13		.20	.17		.35	.18		.13	.09	.05	Trace		25
26	Trace	.09	.17	.02		Trace	.03		.04	.18	.01	Trace		26
27	.28	Trace		.01			Trace		.18	.11	Trace; Fog			27
28	.74	Trace	.06			.17	.04		.04		Trace; Fog	.06		28
29	.03	.14	.20			.02	.06		Trace	.02	.06			29
30	.05	X			.11	.10	.01			.17				30
31	.21	X	.17	X	.01	X	.07		X	.97	X	.18		31
TOTAL	4.84	1.61	1.03	1.79	.36	3.15	3.23	.54	2.60	2.32	3.79	2.55	27.81	
* Days with .01 in. or more.	20	15	12	11	5	18	22	9	17	17	18	15	179	
* Days with .04 in. or more.	18	9	7	8	2	15	17	5	11	10	14	12	128	

40-9999.

† Spare column, no entries required.

METROPOLITAN WATER BOARD, (Signed) P. H. Davies [P.T.O.]
KENT DISTRICT. M

Section



for the entry of Daily Observations.

Station No.

392

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Eynsford
 in the County of Kent
 Diameter of Funnel of Gauge.....in.
 Height of top of Gauge above Ground.....ft.....in.
 „ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.69	.01		.05							.73	.35		1
2	trace	.39	.01	.38					.09	trace	trace	1.54		2
3	trace	.11	.01								trace	.28		3
4	.02	.65						.29			dog. trace	.34		4
5	.19	.12	34 snow		.15		.14	trace			trace	trace		5
6	.04		68 snow	trace			trace			.09	trace			6
7		.77	.17	.06			trace		.04	.06		.01		7
8		.01	.09		.08	.05					.32	.53		8
9		.03		.37	.10	trace	.03	.04	.27			.21		9
10			.50	.10	.74	.46	.10	.02			trace	.63		10
11			.29	trace	.04	trace	.02			trace		.07		11
12	.18	.26	.05		.37	.24	.01	.12	.13			.11		12
13	.13	.01	.36	.01	trace	.33		.18	.11			.59		13
14	.02	trace	.22	trace	.05	.01		.20	.13			trace; dog.		14
15	.15	.04		.11	trace	.06	1.39		.09		dog. trace	.02		15
16	.01	.07	.50	.35		.01		.23	.17			.02		16
17	.21	.01	.11	.22		.06			.21	trace; fog	.09			17
18	.64	.02	.01		.64	.83			.05	..	.32	.02		18
19	.07	.07		.10	trace	.18	.01		.13	..				19
20	.49	.01	.12	.31	.85	.12			.09	..		trace		20
21	.55	.51	.05	.03			.04	.12		..		.11		21
22	.45	.05	.02	trace	.03	.66	.02			.57	.23	.02		22
23	.22	trace	.01							.40	.01	trace		23
24	.67	.37	.01		.02				.04	.29		trace		24
25	.11	.37	21 snow		trace				.05	.34		.01		25
26	trace	.27	.05 snow		trace					.02	dog. trace			26
27		.16		.25					.05	.25		trace		27
28	trace	06 snow		trace		trace		trace		.02		.04		28
29	.16 snow	X				trace				.04	.02	.07		29
30	.18	X	trace			trace		.22		trace	.13			30
31	.18	X		X		X			X	.06	X	.02		31
TOTAL	5.36	4.37	3.81	2.34	3.07	3.01	1.76	1.42	1.65	2.14	1.85	4.99	35.77	✓✓
* Days with .01 in. or more.	21	23	21	13	11	12	9	9	15	11	8	20	173	✓✓
* Days with .04 in. or more.	18	16	15	11	9	10	4	8	15	9	6	13	134	✓✓

Year's Total

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

E. J. J. J.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 392

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Eynesford

in the County of Kent

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.01		.06	.13			.10		.02	.02		1
2	.04	.02		.09	.13		.03			.28		.07		2
3	Trace Snow			Trace	.23					.95	.01			3
4	.02			Trace		.02	.07	.08		.07		.10		4
5	.01					Trace	slown .45		Trace	.18	Trace			5
6	.01						.06		Trace	Trace	Trace			6
7			Trace fog.			.01	.05	.75		.21		.05		7
8	.17					Trace	.14			.16		.09		8
9	.05					Trace	.04	.30		.01		.65		9
10	.06	.06				.09	Trace	.07				.10		10
11	.18	Trace				Trace	Trace	Trace		Trace	.09	.21		11
12	.25	.03			Trace		Trace	.04		.09	Trace			12
13	.28	Trace Snow			Trace					.03	.20	.07		13
14	.20	.13			.25		Trace		.04		Trace fog.	Trace		14
15	.04	.22			.01		.17			.25	Trace	.08		15
16	.33	Trace Snow	Trace		.02		.01	Trace		.02	Trace	.21		16
17		.11			.14		Trace		.01	.06				17
18	.05			Trace	.07		Trace		.08		.44	Trace Snow		18
19								.02	.05		.22	Trace Snow		19
20		Trace			.07				.09		.39	Trace Snow		20
21	.02			Trace				.07	.13		.05	Trace Snow		21
22				Trace		Trace		.01			.22	Trace Snow		22
23				Trace					.03		.10	Trace Snow		23
24		Trace fog.	.07		Trace				.19		.10	Trace Snow		24
25	.10		.27	.16	.10		.02	Trace	.06	.04	.75	Trace Snow		25
26	.16	.18	.06				Trace	.02	.24	.32		.24		26
27	.04	.02	.01		.23	.15	.26		.84	Trace	.18			27
28	.05	.04		.02	.24	.07		.14	.11			.01		28
29	.22			.03	.14					Trace	.05	.21		29
30	.02	X		.08	.08	.02			.08	.05	.25	Trace		30
31	.19	X		X	.06	X			X	.14	X	.20		31
TOTAL	2.51	.85	.42	.38	1.83	.49	1.30	1.50	2.05	2.86	3.07	2.70	Year's Total	19.96
* Days with .01 in. or more.	23	10	5	5	15	7	11	10	14	16	15	20		151
* Days with .04 in. or more.	17	7	3	3	13	4	8	7	12	13	13	16		116

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

C. A. H. A. R. A.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 292

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at EYNSFORD,
in the County of KENT.Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level.....ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01		.03	.12	.35				.33			Trace		1
2	.02			.01	.03			.28	.14	.01	.01			2
3	.30	Trace		.27				.45			.18	.43		3
4	.09		.19	.08			.04	1.70		.48	.03	.03		4
5		Trace	Trace	.12	.01		Trace	.01		.11	.30	.02		5
6	.27			Trace			.18	.06			.31	Trace; fog		6
7	.05	.13						Trace		.19	.06	.05		7
8	Trace	.07	.16					.02		.38	.36	.40		8
9	.02	.02						.05		.35	.05	.21		9
10	.10					.25		.06	.05	.02		Trace		10
11	Trace		.32		.02	.19			.02	.68	.01	.02		11
12						Trace				.01		.02		12
13			Trace	.01		.07			.02	1.72		.02		13
14	.60		.01	.04	.23	Trace	.01			.30	.53	.02		14
15	.54		.01	Trace	1.15	Trace			.17	1.03	.10	Trace		15
16	.28		.14	.01	.32	.07	Trace		.11		.47			16
17	.35	.05	.01	.01	.05		.05			Trace	.04			17
18	.24	Trace	.01		Trace	.06	.16		.01	.33	.32			18
19	.22		Trace				.08		.02	.61	Trace	Trace		19
20	.17					.45	.91	.02	.03			.05		20
21	.08		.14			.05	.09			.01	Trace			21
22	.11	.24	.14	Trace		.17	.25				.05			22
23	.06			.30			.01	.05	Trace	.03	.48			23
24	.16	.13	.13	.05		Trace	.03		.01	.12				24
25	.89	.31	.10	.05			.05				.42	Trace; fog		25
26	.13		Trace	.11			.04		.01	.15	.19	.03		26
27	.01	.10	.08	.18		.01	Trace		.01		.28			27
28	Trace	.38	.11	.01		.03				.04	.06	.09	Trace; snow	28
29				.41						.05	.02			29
30		X		.60		Trace				Trace	.12	Trace; snow		30
31		X		X		X	.32	.02	X	.01	X			31
TOTAL	4.70	1.43	1.58	2.38	2.16	1.35	2.22	2.72	.93	6.63	4.39	1.23	Year's Total.	
* Days with .01 in. or more.	22	9	15	17	8	10	14	11	13	21	22	10	171	
* Days with .04 in. or more.	18	8	10	12	5	8	11	7	5	15	10	7	124	

Section

A

for the entry of Daily Observations.

Station No.

392

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at EYNSFORD

in the County of KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		^{Snow} ·04		Trace							·17			1
2		·09		·30			·02			·14	·46	Trace		2
3		·16		·07						·15	1·40	·12		3
4		·08		·02						·16	·06	·09		4
5		·04								·01	·52	·14		5
6	·12	·05			·04		·09			·34	·03			6
7	·33	·18		Trace			·11					·01		7
8		Trace		·01					·05	·33	·06	·20		8
9				Trace		·02		Trace	Trace	·18	·20	·03		9
10			Trace				·47	Trace		·02	·06			10
11				·01			·01				1·17			11
12			·08				·14		·05		Trace			12
13		^{Snow} ·01	·84	·01			·01				1·42			13
14			^{Snow} ·36	·10				Trace	·02	·01	Trace	·21		14
15			·04	·01	·20	·03	1·20		·02	·01	·59	·01		15
16	^{Snow} Trace	^{Snow} ·12	·23	·02		·14	·24		·18	·65	·61	·03		16
17			·29				·03		·03	Trace	·07	·01		17
18	·01	^{Snow} ·28	·10	·30			·23	·01	·01	·23	·31	·15		18
19		^{Snow} ·22	·14	·02			·03		·54		·18	·04		19
20		Trace	·02	·02		·03	·01	·02	·07	·04	·10			20
21	^{Snow} ·06	Trace			·54		·05	·01	Trace	·02	·26			21
22	^{Snow} ·05	Trace	·04	Trace	·16	·17				·02	·10			22
23		·02	·02	·23			Trace		·04	·04	·01	·04		23
24			·01	·33			·14			·01	Trace	·02		24
25		^{Snow} Trace	·71				·07			·02	Trace	Trace		25
26	·86	·14	·64		·42	·01				Trace	Trace	·01		26
27	·30	·42	Trace				·19			Trace	Trace	Trace		27
28	·34	·01	·13		·15			Trace						28
29	·15	·03			·16	·05						·14		29
30	·08	X		·16						·11		Trace		30
31	·10	X		X		X			X	·75	X	·07		31
TOTAL	2·40	1·89	3·65	1·61	1·97	·45	3·04	·04	1·01	3·24	8·08	1·35	Year's Total 28·73	
*Days with ·01 in. or more.	11	16	15	15	4	4	17	3	10	20	20	17	158	
*Days with ·04 in. or more.	10	12	12	4	4	3	11	—	6	12	18	10	108	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

B. J. Ashman
P.T.O.

REGI

Kept at ... *Keston / Ba*

in the County of ... *Kent*

Diameter of Funnel of Gauge.....

Height of top of Gauge above G

„ Ground „ Se

THE MORNING MEASUR

An observer who does not conform
year in the space on the right of t

392/5

KESTON BARNET WOOD

1940

060000047

780108

Station No. *392/5*
FALL ORGANIZATION

340

US DAY

the following

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							<i>#</i>	-	-	-	.12	-		1
2								-	-	.14	.80	.01		2
3								-	-	.12	1.43	.06		3
4								-	-	.14	.09	.08		4
5								-	-	.02	.51	.11		5
6								-	-	.29	.04	-		6
7								.03	-	-	-	-		7
8								-	.07	.34	.01	.20		8
9								-	tr	.14	.23	.03		9
10								-	-	.06	.05	tr		10
11								-	-	-	1.08	-		11
12								-	.08	-	tr	-		12
13								-	-	-	1.20	-		13
14								-		.02	tr	.05		14
15								-	.25	.02		.10		15
16								-		.71	1.42	.06		16
17								-	.04	.01		-		17
18								-	.02	.19	.34	.16		18
19								-	.83	.01	.08	-		19
20								.02		-	.11	.02		20
21								tr	.33	.11	.24	-		21
22								-		.01	.01	-		22
23								-		.03	.01	.03		23
24								-		-	-	-		24
25								-		-	tr	-		25
26								-		-	-	-		26
27								-		.02	-	-		27
28								-		-	-	-		28
29								-		-	-	-		29
30		<i>X</i>						-		.08	-	.34		30
31		<i>X</i>		<i>X</i>		<i>X</i>		-	<i>X</i>	.67	<i>X</i>			31
TOTAL								.05	1.62	3.13	7.77	1.25	Year's Total inc.	
* Days with .01 in. or more.								2	11	20	20	15		
* Days with .04 in. or more.								-	8	12	17	10		

Section

A

for the entry of Daily Observations

Station No.

392/5-

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Reston (Barnet Wood)

in the County of Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

„ Ground „ Sea Level...26.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							#	-	-	-	.12	-		1
2								-	-	.14	.80	.01		2
3								-	-	.12	1.43	.06		3
4								-	-	.14	.09	.08		4
5								-	-	.02	.51	.11		5
6								-	-	.29	.04	-		6
7								.03	-	-	-	-		7
8								-	.07	.34	.01	.20		8
9								-	tr	.14	.23	.03		9
10								-	-	.06	.05	tr		10
11								-	-	-	1.08	-		11
12								-	.08	-	tr	-		12
13								-	-	-	1.20	-		13
14								-		.02	tr	.05		14
15								-	.25	.02		.10		15
16								-		.71	1.42	.06		16
17								-	.04	.01		-		17
18								-	.02	.19	.34	.16		18
19								-	.83	.01	.08	-		19
20								.02		-	.11	.02		20
21								tr	.33	.11	.24	-		21
22								-		.01	.01	-		22
23								-		.03	.01	.03		23
24								-		-	-	-		24
25								-		-	tr	-		25
26								-		-	-	-		26
27								-		.02	-	-		27
28								-		-	-	-		28
29								-		-	-	-		29
30		X						-		.08	-	.34		30
31		X		X		X		-	X	.67	X			31
TOTAL								.05	1.62	3.13	7.77	1.25	Year's Total inc.	
* Days with .01 in. or more.								2	11	20	20	15		
* Days with .04 in. or more.								-	8	12	17	10		

* See Instruction 3 (f) on other side.

† Spare column; no entries required.

(Signed)

N. P. Frampton Esq

P.T.O.

393
EYNSFORD HILL
1931-1940

Kept at Eynsford Hill
in the County of Kent

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of

061320005

780108

AY.
e following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.05	.02 s	.27		.14		.05	.08				1
2	.25	.06		.22				.08	.41	.01		.01	2
3	.08		.02	.36	1.73			.37	.51		.01	.24	3
4		.01 s		.02	.01		.01	.04	.01	.01	.07		4
5				.36	.06	.51		.01	.1		.01	.18	5
6		.1		.03			.01	.01		.24	.44		6
7	.01 M	.02			.07	.02		.14		.03	.16	.01	7
8		.06			.02	.23	.06	.12			.03	.01	8
9		.08	.01 s		.06	.01			.01		.47	.01	9
10		.16	.02 s			.01	.02	.16			.69	.01	10
11	.06	.42							.01		.36		11
12	.09	.01		.03			.1	.01	.41	.01			12
13	.05						.02	.04					13
14		.06 s				.01	.63	.53					14
15	.03	.02		.3	.24		.49	.46			.04	.08	15
16	.03	.04		.12	.25	.01	.01	.44					16
17		.05 s		.28 s	.03	.01	.21	.46	.08	.04			17
18	.01	.13	.01	.36		.22	.03	.72			.51	.02	18
19	.03			.79		.14	.06	.24	.09		.01 M		19
20	.01 M	.04		.04			.04	.21		.01			20
21					.51			.04					21
22	.2		.2	.01					.19		.01		22
23	.48	.03	.02		.23	.03			.1		.1		23
24			.04	.69	.03	.06	.01	.12	.03				24
25	.04			.55	.01		.43		.01		.01		25
26		.07		.33			.64		.02		.2		26
27	.15	.26		.02	.26		.37						27
28	.03	.12 s		.02						.01	.01 M	.06 s	28
29	.12			.02	.05		.06			.86	.01 M	.04 s	29
30	.06	X			.02		.01	.07					30
31	.12	X		X	.01	X			X		X		31
TOTAL	1.85	1.79	.34	4.82	2.59	1.40	3.21	4.32	2.06	.72	3.14	.67	3127.91
*Days with not in. or more.	19	20	8	20	17	13	19	21	15	9	18	11	190
*Days with .04 in. or more.	12	14	2	13	10	6	11	18	9	3	10	5	113

FORM 1099.

REGISTER OF RAINFALL IN 1931.

Kept at Eynsford Hill,
in the County of Kent.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground I ft. in.
Ground Sea Level 350 ft.

Value for May 3rd. averages by
observed 6/1/32
F. 802548/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.05	.02 s	.27		.14		.05	.08				1
2	.25	.06		.22				.08	.41	.01		.01	2
3	.08		.02	.36	1.73			.37	.51		.01	.24	3
4		.01 s		.02	.01		.01	.04	.01	.01	.07		4
5				.36	.06	.51		.01	.1		.01	.18	5
6		.1		.03			.01	.01		.24	.44		6
7	.01 M	.02			.07	.02		.14		.03	.16	.01	7
8		.06			.02	.23	.06	.12			.03	.01	8
9		.08	.01 s		.06	.01			.01		.47	.01	9
10		.16	.02 s			.01	.02	.16			.69	.01	10
11	.06	.42							.01		.36		11
12	.09	.01		.03			.1	.01	.41	.01			12
13	.05						.02	.04					13
14		.06 s				.01	.63	.53					14
15	.03	.02		.3	.24		.49	.46			.04	.08	15
16	.03	.04		.12	.25	.01	.01	.44					16
17		.05 s		.28 s	.03	.01	.21	.46	.08	.04			17
18	.01	.13	.01	.36		.22	.03	.72			.51	.02	18
19	.03			.79		.14	.06	.24	.09		.01 M		19
20	.01 M	.04		.04			.04	.21		.01			20
21					.51			.04					21
22	.2		.2	.01					.19		.01		22
23	.48	.03	.02		.23	.03			.1		.1		23
24			.04	.69	.03	.06	.01	.12	.03				24
25	.04			.55	.01		.43		.01		.01		25
26		.07		.33			.64		.02		.2		26
27	.15	.26		.02	.26		.37						27
28	.03	.12 s		.02						.01	.01 M	.06 s	28
29	.12			.02	.05		.06			.86	.01 M	.04 s	29
30	.06	×			.02		.01	.07					30
31	.12	×		×	.01	×			×		×		31
TOTAL	1.85	1.79	.34	4.82	2.59	1.40	3.21	4.32	2.06	.72	3.14	.67	312.91
*Days with or in. or more.	19	20	8	20	17	13	19	21	15	9	18	11	190
*Days with .04 in. or more.	12	14	2	13	10	6	11	18	9	3	10	5	113

Section



for the entry of Daily Observations.

Station No.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 193².

Eynsford Hill,

Kept at

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Blanch
25/3/31.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	~~1.00~~ .01	—	.03	.46	—	—	.16	.01	.04	.01	.05	1
2	.01	—	—	.10	.03	—	—	.02	.15	—	.01	.13	2
3	—	—	—	.06	.30	—	—	—	.47	—	—	—	3
4	—	—	—	—	—	.18	—	—	—	—	.01	—	4
5	.12	—	.01	~~1.1~~	.07	.10	.28	—	.06	—	—	—	5
6	.39	—	.01	.26	—	—	—	—	.02	—	—	—	6
7	.08	—	.12	.03	—	—	.02	—	—	.01	—	—	7
8	—	—	.17	.14	.20	—	—	—	.09	.49	—	—	8
9	.34	.04	—	.04	.64	—	—	—	—	.03	—	—	9
10	.65	.02	—	.23	.09	—	—	—	.01	.03	—	—	10
11	.04	.04	—	.06	.02	—	.01	—	—	.42	.01	.02	11
12	.18	.06	—	—	—	—	.02	—	—	.27	.01	.01	12
13	.05	—	—	.08	.01	—	—	—	.02	.60	—	.01	13
14	.15	.01	—	.14	.06	—	—	—	—	.07	—	—	14
15	.01	—	—	.09	.04	—	—	—	—	.14	—	—	15
16	.09	—	—	.33	.08	—	—	—	.01	—	—	—	16
17	—	—	—	.05	—	—	.07	—	—	.02	—	—	17
18	—	—	—	—	—	—	.09	—	.04	—	.09	—	18
19	—	—	—	.01	.01	—	—	—	.02	.14	.03	—	19
20	~~1.80~~	—	—	.08	.10	—	.38	.01	.01	.64	.17	—	20
21	.01	—	—	.09	.34	—	—	—	—	.24	—	.05	21
22	—	.01	.28	—	.22	—	.46	—	.29	.22	.30	—	22
23	—	.08	.12	.11	.10	—	—	—	.13	.05	.06	.10	23
24	—	.08	—	—	—	—	.24	—	.01	.06	.02	.01	24
25	—	—	.01	—	—	—	.08	—	.12	.14	.03	.01	25
26	—	—	—	.01	.02	—	.45	.14	—	.02	.01	.01	26
27	—	—	.22	.11	.40	.01	.08	—	.02	.42	.08	—	27
28	—	—	.01	.02	.10	—	.08	—	—	.18	—	—	28
29	—	—	.40	—	.04	—	—	.23	.04	.51	—	.01	29
30	—	×	.08	.06	.03	.85	—	.01	.04	.05	.14	.18	30
31	~~2.18~~	×	.13	×	—	×	.02	—	×	—	×	.02	31 22.91
TOTAL	~~3.17~~	~~1.35~~ 1.35	1.56	2.23	3.36	1.14	2.58	.57	1.56	5.79	.98	.61	YEAR'S TOTAL ~~11.89~~
*Days with ".01 in. or more.	15	9	12	22	22	4	14	6	19	23	15	13	174
*Days with ".04 in. or more.	12	6	8	17	16	3	10	3	10	18	6	5	114

40-9999

*See Instruction 2 (f) on other side,

(Signed)

Arthur Mee

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

393

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Eynsford Hill, Eynsford,

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.14	.13	—	—	—	—	—	—	.09	.02	—		1
2	.25	—	.40	—	.13	—	—	—	—	.01	—	—		2
3	.02	.09	.31	—	—	—	—	—	—	—	.02	—		3
4	.18	.01	.02	—	.03	—	—	—	—	—	—	—		4
5	.17	—	.33	—	.30	—	—	—	—	—	—	—		5
6	—	.10	.07	—	.25	—	—	—	—	.09	.11	—		6
7	.24	.05	.08	—	.27	—	—	—	—	.15	—	.06		7
8	.11	.01	—	—	.02	—	.26	—	—	.02	—	—		8
9	—	—	—	—	.12	—	.06	—	—	.02	.19	—		9
10	—	.35	—	—	.02	.07	.10	—	—	.16	.02	—		10
11	.08	—	—	—	.01	.02	.06	.02	.10	.01	.06	—		11
12	—	—	—	.02	—	.16	.01	—	.57	—	—	—		12
13	.06	—	MIST .01	—	.08	.05	.36	—	.52	.03	.20	—		13
14	—	—	—	—	.04	—	—	.01	—	.23	.25	—		14
15	.12	—	.10	—	—	—	.50	.14	—	.01	.01	—		15
16	.04	—	.80	—	—	.18	.26	—	—	.01	.08	—		16
17	—	—	.33	—	—	.02	—	.01	.10	—	.08	—		17
18	.02	SNOW .04	.04	—	—	.04	—	—	—	—	MIST .01	—		18
19	—	—	.22	SNOW .01	—	.06	—	—	.23	—	MIST .01	MIST .02		19
20	—	—	.03	.09	—	.10	.21	—	—	—	.02	MIST .01		20
21	—	SNOW .12	—	—	—	.08	—	.18	.38	MIST .02	.01	—		21
22	—	—	—	—	—	.11	—	.13	—	MIST .02	.01	—		22
23	—	—	—	.10	.49	.02	—	—	.24	—	—	—		23
24	—	SNOW .15	—	.16	.05	.28	—	—	.41	MIST .01	.03	—		24
25	—	SNOW .24	—	.20	.02	—	—	—	.10	.03	.02	.01		25
26	—	.31	—	.04	—	—	—	—	.64	.06	.12	.12		26
27	—	—	—	.01	.12	—	.15	—	—	.30	—	.10		27
28	—	—	—	—	.08	—	.20	—	MIST .01	.45	—	.10		28
29	MIST .03	—	—	—	—	—	.03	—	—	.09	—	—		29
30	.11	×	.18	—	—	—	—	—	MIST .01	.07	—	.15		30
31	.09	×	—	×	—	×	—	.13	×	.01	×	—		31
TOTAL	1.54	1.61	3.05	.63	2.03	1.19	2.20	.62	3.31	1.89	1.27	.57	19.91	
*Days with or more.	15	12	15	8	16	13	12	7	12	22	19	8	159	
*Days with or more.	11	10	12	5	11	10	10	4	10	10	8	5	106	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Arthur Mee.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

393

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Eynsford Hill,

in the County of Kent.

Station Number 393

File Number 802545/27

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

,, Ground ,, Sea Level 350 ft.

4-JAN-1935

950

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	—	—	—	—	—	.09	—	.04	.01	.23		1
2	.05	—	.12	—	—	—	—	—	.95	.29	—	.25		2
3	.02	.06	—	.01	—	—	—	—	—	.59	—	.02		3
4	.14	.02	.02	—	—	—	—	—	—	.06	.09	.48		4
5	—	—	.02	—	.08	—	—	.01	—	.01	.06	.32		5
6	.02	—	.33	—	.19	.15	—	.08	—	.16	.03	.38		6
7	.01	—	—	—	—	.01	—	.02	—	.11	—	.19		7
8	—	—	—	—	.11	—	—	.03	.01	—	.41	.01		8
9	—	—	.01	—	—	—	—	—	.01	—	.71	.34		9
10	.01	.01	.36	.15	—	—	—	.06	—	.02	.75	.01		10
11	.64	—	.22	.06	—	—	.01	.22	—	—	MIST .01	.08		11
12	.14	—	.01	—	—	—	.15	.48	—	—	MIST .01	.04		12
13	.40	—	.05	.05	—	—	.42	.18	—	—	—	.01		13
14	.14	—	.38	.03	.01	—	—	—	—	.01	.50	.46		14
15	.01	—	.02	—	.05	—	—	—	.01	—	.09	.58		15
16	.13	MIST .01	.19	.11	.11	—	—	—	—	.05	.01	.02		16
17	.02	—	.02	—	—	—	—	—	—	.10	MIST .01	.25		17
18	.11	—	—	.26	—	—	.11	—	—	—	—	.26		18
19	—	—	.18	.08	—	—	—	—	.13	.01	—	.25		19
20	—	—	.10	.01	—	—	.02	.01	—	—	—	.02		20
21	—	—	.02	.16	—	.01	—	—	—	.06	—	MIST .01		21
22	—	—	—	—	—	—	.13	.26	.17	—	MIST .01	.02		22
23	—	—	—	.40	—	.69	—	—	—	—	—	.09		23
24	—	.01	MIST .01	.06	—	.20	.74	—	.07	—	—	—		24
25	.09	.01	—	.31	.03	—	—	—	—	.02	—	.27		25
26	.11	—	—	.16	—	.11	—	—	.05	—	—	.09		26
27	—	—	—	.09	—	.02	—	—	—	—	MIST .01	.24		27
28	—	SNOW .09	—	.08	—	.33	.02	—	—	—	—	.24		28
29	—	—	—	—	—	—	—	.50	.08	—	MIST .01	.02		29
30	.19	×	—	—	—	—	—	.10	—	—	—	.18		30
31	.01	×	—	×	—	×	—	—	×	.18	×	.10		31
TOTAL	2.25	.21	2.06	2.02	.58	1.52	1.60	2.04	1.48	1.71	2.72	5.56	23.75	
*Days with ".01 in. or more.	19	7	17	16	7	8	8	13	9	15	16	30	165	
*Days with ".04 in. or more.	11	2	9	13	5	5	5	9	6	10	7	10	92	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Arthur Mee

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

393

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Eynsford Hill,
in the County of Kent.

Station Number 393

File Number 802545/27

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.08	.01	.01	.01	.06	.14	-	.1	.1	.04	.02		1
2	.14	-	-	HAIL .03	-	-	-	-	.04	.28	.13	-		2
3	.02	.07	.21	.06	-	.03	-	-	.04	.87	-	-		3
4	-	.03	-	SLEET .22	-	.18	-	-	.22	.16	-	.14		4
5	-	.52	.04	.06	-	.29	-	-	.55	-	.01	-		5
6	.01	.09	.03	.25	-	.48	-	-	-	-	.03	.03		6
7	.03	SNOW .09	-	.21	-	.48	-	-	-	-	.83	.1		7
8	-	SNOW .02	SNOW .04	.35	-	.02	-	.02	-	.22	.35	.18		8
9	-	-	-	.24	-	.45	-	-	-	.86	.1	.01		9
10	.02	.01	-	.02	-	.02	-	-	-	.01	.05	.11		10
11	.27	-	-	.05	-	.02	-	-	-	.03	.28	.03		11
12	-	.01	-	-	-	.17	-	.73	.02	-	.85	-		12
13	.08	.14	-	.1	.06	.01	-	.01	-	-	.05	-		13
14	-	-	-	.02	.25	.08	-	-	-	-	.02	.09		14
15	-	.14	-	.21	.02	.11	-	-	.16	-	.2	.05		15
16	.01	.02	-	.11	.01	.24	-	-	.28	.02	.72	.02		16
17	-	-	.1	.01	-	.12	-	-	.02	-	.7	-		17
18	-	-	-	.21	.06	.09	.12	-	.36	.07	.04	.01		18
19	-	.01	-	.01	.17	.01	.01	-	.02	-	.02	MIST .01		19
20	.01	.48	-	.05	.02	.04	.18	-	.03	.02	.08	-		20
21	.03	.3	-	-	-	-	-	-	.04	.11	.05	-		21
22	-	.18	.01	-	-	-	-	.24	.52	-	-	-		22
23	.01	-	.05	-	.01	-	-	.2	.02	-	-	SLEET .1		23
24	.05	.62	-	-	.82	-	-	.87	.35	.01	-	.18		24
25	SNOW .23	.16	-	.3	.14	.11	-	-	.01	-	.02	.14		25
26	.1	.06	-	-	-	-	-	.16	.02	.02	-	.24		26
27	SNOW .02	.32	-	.01	-	-	-	-	.06	-	.09	.15		27
28	-	.02	-	-	.01	-	.01	-	.12	.08	-	.24		28
29	-	X	-	-	-	-	-	-	.3	-	-	.26		29
30	.25	X	-	.09	.1	-	-	.57	.01	.11	.32	.48		30
31	-	X	-	X	.02	X	-	.01	X	.26	X	.45		31
TOTAL	1.33	3.37	.49	2.62	1.75	2.81	.55	2.81	3.29	3.23	4.98	3.04	Year's Total	30.27
*Days with or in. or more.	17	21	8	22	14	20	5	9	22	17	22	22		199
*Days with .04 in. or more.	8	14	5	15	7	14	4	6	13	11	17	15		129

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Arthur Mee

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 393

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Eynsford Hill,

in the County of Kent.

File Number 802545/27

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

Ground Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	.08	.11	.18	-	.20	.32	.03	-	-	.04	.11		1
2	-	.01	-	.01	-	.31	.09	.09	-	-	.08	-		2
3	-	-	-	.39	-	.10	.02	-	.02	-	.25	-		3
4	-	-	.06	-	-	.14	-	.04	.30	.01	-	.09		4
5	.30	-	.03	-	-	-	-	.01	.29	.07	.10	.05		5
6	.17	-	-	-	-	.05	-	.01	.09	.04	.48	.03		6
7	.36	-	.01	-	-	.10	-	.04	.03	.03	.35	.01 51		7
8	.30	-	.02	-	-	-	.18	-	-	.08	.31	.16		8
9	.52	-	.02	-	.01	-	.34	.03	.05	.02	.01	.03		9
10	.08	-	.01 M	-	-	-	.27	.15	.08	-	-	-		10
11	-	-	-	.11	-	-	.14	.02	-	-	.74	-		11
12	-	-	-	.09	-	.16	.15	.01	.05	-	.36	.08		12
13	-	-	-	.03	-	.20	.04	-	-	-	.02	.45		13
14	-	.03	-	-	-	.08	.52	-	.01	.04	.12	.48		14
15	-	.06	-	-	-	.02	-	-	.02	-	.01	.08		15
16	.23	.03	-	-	.05	-	.03	-	.01	-	.31	.03		16
17	.21	.26	-	-	.03	.12	-	.01	.01	.01	.22	.27		17
18	.10 8	.06	-	-	-	.08	.14	-	-	.03	.20	.14		18
19	.15	.04	-	-	-	.52	.19	.14	-	.03	.05	.01		19
20	.26	.02	-	.34	-	-	.11	-	1.63	-	-	-		20
21	-	.01	-	.28	-	.38	.03	-	.08	-	-	-		21
22	.15	.35	.06	.01	.18	.04	.07	-	.01 M	-	.01 M	.12		22
23	.01	.05	.01	.05	-	-	.24	-	-	.05	-	-		23
24	.01	.09	-	-	-	-	.01	-	.02	.42	-	.01		24
25	.12	.01	.21	.18	-	.25	.25	-	.11	.09	.06	.01		25
26	.01	.08	.18	.02	-	.05	.03	-	.06	.17	-	.01		26
27	.26	.02	-	.02	-	-	-	-	.19	.11	-	-		27
28	.64	.02	.05	-	-	.13	.03	-	.05	-	-	.06		28
29	.04	.08	.16	-	-	.06	.07	-	-	.03	.09	.01		29
30	.06	✕	-	-	.12	.10	-	-	-	.16	-	.01		30
31	.20	✕	.17	✕	.02	✕	.09	-	✕	.97	✕	.16		31
TOTAL	4.41	1.30	1.10	1.71	.41	3.09	3.36	.58	3.11	2.36	3.81	2.41	27.65	✓
* Days with .01 in. or more.	22	18	14	13	6	20	23	12	20	18	20	23	209	✓
* Days with .04 in. or more.	19	10	8	8	3	19	17	5	12	11	16	13	141	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section **A** for the entry of Daily Observations.

Station No. 393

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Eynsford Hill,

in the County of Kent.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level ..350.....ft.

File Number 802545/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.63	.02		.05							.82	.31		1
2	.01	.32	.01	.34					.12		.01 M	1.55		2
3		.10										.29		3
4	.07	.55						.35				.34		4
5	.20	.15	.27 S				.14					.02		5
6	.04		.39 S		.16		.01			.09	.01			6
7		.63	.21 S	.06	.01				.05	.07		.03		7
8		.02	.13 S		.04	.05					.30	.55		8
9		.04		.36	.14		.03	.04	.28			.23		9
10			.38	.10	.36	.46	.11	.01				.52		10
11			.29	.01	.37		.02					.08		11
12	.15	.24	.05		.40	.15	.02	.05	.13			.09		12
13	.14	.02	.26	.01	.01	.46		.33	.08			.53		13
14	.04	.01	.28	.01	.07			.18	.15					14
15	.12	.05		.10		.05	1.30		.08		.01 M	.02		15
16	.02	.08	.42	.31		.01		.23	.12			.03		16
17	.17	.01	.10	.25		.04			.28		.10			17
18	.53	.03	.01	.01	.66	.78			.06		.30			18
19	.08	.08	.02	.09	.03	.26	.02		.15			.10		19
20	.42	.01	.11	.26	.88	.14			.09					20
21	.46	.54	.08	.04			.04	.13			.01	.01		21
22	.43	.05	.04 S	.01	.04	.64	.02			.48	.24	.04		22
23	.16		.01				.01			.35	.03	.01		23
24	.44	.34	.02		.01				.05	.18		.01		24
25	.12	.36	.20						.09	.31		.02		25
26	.01	.27	.06							.03		.01		26
27		.16		.26					.06	.26				27
28		.06		.01						.02		.05		28
29	.25 S					.01				.02	.03	.08		29
30	.13	X						.13			.15			30
31	.16	X		X		X			X	.07	X	.03		31
TOTAL	4.78	4.14	3.34	2.28	3.18	3.05	1.72	1.45	1.79	1.88	2.01	4.95	Year's total 5 34.87	✓
* Days with .01 in. or more.	23	24	21	18	14	12	11	9	15	11	12	24	194	✓
* Days with .04 in. or more.	20	17	16	12	10	10	4	8	15	8	6	14	140	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Arthur Lee

[P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 393

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Eynsford Hill,

File Number 802545/27

in the County of Kent.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

,, Ground ,, Sea Level 350.....ft.

Ann. Total Corr. for ^{Ampl.} 20.2.39
EMF.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	.01	-	.04	.14	-	-	.10	.01	.02	.03		1
2	.05	.02	-	.09	.08	-	.02	-	-	.26	-	.07		2
3	.02.5	-	-	-	.28	-	-	-	-	.91	.01	-		3
4	.03	-	-	-	-	.02	.07	.08	-	.06	.01	.10		4
5	.01	-	-	-	-	-	.57	-	-	.18	-	.04		5
6	.02	-	-	-	-	-	.07	-	.01	-	-	-		6
7	-	-	-	-	-	.08	.05	.77	-	.22	-	.05		7
8	.16	-	-	-	-	-	.14	-	-	.15	-	.09		8
9	.06	-	-	-	-	-	.17	.29	-	.04	-	.53		9
10	.06	.07	-	-	-	.05	-	.10	-	-	-	.09		10
11	.18	.01	-	-	-	-	-	-	-	-	.06	.20		11
12	.23	.04	-	-	-	-	-	.04	-	.10	.08	-		12
13	.30	.05.5	-	-	-	-	-	-	-	.05	.17	.06		13
14	.16	.18.5	-	-	.24	-	-	-	.05	-	-	.03		14
15	.04	.12.5	-	-	.01	-	.19	-	-	.25	-	.07		15
16	.31	.18.5	-	-	-	-	.01	-	-	.05	.01 M	.17		16
17	-	.10.5	-	-	.18	-	.01	-	-	.05	-	-		17
18	.06	-	-	-	.08	-	-	-	.10	-	.44	-		18
19	-	-	-	-	-	-	-	.02	.05	-	.21	.10.5		19
20	-	-	-	-	.07	-	-	-	.09	-	.38	-		20
21	.02	-	-	.01	-	-	-	.10	.13	-	.07	.16.5		21
22	-	-	-	-	-	.02	-	.01 M	-	-	.19	.22.5		22
23	-	-	-	.01	-	-	-	-	.04	-	.10	-		23
24	-	-	.07	-	-	-	-	-	.15	-	.09	-		24
25	.12	-	.32	.17	.10	-	.02	.01	.10	.04	.73	-		25
26	.16	.17	.07	-	-	-	-	.03	.25	.32	-	.33		26
27	.05	.03	-	-	.14	.14	.23	-	.88	.02	.17	-		27
28	.06	.04	.01	.04	.38	.06	-	.15	.09	-	-	.01 M		28
29	.18		-	.04	.12	-	-	-	.01	-	.05	.22		29
30	.03	~~X~~	-	.08	.07	.06	-	-	.08	.06	.24	-		30
31	.17	~~X~~	-	~~X~~	.08	~~X~~	-	-	~~X~~	.12	~~X~~	.13		31
TOTAL	2.58	1.01	.48	.44	1.87	.50	1.55	1.60	2.13	2.89	3.03	2.70	20.72	✓
* Days with .01 in. or more.	24	12	5	7	14	8	12	11	15	18	18	20	164	✓
* Days with .04 in. or more.	17	9	3	5	13	5	8	7	13	16	14	17	127	✓

† Spare column, no entries required.

(Signed)

Arthur Mee

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 393

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Eynsford Hill,

in the County of Kent.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....in.

,, Ground ,, Sea Level 350.8.....ft.

File Number 802545/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	.03	.13	.39	-	.01	.01	.31	-	-	-		1
2	.01	-	-	.02	.04	-	-	.24	.12	.10	.01	-		2
3	.21	-	-	.25	-	-	-	.52	-	.20	.16	.40		3
4	.12	.01 M	.17	.06	-	-	.02	1.53	-	.38	.04	.03		4
5	-	-	.01	.14	.01	-	.03	.02	-	.10	.24	.03		5
6	.24	-	-	.01	.05	-	.17	.05	-	-	.28	.01		6
7	-	.13	-	-	-	-	.02	.01	-	.19	.08	.05		7
8	.08	.07	.15	-	-	-	-	.03	-	.22	.38	.32		8
9	.03	.02	-	-	-	-	-	.05	-	.28	.12	.21		9
10	.09	-	-	-	-	.21	-	.08	.06	.02	-	-		10
11	-	-	.32	-	-	.23	-	-	.03	.68	.01	.02		11
12	-	-	-	-	.02	.01	-	-	-	-	-	.02		12
13	-	-	.01	-	-	.07	-	-	.02	1.50	-	.03		13
14	.52	-	.02	.04	.21	-	.02	-	-	.38	.54	.02		14
15	.54	-	.01	-	1.14	.01	-	-	.09	1.0	.06	.01		15
16	.28	-	.14	.01	.34	.07	-	-	.11	.01	.43	-		16
17	.41	.05	.04	.01	.05	-	.11	-	-	-	.08	-		17
18	.25	-	.01	-	.01	.08	.15	-	.01	.24	.32	-		18
19	.19	-	.02	-	-	-	.09	-	.02	.68	-	-		19
20	.16	-	-	-	-	.28	.70	.02	.04	-	-	.07		20
21	.07	-	.15	-	-	.07	.28	-	.18	.02	-	-		21
22	.11	.16	.14	-	-	.12	.20	-	.01	-	.05	-		22
23	.06	-	-	.27	-	.01	.01	.05	-	-	.46	-		23
24	.10	.12	.17	.13	-	-	.03	-	-	.10	-	-		24
25	.285	.32	.10	.06	-	-	.04	-	-	-	.40	-		25
26	.12	-	.01	.11	-	-	.05	-	.02	.14	.16	-		26
27	.02	.05	.04	.20	-	-	-	-	.01	.03	.30	-		27
28	.01	.38	.13	.02	-	.04	-	-	-	.06	.07	-		28
29	-	-	-	.37	-	-	-	-	-	.07	.03	-		29
30	-	~~X~~	-	.70	-	.01	-	-	-	-	.12	-		30
31	-	~~X~~	-	~~X~~	-	~~X~~	.30	-	~~X~~	-	~~X~~	-		31
TOTAL	3.93	1.31	1.72	2.53	2.26	1.21	2.23	2.61	1.03	6.40	4.34	1.22	30.79	✓
* Days with .01 in. or more.	23	10	19	17	10	13	17	12	14	21	22	13	191	✓
* Days with .01 in. or more.	18	8	11	12	7	9	10	7	7	17	19	5	130	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Arthur Mee

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 393

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 1940

Kept at Eynsford Hill,

in the County of Kent.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

„ Ground „ Sea Level.....350 ft.

File number 802545/27

Jan 28th - 31st read from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	—	—	—	.22	—		1
2	—	—	—	.27	—	—	—	—	—	—	.75	—		2
3	—	—	—	.09	—	—	—	—	—	—	1.16	—		3
4	—	—	—	.04	—	—	—	—	—	—	.08	.15		4
5	—	—	—	—	—	—	—	—	—	—	.30	—		5
6	.25 Snow	—	—	—	.06	—	.24	—	—	.20	—	—		6
7	.32	—	—	—	—	—	—	—	—	.35	.10	—		7
8	—	—	—	.02	—	—	—	—	—	.25	—	—		8
9	—	—	—	.01	—	.20	—	—	—	.35	.15	.35		9
10	—	—	—	—	—	—	—	—	—	—	.05	—		10
11	—	—	—	.01	—	—	.60	—	—	—	1.04	—		11
12	—	.50 Snow	.08	—	—	—	—	—	—	—	—	.15		12
13	—	—	.75	.02	—	—	.15	—	—	—	1.12	—		13
14	—	—	.44	.12	—	—	—	—	—	—	.20	—		14
15	—	—	.05	—	.23	—	1.20	—	—	.65	.60	—		15
16	—	—	.12	.02	—	—	.25	—	—	—	.40	—		16
17	—	.43	.34	.22	—	.20	—	—	.15	—	.10	.20		17
18	—	—	.19	.02	—	—	.08	—	.20	—	.34	—		18
19	—	.20	.15	.02	—	—	.27	—	.25	—	.10	—		19
20	—	.01	.01	—	—	—	—	—	—	—	—	—		20
21	—	—	—	—	.50	—	.05	—	—	.30	.35	—		21
22	—	.04	.04	—	.24	—	—	—	—	—	—	—		22
23	—	—	.03	.18	—	—	.05	—	—	—	—	—		23
24	—	—	.01	.38	—	—	—	—	—	—	—	—		24
25	.25 Snow	—	.56	—	—	—	.15	—	—	—	—	—		25
26	.84	.12	.75	—	.74	—	.08	—	—	—	—	—		26
27	.10	.40	—	—	—	.15	.25	—	—	—	—	—		27
28	✓	.04	—	.01	.15	—	—	—	—	.18	—	—		28
29	✓	.05	.11	—	.15	—	—	—	—	—	—	.25		29
30	✓	✗	—	.15	—	—	—	—	—	—	—	—		30
31	✓	✗	—	✗	✓	✗	✓	—	✗	.65	✗	—		31
TOTAL	2.16 ~~1.76~~	1.79	3.63	1.58	2.07	1.55	3.37	—	.60	2.93	7.06	1.10	Year's Total 26.44	26.84
* Days with .01 in. or more.	95	9	15	16	7	3	12	—	3	8	17	5	100	104 "x"
* Days with .04 in. or more.	85	8	12	8	7	3	12	—	3	8	17	5	88	91

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Circ A. **COP**
Section **A** for the ent
AIR MIN
FORM 1090 **REC**
Kept at **FARNINGHAM**
in the County of **KEN**
Diameter of Funnel of Gauge
Height of top of Gauge above
Ground
THE MORNING MEAS

393/4

FARNINGHAM DUMBRAE

1937 - 1940

061320004

Station No. **393/4**
INFALL ORGANIZATION
937
appear to be good.
new file to
insert into
821250/38
IOUS DAY
of the following
Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					0'00									1
2	0.66									0.02				2
3				0.42			0.00							3
4												2.21		4
5						0.00			0.16					5
6		1.29	1.08								0.75			6
7								0.30						7
8					0.14									8
9	0.30									0.13				9
10				0.47			0.32							10
11												1.41		11
12						0.76			0.31					12
13		0.99	1.43								0.23			13
14								0.68						14
15					1.47									15
16	0.46									0.00				16
17				0.69			1.18							17
18												0.80		18
19						1.36			0.80					19
20		0.25	0.77								0.41			20
21								0.40						21
22					1.54									22
23	2.44									0.92				23
24				0.38			0.09							24
25												0.12		25
26						0.78			0.36					26
27		1.72	0.36								0.26			27
28		0.00						0.00						28
29					0.02									29
30	1.11	×		0.27		0.22			0.04	0.96	0.32			30
31	0.00	×	0.00	×	0.00	×	0.00	0.12	×	0.25	×	0.13		31
TOTAL	4.97	4.25	3.64	2.23	3.17	3.12	1.59	1.50	1.67	2.28	1.97	4.67	Year's Total 33.06	
* Days with .01 in. or more. } weekly totals only taken														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.
(Signed) **Berttram Grey** [P.T.O.]



for the entry of Daily Observations

Station No. **393/4**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at **FARNINGHAM**
in the County of **KENT**
Diameter of Funnel of Gauge.....**5** in.
Height of top of Gauge above Ground....**1** ft.....in.
,, Ground ,, Sea Level **200** ft.

Records appear to be good.
awaiting new file to insert into
821250/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					0.00									1
2	0.66									0.02				2
3				0.42			0.00							3
4												2.21		4
5						0.00			0.16					5
6		1.29	1.08								0.75			6
7								0.30						7
8					0.14									8
9	0.30									0.13				9
10				0.47			0.32							10
11												1.41		11
12						0.76			0.31					12
13		0.99	1.43								0.23			13
14								0.68						14
15					1.47									15
16	0.46									0.00				16
17				0.69			1.18							17
18												0.80		18
19						1.36			0.80					19
20		0.25	0.77									0.41		20
21								0.40						21
22					1.54									22
23	2.44									0.92				23
24				0.38			0.09							24
25												0.12		25
26						0.78			0.36					26
27		1.72	0.36								0.26			27
28		0.00						0.00						28
29					0.02									29
30	1.11	×		0.27		0.22			0.04	0.96	0.32			30
31	0.00	×	0.00	×	0.00	×	0.00	0.12	×	0.25	×	0.13		31
TOTAL	4.97	4.25	3.64	2.23	3.17	3.12	1.59	1.50	1.67	2.28	1.97	4.67	Year's Total 35.06	
* Days with .01 in. or more.	} weekly totals only taken													
* Days with .04 in. or more.														

Section



for the entry of Daily Observations

Station No.

393/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

file No

821250/38.

Kept at FARNINGHAM.

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

Ground Sea Level 230 ft.

from

Bertram Grey

Dunbrae

Farningham

Dartford Kent

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04									0.01				1
2				0.09			0.03							2
3									0.10			0.09		3
4						0.15								4
5		0.09	0.01								0.02			5
6								0.07						6
7					0.35									7
8	0.25									1.88				8
9				0.00		0.80								9
10									0.02			0.91		10
11						0.08								11
12		0.10	0.00								0.14			12
13								1.11						13
14					0.28									14
15	1.06									0.42				15
16				0.00		0.19								16
17									0.09			0.54		17
18					0.00									18
19		0.48	0.00								0.78			19
20								0.01						20
21					0.32									21
22	0.31									0.06				22
23				0.05		0.02								23
24									0.48			0.16		24
25					0.00									25
26		0.19	0.47								1.52			26
27								0.19						27
28		0.07			0.61									28
29	0.60	X								0.38				29
30		X		0.28		0.25	0.26		1.47		0.44			30
31	0.12	X	0.00	X	0.23	X	0.00	0.15	X	0.17	X	0.63	W	31
TOTAL	2.38	0.93	0.48	0.42	1.79	0.48	1.30	1.53	2.16	2.92	2.90	2.33	19.62	init 40 14/3/39

* Days with .01 in. or more.
* Days with .04 in. or more.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Bertram Grey Esq.

Section



for the entry of Daily Observations

Station No.

393/4

FORM 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1939

file No

821250/38.

Kept at FARNINGHAM

in the County of KENT

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....in.

,, Ground ,, Sea Level ..230.....ft.

From

Bertram Grey.

W Dunbrae"
Farningham
Dartford Kent

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				0.13			0.02							1
2									0.41			0.00		2
3						0.00								3
4		0.00	0.21								0.21			4
5								2.28						5
6					0.43									6
7	0.63									0.76				7
8				0.42			0.22							8
9									0.00			1.01		9
10						0.23								10
11		0.23	0.44								1.10			11
12								0.17						12
13					0.02									13
14	0.68									3.39				14
15				0.03			0.02							15
16									0.37			0.08		16
17						0.37								17
18		0.06	0.17								1.44			18
19								0.00						19
20					1.67									20
21	1.87									1.97				21
22				0.02			1.49							22
23									0.20			0.00		23
24						0.56								24
25		0.70	0.57								0.92			25
26								0.06						26
27					0.00									27
28	1.05	0.45								0.32				28
29		X		1.16			0.15							29
30		X		0.58		0.03			0.01		0.79	0.19		30
31	0.00	X	0.23	X	0.00	X	0.31	0.00	X	0.07	X	0.00		31
TOTAL	4.23	1.44	1.62	2.34	2.12	1.19	2.21	2.51	0.99	6.51	4.46	1.28	Year's Total 30.90	

* Days with
.01 in.
or more.
* Days with
.04 in.
or more.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Bertram Grey

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

393/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~1933~~ 1940 file NoKept at FARNINGHAM
in the County of KENTDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground....1.....ft.....in.,, Ground ,, Sea Level 230.....ft.from BERTRAM GREY
"Dunbrae"
Farningham
Dartford, Kent821250/
38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						0.00								1
2			0.00								0.94			2
3		0.25						0.00						3
4				0.00										4
5										0.45				5
6	0.12			0.39			0.18							6
7									0.00			0.51		7
8						0.00								8
9			0.00								2.18			9
10	0.37							0.03						10
11				0.05										11
12										0.75				12
13	0.31			0.05			0.76							13
14									0.25			0.30		14
15						0.62								15
16			1.50								3.49			16
17		0.08						0.02						17
18				0.21										18
19										0.88				19
20	0.06			0.49			1.92							20
21									0.80			0.38		21
22						0.35								22
23			0.65								0.86			23
24		0.56						0.04						24
25				0.87										25
26										0.15				26
27	0.96			0.58			0.57							27
28									0.04			0.07		28
29		0.54				0.10								29
30		×	2.26	0.14		0.00			0.00		0.05			30
31	0.47	×	0.00	×	1.11	×	0.00	0.00	×	0.78	×	0.24		31
TOTAL	1.92	1.80	4.41	1.65	2.24	1.07	3.43	0.09	1.09	3.01	7.52	1.50	Year's Total	29.73

* Days with
.01 in.
or more.
* Days with
.04 in.
or more.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Bertram Grey

P.T.O.

Kept at Farningham in the County of

Diameter of Funnel of Gauge 5 Height of top of Gauge above Ground Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule year in the space on the right of this para

061321008

393/5

FARNINGHAM FOXHOLE

1932

OR OFFICIAL USE. ORGANIZATION.

180108

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.83	-	.03	.40	-	-	.32	-	Tr	Tr	-	1
2	.02	-	-	.06	.03	-	-	.01	-	-	Tr	-	2
3	-	-	-	.08	.25	.15	-	-	.49	.05	.02	-	3
4	Tr	-	-	-	Tr	X	.20	-	Tr	-	-	.02	4
5	.09	Tr	.03	-	-	.09	-	-	Tr	-	-	-	5
6	.35	-	.01	.16	.04	-	-	-	.17	-	Tr	-	6
7	.07	-	.07	.10	.15	-	-	-	Tr	.05	-	-	7
8	-	-	.18	.15	-	-	-	-	.05	.20	-	-	8
9	.24	.05	-	.10	.74	-	-	-	-	.20	.01	Tr	9
10	.85	.05	-	.10	.06	Tr	Tr	-	Tr	Tr	-	Tr	10
11	.04	.07	.02	.07	Tr	-	-	-	-	.30	-	-	11
12	.08	-	-	.03	Tr	-	-	-	-	.10	-	-	12
13	.10	-	-	.01	.01	-	-	-	Tr	.30	.03	-	13
14	.12	Tr	-	.14	.08	-	-	-	-	.40	Tr	Tr	14
15	Tr	-	-	.08	.04	-	-	-	-	-	-	.01	15
16	.02	-	-	.12	.10	-	-	-	-	-	Tr	.03	16
17	-	-	-	.21	-	-	-	-	Tr	-	.08	-	17
18	-	-	-	-	-	-	.17	-	Tr	.02	-	-	18
19	Tr	Tr	-	.02	Tr	-	-	-	-	.10	Tr	-	19
20	-	-	-	.14	.14	-	.32	.06	.02	Tr	.01	-	20
21	.01	-	-	.09	.24	-	-	-	Tr	.15	.02	Tr	21
22	.01	.01	.32	Tr	.09	-	-	-	.31	.10	.40	Tr	22
23	-	.11	.13	.10	X .03	-	-	-	Tr	1.09	Tr	-	23
24	-	.08	-	-	-	-	-	-	.03	.08	-	-	24
25	-	-	.01	Tr	-	-	.32	-	.20	.10	-	.70	25
26	-	-	-	Tr	Tr	-	.45	-	-	.02	-	-	26
27	-	-	.14	.07	.40	-	.04	-	Tr	.12	.17	Tr	27
28	-	Tr	.04	-	X .08	-	.10	-	-	.40	Tr	Tr	28
29	-	-	.27	.06	-	.05	Tr	.27	-	.42	-	.30	29
30	-	X	.09	Tr	.21	.60	-	-	-	.02	-	.14	30
31	-	X	.15	X	-	X	-	Tr	X	.04	X	-	31
TOTAL	1.80	.40	1.46	1.92	3.14	.89	1.60	.66	1.27	4.26	.74	.60	18.74
*Days with .01 in. or more.	14	7	13	21	20	4	7	4	7	21	8	6	132
*Days with .04 in. or more.	10	5	9	17	16	4	7	3	5	18	3	3	109

REGISTER OF RAINFALL IN 1932

Kent 15

Kept at Farningham, Kent
in the County of _____

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 202 ft.

OK print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.10	.83	—	.03	.40	—	—	.32	—	Tr	Tr	—	I
2	.02	—	—	.06	.03	—	—	.01	—	—	Tr	—	2
3	—	—	—	.08	.25	.15	—	—	.49	.05	.02	—	3
4	Tr	—	—	—	Tr	X	.20	—	Tr	—	—	.02	4
5	.04	Tr	.03	—	—	.04	—	—	Tr	—	—	—	5
6	.35	—	.01	.16	.04	—	—	—	.17	—	Tr	—	6
7	.07	—	.07	.10	.15	—	—	—	Tr	.05	—	—	7
8	—	—	.18	.15	—	—	—	—	.05	.20	—	—	8
9	.24	.05	—	.10	.74	—	—	—	—	.20	.01	Tr	9
10	.55	.05	—	.10	.06	Tr	Tr	—	Tr	Tr	—	Tr	10
11	.04	.07	.02	.07	Tr	—	—	—	—	.30	—	—	11
12	.08	—	—	.03	Tr	—	—	—	—	.10	—	—	12
13	.10	—	—	.01	.01	—	—	—	Tr	.30	.03	—	13
14	.12	Tr	—	.14	.08	—	—	—	—	.40	Tr	Tr	14
15	Tr	—	—	.08	.04	—	—	—	—	—	—	.01	15
16	.02	—	—	.12	.10	—	—	—	—	—	Tr	.03	16
17	—	—	—	.21	—	—	—	—	Tr	—	.08	—	17
18	—	—	—	—	—	—	.17	—	Tr	.02	—	—	18
19	Tr	Tr	—	.02	Tr	—	—	—	—	.10	Tr	—	19
20	—	—	—	.14	.14	—	.32	.06	.02	Tr	.01	—	20
21	.01	—	—	.09	.24	—	—	—	Tr	.15	.02	Tr	21
22	.01	.01	.32	Tr	.09	—	—	—	.31	.10	.40	Tr	22
23	—	.11	.13	.10	X .03	—	—	—	Tr	1.09	Tr	—	23
24	—	.08	—	—	—	—	—	—	.03	.08	—	—	24
25	—	—	.01	Tr	—	—	.32	—	.20	.10	—	.10	25
26	—	—	—	Tr	Tr	—	.45	—	—	.02	—	—	26
27	—	—	.14	.07	.40	—	.04	—	Tr	.12	.17	Tr	27
28	—	Tr	.04	—	X .08	—	.10	—	—	.40	Tr	Tr	28
29	—	—	.27	.06	—	.05	Tr	.27	—	.42	—	.30	29
30	—	X	.09	Tr	.21	.60	—	—	—	.02	—	.14	30
31	—	X	.15	X	—	X	—	Tr	X	.04	X	—	31
TOTAL	1.80	.40	1.46	1.92	3.14	.89	1.60	.66	1.27	4.26	.74	.60	18.74
*Days with .01 in. or more.	14	7	13	21	20	4	7	4	7	21	8	6	130
*Days with .04 in. or more.	10	5	9	17	16	4	7	3	5	18	3	3	109

Kept at Orpington
in the County of KENT

Diameter of Funnel of Gauge..... in.
Height of top of Gauge above Ground..... ft. in.
Ground Sea Level..... ft.

ORPINGTON - KENT W.W.
1931-1940
061232001 780108

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.07	.02	.23				.07	.08				1
2	.25	.07		.18		.15		.08	.40	.01			2
3	.07	.05	.07	.39	1.44			.29	.27		.03	.22	3
4	.01	.03		.01			.01	.05	.07	.01	.05		4
5				.35	.16	.57	.02	.03	.10			.21	5
6		.08		.03						.31	.47		6
7					.09	.11		.18		.05	.24		7
8	.03	.07	.01			.25	.05	.18			.05		8
9		.02									.58	.03	9
10		.16				.01		.19			.61		10
11	.05	.36						.01	.04		.44		11
12	.06							.05	.44				12
13	.04						.03	.06		.01			13
14		.09				.02	.64	.87					14
15	.05	.04		.22	.10		.20	.53			.01	.06	15
16	.01	.06		.12	.24	.01		.05	.08				16
17		.02		.27	.01		.22	.18	.09	.02			17
18	.02	.10		.18		.23	.06	.63	.01		.49		18
19	.01			.62		.11	.05	.26	.06				19
20		.03		.04			.04	.27				.01	20
21	.02				.42			.01					21
22	.26		.14						.06		.01		22
23	.43				.25	.02			.11		.14	.01	23
24			.04	.69	.03	.07	.02	.13					24
25	.05			.49	.03		.55		.02		.01		25
26		.05		.23			.52				.29		26
27	.10	.25		.03	.24		.08				.12		27
28	.03	.13		.02						.03		.05	28
29	.11	X			.07		.09			.29	.02	.07	29
30	.11	X			.03								30
31	.22	X		X		X		.08	X		X		31
TOTAL	1.93	1.68	.28	4.10	3.11	1.55	2.58	4.20	1.83	.73	3.56	.66	26.21
*Days with or in. or more.	29	18	5	17	19	11	15	21	14	8	16	8	166
*Days with .04 in. or more.	13	14	3	13	9	7	11	18	11	3	11	5	118

40-9999

*See Instruction 2 (f) on other side.

(Signed)

F. H. Davies

[P.T.O.]

REGISTER OF RAINFALL IN 1931 .

Kept at Orrington
in the County of KENT

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.07	.02	.23				.07	.08				1
2	.25	.07		.18		.15		.08	.40	.01			2
3	.07	.05	.07	.39	1.44			.29	.27		.03	.22	3
4	.01	.03		.01			.01	.05	.07	.01	.05		4
5				.35	.16	.57	.02	.03	.10			.21	5
6		.08		.03						.31	.47		6
7					.09	.11		.18		.05	.24		7
8	.03	.07	.01			.25	.05	.18			.05		8
9		.02									.58	.03	9
10		.16				.01		.19			.61		10
11	.05	.36						.01	.04		.44		11
12	.06							.05	.44				12
13	.04						.03	.06		.01			13
14		.09				.02	.64	.87					14
15	.05	.04		.22	.10		.20	.53			.01	.06	15
16	.01	.06		.12	.24	.01		.05	.08				16
17		.02		.27	.01		.22	.18	.09	.02			17
18	.02	.10		.18		.23	.06	.63	.01		.49		18
19	.01			.62		.11	.05	.26	.06				19
20		.03		.04			.04	.27				.01	20
21	.02				.42			.01					21
22	.26		.14						.06		.01		22
23	.43				.25	.02			.11		.14	.01	23
24			.04	.69	.03	.07	.02	.13					24
25	.05			.49	.03		.55		.02		.01		25
26		.05		.23			.52				.29		26
27	.10	.25		.03	.24		.08				.12		27
28	.03	.13		.02						.03		.05	28
29	.11	X			.07		.09			.29	.02	.01	29
30	.11	X			.03								30
31	.22	X		X		X		.08	X		X		31
TOTAL	1.93	1.68	.28	4.10	3.11	1.55	2.58	4.20	1.83	.73	3.56	.66	YEAR'S TOTAL 26.21
*Days with or in. or more.	29	18	5	17	13	11	15	21	14	8	16	8	166
*Days with .04 in. or more.	13	14	3	13	9	7	11	18	11	3	11	5	118

Section

A

for the entry of Daily Observations.

Station No.

394

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Orpingtonin the County of KENT

Diameter of Funnel of Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

,, Ground ,, Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.03		.04	.41		.01 005	.11	.01	.05	.01	.06	1
2				.07	.03			.03	.22	.01	.05	.14	2
3				.09	.27				.46				3
4		.01 005			.01 005	.21					.02		4
5	.13	.01 005	.01		.01	.04	.36		.09				5
6	.35			.21									6
7	.10		.12	.03	.01		.11		.05				7
8			.21	.07	.23				.20	.60			8
9	.50	.01	.02	.15	.96								9
10	.90	.03 005		.22	.12					.07			10
11	.12	.01 005		.05			.55			.31	.03	.04	11
12	.13			.02	.01 005			.01 005		.59	.01 005		12
13	.20	.06		.11	.01					.53	.01 005		13
14	.11	.06		.11	.08					.07			14
15				.10	.12								15
16	.13			.30	.17					.21			16
17	.01 005			.05			.15		.02	.03	.01		17
18									.05		.10		18
19									.01	.15	.05	.01 005	19
20				.21	.21		.04	.22	.01	.63	.14		20
21				.10	.36					.23		.05	21
22		.03	.26		.17		.26		.34	.24	.34		22
23		.14	.03	.13	.04				.13	1.04	.05	.10	23
24		.09					.32		.07	.02	.04		24
25							.34		.03	.13	.02	.01	25
26			.03		.01 005		.42	.13		.05		.01 005	26
27			.31	.14	.45	.04	.07			.61	.09		27
28			.03	.01	.10		.08			.23			28
29			.45		.06	.01 005		.41	.04	.48		.01	29
30		X		.03		.73 005		.02	.04	.04	.16	.16	30
31		X	.13	X		X	.02		X		X	.04	31
TOTAL	2.74 2.005	.48 005	1.60	2.23	3.84 3.005	1.03 1.02	2.73 2.725	.93 0.925	1.77	6.32	1.13 1.12	.63 0.62	YEAR'S TOTAL 25.43 25.36
*Days with ".01 in. or more.	11	9	11	21	19	4	12	6	16	22	14	9	154
*Days with ".04 in. or more.	11	4	6	17	14	4	11	4	11	19	9	7	117

40-9999

*See Instruction 2 (f) on other side,

(Signed)

P. H. Davis

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

394

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at ORPINGTON.

in the County of KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.15	.16							.03	.05			1
2	.35	.01 005	.26		.11									2
3	.03	.09	.22								.09			3
4	.22	.01 005			.24									4
5	.15	.01	.48		.14									5
6		.09	.08		.41					.14	.11			6
7	.23	.07	.09		.15					.08	.01 005	.05		7
8	.06				.03		.16			.01				8
9					.07		.09			.04	.17			9
10		.18			.01	.19	.05			.14	.01 005			10
11	.12				.07	.20	.16	.11	.05	.03	.06			11
12				.02	.02	.24	.02		1.04		.05			12
13	.07				.10	.01 005	.41	.04	.18	.03	.17			13
14					.01		.01 005	.01		.19	.27	.01		14
15	.21		.14				.36	.15		.01				15
16	.06	.01 005	.81			.19	.16		.01 005		.09			16
17	.01 005		.41			.03		.01	.07		.08			17
18	.03	.01	.05			.06								18
19		.02	.19			.07			.11		.02	.01		19
20		.04	.03	.09		.10	.09		.01 005		.01			20
21		.05				.02		.07	.33					21
22		.01 005			.01 005			.15		.06				22
23		.03		.17	.41	.02			.37	.05	.03			23
24		.39		.13	.02	.17			.27					24
25		.23		.20	.02				.07		.07	.03		25
26		.55		.03	.01 005	.03			.24	.10	.06	.08		26
27					.21		.01		.01 005	.27	.01 005	.11		27
28					.01		.31			.45		.06		28
29	.01	X					.17			.10		.01 005		29
30	.10	X	.17				.01			.08		.17		30
31	.07	X		X		X		.12	X	.02	X			31
TOTAL	1.76 1.755	1.95 1.93	3.19	.64	2.05 2.04	1.33 1.325	2.01 2.005	.66	2.76 2.745	1.83	1.36 1.345	53 52.5	Year's Total 14.99	20.07
*Days with or in. or more.	15	14	13	6	17	12	13	8	10	18	15	8	149	
*Days with .04 in. or more.	12	10	12	4	10	8	10	6	10	12	12	5	111	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

S. H. Davies

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

394

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Orpingtonin the County of KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<u>01</u> ~~005~~							<u>11</u>		<u>06</u>	<u>01</u> ~~005~~	<u>27</u>		1
2	<u>02</u>		<u>12</u>						<u>74</u>	<u>27</u>	<u>01</u> ~~005~~	<u>23</u>		2
3	<u>01</u> ~~005~~	<u>05</u>		<u>12</u>						<u>66</u>		<u>01</u>		3
4	<u>13</u>	<u>01</u> ~~005~~	<u>02</u>		<u>08</u>					<u>32</u>	<u>07</u>	<u>52</u>		4
5			<u>01</u> ~~005~~					<u>01</u> ~~005~~			<u>07</u>	<u>33</u>		5
6	<u>01</u>		<u>30</u>		<u>25</u>	<u>22</u>		<u>10</u>		<u>14</u>	<u>02</u>	<u>52</u>		6
7	<u>03</u>					<u>03</u>				<u>15</u>		<u>22</u>		7
8					<u>11</u>			<u>07</u>	<u>01</u>		<u>32</u>	<u>01</u>		8
9			<u>01</u>						<u>07</u>		<u>106</u>	<u>52</u>		9
10	<u>01</u> ~~005~~		<u>41</u>	<u>19</u>				<u>03</u>		<u>03</u>	<u>119</u>			10
11	<u>68</u>		<u>27</u>	<u>07</u>			<u>07</u>	<u>08</u>			<u>03</u>	<u>12</u>		11
12	<u>08</u>		<u>02</u>				<u>11</u>	<u>80</u>				<u>03</u>		12
13	<u>47</u>		<u>12</u>	<u>03</u>			<u>56</u>	<u>06</u>			<u>02</u>	<u>10</u>		13
14	<u>06</u>		<u>46</u>	<u>03</u>	<u>01</u>					<u>01</u>	<u>53</u>	<u>43</u>		14
15	<u>02</u>		<u>07</u>		<u>08</u>					<u>02</u>	<u>10</u>	<u>50</u>		15
16	<u>10</u>		<u>30</u>	<u>09</u>	<u>12</u>					<u>06</u>				16
17			<u>01</u>	<u>01</u> ~~005~~	<u>01</u> ~~005~~					<u>07</u>	<u>02</u>	<u>32</u>		17
18	<u>09</u>		<u>02</u>	<u>27</u>			<u>13</u>					<u>27</u>		18
19			<u>27</u>	<u>17</u>					<u>08</u>			<u>32</u>		19
20			<u>10</u>				<u>05</u>	<u>01</u> ~~005~~	<u>01</u> ~~005~~					20
21			<u>01</u> ~~005~~	<u>17</u>		<u>04</u>				<u>03</u>				21
22							<u>53</u>	<u>25</u>	<u>15</u>			<u>04</u>		22
23				<u>46</u>		<u>62</u>						<u>08</u>		23
24			<u>02</u>	<u>19</u>		<u>15</u>	<u>36</u>		<u>05</u>					24
25	<u>11</u>	<u>06</u>		<u>11</u>	<u>10</u>	<u>01</u> ~~005~~				<u>04</u>		<u>38</u>		25
26				<u>21</u>		<u>14</u>			<u>03</u>			<u>09</u>		26
27	<u>07</u>	<u>01</u>		<u>32</u>		<u>04</u>						<u>22</u>		27
28	<u>01</u> ~~005~~	<u>03</u>		<u>03</u>		<u>35</u>	<u>02</u>	<u>48</u>				<u>22</u>		28
29		X					<u>05</u>	<u>04</u>	<u>08</u>			<u>02</u>		29
30	<u>17</u>	X										<u>17</u>		30
31	<u>01</u>	X		X		X			X	<u>22</u>	X	<u>09</u>		31
TOTAL	<u>209</u> ~~207~~	<u>16</u> ~~15~~	<u>254</u> ~~208~~	<u>247</u> ~~245~~	<u>76</u> ~~75~~	<u>160</u> ~~159~~	<u>188</u>	<u>204</u> ~~203~~	<u>122</u> ~~121~~	<u>208</u>	<u>345</u> ~~344~~	<u>603</u>	Year's Total <u>2632</u>	<u>2632</u>
* Days with .01 in. or more.	<u>15</u>	<u>4</u>	<u>16</u>	<u>15</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>10</u>	<u>5</u>	<u>14</u>	<u>11</u>	<u>26</u>	<u>143</u>	
* Days with .04 in. or more.	<u>10</u>	<u>2</u>	<u>10</u>	<u>12</u>	<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>6</u>	<u>10</u>	<u>7</u>	<u>22</u>	<u>109</u>	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

B. H. Davies

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1935 .

Kept at Arpington
in the County of KENT

KENT DISTRICT.

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	.05		.05		.05	.19		.09	.10	.06	~~.05~~	1
2	.10			.08					.03	.21	.10		2
3		.04	.10	.02		.01			.13	1.03	.11		3
4		.03		.21		.41			.10	.29	.03	.19	4
5		.49	.04	.05		.19			.56	01.44.5	.01	~~.05~~	5
6	.04	.07	.01	.26		.54					.05	.01	6
7	.04	.08		.22		.11					.91	.12	7
8			.01 ~~.05~~	.36		.01		.01		.33	.42	.14	8
9				.25		.73				.93	.12	.02	9
10	.04			.01		.03				~~.05~~	.14	.12	10
11	.26			.05		.04	.09				.41	.01	11
12						.26		.36	.01 ~~.05~~		.90		12
13	.08	.13		.09	.10	.07					.03		13
14				.01	.26	.05					.04	.07	14
15		.17		.35	.01	.03			.34		.17	.04	15
16		.01		.18	~~.01~~	.12			.39	.04	.68	.02	16
17	.02		.23	.01		.13			.01 ~~.05~~		.66		17
18				.19	.07	.06	.09		.36	.05	.04		18
19					.19	.01	.13				.06	.02	19
20		.56		.12	.11	.03	.35		.02		.09		20
21	.02	.44		.05					.02	.11	.03		21
22	.01	.18	.02				.01	.34	.70				22
23			.06					.67	.09			.10	23
24	.04	.65			.82			.87	.32			.18	24
25	.19	.08		.28	.09	.10					.01	.30	25
26	.11 ~~Sum~~	.29 ~~Sum~~						.14	.01	.02		.36	26
27	.02	.40		~~.05~~			.01	.01	.09		.07	.22	27
28		.01			.01				.07	.10		.14	28
29	.01	X							.35			.33	29
30	.09	X	.01 ~~.05~~	.05	.11			.56	.02	.21	.34	.54	30
31		X		X	.01 ~~.05~~	X			X	.31	X	.53	31
TOTAL	1.29	3.68	.48 ~~.05~~	2.89 ~~.05~~	1.78 ~~.05~~	2.98	.87	2.96	3.71 ~~.05~~	3.74	5.48	3.47	33.33 ~~33.505~~
*Days with or in. or more.	16	17	6	21	10	20	7	8	19	13	24	20	180
*Days with .04 in. or more.	11	14	4	17	8	14	5	6	13	10	19	15	138

40-9999

*See Instruction 2 (f) on other side.

(Signed) P. St. Davies [P.T.O.]

Section



for the entry of Daily Observations.

Station No.

394

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ORPINGTON,

in the County of KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.21	.09	.05	.14		.24	.32	.02			.02	.12		1
2	.04	.03		.01		.46	.06	.08			.04	~~.01~~ 01		2
3	~~.01~~ 01			.44	.02	.12	.02	.04	.09		.25			3
4			.05			.18			.23		~~.01~~ 01	.08		4
5	.31		.03					.03	.45	.06	.10	~~.05~~ 05		5
6	.39					.09		.01	.10	~~.01~~ 01	.57	.07		6
7	.34		.02			16		~~.01~~ 01	.01	~~.01~~ 01	.21	.02		7
8	.31		.03				.02			.10	.31	.26		8
9	.59		.01				.29		.23	.02		~~.01~~ 01		9
10	.08						.31	.20	.01					10
11				.06			.12				.84			11
12				.05		.25	.16		.05		.54	.06		12
13				.21		.09					.02	.61		13
14		.02				.08	.48			.03	.11	.76		14
15		.07				.03			.01			.12		15
16	~~.34~~ 34	.04			.14		.03		.03		.34	.03		16
17	.23	.70				.06				.01	.18	.24		17
18	.07	.09				.02	.12			.04	.16	.15		18
19	.21	.04		.01		.03	.31	.14		.03	.03			19
20	.26	.06	~~.01~~ 01	.36			.05		.77					20
21		.02		.37	.20	.27	.02		.01					21
22	~~.19~~ 19	.42	.08	.01		.06	.09					.14		22
23	.01	.02		.04			.33			.06				23
24	.03	.08					.02		.01	.46				24
25	.13	~~.01~~ 01	.21	.25		.43	.19		.20	.12	.06	.01		25
26	~~.01~~ 01	.08	.22	.07		.02	.01		.04	.17		~~.01~~ 01		26
27	.31		~~.01~~ 01	.03					.26	.11				27
28	.74		.06			.30	.19		.04			.05		28
29	.04	.15	.20			.05	.04			.01	.10	.02		29
30	.04	X			.02	.15				.22		~~.01~~ 01		30
31	.17	X	.17	X	.02	X	.08		X	1.02	X	.20		31
TOTAL	506 5.05	1.92 1.915	1.15 1.11	2.05	.40	3.09	3.26	.53 5.25	2.54	2.48 2.47	3.89 3.885	3.03 3.01	Year's Total	29.40
* Days with .01 in. or more.	22	15	12	14	5	20	22	7	17	15	17	18	184	
* Days with .04 in. or more.	20	11	8	10	2	16	16	4	11	10	14	14	136	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

METROPOLITAN WATER BOARD,
KENT DISTRICT:

(Signed)

M. J. Davis

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

394

METROPOLITAN WATER BOARD,
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Orpingtonin the County of Kent

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.58	.12		.09							.74	.59		1
2		.25	.03	.37					.22	.01	⁰¹ ~~.005~~	1.43		2
3		.12										.41		3
4	.08	.67										⁰¹ ~~.005~~		4
5	.21	.18	.34				.14	.30			⁰¹ ~~.005~~			5
6	.04	.02	.69		.26					.06				6
7		.75	.11	.08	.005				.05	.06				7
8		.02	.07		.10	.05					.36	.62		8
9		.06		.23	.13		.01	.04	.28			.23		9
10	.02		.54	.25	.55	.31	.04	.12				.63		10
11			.34		.05		.01					.04		11
12	.18	.25	.05		.42	.32		.13	.14			.17		12
13	.15	.02	.32	.01		.20		.12	.18			.60		13
14	.01	.01	.18		.03	.01		.18	.11			.01		14
15	.17	.06		.13		⁰¹ ~~.005~~	.31		.14			.02		15
16		.12	.57	.36		.05		.25	.16					16
17	.31	.02	.06	.22		.04			.11		.09			17
18	.45	.02		⁰¹ ~~.005~~	.43	.79			.07		.21	.05		18
19	.08	.07		.09	.01	.14	.05		.09			.11		19
20	.58	.03	.14	.33	.69	.18			.01					20
21	.51	.57	.05	.05	⁰¹ ~~.005~~		.02	.01				.02		21
22	.44	.05	.04		.06	.32	.02			.75	.20	.03		22
23	.31									.77	.01			23
24	.72	.40	.16		.03				.05	.37				24
25	.09	.34	⁰¹ ~~.005~~	.16	.01				.09	.24				25
26	⁰¹ ~~.005~~	.24	.05		.02	.03				.02		.02		26
27		.08	.01	.27					.06	.29				27
28	⁰¹ ~~.005~~	.12								.02		.07		28
29	.16	X								.07	.02	.10		29
30	.21	X				⁰¹ ~~.005~~		.85			.14	⁰¹ ~~.005~~		30
31	.20	X		X		X			X	.21	X	⁰¹ ~~.005~~		31
TOTAL	5.55 5.545	4.59	3.91	2.49 2.485	2.81 2.80	2.46 2.45	.60	2.00	1.76	2.87	1.79 1.78	5.47 5.46	36.25	36.30
* Days with .01 in. or more.	22	25	19	13	14	12	8	9	15	12	8	19	176	✓
* Days with .04 in. or more.	20	18	17	12	9	10	4	8	14	9	6	14	141	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Earlark [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

394

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Oxfordin the County of Kent

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.01	.11			.05	.01	.02	.03		1
2	.14			.07	.14		.04			.38		.02		2
3	.01				.29					.80	.01 .005			3
4	.05					.01	.12	.02		.04		.11		4
5	.01						.55	.01 .005		.17				5
6	.02						.21		.01 .005					6
7							.19	.66		.24		.07		7
8	.22						.18			.15				8
9	.04						.02	.31		.01		.79		9
10	.06	.11				.06		.09				.09		10
11	.20					.04		.41			.11	.20		11
12	.24	.04						.04		.11	.08	.01		12
13	.31	.07								.04	.20	.10		13
14	.27	.07			.41				.03			.03		14
15	.03	.17			.01		.18			.30	.01	.08		15
16	.31	.03			.02		.01			.01	.01	.22		16
17		.11			.17		.01 .005		.01	.16				17
18	.05				.07		.01		.06		.45			18
19									.05		.20	snow .11		19
20					.03				.08		.60	snow .04		20
21	.04							.14	.11		.08	snow .13		21
22	.01 .005							.01 .005			.20	snow .22		22
23				.01							.13	.01		23
24			.10						.60		.07	.05		24
25	.11	.01 .005	.29	.08	.07		.03		.05	.04	.75			25
26	.18	.19	.07					.13	.22	.34	.01 .005	.22		26
27	.04	.03	.15		.07	.16	.22		.69	.01 .005	.17			27
28	.03	.03		.18	.19	.10		.25						28
29	.30	X		.03	.16			.01 .005	.01 .005		.08	.23		29
30	.04	X		.08	.09	.01			.04	.07	.22			30
31	.16	X		X	.09	X			X	.13	X	.15		31
TOTAL	2.87 2.865	.86 .855	.61	.45	1.82	.49	1.77 1.765	2.08 2.065	2.01 2.005	3.01 3.005	3.40 3.39	2.91	Year's Total 22.225	22.28
* Days with .01 in. or more.	23	10	4	6	15	7	12	9	12	17	17	21	153	
* Days with .04 in. or more.	18	7	4	4	11	5	8	8	10	14	14	16	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

C. A. P. A. R. A.

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

394

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ORPINGTON, ...

in the County of KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.03	.13	.35			.01	.24			.01		1
2				.02	.05		⁰¹ ~~.005~~	.30	.18	.01	.03			2
3	.23			.28				.33		.03	.21	.44		3
4	.06		.20	.13			.01	1.44		.60	.07	.02		4
5			⁰¹ ~~.005~~	.11			.07	⁰¹ ~~.005~~		.02	.35	.05		5
6	.24						.13	.22			.56			6
7	.04	.14								.27	.07	.06		7
8		.07	.14					.10		.43	.26	³⁸ ~~.005~~		8
9	.05	.03						.02		.47	.15	.20		9
10	.15					.20		.09	.06	.01	.03			10
11			.30			.22			.01	.77	.01			11
12						⁰¹ ~~.005~~					⁰¹ ~~.005~~	.03		12
13				.02		⁰¹ ~~.005~~			.02	1.75		.02		13
14	.54		.01	.05	.08	⁰¹ ~~.005~~			.04	.33	.59			14
15	.60		.01		.94	.01	.04		.27	1.04	.12	.02		15
16	.38		.14	.02	.34	.08			.38	⁰¹ ~~.005~~	.42			16
17	.39	.06	.03	.02	⁰¹ ~~.005~~		.07				.04			17
18	.27		.01		.08	.18	.21		⁰¹ ~~.005~~	.26	.29			18
19	.16		.01				.16			.65				19
20	.21					.12	.89	.06	.03			.07		20
21	.06		.16			.05	.21	.05	.30	.02				21
22	.15	.25	.08	.33		.20	.18				.04			22
23	.10		.01	.05			.08	.03		.03	.52			23
24	^{SNOW} .13	.06	.11				.04			.25	.01			24
25	.86	.26	.12	.09			.28	.08			.46	⁰¹ ~~.005~~		25
26	.16			.16			.06			.19	.17	.02		26
27	.03	.05	.10			.01			.02	.04	.32			27
28		.38	.07	.44		.03				.06	.06	^{SNOW} .06		28
29		X		.60						.05	.01			29
30		X				.04				⁰¹ ~~.005~~	.19			30
31		X		X		X	.31	.01	X	.01	X			31
TOTAL	4.83	1.30	¹⁵⁴ ~~1535~~	2.45	⁴ ~~1845~~	^{1.17} ~~1155~~	^{2.75} ~~2775~~	^{2.75} ~~2775~~	^{1.56} ~~156~~	^{7.31} ~~730~~	^{4.99} ~~498~~	^{1.39} ~~1389~~	Year's Total ^{33.89} ~~3389~~	33.89
* Days with .01 in. or more.	21	9	17	15	6	11	15	13	11	22	24	13	177	
* Days with .01 in. or more.	19	8	10	11	6	7	14	9	7	15	19	7	132	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

I. B. Jackson

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

394

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1960.

Kept at ...ORPINGTON...

in the County of ...KENT...

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		04									11			1
2		14		39			02			18	84			2
3		18		05						14	139	05		3
4		04		04			01			18	17	08		4
5		01					03			01	30	13		5
6	19	04			06		13			27	05			6
7	28	14			01		06	01						7
8		01		01					15	34		20		8
9				01		08			01	12	27	03		9
10							48			01	09	01		10
11				02			09				104			11
12		06	08				06		07					12
13		01	85	01					08		137			13
14			24	10				01	03	02	01	14		14
15			04	02	10		102		02	01	45	01		15
16	05	17	23	05		03	30		16	74	63	05		16
17			30			17	04				22			17
18	01	29	04	33			20	01	04	20	31	16		18
19		24	09	01			18		65		16	04		19
20		01	01	01		04	08	02	05	15	06			20
21	07				60		04	01		06	23			21
22	01		04		20	15			14	01				22
23		04	04	21	02					05	01	04		23
24				40			18					02		24
25			67				06			05				25
26	88	12	67		28	05						01		26
27	38	41		21			05							27
28	37	01			17				01					28
29	06	04	11		04							21		29
30	07			27		03								30
31	10									72		09		31
TOTAL	247	203	344	214	148	55	306	06	141	32	791	127	29.08	
* Days with .01 in. or more.	12	17	14	17	98	7	17	2	10	18	13	15	1526	
* Days with .04 in. or more.	10	14	13	10	7	5	15		8	13	17	11	123	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P. B. J. Asham

P.T.O.

REGI

Kept at West Wickham
in the County of Ken

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEASU

An observer who does not conform
year in the space on the right of this paragraph.

394/4
WEST WICKHAM
COUNCIL SCHOOL
1934-1935

Station No. 34460/30
ALL ORGANIZATION.

934.

11/21/5

OK goodgreen

780108

the following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	/	-	-	-	-	-	-	.2	-	.08	-	.51		1
2	/	-	.22	-	-	-	-	-	.83	.26	tr	.51		2
3	.04	.05	-	.24	-	-	-	.2	-	.32	-	.01		3
4	/	.05	.02	tr	.11	-	-	-	-	.58	.02	.49		4
5	-	-	.01	-	.05	-	-	-	-	tr	.05	.3		5
6	-	tr	.29	tr	.19	.15	-	-	-	.34	.01	.65		6
7	-	-	-	-	-	tr	-	.12	-	✓	-	.25		7
8	-	-	-	-	.09	-	-	.06	.12	tr	.25	-		8
9	.01	-	tr	-	tr	-	-	-	-	-	.25	.45		9
10	-	.01	-	.2	-	-	-	.04	-	.02	.97	-		10
11	.69	-	.67	.08	-	-	.08	.08	-	-	.02	.1		11
12	-	.01	.04	tr	-	-	.07	.88	-	tr	-	.01		12
13	-	-	.1	.04	-	-	.58	.12	tr	.03	.02	tr		13
14	.68	-	.59	tr	.01	-	-	-	-	✓	.47	.83		14
15	.01	tr	.1	-	.05	-	-	-	.01	-	.11	.65		15
16	.09	tr	.34	.06	.07	-	-	-	-	.09	tr	-		16
17	tr	tr	.02	.27	-	-	-	-	tr	.04	-	.29		17
18	.13	-	-	.15	-	-	.12	-	-	-	tr	.44		18
19	-	-	.26	-	-	-	-	-	.06	tr	tr	.19		19
20	-	-	.11	tr	-	-	.1	-	tr	-	tr	.01		20
21	-	-	.02	.16	-	tr	-	-	-	.03	-	-		21
22	-	-	tr	-	-	.03	.28	.17	-	-	-	.07		22
23	-	.01	-	.39	-	.42	-	tr	.13	-	tr	.03		23
24	-	✓	.02	.3	-	.06	.6	-	.06	-	-	.32		24
25	.07	.11	-	.14	.04	tr	-	-	-	.09	-	✓		25
26	.04	-	-	.38	-	.11	-	tr	.01	tr	-	.02		26
27	-	-	-	.69	-	.05	-	-	-	-	-	.29		27
28	.01	-	-	.07	-	.06	.03	.58	-	-	.01	.11		28
29	-	-	-	-	-	-	.03	-	.09	-	tr	.01		29
30	.18	✗	-	-	-	-	-	.03	-	-	-	.23		30
31	.02	✗	-	✗	-	✗	-	-	✗	.19	✗	.09		31
TOTAL	1.97	.19	2.81	3.17	.61	.88	4.41	2.58	1.31	2.07	3.18	6.35	Year's Total	3
* Days with .01 in. or more.	15	7	15	14	8	7	9	11	8	14	11	25	137	(147)
* Days with .04 in. or more.	8	2	10	14	7	6	7	10	8	10	6	18	103	(105)

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No 34460/30.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at West Wickham Council School
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 1/4 in.
,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. r, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	✓	-	-	-	-	-	-	.2	-	.08	-	.51		1
2	✓	-	.22	-	-	-	-	-	.83	.26	tr	.51		2
3	.04	✓	-	.24	-	-	-	.2	-	.32	-	.01		3
4	✓	.05	.02	tr	.11	-	-	-	-	.58	.02	.49		4
5	-	-	.01	-	.05	-	-	-	-	tr	.05	.3		5
6	-	tr	.29	tr	.19	.15	-	-	-	.34	.01	.65		6
7	-	-	-	-	-	tr	-	.12	-	✓	-	.25		7
8	-	-	-	-	.09	-	-	.06	.12	tr	.25	-		8
9	.01	-	tr	-	tr	-	-	-	-	-	.25	.45		9
10	-	.01	-	.2	-	-	-	.04	-	.02	.97	-		10
11	.69	-	.67	.08	-	-	.08	.08	-	-	.02	.1		11
12	-	.01	.04	tr	-	-	.07	.88	-	tr	-	.01		12
13	-	-	.1	.04	-	-	.58	.12	tr	.03	.02	tr		13
14	.68	-	.59	tr	.01	-	-	-	-	-	.47	.83		14
15	.01	tr	.1	-	.05	-	-	-	.01	-	.11	.65		15
16	.09	tr	.34	.06	.07	-	-	-	-	.09	tr	-		16
17	tr	tr	.02	.27	-	-	-	-	tr	.04	-	.29		17
18	.13	-	-	.15	-	-	.12	-	-	-	tr	.44		18
19	-	-	.26	-	-	-	-	-	.06	tr	tr	.19		19
20	-	-	.11	tr	-	-	.1	-	tr	-	tr	.01		20
21	-	-	.02	.16	-	tr	-	-	-	.03	-	-		21
22	-	-	tr	-	-	.03	.28	.17	-	-	-	.07		22
23	-	.01	-	.39	-	.42	-	tr	.13	-	tr	.03		23
24	-	✓	.02	.3	-	.06	.6	-	.06	-	-	.32		24
25	.07	.11	-	.14	.04	tr	-	-	-	.09	-	✓		25
26	.04	-	-	.38	-	.11	-	tr	.01	tr	-	.02		26
27	-	-	-	.69	-	.05	-	-	-	-	-	.29		27
28	.01	-	-	.07	-	.06	.03	.58	-	-	.01	.11		28
29	-	-	-	-	-	-	.03	-	.09	-	tr	.01		29
30	.18	✗	-	-	-	-	-	.03	-	-	-	.23		30
31	.02	✗	-	✗	-	✗	-	-	✗	.19	✗	.09		31
TOTAL	1.97	.8	2.81	3.17	.61	.88	4.41	2.88	1.31	2.07	3.18	6.35	Year's Total	29.48
* Days with .01 in. or more.	15	7	15	14	8	7	9	11	8	12	11	26		147
* Days with .04 in. or more.	8	2	10	14	7	6	7	10	8	10	6	15		105

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

L.W. Allen

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 34460/30.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Harvey Down Cl. School W. Wickham*

in the County of *Kent.*

Diameter of Funnel of Gauge *5"* in.

Height of top of Gauge above Ground *1* ft *7 1/4* in.

Ground Sea Level *220* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	.06	-	.03	<i>tr</i>	<i>x</i>	.29	-	-	.04	<i>x</i>	.31		1
2	.03	-	-	.04	-	.05	-	-	.13	.25	<i>x</i>	<i>tr</i>		2
3	<i>tr</i>	-	.11	.02	-	.18	-	-	<i>x</i>	.99	<i>x</i> .18	<i>tr</i>		3
4	-	.03	.04	.19	-	.22	-	-	<i>x</i> .59	<i>x</i>	.19	.12		4
5	-	.34	-	<i>x</i>	-	.3	.02	-	<i>x</i>	<i>x</i> .31	<i>x</i>	.03		5
6	.07	.04	.01	<i>x</i>	-	.48	-	-	-	-	<i>x</i> .03	-		6
7	.03	-	.01	<i>x</i> .58	-	.15	-	-	-	.02	.74	-		7
8	-	-	<i>snow tr</i>	.31	-	<i>tr</i>	-	-	-	.36	.36	.36		8
9	.01	-	-	.48	-	.65	-	-	<i>tr</i>	.92	-	.01		9
10	.02	<i>tr</i>	-	<i>tr</i>	-	.02	-	-	-	-	.19	.09		10
11	.24	<i>tr</i>	-	.09	-	.08	<i>tr</i>	-	-	-	.39	<i>tr</i>		11
12	-	<i>tr</i>	<i>tr</i>	-	-	.29	-	-	<i>tr</i>	-	.68	<i>tr</i>		12
13	.06	.16	<i>tr</i>	<i>x</i>	.01	.1	-	.29	<i>tr</i>	-	-	-		13
14	<i>tr</i>	-	-	<i>x</i> .09	.25	-	-	-	-	-	.04	-		14
15	<i>tr</i>	.19	-	.38	.01	-	-	-	.1	-	.17	.1		15
16	<i>tr</i>	.01	-	-	-	.41	-	-	.4	.03	<i>x</i> .24	.02		16
17	<i>tr</i>	-	.01	.1	-	.1	-	-	.37	-	<i>x</i>	<i>tr</i>		17
18	-	-	-	.19	<i>x</i>	.07	.14	-	-	.04	.04	<i>tr</i>		18
19	-	<i>tr</i>	-	-	<i>x</i> .17	.01	.15	-	-	<i>tr</i>	.02	.02		19
20	.01	.5	-	<i>x</i>	.13	.04	.11	-	<i>tr</i>	-	.11	-		20
21	.02	.56	-	<i>x</i>	-	-	.22	-	<i>tr</i>	.1	.02	-		21
22	-	.08	.01	<i>x</i> .07	-	-	-	-	.3	<i>tr</i>	-	-		22
23	.01	-	<i>x</i>	-	-	-	-	.43	.04	<i>tr</i>	-	.09		23
24	.08	.65	<i>x</i> .07	-	.6	-	-	.47	.37	<i>tr</i>	<i>x</i> .05	.14		24
25	.22	.08	-	.27	.01	.31	-	.71	-	-	.1	.24		25
26	<i>snow</i> .06	.18	-	<i>tr</i>	-	-	-	-	.01	<i>tr</i>	<i>tr</i>	.44		26
27	-	.47	-	-	-	-	-	.17	.15	<i>tr</i>	.06	.28		27
28	-	.01	-	-	-	-	.01	-	<i>x</i>	.14	<i>tr</i>	.24		28
29	-	-	<i>tr</i>	-	-	-	-	-	<i>x</i> .7	-	-	.28		29
30	.09	<i>x</i>	-	.1	.09	-	-	-	.03	.13	-	.62		30
31	<i>tr</i>	<i>x</i>	-	<i>x</i>	-	<i>x</i>	-	.72	<i>x</i>	.32	<i>x</i>	.53		31
TOTAL	1.11	3.36	.26	2.94	1.27	3.46	.94	2.79	3.19	3.65	4.62	3.92	31.51	
* Days with .01 in. or more.	15	15	7✓	15 ⁽⁹⁾	8 ⁹	17✓	7	6	12 ¹⁵	13 ¹⁴	18 ⁽²²⁾	18	151	(164)
* Days with .04 in. or more.	8.	12.	3.✓	14 ⁽¹⁵⁾	5.6	15✓	5	6.	10 ¹³	11.✓	15 ⁽¹⁸⁾	14	118	(126)

Section **A** for the entry
AIR. MINIST

FORM 1090.

REGIS

Kept at *West-Wickham*
in the County of *Kent*

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
Ground Sea

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of t

394/5

WEST WICKHAM
WOODLAND WAY
1931-1940

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

31.

394/5

AY.

e following

Jan. 1, following

060000 035

780108

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			—	.37	—	.08	—	.04	.03	.03	—	—	1
2			—	.18	—	—	.01	.10	.38	—	—	.01	2
3			.04	.38	1.30	—	—	.28	.28	—	.03	.17	3
4			—	.02	—	—	.01	.04	.05	.01	.06	—	4
5			—	.32	.21	.46	.03	—	.03	—	.01	.19	5
6			—	.05	—	—	.03	—	—	.26	.55	.02	6
7			—	—	.10	.17	—	—	—	.02	.23	.01	7
8			.07	—	.04	.28	.20	—	—	.08	.03	.02	8
9			—	—	—	.07	—	—	—	—	.62	.01	9
10			—	—	—	.03	—	—	.01	.01	.45	—	10
11			—	—	—	—	—	—	.06	—	.35	—	11
12			—	.01	—	—	—	—	.37	—	—	.02	12
13			—	—	—	—	.06	—	—	—	—	—	13
14			—	—	—	—	.40	—	—	—	—	—	14
15			—	.23	.08	—	.54	—	—	—	.01	.07	15
16			—	.14	.29	—	—	—	—	—	—	—	16
17			—	.14	.02	.06	.25	—	.10	.03	—	—	17
18			.01	.22	.01	.25	.07	—	—	.01	.48	—	18
19		.09	—	.45	—	.37	.05	—	.05	—	—	—	19
20		.04	—	.09	—	—	.18	—	.02	—	.01	.03	20
21		—	—	—	.45	—	—	—	.01	—	—	—	21
22		.01	.18	—	.01	—	—	—	.06	—	.01	—	22
23		—	.02	.01	.30	.04	—	—	.15	—	.14	.01	23
24		—	.02	.41	.05	.13	.03	—	.05	—	—	.01	24
25		—	—	.53	.06	—	.70	—	.01	—	.01	—	25
26		.06	—	.30	—	—	.59	—	—	—	.27	—	26
27		.24	—	.02	.25	—	.07	—	—	—	.01	—	27
28		.18	—	.02	—	—	—	—	—	.03	.01	.06	28
29		X	—	—	.11	—	.08	—	—	.30	—	.02	29
30		X	—	—	.02	—	.01	—	—	—	—	—	30
31		X	—	X	—	X	—	—	—	—	X	—	31
TOTAL	—	.62	0.34	3.89	3.30	1.94	3.31	5.15	1.66	0.78	3.29	0.65	YEAR'S TOTAL
*Days with or in. or more.	—	—	6	19	16	11	18	—	16	10	18	14	—
*Days with or in. or more.	—	—	3	14	12	10	12	—	10	2	9	4	—

40-9999

*See Instruction 2 (f) on other side.

* Aug 4th - 31st record
is very uncertain

(Signed)

[Signature]

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kent/5.

Kept at West Wickham
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft.
Ground Sea Level 326 ft.

August 4th - 31st estimated at .75 inch by surrounding
stns. Observer informed on 906. 11/3/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.61	—	—	.03	.47	—	—	.15	—	.06	.03	—	1
2	.01	.02	—	.11	.04	—	—	—	.05	.04	.01	.18	2
3	—	—	—	.16	.22	—	—	.02	.67	—	.04	—	3
4	—	—	—	—	—	.18	—	*	—	—	—	—	4
5	.15	—	Trace	.01	.03	.02	.15	—	.07	—	—	—	5
6	.32	—	—	.20	.05	—	—	—	.03	—	—	—	6
7	—	—	.07	.04	.01	—	.20	—	.02	.02	—	—	7
8	—	—	.21	.08	.13	—	—	—	.13	.40	—	—	8
9	.52	—	—	.14	1.22	—	—	—	—	.01	—	—	9
10	.86	.03	—	.24	.13	—	—	—	.01	.03	—	.02	10
11	.18	.25	—	.09	.01	—	1.11	—	.01	.34	.06	—	11
12	.17	—	—	—	—	—	—	—	—	.37	—	—	12
13	.01	.01	—	.08	.04	—	—	—	.01	.44	.01	.02	13
14	.15	—	—	.14	.02	—	—	—	—	.13	—	.01	14
15	.01	.01	—	.07	.18	—	—	—	—	.11	—	.01	15
16	.12	—	—	.22	.09	—	—	—	—	—	—	—	16
17	—	—	—	.02	—	—	.01	—	—	.04	.01	—	17
18	—	—	—	—	—	—	—	—	.12	—	.09	—	18
19	—	—	—	—	—	—	—	(15)	.02	.12	.04	—	19
20	—	—	—	.22	.01	—	.01	*	.01	.57	.15	—	20
21	—	.01	Trace	.15	.35	—	—	—	—	.29	—	.04	21
22	Trace	.03	.24	—	.17	—	.15	—	.23	.22	.33	.01	22
23	—	.13	.09	.14	.09	—	—	—	.19	.95	.06	.10	23
24	—	.04	—	.01	—	—	.28	—	—	.09	.05	—	24
25	—	—	—	.02	—	—	.62	—	.09	.13	.03	.01	25
26	—	—	.05	—	—	—	.51	*	—	.04	.02	—	26
27	—	—	.34	.11	.53	.05	.12	—	—	.67	.07	—	27
28	—	—	.03	.01	.15	—	.10	—	—	.20	.01	—	28
29	—	—	.40	—	.03	—	—	*	.06	.40	.01	.01	29
30	—	X	.01	—	.17	.70	—	—	.05	.04	.11	.13	30
31	—	X	.08	X	—	X	.02	✓	X	.01	X	.03	31
TOTAL	2.61	0.53	1.52	2.26	4.14	0.95	3.28	.93	1.77	5.72	1.13	0.57	25.61
*Days with "or in. or more.	12	9	10	22	22	4	12	6	17	25	18	12	169
*Days with "or in. or more.	9	3	8	16	16	3	9	4	10	21	10	4	113

40-9999

*See Instruction 2 (f) on other side.

*Not recorded.
(Signed) D.A. Worthington

P.T.O.

N X D.A. WORTHINGTON ESQ. X

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

394/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at West Wickhamin the County of KentDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 9 1/4 ft.,, Ground ,, Sea Level 32.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.22	.14	—	—	—	—	—	.06	.03	.13	—		1
2	.33	—	.34	—	.23	—	—	—	—	1/2	1/2	—		2
3	—	.10	.23	—	.03	—	—	—	—	—	.05	—		3
4	.19	.01	.02	1/2	—	—	—	—	—	—	.01	—		4
5	.12	.01	.32	—	.43	—	—	—	—	1/2	—	—		5
6	—	.09	.13	—	X	—	.58	1/2	—	.10	.11	—		6
7	.25	.07	.10	—	X	—	—	—	—	.13	.01	.05		7
8	.03	.01	1/2	—	✓	—	X	—	—	1/2	—	—		8
9	—	1/2	—	—	.84	—	X	—	—	.09	.15	—		9
10	.01	.27	—	—	✓	.02	X	—	—	.19	.01	—		10
11	.13	—	1/2	—	✓	.15	X	.08	.09	.05	.05	—		11
12	—	—	—	.05	—	.25	✓	—	.65	—	.03	—		12
13	.07	—	—	—	.10	.02	.45	—	.31	.02	.15	—		13
14	.01	—	—	—	.02	—	.01	.04	—	.13	.25	.02		14
15	.16	—	.05	—	—	—	.40	.23	—	—	.01	—		15
16	.04	—	.75	—	—	.20	.06	—	1/2	—	.01	—		16
17	.01	.04	.48	—	—	.09	—	.02	.07	—	.12	—		17
18	.06	.02	.13	—	—	.08	—	—	1/2	—	.03	—		18
19	1/2	.07	.08	—	—	.03	.02	—	.27	—	.01	.01		19
20	—	.02	.06	.07	—	.06	1/2	—	.19	—	.02	1/2		20
21	—	.01	—	—	—	—	.01	.08	.33	.03	.01	.01		21
22	—	—	—	—	1/2	X	1/2	.13	1/2	.15	.02	—		22
23	—	1/2	—	.10	.38	✓	—	—	.19	.02	.02	—		23
24	—	.40	—	.19	.06	X	—	—	.38	.01	.01	—		24
25	—	.30	—	.18	.01	.52	—	—	.03	.09	1/2	.03		25
26	—	.50	—	.03	1/2	—	—	—	.21	.04	.06	.09		26
27	—	1/2	—	1/2	.18	—	1/2	—	1/2	.30	.01	.08		27
28	—	1/2	—	—	—	—	.19	—	—	.35	—	.06		28
29	1/2	—	1/2	.05	—	—	.16	—	—	.04	—	.13		29
30	.08	X	.12	—	1/2	—	.01	—	.05	.04	—	—		30
31	.05	X	1/2	X	—	X	—	—	X	.05	X	1/2		31
TOTAL	1.57	2.14	2.95	0.67	2.28	1.42	1.89	0.58	2.83	1.96	1.28	0.48	Year's Total	
*Days with .01 in. or more.	16	16	14	7	15	17	14	6	13	19	23	9	164	
*Days with .04 in. or more.	12	10	13	6	9	8	9	5	12	14	9	5	112	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

D. W. Worthington

[P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 229489/33

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934.

Kept at West Wickham

in the County of Kent

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 9 ins

Ground Sea Level 325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	—	—	—	—	—	—	.19	—	.08	—	.28		1
2	.02	—	.16	—	—	—	—	.01	.75	.23	.12	.22		2
3	.01	.06	.12	.30	—	—	—	.21	—	.31	—	.01		3
4	.11	.01	.03	.04	.12	—	—	—	—	.58	.06	.48		4
5	—	—	.02	.12	.10	—	—	.12	—	.01	.06	.31		5
6	.02	—	.31	.01	.22	.19	—	.03	—	.15	.12	.66		6
7	.04	—	—	.01	—	—	—	.10	—	.21	—	.22		7
8	—	—	—	—	.11	—	—	.07	.07	—	.28	.01		8
9	.12	—	.01	—	.01	—	—	.01	.06	—	1.00	.36		9
10	.01	.01	.35	.17	—	—	—	.03	—	.02	1.09	.01		10
11	.60	—	.32	.11	—	—	.04	.06	—	—	.02	.08		11
12	.08	—	.05	.01	—	—	.08	.65	—	—	.03			12
13	.39	—	.09	.12	—	—	.52	.07	—	.01	.02	.26		13
14	.08	—	.38	.04	—	—	.01	—	—	.02	.52	.38		14
15	.05	—	.09	—	—	—	—	—	.12	—	.11	.85		15
16	.12	.02	.24	.06	.14	—	—	—	—	.10	.02	.01		16
17	.02	—	.01	.12	—	—	—	—	.12	.06	—	.24		17
18	.22	—	.02	.25	—	—	.16	—	—	.12	.12	.45		18
19	.12	—	.20	.32	—	—	—	—	.06	.01	.12	.20		19
20	—	—	.13	.12	—	.12	.12	.02	.01	.01	—	.01		20
21	—	.12	.02	.19	—	.03	—	—	—	.04	—	.01		21
22	—	—	—	—	—	—	.470	.18	.16	—	.12	.04		22
23	—	—	—	.38	—	.44	—	—	—	.12	.01	.05		23
24	—	.02	.03	.25	.01	.06	.78	—	.06	.12	.01	.01		24
25	.07	.15	—	.12	—	—	—	—	—	.10	—	.30		25
26	.07	—	—	.45	—	.12	—	—	.02	.12	—	.12		26
27	.01	.12	—	.60	—	.08	—	—	.12	.12	—	.10		27
28	—	.11	—	.30	—	.06	.04	.58	.12	.12	.03	.21		28
29	—	—	—	—	—	—	.02	.01	.11	—	.12	.02		29
30	.19	X	—	—	—	—	—	.03	.01	—	—	.20		30
31	.04	X	—	X	—	X	.01	—	X	.20	X	.13		31
TOTAL	2.16	0.38	2.46	3.61	0.59	.98	6.48	2.25	1.31	2.14	3.23	6.26	31.85	31
* Days with .01 in. or more.	20	7	18	18	6	7	11	16	10	17	13	31	174	
* Days with .04 in. or more.	13	3	11	15	4	6	8	9	7	11	7	22	116	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

D. A. Worthington

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 39415

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at West Wickham

in the County of Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 9 1/4 in.

Ground Sea Level 325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.05	1/2	.04	—	.03	.25	—	—	.07	.05	.01		1
2	.08	—	.01	.06	—	1/2	1/2	—	—	.14	.10	—		2
3	.01	.01	.09	.02	—	.18	—	—	—	.72	.08	1/2		3
4	—	.09	—	.21	—	.15	—	—	—	.27	.01	.15		4
5	—	.31	.02	.05	—	.34	.01	—	—	.01	.03	.01		5
6	.07	.07	.03	.26	—	.45	—	—	—	—	.03	.03		6
7	.03	.02	—	.30	—	.17	—	—	—	.03	.71	.13		7
8	—	1/2	1/2	.32	—	.03	—	1/2	—	.36	.22	.26		8
9	1/2	—	1/2	.26	—	.61	—	—	—	.84	.09	.01		9
10	.03	1/2	1/2	.03	—	.04	—	—	—	.03	.14	.10		10
11	.24	1/2	—	.10	—	.09	1/2	—	(1.95)	—	.28	.01		11
12	—	.02	—	—	—	.26	1/2	.25	—	—	.71	—		12
13	.04	.16	1/2	.11	.02	.10	—	—	—	—	.02	—		13
14	1/2	1/2	—	—	.22	.06	—	—	—	—	.04	.08		14
15	1/2	.17	—	.32	.02	.03	—	—	—	—	.16	.03		15
16	.01	.03	—	.11	.01	.19	—	—	—	.02	.65	.01		16
17	.01	—	.03	.01	—	.09	—	1/2	—	—	.60	—		17
18	—	—	—	.20	—	.06	.20	—	—	.04	.02	.01		18
19	—	.01	—	.02	.21	.03	.10	—	—	1/2	.04	.03		19
20	.02	.48	—	.04	.23	.05	.20	—	—	—	.13	—		20
21	.03	.46	—	.03	—	—	—	—	1.5	.10	.02	—		21
22	(.01)	.12	.01	—	—	—	—	.05	2.15	—	1/2	—		22
23	1/2	1/2	.08	—	—	—	—	—	.03	.01	—	.06		23
24	.06	.60	—	—	.43	—	—	—	.37	—	—	.16		24
25	.21	.08	—	.30	.27	.26	—	—	—	—	.01	.21		25
26	.10	.02	—	—	—	1/2	—	—	.02	.01	1/2	.41		26
27	.02	.67	—	—	.01	—	1/2	(2.50)	.17	1/2	.08	.32		27
28	—	.02	—	—	.18	—	—	—	.07	.10	.01	.16		28
29	—	—	—	—	.01	—	—	—	.62	1/2	—	.51		29
30	.12	X	1/2	—	.08	—	—	—	.08	.13	.33	.60		30
31	1/2	X	—	X	.01	X	—	—	X	.35	X	.64	d	31
TOTAL	1.29	3.39	0.27	2.79	1.70	3.25	0.76	(2.80)	(3.31)	3.23	4.56	3.94	30.75	31.29
* Days with .01 in. or more.	18	19	7	20	13	20	5	—	5	17	25	23	199	?
* Days with .04 in. or more.	9	12	2	15	7	16	4	—	6	11	17	14	?	..

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W. W. Worthington

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 394/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ... West Wickham ...
in the County of Hants ...Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground...8 ft...5 in.
,, Ground ,, Sea Level...325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22	.14	.13	.15	—	.12	.09	.04	—	—	.04	.12		1
2	.14	.05	.01	.02	—	.22	.07	.10	—	—	.01	.02		2
3	.01	—	—	.40	—	.30	.03	1/2	—	—	.33	—		3
4	1/2	—	.08	1/2	1/2	.12	1/2	—	.58	—	.01	.08		4
5	.80	—	.02	—	—	—	—	.02	1.00	.04	.11	.07		5
6	.37	—	—	—	—	.03	—	—	.10	.01	.45	.10		6
7	.29	—	.01	—	—	.14	1/2	✓	.02	1/2	.21	.04		7
8	.32	—	.07	—	1/2	—	—	—	.01	—	.25	.28		8
9	.51	—	.02	—	1/2	—	.63	✓	.03	.06	.01	.02		9
10	.22	—	1/2	1/2	1/2	1/2	.30	✓	.05	1/2	1/2	1/2		10
11	1/2	—	—	.02	—	—	.11	✓	—	—	.98	.01		11
12	—	—	—	5.09	—	.15	.14	—	.13	1/2	.65	.08		12
13	—	—	—	.01	—	.29	.01	—	—	1/2	.02	.40		13
14	—	.02	—	—	—	.07	.40	—	.03	.04	.18	.94		14
15	—	.07	—	1/2	—	.03	.03	—	.02	—	.01	.11		15
16	.41	.04	—	—	.06	—	.07	—	.02	1/2	.37	.08		16
17	5.09	.69	—	—	.18	.04	.01	—	1/2	—	.15	.30		17
18	5.12	.19	—	—	—	.15	.10	—	—	.02	.16	.18		18
19	5.28	.07	—	.01	—	.28	.32	✓	—	.09	.02	.01		19
20	.21	.09	—	.42	—	—	.01	—	.62	—	—	—		20
21	—	.07	—	.29	.01	.29	.02	—	.02	1/2	—	—		21
22	5.12	.37	✓	—	.18	.02	.09	—	1/2	1/2	1/2	.13		22
23	.08	.02	—	.04	1/2	—	.22	—	—	.10	—	—		23
24	.05	.07	.11	.01	—	—	1/2	—	.01	.47	—	—		24
25	.15	.01	.15	.23	—	.43	.11	—	.11	.06	.04	✓		25
26	.01	.07	.21	.07	—	.12	.05	—	.07	.20	.01	—		26
27	.30	—	.03	.03	—	—	.01	—	.22	.10	—	—		27
28	.73	—	.04	—	—	.13	.48	—	1/2	—	—	.07	✓	28
29	.05	.13	.16	—	—	.13	.05	—	—	.02	.09	.02		29
30	.05	✕	.01	—	.07	.27	1/2	—	—	.18	1/2	1/2		30
31	.19	✕	.15	✕	.08	✕	.08	.45	✕	.90	✕	.12		31
TOTAL	5.22	2.04	1.20	1.79	0.58	3.33	3.37	0.61	3.05	2.29	4.10	3.18	30.70	
* Days with .01 in. or more.	24	16	15	14	6	20	24	18	17	14	21	12	201	
* Days with .04 in. or more.	22	12	9	8	5	17	16	16	9	11	14	16	145	

Year total

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) D. A. Worthington [P.T.O.]

Section



for the entry of Daily Observations

Station No.

394/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at West Wickham

in the County of Kent

Diameter of Funnel of Gauge 5 in

Height of top of Gauge above Ground 8 in

Ground Sea Level 32.5 ft

Handwritten signature and initials

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.60	.05	.02	—	—	—	—	—	—	—	.88	.40		1
2	.01	.24	.05	.46	—	—	—	—	✓	.01	.01	1.12		2
3	.12	.15	.01	—	—	—	—	—	—	.12	.12	.16		3
4	.12	.66	—	—	—	—	—	—	.10	—	—	.30		4
5	.26	.30	.39	—	—	—	.13	—	—	—	.12	—		5
6	.04	.01	.73	.12	.18	—	.03	—	—	.03	.01	—		6
7	—	.68	.09	.07	.01	—	—	—	.03	.05	.12	.01		7
8	—	.02	.08	.01	.04	.05	—	—	—	.12	.88	.31		8
9	—	.04	—	.25	.17	.12	.12	.04	.27	—	.01	.45		9
10	.02	—	.46	.20	.05	.49	.01	.03	—	—	.12	.51		10
11	.12	—	.28	.12	.37	.01	.02	—	.12	.12	—	.03		11
12	.16	.21	.08	.12	.33	.22	.01	.01	.12	.12	—	.12		12
13	.15	.04	.35	.12	.02	.10	—	✓	.22	—	—	.70		13
14	.03	.05	.31	.12	.01	.01	—	✓	.08	—	—	.02		14
15	.13	.07	—	.15	—	.02	.41	—	.03	—	—	.02		15
16	.05	.15	.48	.37	✓	.13	—	✓	.21	—	.12	.02		16
17	.30	.01	.14	.28	—	.10	—	—	.17	—	.04	.01		17
18	.36	.03	.02	.01	✓	.66	—	—	.05	—	.15	.04		18
19	.06	.07	.05	.10	✓	.11	.12	—	.15	—	.12	.13		19
20	.63	—	.10	.28	✓	.07	—	—	.03	—	—	.01		20
21	.45	.59	.05	.08	✓	—	.02	✓	.01	.12	—	.02		21
22	.45	✓	.04	.01	✓	.15	.02	—	—	.55	.29	.05		22
23	.37	—	—	.12	—	—	.02	—	—	.82	.01	.01		23
24	.58	✓	.06	—	✓	—	—	—	.06	.93	—	.03		24
25	.05	✓	.15	—	✓	—	—	—	.11	.25	—	.02		25
26	.01	✓	.03	—	✓	—	—	—	—	.02	—	✓		26
27	.02	✓	—	.26	—	—	—	—	.06	.31	.12	.04		27
28	.03	1.42	—	.03	—	—	—	—	—	.02	—	.03		28
29	.08	—	—	—	1.12	—	—	—	.12	.08	.03	.08		29
30	.22	✗	—	—	—	.12	—	✓	—	.01	.21	.01		30
31	.20	✗	—	✗	—	✗	—	1.35	✗	.25	✗	.01		31
TOTAL	5.26	4.79	3.97	2.56	2.30	2.12	0.79	1.43	1.70	2.73	2.02	4.64	34.31	Year's Total
* Days with .01 in. or more.	25	47	22	21	18	13	10	17	13	11	28	204		
* Days with .04 in. or more.	19	20	18	11	9	10	3	13	8	6	13	135		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) D. A. Worthington [P.T.O.]

Section



for the entry of Daily Observations

Station No. 394/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at West Wickham

in the County of Kent

Diameter of Funnel or Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	1/2	.01	—	.08	.14	—	—	.03	.01	.03	.08		1
2	.06	1/2	—	.07	.02	.01	.16	—	—	.45	.01	.02		2
3	.01	—	—	—	.40	—	—	—	1/2	.60	.02	—		3
4	.08	—	—	—	—	1/2	.10	.02	—	.02	1/2	.07		4
5	.01	—	—	—	—	—	.19	.01	—	.18	—	.05		5
6	.02	—	—	—	—	1/2	.14	—	.05	.01	1/2	.01		6
7	1/2	.01	—	—	—	—	.25	1.50	.02	.23	1/2	.05		7
8	.19	1/2	—	—	—	1/2	.25	1/2	1/2	.16	—	.01		8
9	.02	—	—	—	—	1/2	1/2	.22	—	.01	—	.72		9
10	.04	✓	—	—	—	.09	1/2	.15	1/2	1/2	—	.07		10
11	.21	—	1/2	—	—	—	—	.01	1/2	—	.13	.14		11
12	.15	✓	—	—	1/2	—	—	.36	—	.12	.05	.01		12
13	.31	✓	—	—	—	—	—	1/2	—	.06	.23	.15		13
14	.24	✓	—	—	.30	—	—	—	1/2	—	.01	.03		14
15	.03	✓	—	—	.01	—	.22	—	—	.32	1/2	.09		15
16	.29	.30	1/2	—	1/2	—	1/2	.01	—	.02	.02	.26		16
17	.01	.10	—	—	.20	—	1/2	—	.01	.14	1/2	—		17
18	.05	—	—	—	.08	—	.07	—	.07	.01	.44	1/2		18
19	.01	—	—	—	1/2	7	—	.02	.02	—	.20	✓		19
20	1/2	.01	—	—	1/2	—	—	—	.05	—	.51	—		20
21	.02	—	—	—	—	—	—	.09	.10	—	.07	✓		21
22	.01	—	—	—	—	.02	—	1/2	—	—	.16	✓		22
23	1/2	—	—	—	—	—	—	—	—	—	.09	✓		23
24	1/2	—	.12	—	—	—	—	—	1.20	—	.05	✓		24
25	.10	—	.28	✓	.10	—	.02	.03	.03	.05	.98	✓		25
26	.18	.22	.08	.02	1/2	—	—	.10	.25	.32	.01	✓		26
27	.08	.05	.02	—	.02	.18	.20	1/2	.91	.01	.22	—		27
28	.01	.05	—	.01	.24	.11	—	.21	.01	—	.01	✓		28
29	.25	—	—	.01	.14	—	—	.01	—	—	.06	✓		29
30	.03	✗	—	.06	.10	.04	—	—	.09	.08	.28	—		30
31	.16	✗	—	✗	.10	✗	—	—	✗	.10	✗	1.19	✓	31
TOTAL	2.48	0.74	0.51	0.17	1.82	0.62	1.57	2.84	2.84	2.90	3.58	2.98	23.35	(23.35)
* Days with .01 in. or more.	27	17	5	—	13	7	10	14	14	20	21	23	169	174
* Days with .04 in. or more.	16	8	3	—	10	5	8	6	7	13	14	15	93	110

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) D. W. Worthington [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 394/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1934

Kept at ... West Wickham, Kent.

in the County of ... Kent.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	✓	nil	.02	.19	.30	nil	nil	.03	nil	—	trace	.02		1
2	—	nil	.01	.01	.04	nil	.05	.31	nil	—	.03	trace		2
3	✓	trace	nil	.26	trace	nil	nil	.46	nil	✓	.25	.42		3
4	✓	trace	.23	.18	nil	nil	.12	1.85	nil	✓	.10	.03		4
5	—	nil	.01	.10	.01	nil	.05	.05	nil	✓	.30	.10		5
6	✓	nil	nil	.01	trace	nil	.15	.01	nil	—	.22	trace		6
7	✓	.15	nil	nil	nil	nil	.02	.01	nil	✓	.06	.04		7
8	—	.08	.13	nil	nil	nil	.01	.01	nil	.34	.31	.40		8
9	✓	.05	nil	nil	nil	nil	nil	.03	nil	.43	.17	.19		9
10	✓	.01	nil	nil	nil	.18	nil	.09		.03	.02	trace		10
11	.72	trace	.30	nil	nil	.15	nil	nil	—	.63	.03	.02		11
12	.01	trace	nil	nil	trace	nil	nil	nil	—	trace	trace	trace		12
13	nil	nil	.01	.02	nil	nil	trace	nil	✓	1.46	.01	.02		13
14	.47	nil	.02	✓	.08	nil	.02	nil	—	.52	.50	.01		14
15	.59	nil	trace	✓	.96	.03	.03	nil	✓	1.13	.04	.02		15
16	.32	nil	.07	✓	.36	.08	.02	nil	✓	.06	.40	nil		16
17	.50	.07	.04	nil	.12	nil	.30	nil	—	.01	.05	nil		17
18	.29	.01	.02	nil	.03	.20	.09	nil	—	.09	.28	nil		18
19	.19	.01	trace	nil	nil	nil	.22	nil	—	.72	nil	.02		19
20	.15	nil	trace	nil	nil	.12	.03	.19	✓	nil	nil	.05		20
21	.10	nil	.17	nil	nil	.05	.16	.06	✓	.04	nil	nil		21
22	.12	.23	.10	nil	nil	.19	.23	nil	—	nil	.03	nil		22
23	.10	nil	.02	.22	nil	.01	.08	.01	—	.03	.56	nil		23
24	.09	.16	.07	.21	nil	nil	.05	.01	—	.13	.01	.01		24
25	.57	.23	.10	.01	nil	nil	.01	.05	—	nil	.50	.02		25
26	.37	.01	.01	.08	nil	nil	.22	nil	—	.15	.13	.05		26
27	.03	.04	.10	.10	nil	nil	.01	nil	—	.04	.36	nil		27
28	.03	.38	.12	.12	nil	.01	trace	nil	✓	.04	.09	✓		28
29	nil		nil	.33	nil	nil	trace	nil	✓	.08	.01	.10		29
30	nil	×	nil	.60	nil	.12	nil	nil	✓	1.60	.01	.03	trace	30
31	nil	×	nil	×	nil	×	.21	nil	×	.02	×	nil		31
TOTAL	4.65	1.43	1.55	2.54	1.90	1.14	2.88	3.17	1.60	6.86	4.49	1.52	33.73	
* Days with .01 in. or more.	R23	13	19	17	8	11	21	15	85	248	25	172	198	
* Days with .04 in. or more.	R18	9	11	12	6	8	14	8	83	178	14	89	131	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) D. A. Worthington [P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **394/5**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193**4**Kept at **West Wickham**in the County of **Kent**Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground.....**8**.....in.,, Ground ,, Sea Level **325**.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.03	—	—	.01	—	—	—	—	—	x	—		1
2	—	.03	—	.20	—	—	.03	—	—	.23	x	—		2
3	—	.18	—	.08	—	—	—	—	—	.11	x	x		3
4	—	.11	—	.09	—	—	Trace	—	—	.12	x	x		4
5	—	.02	—	—	—	—	.02	—	—	.02	x	.20		5
6	.15	.06	—	—	.04	—	.13	—	—	.28	✓	—		6
7	.24	.17	—	—	.02	—	.02	—	—	—	—	—		7
8	—	.01	—	.01	Trace	—	—	—	.09	.37	—	x		8
9	—	Trace	—	—	—	1.40	—	—	.01	.22	2.30	x		9
10	—	—	—	—	—	—	.42	Trace	—	.08	x	—		10
11	—	—	—	x	—	—	.01	—	—	—	x	✓		11
12	—	.04	.08	—	—	—	.08	—	.05	—	✓	—		12
13	—	.06	.81	—	—	.32	.13	—	.08	—	x	—		13
14	—	—	.18	x	—	—	—	Trace	.03	.06	—	x		14
15	Trace	—	.04	—	.11	—	.77	—	.03	x	x	x		15
16	.08	.16	.20	x	—	.14	.43	—	.15	x	x	—		16
17	—	—	.24	—	—	—	.02	—	.03	—	x	x		17
18	.03	.22	.25	x	—	—	.21	—	Trace	x	x	x		18
19	—	.33	.10	x	—	—	.03	—	.85	—	x	✓		19
20	—	.04	.02	✓	—	Trace	.10	.02	.04	—	4.12	—		20
21	.08	Trace	Trace	—	.25	—	.07	Trace	Trace	x	x	—		21
22	.03	Trace	.05	—	.52	.15	—	—	.30	✓	✓	—		22
23	—	.09	.05	x	Trace	.02	Trace	.01	—	✓	✓	✓		23
24	—	x	Trace	1.12	—	—	.19	—	—	—	—	✓		24
25	—	—	.40	—	—	—	.05	—	—	✓	—	—		25
26	.82	.08	.83	.30	.16	.03	Trace	—	—	—	—	✓		26
27	.50	.30	—	.08	Trace	—	.12	—	—	—	—	—		27
28	.35	.03	—	.01	.08	—	—	—	—	—	—	—		28
29	.09	.05	.09	—	.12	.01	—	—	Trace	—	—	x		29
30	Trace	x	—	.23	—	—	—	—	—	x	.24	✓		30
31	.05	x	—	x	—	x	—	—	x	1.40	x	.93		31
TOTAL	2.42	2.01	3.34	2.12	1.31	2.07	2.83	0.03	1.66	3.19	6.66	1.13	28.77	
* Days with .01 in. or more.	11	19	14	16	9	7	18	2	11	18	20	16	(161)	
* Days with .04 in. or more.	9	14	13	13	7	4	12	0	7	14	16	10	(119)	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) **D. J. Watkinson** [P.T.O.]

Kept at Wested Farm
in the County of Ken

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of the

395
CROCKENHILL
WESTED FARM

1931-1940

061321001

780108

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

1.
395.

Y.
following

Jan. 1, following

31-12-1930

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				30									1
2			30	20				12	50				2
3	10			35	1.50			29				18	3
4											10		4
5				04	10	57			43			15	5
6				34							60		6
7						06					18		7
8					09	30	10	20					8
9								13					9
10								22			95		10
11	25										30		11
12		50							50				12
13		25					05	10					13
14							53	50					14
15				34	18		45	55				10	15
16		14		15	30			06					16
17				35			20	27	10				17
18				20		30	10	67			50		18
19	22			50				25					19
20				05			05	20					20
21		22			50			06					21
22			33										22
23	60										11		23
24				65	20	15		08					24
25			08	55			46						25
26				20			60				25		26
27		32		05	30		35						27
28													28
29		X					08					07	29
30		X											30
31	45	X		X	05	X			X	1.0	X		31
TOTAL	1.62	1.43	0	4.24	3.22	1.38	2.97	3.40	1.53	1.0	2.99	5.59	YEAR'S TOTAL
*Days with 01 in. or more.													25.32
*Days with 04 in. or more.													

A. T. Miller

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Wasted Farm Crockerhill
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 331 ft.

COPY FOR OFFICIAL USE.

395

Station No 395.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

31.12.1930.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				<u>.30</u>									1
2			<u>.30</u>	<u>.20</u>				<u>.12</u>	<u>.50</u>				2
3	<u>.10</u>			<u>.35</u>	<u>1.50</u>			<u>.29</u>				<u>.18</u>	3
4											<u>.10</u>		4
5				<u>.04</u>	<u>.10</u>	<u>.57</u>			<u>.43</u>			<u>.15</u>	5
6				<u>.34</u>							<u>.60</u>		6
7						<u>.06</u>					<u>.18</u>		7
8					<u>.09</u>	<u>.30</u>	<u>.10</u>	<u>.20</u>					8
9								<u>.13</u>					9
10								<u>.22</u>			<u>.95</u>		10
11	<u>.25</u>										<u>.30</u>		11
12		<u>.50</u>							<u>.50</u>				12
13		<u>.25</u>					<u>.05</u>	<u>.10</u>					13
14							<u>.53</u>	<u>.50</u>					14
15				<u>.34</u>	<u>.18</u>		<u>.45</u>	<u>.55</u>				<u>.10</u>	15
16		<u>.14</u>		<u>.15</u>	<u>.30</u>			<u>.06</u>					16
17				<u>.35</u>			<u>.20</u>	<u>.27</u>	<u>.10</u>				17
18				<u>.20</u>		<u>.30</u>	<u>.10</u>	<u>.67</u>			<u>.50</u>		18
19	<u>.22</u>			<u>.50</u>				<u>.25</u>					19
20				<u>.05</u>			<u>.05</u>	<u>.20</u>					20
21		<u>.22</u>			<u>.50</u>			<u>.06</u>					21
22			<u>.33</u>										22
23	<u>.60</u>										<u>.11</u>		23
24				<u>.65</u>	<u>.20</u>	<u>.15</u>		<u>.08</u>					24
25			<u>.08</u>	<u>.55</u>			<u>.46</u>						25
26				<u>.20</u>			<u>.60</u>				<u>.25</u>		26
27		<u>.32</u>		<u>.05</u>	<u>.30</u>		<u>.35</u>						27
28													28
29		<u>X</u>					<u>.08</u>					<u>.07</u>	29
30		<u>X</u>											30
31	<u>.45</u>	<u>X</u>		<u>X</u>	<u>.05</u>	<u>X</u>			<u>X</u>	<u>1.0</u>	<u>X</u>		31
TOTAL	<u>1.62</u>	<u>1.43</u>	<u>.94</u>	<u>4.27</u>	<u>3.22</u>	<u>1.38</u>	<u>2.97</u>	<u>3.70</u>	<u>1.53</u>	<u>1.0</u>	<u>2.99</u>	<u>.59</u>	YEAR'S TOTAL
*Days with or in. or more.													<u>25.32</u>
*Days with or in. or more.													

40-9999

*See Instruction 2 (f) on other side.

(Signed)

A.T. Miller

[P.T.O.]

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Wesley Farm Crockerhill
In the County of Kent
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 6 in.
Height of Ground above Sea Level 331 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with or in. "04 in. or more or more
JAN.	2.28			
FEB.	0.28			
MAR.	1.56			
APRIL	2.29			
MAY	3.04			
JUNE	1.02			
JULY	2.42			
AUG.	0.76			
SEPT.	1.48			
OCT.	5.20			
NOV.	0.93			
DEC.	0.35			
Total	21.61			

Signature

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

A. J. Miller
Wesley Farm Crockerhill

Hour of observation by the clock—in Winter 9am in Summer 9am

Nearest Railway Station Woolley Junction Distance 2 miles Direction from gauge NW

Nearest Parish Church at Crockerhill Distance 1 mile Direction from gauge W


Nature of objects nearest to gauge				
Heights of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

395

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Wesley Farm Brockenhill
In the County of Kent
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft 6 in.
Height of Ground above Sea Level 331 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date	Number of Days with '01 in. '04 in. or more or more
JAN.	1.49			
FEB.	1.89			
MAR.	2.89			
APRIL	.50			
MAY	1.90			
JUNE	.91			
JULY	2.13			
AUG.	.49			
SEPT.	2.92			
OCT.	1.68			
NOV.	1.10			
DEC.	.63			
Total	18.53			

Signature

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

A.T. Miller
Wesley Farm Brockenhill Kent.

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Swanley Junction Distance 2 miles Direction from gauge N.W.

Nearest Parish Church at Brockenhill Distance 1 mile Direction from gauge W

Nature of objects nearest to gauge

Heights of objects

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move. Distance. Direction.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Woolas Farm Goochhill

In the County of Kent

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 ft 6 in.
Height of Ground above Sea Level 331 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date	Number of Days with '.01 in. or more	Number of Days with '04 in. or more
JAN.	2.13	.40	11	11	10
FEB.	1.14			2	2
MAR.	2.21	.38	10	11	11
APRIL	2.23	.40	23	13	13
MAY	.53			4	4
JUNE	1.66	.45	23	4	7
JULY	1.47	.45	24	5	5
AUG.	1.77	.50	28	9	9
SEPT.	1.36	.80	2	7	7
OCT.	1.56	.61	3	7	7
NOV.	2.69	1.55	10	6	6
DEC.	5.57	1.04	15	20	20
Total	23.32			102	101

Signature A. T. Miller

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

A. T. Miller
Woolas Farm Swanley Kent

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Swanley Distance 2 miles Direction from NW

Nearest Parish Church at Goochhill Distance 1 mile Direction from W

Nature of Objects nearest to gauge

Height of objects

Distances ..

Directions from gauge ..

If gauge has been moved during the year state—

Date of move .. Distance .. Direction ..

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } -14 would show that the 18 }

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

395

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Wesley Farm GochenhillIn the County of KentDiameter of Funnel 5 in.Height of Top above Ground 1 ft. 6 in.Height of Ground above Sea Level 331 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with		
	Inches	Inches	Date	.01 in. or more	.04 in. or more
JAN.	<u>.96</u>				
FEB.	<u>3.21</u>				
MAR.	<u>.44</u>				
APRIL	<u>2.81</u>				
MAY	<u>1.38</u>				
JUNE	<u>2.87</u>				
JULY	<u>.43</u>				
AUG.	<u>2.69</u>				
SEPT.	<u>3.28</u>				
OCT.	<u>3.08</u>				
NOV.	<u>5.41</u>				
DEC.	<u>3.14</u>				
Total	<u>29.70</u>				

Signature A.T. Miller

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

A.T. Miller
Wesley Farm Swanley KentHour of observation by the clock—in Winter 9 am in Summer 9 amNearest Railway Station Swanley Jct Distance 2 miles Direction from NWNearest Parish Church at Gochenhill Distance 1 mile Direction from W

Nature of objects nearest to gauge

Height of objects

Distances


Directions from gauge

If gauge has been moved during the year state—

Date of move. Distance. Direction.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.C.
3 JAN 1936

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Wesley Farm GockenhillIn the County of Kent

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft. 6
Height of Ground above Sea Level.....ft. 331

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Number of Days with 0.1 in. or more 0.4 in. or more
JAN.	<u>4.69</u>		
FEB.	<u>1.60</u>		
MAR.	<u>1.07</u>		
APRIL	<u>1.74</u>		
MAY	<u>.28</u>		
JUNE	<u>3.13</u>		
JULY	<u>3.11</u>		
AUG.	<u>.50</u>		
SEPT.	<u>2.96</u>		
OCT.	<u>2.00</u>		
NOV.	<u>3.60</u>		
DEC.	<u>3.02</u>		
TOTAL	<u>27.79</u>		

Signature A. Miller

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

A.T. Miller
Wesley Farm Gockenhill
Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.
Nearest Railway Station Swanley Distance 2 miles Direction from gauge NW
Nearest Parish Church at Gockenhill Distance 1 mile Direction from gauge W


Nature of objects nearest to gauge
Height of objects
Distances
Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

15 JAN 1937

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

BMonthly
Summary.**C**

Particulars of Station.

395

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193...7

At Wested Farm CrockenhillIn the County of Kent

Rain Gauge (Diameter of Funnel... 5 in.
Height of Top above Ground... 1 ft. 6 in.
Height of Ground above Sea Level... 331 ft.)

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with		
	Inches	Inches	Date	* .01 in.	* .04 in. or more
JAN.	<u>5.91</u>				
FEB.	<u>4.73</u>				
MAR.	<u>3.02</u>				
APRIL	<u>2.36</u>				
MAY	<u>3.07</u>				
JUNE	<u>3.06</u>				
JULY	<u>1.32</u>				
AUG.	<u>1.28</u>				
SEPT.	<u>1.41</u>				
OCT.	<u>1.88</u>				
NOV.	<u>1.98</u>				
DEC.	<u>4.93</u>				
TOTAL	<u>34.95</u>				

Signature A.T. Miller

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Wested Farm Crockenhill Swanley
Hour of observation by the clock—in Winter... 9 am ...in Summer... 9 am ...

Nearest Railway Station... Swanley Junction Distance... 2 miles Direction from gauge... N.W.Nearest Parish Church at... Crockenhill Distance... 1 mile Direction from gauge... W.

Nature of objects nearest to gauge

Height of objects

Distances ...

Directions from gauge ...

If gauge has been moved during the year state—

Date of move... Distance... Direction...

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



A

B

C

D

E

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

A.T. Miller. Keston Point Farm. Keston. Kent.

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

14 FEB. 1938

* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Wesley Farm Crockerhill
In the County of Kent

Rain Gauge (Diameter of Funnel.....5 in.
Height of Top above Ground.....1 ft. 6 in.
Height of Ground above Sea Level.....331 ft.)

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Number of Days with 0.1 in. or more 0.4 in. or more
JAN.	1.70		
FEB.	.81		
MAR.	.50		
APRIL	.46		
MAY	1.76		
JUNE	.25		
JULY	1.28		
AUG.	1.61		
SEPT.	1.83		
OCT.	2.61		
NOV.	3.09		
DEC.	2.65		
TOTAL	18.55	✓	

Signature a2miller

* See Instruction 3 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

A. T. Miller
Wesley Farm Crockerhill Swanley Kent
Hour of observation by the clock—in Winter.....9 am.....in Summer.....9 am
Nearest Railway Station.....Swanley Jct.....Distance.....2 miles.....Direction from gauge.....NW
Nearest Parish Church at.....Crockerhill.....Distance.....1 mile.....Direction from gauge.....W


Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W.H. & S. 668/91

S.O. Code No. 40-9999

BMonthly
Summary.**C**

Particulars of Station.

395

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Wasted Farm CrockenhillIn the County of Kent

Rain Gauge { Diameter of Funnel..... 5 in.
Height of Top above Ground..... 1 ft. 6 in.
Height of Ground above Sea Level..... 331 ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Number of Days with 0.1 in. or more or more
JAN.	<u>4.56</u>		
FEB.	<u>1.30</u>		
MAR.	<u>1.50</u>		
APRIL	<u>2.28</u>		
MAY	<u>1.93</u>		
JUNE	<u>1.40</u>		
JULY	<u>2.55</u>		
AUG.	<u>2.68</u>		
SEPT.	<u>1.25</u>		
OCT.	<u>7.00</u>		
NOV.	<u>4.99</u>		
DEC.	<u>1.43</u>		
TOTAL	<u>32.87</u>		

Signature A. T. Miller

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

A. T. MILLER
Wasted Farm Crockenhill Swanley Kent
Hour of observation by the clock—in Winter..... 9 am in Summer..... 9 am
Nearest Railway Station..... Swanley Distance..... 2 miles Direction from..... NW
Nearest Parish Church at..... Crockenhill Distance..... 1 mile Direction from..... W.


Nature of objects nearest to gauge
Height of objects
Distances ...
Directions from gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

17 JAN. 1940

* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the reading on the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 8079/2165 25.500 12/37 W.H. & S. 668/91

S.O. Code No. 49999

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934.0

At Wested Farm, CrookhillIn the County of Swanley, KentRain Gauge { Diameter of Funnel.....5 in.Height of Top above Ground.....1 ft. 6 in.Height of Ground above Sea Level.....331 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with
	Inches	Inches	0.1 in. or more
JAN.	<u>2.63</u>		
FEB.	<u>2.03</u>		
MAR.	<u>3.36</u>		
APRIL	<u>1.70</u>		
MAY	<u>1.92</u>		
JUNE	<u>.45</u>		
JULY	<u>3.15</u>		
AUG.	<u>—</u>		
SEPT.	<u>1.06</u>		
OCT.	<u>2.87</u>		
NOV.	<u>7.17</u>		
DEC.	<u>1.33</u>		
TOTAL	<u>27.57</u>		

Signature A. Miller

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

A. Miller, Wested, Swanley, Kent.Hour of observation by the clock—in Winter 9 A.M. in Summer 9 A.M.Nearest Railway Station.....Swanley, Jc. Distance.....2 Direction from gauge.....N.W.Nearest Parish Church at Crookhill Distance.....1 Direction from gauge.....W.

Nature of objects nearest to gauge

Height of objects

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



A

B

C

D


E

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?



* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the reading on the

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/38 W.H. & S. 668/91

S.O. Code No. 40-9999

Section **A** for the entry
AIR MINIS

FORM 1090

REGI

Kept at *Crocken*

in the County of *70*

Diameter of Funnel of Gauge....

Height of top of Gauge above G

„ Ground „ S

THE MORNING MEASU

An observer who does not conform
year in the space on the right of this paragraph.

061320007
395/3

CROCKEN HILL

1937 -

Station No. *395/3*
FALL ORGANIZATION

37

US DAY
the following

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.05	.06							.67	.46		1
2				.39					.13		.01	.59		2
3												.39		3
4								.55				.34		4
5			.21				.15	.01						5
6			.22		.16		.01			.07				6
7			.76	.08					.06	.06		.03		7
8			.06		.21	.04	~~.02~~				.24	.66		8
9				.30			.02		.28			.12		9
10			.45	.14	.68	.38	.01	.03				.90		10
11	NOT RECORDED	NOT RECORDED	.27		.07		.04	.01						11
12			.03		.38	{.68}	.03	.11	.14			.22		12
13			.31	.01	.05			.06	.08			.64		13
14			.07	.01				.25	.15					14
15			.50	.12			.26	.20	.16			.02		15
16			.06	.31		.03			.17					16
17				.24		.04			.11		.13			17
18					.63	.94			.05		.33	.03		18
19			.04	.09	.02	.14	.01		.06			.13		19
20			.10	.27	.81	.13		.01	.02					20
21			.08	.06	.09		.02							21
22			.01			.74	.03			.78	.25			22
23										.44	.02			23
24			.01						.05	.34				24
25			.21		.03				.09	.33				25
26			.05		.01				.06	.04				26
27				.26	.05					.31				27
28										.02				28
29										.04	.05	.16		29
30		X				.01		.24			.13			30
31		X		X		X			X	.13	X			31
TOTAL			3.49	2.34	3.19	3.13	1.58	1.47	1.61	2.46	1.83	5.69	26.79	
* Days with .01 in. or more.			.19	.14	.13	.11	.10	.10	.15	.11	.09	.14	.26	
* Days with .04 in. or more.			.16	.12	.10	.09	.03	.06	.14	.09	.07	.11	.07	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

J. S. Miller

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

395/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at Brookhillin the County of KentDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....12.....in.,, Ground ,, Sea Level 26.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.05	.06							.67	.46		1
2				.39					.13		.01	1.59		2
3												.39		3
4								.55				.34		4
5			.21				.15	.01						5
6			.22		.16		.01			.07				6
7			.76	.08					.06	.06		.03		7
8			.06		.21	.04	~~.02~~				.24	.66		8
9				.30			.02		.28			.12		9
10			.45	.14	.68	.38	.01	.03				.90		10
11	NOT	NOT	.27		.07		.04	.01						11
12	RECORDED	RECORDED	.03		.38	{.68}	.03	.11	.14			.22		12
13			.31	.01	.05			.06	.08			.64		13
14			.07	.01				.25	.15					14
15			.50	.12			1.26	.20	.16			.02		15
16			.06	.31		.03			.17					16
17				.24		.04			.11		.13			17
18					.63	.94			.05		.33	.03		18
19			.04	.09	.02	.14	.01		.06			.13		19
20			.10	.27	.81	.13		.01	.02					20
21			.08	.06	.09		.02							21
22			.01			.74	.03			.78	.25			22
23										.44	.02			23
24			.01						.05	.34				24
25			.21		.03				.09	.33				25
26			.05		.01				.06	.04				26
27				.26	.05					.31				27
28										.02				28
29										.04	.05	.16		29
30		X				.01		.24			.13			30
31		X		X		X			X	.13	X			31
TOTAL			3.49	2.34	3.19	3.13	1.58	1.47	1.61	2.46	1.83	5.69	26.79	
* Days with .01 in. or more.			19	14	13	11	10	10	15	11	9	14	126	
* Days with .04 in. or more.			16	12	10	9	3	6	14	9	7	11	97	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. S. Miller

[P.T.O.]

395/5

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

31

Kept at Cobham, Gro
in the County of _____

COBHAM CROSSWAYS

1931 - 1940

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform
year in the space on the right of

061422002 780108

AY.

he following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3												.21	3
4							From				.02		4
5							Rochester				.15		5
6							(Knight's Peak)				.48		6
7											.15	.01	7
8											.02		8
9											.45	.02	9
10											.68		10
11											.29		11
12													12
13													13
14											.01		14
15											.03	.09	15
16											.01		16
17											.03		17
18											.52		18
19													19
20											.02		20
21													21
22											.03		22
23											.08	.01	23
24													24
25													25
26											.19		26
27											.04		27
28												.09	28
29												.02	29
30		X									.02		30
31		X		X		X			X		X		31
TOTAL											3.07	.6	YEAR'S TOTAL
*Days with .01 in. or more.											18	8	23.96
*Days with .04 in. or more.											9	4	

40-9999

*See Instruction 2 (f) on other side.

(Signed) Miss Pye

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1931

Kept at Golham Crossways
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft 0 in.
Ground Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3												.21	3
4											.02		4
5												.15	5
6											.48		6
7											.15	.01	7
8											.02		8
9											.45	.02	9
10											.68		10
11											.29		11
12													12
13													13
14											.01		14
15											.03	.09	15
16											.01		16
17											.03		17
18											.52		18
19													19
20											.02		20
21													21
22											.03		22
23											.08	.01	23
24													24
25													25
26											.19		26
27											.04		27
28												.09	28
29												.02	29
30		X									.02		30
31		X		X		X			X		X		31
TOTAL											3.07	.6	YEAR'S TOTAL
*Days with .01 in. or more.											18	8	23.96
*Days with .04 in. or more.											9	4	

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Miss Pyle

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Crossways, Cobham
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
Ground Sea Level 320 ft.

Comp 1931.

OK print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·03		·05	·32	·01	·02	·29	·02	·03	·01		1
2	·01			·11	·04			·05	·02	·05	·01	·15	2
3				·02	·25				·50	·01		·02	3
4					·02	·17	·01						4
5	·12	·01	·02	·01	·04	·04	·14		·05				5
6	·37		·04	·19					·02				6
7	·09		·13	·06			·01					·02	7
8			·09	·02	·23				·08	·38			8
9	·26	·03		·08	·69					·06			9
10	·75	·06	·05	·15	·07				·01	·03			10
11	·06	·18	·01	·11	·01	·02	·01	·10		·30	·03	·01	11
12	·16	·02					·20			·48	·02		12
13	·07			·07					·02	·51		·03	13
14	·15			·11	·11					·06			14
15	·05			·20	·06			·01		·11			15
16				·37	·09								16
17				·04			·01			·02			17
18			·02				·04		·08		·09		18
19		·01		·06					·02	·15			19
20				·19	·16		1·20	·04		·53	·17		20
21				·02	·26					·22		·02	21
22			·35		·21		·20		·34	·20	·27		22
23			·01	·12	·03				·15	1·05	·08	·08	23
24		·09					·27		·05	·07	·02		24
25							·38		·15	·16	·04	·01	25
26			·04	·02	·03		·33	·14		·01	·01		26
27			·19	·15	·40		·23			·30	·05	·01	27
28				·03	·06		·09			·25	·01		28
29			·43	·02				·25	·05	·50			29
30		×	·01	·02	·05	·61			·02	·10	·09	·03	30
31		×	·14	×		×	·02		×		×	·01	31
TOTAL	2·13	·43	1·53	2·22	3·13	·85	3·16	·88	1·58	5·58	·90	·39	YEAR'S TOTAL 22·78
*Days with ·01 in. or more.	12	8	14	24	20	5	16	7	16	24	14	11	171
*Days with ·04 in. or more.	11	3	9	16	16	3	10	6	9	19	7	2	111

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

3956

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.February 1st highKept at The Crossways, Sole Street, Cobhamin the County of KENTDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 3 ft. in.,, Ground ,, Sea Level 320 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.12	.11	—	—	—	—	—	—	.04	.02	—		1
2	.3	—	.4	—	.32	—	—	—	—	.02	—	—		2
3	.02	.09	.31	—	.03	—	—	—	—	—	—	—		3
4	.1	—	.01	—	—	—	—	—	—	—	—	—		4
5	.23	—	.28	—	.24	—	—	—	—	—	—	—		5
6	—	.12	.09	—	.44	—	—	—	—	.08	.13	—		6
7	.4	—	.13	—	.1	—	—	—	—	.25	—	—		7
8	.1	.05	—	—	.01	—	.4	—	—	—	—	—		8
9	—	—	—	—	.06	—	.06	—	—	.05	.15	—		9
10	—	.74	—	—	.01	.02	.05	—	—	—	—	—		10
11	.08	—	—	—	—	—	.08	.09	.1	—	.06	—		11
12	—	—	—	.1	—	.25	—	—	.9	—	—	—		12
13	.05	—	—	—	.12	.14	.28	—	.42	—	.14	—		13
14	—	—	—	—	.01	.01	.01	.03	—	.27	.31	.04		14
15	.18	—	.13	—	—	—	.26	.09	—	—	—	—		15
16	.08	—	.75	—	—	.15	.09	—	—	.02	.06	—		16
17	—	—	.33	—	—	.01	—	—	.16	—	.05	—		17
18	—	—	.08	.02	—	.11	—	—	—	—	.01	—		18
19	—	—	—	.09	—	.17	—	—	.39	—	—	—		19
20	.02	.02	.23	—	—	.17	1.62	—	.01	—	.05	—		20
21	—	.19	.02	—	—	.18	.11	.13	.48	—	—	—		21
22	—	—	—	—	—	.39	—	.14	.07	.06	—	—		22
23	—	—	—	.1	.39	.03	—	—	.48	—	—	—		23
24	—	.32	—	.13	.05	.21	—	—	.18	—	.02	—		24
25	—	.10	—	.24	.04	—	—	—	.01	.01	.1	.06		25
26	—	.46	—	.03	—	.03	—	—	.48	.05	.18	.15		26
27	—	—	—	.01	.35	—	—	—	.01	.24	—	.1		27
28	—	.05	—	—	.15	—	.07	—	.02	.22	—	.15		28
29	—	—	—	.04	—	—	.36	—	—	.08	—	—		29
30	.08	X	.14	—	—	—	.02	—	.05	.06	—	.16		30
31	.06	X	—	X	—	X	—	.09	X	—	X	—		31
TOTAL	1.72	2.26	3.01	.76	2.32	1.86	3.41	.57	3.76	1.45	1.28	.66	Year's Total	23.08
*Days with .01 in. or more.	14	11	14	9	15	13	13	6	15	14	13	6		143
*Days with .04 in. or more.	11	10	12	6	11	9	11	5	11	11	10	6		113

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Francis H. Pyle

P.T.O.

Section **A** for the entry of Daily Observations.

Station No.

395/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Crossways, Cobham Kent
in the County of KentDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
Ground Sea Level 320 ft.

4 miles SE of Gravesend

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03							.21		.04	.02	.28		1
2	.02		.11						.65	.41		.23		2
3		.06						.11		.57		.02		3
4	.13	.03	.03							.11	.08	.53		4
5								.02		.02	.03	.32		5
6			.31			.16		.10		.16	.03	.40		6
7	.02				.16	.02		.02		.05		.15		7
8		.05		.17				.04	.02		.45	.02		8
9			.01								1.06	.22		9
10		.02	.39	.16				.03		.08	.40	.01		10
11	.69		.39	.15				.29			.01	.17		11
12	.08		.07				.12	.33				.08		12
13	.54		.04	.02			.36	.22			.05	.02		13
14	.11		.54	.03	.02						.54	.58		14
15	.01				.05				.02	.02	.09	.66		15
16	.11		.28	.01	.15					.03		.01		16
17	.01		.12	.01						.08	.01	.28		17
18	.21			.25			.02					.24		18
19			.35	.10					.19			.10		19
20			.18			.07			.02	.01				20
21			.01	.17		.08	.03			.05	.01	.02		21
22							.10	.07	.15			.06		22
23				.31		.89					.01	.14		23
24		.05		.04		.10	.47		.08					24
25		.03		.11						.02		.38		25
26	.16			.08		.09			.04			.10		26
27	.04	.01		.05		.01						.28		27
28		.50		1.12		.08		.46			.01	.22		28
29								.07	.16			.04		29
30	.18	×										.16		30
31	.03	×		×		×			×	.21	×	.06		31
TOTAL	2.37	.75	2.83	2.78	.38	1.50	1.10	1.97	1.33	1.80	2.80	5.78	25.39	Year's Total.
* Days with .01 in. or more.	16	8	14	16	4	9	6	13	9	15	15	29	154	
* Days with .04 in. or more.	10	4	11	12	3	7	4	10	6	10	7	23	107	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

James H. Pye

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 395/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Crossways, Cobham
in the County of KENTDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. - in.
,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28	.05	.03			.06	.11		1.03	.07	.07	.01		1
2	.21	~~.07~~		.11					.02	.21	.15			2
3		.07	.17	.08		.02				.98	.20	.01		3
4		.03		.26		.16			.22	.35	.01	.11		4
5		.47	.04	.06		.25	.01		.55	.03		.02		5
6	.05	.05		.31		.36					.06			6
7	.06	.08		.21		.14					.71	.09		7
8			.04	.35		.02		.05		.18	.32	.10		8
9				.16		.16				.68	.13	.04		9
10	.04	.02		.03		.03				.02	.16	.08		10
11	.26			.11		.03	.03			.02	.32	.02		11
12				.09		.20		.40			.82			12
13	.06	.14		.43	.06	.04					.06	.02		13
14	.01			.40	.17	.15					.02	.09		14
15		.12		.08	.03	.04			.16		.28	.05		15
16	.01	.02		.01		.55			.58	.02	.72			16
17	.01		.06	.18		.15		.02	.02		.64			17
18				.18	.12	.24	.19		.33	.08	.02	.03		18
19					.17	.03	.11		.02		.06	.01		19
20	.02	.52		.01	.01	.04	.35		.06		.06			20
21	.03	.50		.03					.02	.12	.05			21
22		.14	.02					.32	.05					22
23			.04		.02			.18	.02			.11		23
24	.04	.85			.79			.81	.33	.10		.35		24
25	.18	.28		.32	.17	.17					.03	.33		25
26	.05	.06						.18	.02	.05		.38		26
27		.58		.01			.01		.07		.05	.22		27
28		.04			.02			.06	.03	.07		.12		28
29								.02	.26			.28		29
30	.08	X		.40	.07			.79	.07	.10	.35	.44		30
31		X		X	.02	X			X	.22	X	.46		31
TOTAL	1.39	4.02	.40	3.75	1.65	2.84	.81	2.83	3.86	3.30	5.29	3.37	33.51	
* Days with .01 in. or more.	16	18	7	22	12	20	7	10	19	17	23	23	194	
* Days with .04 in. or more.	11	15	5	17	7	15	4	8	12	13	19	16	142	

Section



for the entry of Daily Observations.

Station No.

395/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936

Kept at The Crossways, Cobhamin the County of KentDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 3 ft. in.Ground 320 Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.34	.12	.04	.12		.13	.36	.01			.03	.19		1
2	.01	.01		.01		.21	.04	.08				.01		2
3				.66		.30					.38			3
4			.08			.14		.03	.25	.02		.08		4
5	.28		.04					.02	.30	.09	.11	.06		5
6	.18					.05	.01		.12	.06	.75			6
7	.36		.04			.06		.02	.03	.02	.47			7
8	.23		.02		.01		.06			.04	.31	.20		8
9	.57		.01		.01		.38	.07	.04	.05		.05		9
10	.18					.02	.34	.49	.12					10
11			.01	.09			.37	.04			.79			11
12				.10		.20	.24				.30	.05		12
13					.03	.14	.06				.02	.50		13
14		.04				.05	.57			.02	.08	.45		14
15		.05				.02						.12		15
16	.47	.05			.14				.02		.33	.03		16
17	.26	.53				.03				.04	.18	.26		17
18	.08	.09				.17	.15			.02	.23	.14		18
19	.30	.03					.13	.14			.02	.12		19
20	.38	.06		.33		.31	.02		.71	.02				20
21				.24		.50	.06		.05					21
22	.13	.34	.04		.10	.06	.08					.12		22
23	.01	.15		.05		.01	.35			.02				23
24	.03	.07								.36				24
25	.16	.01	.18	.23		.20	.10		.29	.03	.06	.02		25
26		.11	.27			.01			.07	.17				26
27	.23		.02						.20	.10				27
28	.87		.08			.66	.02		.06	.01		.12		28
29	.04	.10	.09			.16					.11			29
30	.06	~~1~~			.10	.15				.12		.10		30
31	.28	~~1~~	.18	~~1~~		~~1~~	.11		~~1~~	.87	~~1~~			31
TOTAL	5.39	1.81	1.10	1.83	.29	3.53	3.39	.90	2.36	2.06	4.17	2.62	29.60	✓
* Days with .01 in. or more.	22	15	14	9	6	22	19	9	13	18	16	18	181	✓
* Days with .04 in. or more.	19	12	10	8	3	17	16	5	11	10	13	15	139	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

James H. Pye

[P.T.O.]



Station No. _____

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1937

in the County of Kent.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...**3**...ft.....in.

Ground Sea Level ... 320 ... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed

P.T.O.

Section



for the entry of Daily Observations

Station No.

39515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *The Crossways, Cobham*in the County of *Kent*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground...*3*...ft.....in.,, Ground ,, Sea Level...*3.20*...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02				.17	.24	.05		.14	.01	.03	.02		1
2	.05			.08	.13					.27		.07		2
3					.32				.01	.75	.01			3
4	.04					.03	.06	.09		.06		.10		4
5	.01						.13		.01	.21		.03		5
6	.03						.02	.47	.01					6
7							.05	.28	.03	.23		.08		7
8	.18						.15		.02	.13		.02		8
9	.09						.05	.39				.60		9
10	.09	.03				.09		.08				.16		10
11	.20	.01									.05	.16		11
12	.19	.02						.02		.09	.07			12
13	.28									.01	.11	.03		13
14	.18	.17			.26				.11			.04		14
15	.04	.40					.20			.22	.02	.06		15
16	.26	.02		~~.08~~			.05			.02	.02	.34		16
17		.13			.23		.06			.10				17
18	.03				.08				.10	.02	.41			18
19					.02			.02	.06		.19	.08		19
20		.01							.11		.27	.06		20
21	.03			.01				.23	.10		.07	.28		21
22						.01		.02			.19	.20		22
23				.06							.08			23
24			.06		.04				.05		.11	.08		24
25	.08		.32	.40	.14		.02		.13	.05	.60	.07		25
26	.06	.18	.08					.09	.24	.35		.23		26
27	.07	.04			.08	.13	.26		1.75	.03	.14			27
28	.20	.04		.02	.15			.12	.03			.02		28
29	.19			.04	.16				.01		.05	.23		29
30	.03	~~.08~~		.08	.01				.03	.04	.20			30
31	.17	~~.08~~		~~.08~~	.07	~~.08~~			~~.08~~	.11	~~.08~~	.18		31
TOTAL	2.52	1.05	0.46	0.69	1.86	0.50	1.10	1.81	2.94	2.70	2.62	3.14	21.39	✓
* Days with .01 in. or more.	23	11	3	8	14	5	12	11	18	18	18	23	164	✓
* Days with .04 in. or more.	17	6	3	6	12	3	10	8	10	13	14	18	120	✓
													Year's Total	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

F. H. Pye

A. M. Marsh

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

39575

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at *The Crossways, Cobham, Nr. Gravesend*

in the County of *KENT*

Diameter of Funnel of Gauge.....*5*.....in.

Height of top of Gauge above Ground...*3*...ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.02	.14	.34				.33					1
2	.03			.03	.02		.03	.21	.05	.11	.02			2
3	.24			.23				.54		.12	.24	.39		3
4	.09		.18	.11			.03	1.48		.70	.04	.02		4
5			.01	.09			.09	.05		.20	.30	.02		5
6	.45						.14	.01			.28			6
7	.07	.10					.01			.20	.11	.06		7
8	.01	.06	.13					.03		.32	.29	.31		8
9	.02	.03						.04		.62	.28	.18		9
10	.13					.34		.06	.02	.06	.02			10
11			.29		.02	.35			.01	.74	.03	.04		11
12						.03					.01	.05		12
13			.01			.05			.02	1.78		.05		13
14	.50			.03	.22		.04			.33	.54	.03		14
15	.49		.01		1.10	.03	.10		.16	.82	.06			15
16	.25		.19		.33	.13			.25		.39			16
17	.35	.03	.03	.04	.01		.03		.01		.06			17
18	.27		.01			.05	.05			.19	.34			18
19	.23						.09		.01	.64				19
20	.20					.01	.11		.16			.11		20
21	.06		.22			.06	.27	1.53	.19					21
22	.08	.20	.18			.08	.05	.01			.08			22
23	.02		.01	.24				.09		.09	.45			23
24	.15	.08	.08	.14			.06			.12	.01			24
25	.92	.28	.11	.14			.29				.35	.02		25
26	.14			.01			.11		.04	.14	.18	.03		26
27	.02	.16	.10	.13					.03	.08	.31			27
28	.03	.51	.12	.01		.01			.01	.05	.07	.34		28
29				.45						.16	.03			29
30		X		.65							.12			30
31		X		X		X	.36	.03	X		X			31
TOTAL	4.77	1.45	1.70	2.44	2.04	1.14	1.86	4.08	1.29	7.47	4.61	1.65	Year's Total	34.50
* Days with .01 in. or more.	24	9	17	15	7	11	17	12	14	20	25	14		185
* Days with .04 in. or more.	17	7	10	11	4	7	13	8	7	20	19	9		132

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *A. M. Marsh* P.T.O.

Section



for the entry of Daily Observations

Station No.

395/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at The Crossways, Cobhamin the County of KentDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...3...ft.....in.,, Ground ,, Sea Level ...320...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

.03

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.05			.05						.13			1
2				.16			.03			.14	.44	.02		2
3		.29		.12			.02			.23	1.42	.04		3
4		.05		.07						.11	.07	.07		4
5		.05					.02			.01	.63	.18		5
6	.10	.06			.05		.20			.24	.12			6
7	.29	.15			.01		.17							7
8									.09	.33		.23		8
9									.02	.04	.25	.04		9
10							.44			.12	.09			10
11		.03	.01	.03							.93			11
12		.10	.05				.09		.04		.01			12
13		.02	.83				.02		.11		1.42			13
14			.33	.13					.01	.02		.25		14
15			.07	.03	.18	.05	1.69			.10	.46	.01		15
16	(.08) 28	.24	.23			.21	.41		.11	.76	.57	.04		16
17			.37						.02		.03			17
18	(.01) 44	.31	.19	.35			.19		.04	.28	.14	.19		18
19		.15	.09	.01			.01		.44		.08	.07		19
20		.02		.01		.05	.01	.03	.08	.05	.14			20
21	.26 (.08) 47				.14		.10		.01	.04	.20			21
22			.05		.37	.19			.05	.04	.01			22
23		.02	.03	.20						.04		.02		23
24				.30			.14			.02				24
25			.73				.12			.04				25
26	.86	.12	.67	.01	.33	.02	.07					.02		26
27	.39	.25					.13							27
28	.26	.03		.01										28
29	.20	.04	.12		.04							.14		29
30	.04	X		.19						.08		.02		30
31	.13	X		X		X			X	.61	X	.07		31
TOTAL	2.43 3.09	1.98	3.77	1.62	1.17	.52	3.86	.03	1.02	3.30	7.14	1.41	Year's Total 20.91	28.25
* Days with .01 in. or more.	12	18	14	14	8	5	18	1	12	20	19	16	157	
* Days with .04 in. or more.	12	13	12	8	7	4	12	-	8	17	16	11	120	

† Spare column, no entries required.

(Signed) A. M. Marsh [P.T.O.]

* See Instruction 3 (f) on other side.

HORTON KIRBY (COURT

Section **A** for the entry of Data
AIR MINISTRY.
FORM 1090.

REGIST

Kept at *The Court Lodge*
in the County of *Horton*

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASURE

An observer who does not conform to the
year in the space on the right of this paragraph.

HORTON KIRBY
COURT LODGE

1934 - 40

061320003

1435 A/B.

Station No. **395/9**
ORGANIZATION.
4. *11/Kent/5?*
Section C read *11/33*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	~~.02~~	~~.08~~	-	-	-	-	-	.08	-	.04	.02	.23		1
2	.07	-	.12	-	-	-	-	.01	-	.33	-	.17		2
3	-	.06	-	-	-	-	-	-	.85	.63	-	-		3
4	.14	-	-	-	-	-	-	-	-	.05	.08	.40		4
5	-	-	-	-	.04	-	-	.01	-	-	.03	.26		5
6	-	-	.30	-	.18	.08	-	-	-	.18	-	.31		6
7	.02	-	-	-	-	-	-	-	-	.10	.03	.13		7
8	.02	-	-	.03	.11	-	-	.03	.02	-	.24	-		8
9	-	-	-	-	-	-	-	.01	-	-	.93	.29		9
10	-	-	.32	.12	-	-	-	.01	-	.05	.52	-		10
11	.46	-	.26	.07	-	-	-	.02	-	-	-	.10		11
12	.10	-	.03	-	-	-	.10	.28	-	-	-	-		12
13	.40	-	.03	-	-	-	.29	.32	-	-	.03	.06		13
14	.10	-	.43	.02	-	-	-	-	-	.01	-	.41		14
15	-	-	-	-	.04	-	-	-	.02	-	.60	.54		15
16	-	-	.20	.13	-	-	-	-	-	.02	.08	-		16
17	.07	-	.05	-	.06	-	-	-	-	.08	-	.25		17
18	-	-	-	.22	-	-	.05	-	-	-	-	.20		18
19	-	-	.16	.23	-	-	-	-	.11	-	.02	.17		19
20	-	-	.15	-	-	-	-	-	-	-	-	-		20
21	-	-	-	.14	-	.01	-	-	-	-	-	-		21
22	-	-	.02	-	-	-	.02	.20	.14	.03	-	.09		22
23	-	-	-	.35	-	.76	.03	-	-	-	-	.02		23
24	-	.03	-	.05	-	.10	.36	-	.07	-	-	-		24
25	-	-	-	.06	-	.05	-	-	-	.02	-	.30		25
26	.11	-	-	.32	-	.08	-	-	.02	-	-	-		26
27	-	-	-	.04	-	.03	-	-	-	-	-	.22		27
28	-	.20	-	.08	-	.13	-	.49	-	-	-	.20		28
29	-	X	-	-	-	-	-	.06	.07	-	-	.02		29
30	.16	X	-	-	-	-	-	-	-	-	-	.14		30
31	-	X	-	X	-	X	-	-	X	.15	X	.02		31
TOTAL	1.65	.29	.207	1.86	.43	1.25	.85	1.52	1.30	1.69	2.58	4.53	20.02	
* Days with .01 in. or more.	11	3	12	14	5	8	6	12	8	13	11	22	125	
* Days with .04 in. or more.	9	2	9	12	5	6	4	6	5	9	6	19	92	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

N *X.W. ROGERS* (Signed) *W. Rogers*

[P.T.O.]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934.

Kept at The Owl Lodge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 30 ft.

Section C read 11/33

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	~~0.8~~	~~0.8~~	-	-	-	-	-	0.8	-	0.4	0.2	2.3		1
2	0.7	-	1.2	-	-	-	-	0.1	-	3.3	-	1.7		2
3	-	0.6	-	-	-	-	-	-	8.5	6.3	-	-		3
4	1.4	-	-	-	-	-	-	-	-	0.5	0.8	4.0		4
5	-	-	-	-	0.4	-	-	0.1	-	-	0.3	2.6		5
6	-	-	3.0	-	1.8	0.8	-	-	-	1.8	-	3.1		6
7	0.2	-	-	-	-	-	-	-	-	1.0	0.3	1.3		7
8	0.2	-	-	0.3	1.1	-	-	0.3	0.2	-	2.4	-		8
9	-	-	-	-	-	-	-	0.1	-	-	9.3	2.9		9
10	-	-	3.2	1.2	-	-	-	0.1	-	0.5	5.2	-		10
11	4.6	-	2.6	0.7	-	-	-	0.2	-	-	-	1.0		11
12	1.0	-	0.3	-	-	-	1.0	2.8	-	-	-	-		12
13	4.0	-	0.3	-	-	-	2.9	3.2	-	-	0.3	0.6		13
14	1.0	-	4.3	0.2	-	-	-	-	-	0.1	-	4.1		14
15	-	-	-	-	0.4	-	-	-	0.2	-	6.0	5.4		15
16	-	-	2.0	1.3	-	-	-	-	-	0.2	0.8	-		16
17	0.7	-	0.5	-	0.6	-	-	-	-	0.8	-	2.5		17
18	-	-	-	2.2	-	-	0.5	-	-	-	-	2.0		18
19	-	-	1.6	2.3	-	-	-	-	1.1	-	0.2	1.7		19
20	-	-	1.5	-	-	-	-	-	-	-	-	-		20
21	-	-	-	1.4	-	0.1	-	-	-	-	-	-		21
22	-	-	0.2	-	-	-	0.2	2.0	1.4	0.3	-	0.9		22
23	-	-	-	3.3	-	7.6	0.3	-	-	-	-	0.2		23
24	-	0.3	-	0.5	-	1.0	3.6	-	0.7	-	-	-		24
25	-	-	-	0.6	-	0.5	-	-	-	0.2	-	3.0		25
26	1.1	-	-	3.2	-	0.8	-	-	0.2	-	-	-		26
27	-	-	-	0.4	-	0.3	-	-	-	-	-	2.2		27
28	-	2.0	-	0.8	-	1.3	-	4.9	-	-	-	2.0		28
29	-	X	-	-	-	-	-	0.6	0.7	-	-	0.2		29
30	1.6	X	-	-	-	-	-	-	-	-	-	1.4		30
31	-	X	-	X	-	X	-	-	X	1.5	X	0.2		31
TOTAL	1.65	2.9	2.07	1.86	4.3	1.25	8.5	1.52	1.30	1.69	2.58	4.53	20.02	
* Days with .01 in. or more.	11	3	12	14	5	8	6	12	8	13	11	22	12.5	
* Days with .04 in. or more.	9	2	9	12	5	6	4	6	5	9	6	19	9.2	
Year's Total.														

Section **A** for the entry of Daily Observations.Station No. **395/9**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **Horton Kirby (Hilltop)**in the County of **Kent**Diameter of Funnel of Gauge.....**5** in.Height of top of Gauge above Ground.....**1** ft. **0** in.,, Ground ,, Sea Level**3.0** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23		.03	.10		.17	.23	.01			.87	.12		1
2						.26	.11	.07			.02	.06		2
3				.27		.04			.02		.20			3
4			.07			.13			.28					4
5	.40		.05					.01	.33	.08	.09	.12		5
6	.43					.03		.02	.06		.30			6
7						.19		.02	.02		.50			7
8			.03				.18			.12	.26	.26		8
9	.55						.35		.06		.06			9
10	.18						.30	.17	.06	.01				10
11				.13			.19	.04			.64			11
12				.16		.10	.11		.02		.30	.08		12
13						.22	.01				.12	.32		13
14		.03				.05	.44			.05		.80		14
15		.06										.05		15
16		.03			.03						.30	.02		16
17	.45	.55			.05	.08					.15	.14		17
18	.10	.02				.07	.13				.14	.10		18
19	.33					.26	.16	.12		.05	.03			19
20	.21	.05		.18		.01	.03		1.40					20
21				.48		.40								21
22	.20	.35	.07		.20	.02	.08					.12		22
23		.02		.03			.17			.02				23
24	.04	.08								.39				24
25	.12		.10	.17		.26	.18		.12	.10	.06	.03		25
26		.06	.28			.10	.06		.05	.06				26
27	.19									.10				27
28	.60		.03			.25	.08		.18					28
29	.06	.11	.10			.06				.03	.08			29
30	.06	~~X~~			.10	.10				.03				30
31	.17	~~X~~	.15	~~X~~	.01	~~X~~	.15		~~X~~	.03	~~X~~	.35	d	31
TOTAL	4.32	1.36	0.91	1.51	0.39	2.80	2.96	0.46	2.60	1.04	4.12	2.57	Year's Total	25.04
* Days with .01 in. or more.	17	11	10	8	5	20	18	8	12	13	17	14		153
* Days with .04 in. or more.	17	7	7	7	3	16	16	4	9	8	15	12		121

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

X (Signed)

X W. ROGERS ESQ X

P.T.O.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

39579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at *The Court Lodge*

in the County of *Hertfordshire*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level.....ft.....in.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.34			.05							.97	.40		1
2		.14		.38					.12			1.25		2
3										.03		.30		3
4	.05	.52						.23				.34		4
5	.17	.18	.32				.13							5
6	.01	.65	.81		.11					.02				6
7			.10	.05					.03	.05				7
8					.06	.06					.24	.64		8
9			.05	.26	.12				.15			.13		9
10			.42	.08	.03	.50	.15					.52		10
11			.32		.59		.02					.06		11
12	.10	.33	.04		.46	.13			.07					12
13		.01	.35			.35		.19	.15			.39		13
14	.30	.01	.15		.05	.01		.14	.15					14
15				.08	.00	.01	1.18		.05			.02		15
16		.07	.41	.24		.03		.19	.33					16
17	.23		.06								.12			17
18	.54		.03	.27	.48	.90			.02		.25			18
19		.05	.02	.07	.04	.16								19
20	.54		.12	.30	.79	.12						.11		20
21	.45	.45	.04	.02			.03	.21			.28			21
22	.45	.04	.02		.02	.84				.40				22
23	.20									.50	.03			23
24	.70	.35			.02				.02	.26				24
25	.73	.29	.16						.06	.27		.02		25
26		.20	.04											26
27				.20						.28				27
28		.14		.02					.03	.02				28
29		X								.03				29
30	.30	X				.01		.05			.14			30
31	.17	X		X		X			X	.10	X	.02	d	31
TOTAL	4.53	3.43	3.48	2.02	2.77	3.12	1.57	1.01	1.18	1.96	2.03	4.20	Year's Total	3.24
* Days with .01 in. or more	17	15	18	13	12	12	5	6	13	11	7	13	142	
* Days with .04 in. or more	15	13	15	11	9	8	3	6	9	7	6	10	112	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No.

395/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at *The Court Lodge Horton Kirby*

in the County of *Kent*

Diameter of Funnel of Gauge..... *as before*

Height of top of Gauge above Ground.....ft. *as before*

Ground Sea Level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					.01	.11			.10	.02	.03	.03		1
2				.06	.03					.36		.04		2
3					.27					.72				3
4	.05						.06	.03				.10		4
5							.26			.30				5
6	.01													6
7						.02	.03	.64		.15				7
8	.12						.07			.08				8
9							.03	.27				.47		9
10	.09	.05				.01		.10				.15		10
11	.20											.17		11
12	.16									.12	.08			12
13	.24										.12	.05		13
14	.13				.24				.08					14
15	.02	.27					.16			.04				15
16	.16						.02			.22		.26		16
17		.04			.16		.03			.03				17
18					.06				.04		.37			18
19									.03		.18			19
20					.05				.06		.40			20
21	.03								.12		.04			21
22								.03			.12			22
23											.30			23
24			.05						.07		.07			24
25	.10		.33	.22	.06		.02	.02	.11	.04	.55			25
26	.09	.20	.05						.21	.32				26
27	.04	.01			.05	.10	.20		1.22	.01	.14	.65		27
28	.16			.03	.33	.04		.14	.12					28
29	.20	X		.02	.11						.04	.17		29
30	.02	X		.08		.03			.09		.30			30
31	.15	X		X	.05	X			X	.12	X	.06		31 "2"
TOTAL	1.97	.57	.43	.41	1.42	.31	.88	1.23	2.25	2.53	2.74	2.25	16.99	✓
* Days with .01 in. or more.	18	5	3	5	12	6	10	7	12	14	14	20	126	✓
* Days with .04 in. or more.	14	4	3	3	10	3	5	4	11	11	13	14	95	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 39579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Horton Kirby

in the County of Kent

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground As before

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.02	.13	.38				.24					1
2	.02				.03			.15	.13					2
3	.12			.19				.50			.13	.11		3
4			.15	.05				.83		.50	.04			4
5				.10			.04	.10		.27	.24	.03		5
6	.26			.04			.07			.26	.31			6
7	.17	.11					.04				.06	.02		7
8		.02	.10					.18		.16	.27	.26		8
9	.03	.07								.52	.12	.14		9
10						.12		.05	.04	.03				10
11	.10		.27			.26				.78	.02			11
12					.11							.04		12
13						.15			.03	1.20				13
14	.42			.04	.19					.85	.47	.04		14
15	.47				.95				.11	.98	.02			15
16	.22		.11		.28	.06			.11		.42			16
17	.30	.04		.03	.05		.28							17
18	.16		.01		.01	.08	.19			.10	.30			18
19	.22						.07			.71				19
20	.14					.35	.61	.02				.07		20
21	.06		.13			.08	.33	.05	.19					21
22	.06	.20	.10			.05	.03			.03				22
23	.05		.08	.05				.06		.05	.45			23
24		.10	.05	.26			.26			.08				24
25	1.04	.27	.07	.04			.04			.03	.24			25
26	.11						.21		.02	.09	.10			26
27	.02		.08	.23							.38			27
28		.46	.08			.02			.01	.05	.07			28
29		X		.34		.02				.08	.02	.03		29
30		X		.57							.15			30
31		X		X		X	.27	.02	X	.01	X			31
TOTAL	3.97	1.27	1.25	2.07	2.00	1.49	2.44	1.96	.88	6.78	3.92	.74	28.47	
* Days with .01 in. or more.	19	8	13	13	8	10	13	10	9	20	20	9	152	"d"
* Days with .04 in. or more.	16	7	11	12	7	8	12	8	6	16	17	6	126	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

395/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at The Gurf Lodge Farm

in the County of Kent

Jan 26th - 31st exts. from nearby stns.

Diameter of Funnel of Gauge. 2 in. before

Height of top of Gauge above Ground. ft. in.

Ground Sea Level. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.73			1
2		.07		.23							.83			2
3		.29		.06						.25	1.33	.04		3
4		.08		.12						.09	.23	.08		4
5		.03					.01				.50	.14		5
6		.01			.05		.15			.23	.18			6
7	.20	.12					.10							7
8	.27			.01					.13	.30		.20		8
9						.28				.10		.03		9
10							.37	.06		.03	.30			10
11											.80			11
12			.07	.03			.13		.01			.17		12
13		.04	.78						.10		1.35			13
14			.34	.03										14
15			.05	.15	.30	.04	1.55			.60	.60	.18		15
16			.17	.03		.15	.39		.03		.50	.04		16
17			.27				.21		.06		.09			17
18		.37	.16	.35					.02	.20		.15		18
19		.14	.10	.01					.56		.19	.05		19
20	.08		.01	.02		.02	.11	.02	.06		.17			20
21					.32		.04	.01		.02				21
22			.03		.25	.16			.03					22
23			.02	.14	.03					.06	.02			23
24				.41			.19					.07		24
25			.37				.08							25
26	X	.11	.90		.58	.05								26
27	X	.35					.28							27
28	(1.45)	.01			.11							.15		28
29	X		.08		.15	.05				.08				29
30	.57	X		.14										30
31	X	X		X		X			X	.55	X	.06		31
TOTAL	2.00	1.62	3.35	1.73	1.79	.75	3.61	.09	1.00	2.51	7.22	1.36	26.15	27.03
* Days with .01 in. or more.	9	12	14	14	8	7	13	3	9	12	15	13	129	"d"
* Days with .04 in. or more.	9	9	11	8	7	0	12	1	5	10	14	12	104	

X NURSTEAD (DOWNS ROAD)

Section **A** for the entry of
AIR MINISTRE

FORM 1090.

REGIS

Kept at ~~WATERWORK~~

in the County of ~~KEN~~

Diameter of Funnel of Gauge.....8

Height of top of Gauge above Grou

„ Ground „ Sea I

THE MORNING MEASURE

An observer who does not conform to
year in the space on the right of this

395/9/5

NURSTEAD

DOWNS ROAD. W. W.

1935-40

9067/35

Station No. 395/9/5
LL ORGANIZATION.

5.

July partly
estimated
see.

061421001

780108

Jan. 1, following

following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								-	.95	.06	.04	-		1
2								-	.05	.18	.08	-		2
3								-	.01	.90	.16	-		3
4								-	.18	.15	.01	.13		4
5								-	.91	-	-	-		5
6								-	-	-	.03	.01		6
7								-	-	-	.83	.09		7
8								.05	-	.14	.35	.09		8
9								-	-	.66	.07	-		9
10							(.36)	-	-	-	.15	.13		10
11								-	-	-	.31	.02		11
12								.35	-	-	.70	-		12
13								-	-	-	.05	-		13
14								-	-	-	.03	.07		14
15							-	-	.11	-	.20	.05		15
16							-	-	.35	.02	.71	.02		16
17							-	-	.02	-	.68	-		17
18							.13	.01	.26	.04	.02	.03		18
19							.05	-	-	-	.06	-		19
20							.26	-	.03	-	.08	-		20
21							-	-	.01	.09	.24	-		21
22							-	.33	.06	-	-	-		22
23							-	.14	.01	-	-	.15		23
24							-	.76	.28	.07	-	.24		24
25							-	-	-	-	-	.31		25
26							-	.15	-	.04	-	.40		26
27							-	-	.05	-	.06	.19		27
28							-	.03	.06	.06	-	.14		28
29							-	-	.20	-	-	.26		29
30		X					-	.62	.02	.07	.30	.48		30
31		X		X		X	-	-	X	.21	X	.42		31
TOTAL							(.80)	2.44	3.16	2.69	5.16	3.23	Year's total	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

H. A. Barber

[P.T.O.]

X GRAVESEND, W.W. CO X

Section



for the entry of Daily Observations.

Station No.

395/9/5

AIR MINISTRY METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ~~WATERWORKS, DOWNS ROAD, NORTH FLEET.~~

in the County of KENT

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 12 in.

Ground Sea Level 1.64 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								-	.95	.06	.04	-		1
2								-	.05	.18	.08	-		2
3								-	.01	.90	.16	-		3
4								-	.18	.15	.01	.13		4
5								-	.91	-	-	-		5
6								-	-	-	.03	.01		6
7								-	-	-	.83	.09		7
8								.05	-	.14	.35	.09		8
9								-	-	.66	.07	-		9
10							(.36)	-	-	-	.15	.13		10
11								-	-	-	.31	.02		11
12								.35	-	-	.70	-		12
13								-	-	-	.05	-		13
14								-	-	-	.03	.07		14
15								-	-	.11	-	.20	.05	15
16								-	-	.35	.02	.71	.02	16
17								-	-	.02	-	.68	-	17
18								.13	.01	.26	.04	.02	.03	18
19								.05	-	-	-	.06	-	19
20								.26	-	.03	-	.08	-	20
21								-	-	.01	.02	.24	-	21
22								-	.33	.06	-	-	-	22
23								-	.14	.01	-	-	.15	23
24								-	.76	.28	.07	-	.24	24
25								-	-	-	-	-	.31	25
26								-	.15	-	.04	-	.40	26
27								-	-	.05	-	.06	.19	27
28								-	.03	.06	.06	-	.14	28
29								-	-	.20	-	-	.26	29
30		X						-	.62	.02	.07	.30	.48	30
31		X		X		X		-	-	X	.21	X	.42	31
TOTAL							(.80)	2.44	3.16	2.69	5.16	3.23	imp	
* Days with .01 in. or more.													-	
* Days with .04 in. or more.													-	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. P. Barber
X GRAVESEND, W. W. CO X

[P.T.O.]

X NURSTEAD (DOWNS ROAD W.W.) X

COPY FOR OFFICIAL USE

1255

Section

A

for the entry of Daily Observations

Station No.

395/9/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at ~~WATERWORKS, DOWNS ROAD, NORTH FLEET.~~

in the County of KENT.

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1.2.....in.

„ Ground „ Sea Level.....1.64.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.09	.05	.10	-	.14	.29	.01	-	-	.02	.18		1
2	-	.02	-	.01	-	.20	.02	.07	-	-	.03	-		2
3	-	-	-	.87	.02	.11	-	-	.01	-	.24	-		3
4	-	-	.07	-	-	.14	-	.03	.22	.01	-	.08		4
5	.26	-	.04	-	-	-	-	-	.20	.08	.11	.05		5
6	.19	-	-	-	-	.04	-	.01	.11	.04	.68	-		6
7	.35	-	.03	-	-	.06	-	.03	.03	.06	.41	-		7
8	.24	-	.03	.01	.01	-	.05	-	-	.07	.29	.19		8
9	.48	-	.01	-	.01	-	.33	.05	.04	.05	-	.09		9
10	.09	-	-	-	-	.02	.25	.45	.07	-	-	-		10
11	-	-	-	.07	-	-	.19	.02	-	-	.80	-		11
12	-	-	-	.11	-	.18	.10	.01	.12	-	.35	-		12
13	-	-	-	-	.01	.12	.01	-	-	-	.02	.50		13
14	-	.04	-	-	-	.05	.52	-	-	.03	.08	.44		14
15	-	.08	-	-	-	.02	-	-	.05	-	-	.09		15
16	.43	.03	-	-	.12	-	.01	-	.03	-	.33	.03		16
17	.19	.61	-	-	.01	.08	-	-	-	.03	.18	.21		17
18	.07	.06	-	-	-	.08	.11	-	-	.02	.23	.14		18
19	.29	.01	-	-	-	-	.16	.12	-	.02	.01	-		19
20	.24	.07	-	.30	-	.30	.04	-	.75	-	-	-		20
21	-	-	-	.29	-	.41	.03	-	-	-	-	-		21
22	.13	.36	.05	-	.11	.05	.09	-	-	-	-	.13		22
23	.01	.13	-	.04	-	-	.26	-	-	.03	-	.01		23
24	.05	.06	-	-	-	-	-	-	.02	.41	-	-		24
25	.12	-	.21	.21	-	.18	.17	-	.20	.03	.05	.02		25
26	-	.07	.27	-	-	.01	.02	-	.05	.14	-	.01		26
27	.20	-	.02	-	-	-	-	-	.20	.07	-	-		27
28	.78	-	.09	-	-	.59	.03	-	.07	-	-	.05		28
29	.04	.12	.16	-	-	.14	.01	-	-	.01	.11	-		29
30	.06	~~X~~	-	-	.05	.14	-	-	-	.10	-	.01		30
31	.27	~~X~~	.17	~~X~~	.01	~~X~~	.09	-	~~X~~	.76	~~X~~	.11		31
TOTAL	4.74	1.75	1.20	2.01	.35	3.06	2.78	.80	2.17	1.96	3.94	2.34	Year's Total	27.10
* Days with .01 in. or more.	21	14	13	10	9	21	21	10	16	18	17	18		188
* Days with .04 in. or more.	20	11	9	8	3	18	14	4	12	10	13	13		135

† Spare column, no entries required.

(Signed)

T. G. Barton

[P.T.O.]

* See Instruction 3 (f) on other side.

X GRAVESEND & MILTON W.W. CO. X

Section **A**

for the entry of Daily Observations

Station No. **395/9/5**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at **Waterworks, Downs Road, Northfleet, Kent.**

in the County of **Kent.**

Diameter of Funnel of Gauge.....**8**.....in.

Height of top of Gauge above Ground.....ft. **1.2**.....in.

„ Ground „ Sea Level**1.64**.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.64	—	—	.10	—	—	—	—	—	—	.76	.22		1
2	—	.25	.02	.34	—	—	—	—	.06	—	—	.75		2
3	—	.06	—	—	—	—	—	—	—	—	—	.36		3
4	.07	.55	—	—	—	—	—	.02	—	—	—	.41		4
5	.12	.12	.41	—	—	—	.12	—	—	—	—	.03		5
6	.05	—	.67	—	.09	—	—	—	—	.13	.01	—		6
7	—	.76	.10	.05	—	—	—	—	.04	.05	—	.02		7
8	—	.02	.10	—	.06	.06	—	—	—	—	.20	.93		8
9	—	.03	—	.36	.10	.02	.02	—	.25	—	—	.16		9
10	—	—	.42	.06	.16	.46	.08	.01	—	—	—	.54		10
11	—	—	.27	—	.25	—	.03	—	—	—	—	.08		11
12	.12	.29	.06	.01	.49	.15	.01	.01	.11	—	—	.08		12
13	.12	.02	.32	.01	.01	.51	—	.18	.05	—	—	.62		13
14	.01	.02	.11	—	.08	—	—	.46	.08	—	—	—		14
15	.16	.05	—	.08	.01	.10	.60	—	.16	—	—	—		15
16	.03	.07	.48	.28	—	.03	—	.21	.03	—	—	.07		16
17	.35	.03	.09	.24	—	.01	—	—	.27	—	.16	—		17
18	.65	.03	.03	—	.46	.95	—	—	.01	—	.21	.03		18
19	.05	.05	.08	.07	.14	.19	.01	—	.04	—	—	.05		19
20	.60	.02	.15	.36	.93	.04	—	—	.06	—	—	—		20
21	.35	.55	.06	.04	—	—	.04	.08	—	—	—	.01		21
22	.47	.05	.01	—	.06	.69	.02	—	—	.60	.22	.02		22
23	.13	—	—	—	—	—	—	—	—	.44	.04	.01		23
24	.73	.37	.01	—	.03	—	—	—	.10	.25	—	—		24
25	.12	.38	.18	—	—	—	—	—	.06	.16	—	—		25
26	.02	.20	.09	—	.02	—	—	—	—	.06	—	—		26
27	—	.22	—	.25	—	—	—	—	.02	.23	—	—		27
28	—	.03	—	.01	—	—	—	—	—	.02	—	.06		28
29	.19	X	—	—	—	.02	—	—	—	.11	.04	.03		29
30	.24	X	—	—	—	.02	—	.01	—	—	.10	.07		30
31	.21	X	—	X	—	X	—	—	X	.10	X	.02		31
TOTAL	5.43	4.17	3.61	2.26	2.89	3.25	.93	.98	1.34	2.15	1.74	4.57	Year's Total 33.32	✓
* Days with .01 in. or more.	22	23	20	15	15	14	9	8	15	11	9	22	183	✓
* Days with .04 in. or more.	19	15	15	12	11	9	4	4	12	10	8	14	133	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) **J. C. Barter** [P.T.O.]

Section **A** for the entry of Daily ObservationsStation No. **995/9/5**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938Kept at **Nursstead WATERWORKS, DOWNS ROAD, NORTH FLEET.**in the County of **KENT.**Diameter of Funnel of Gauge **8** in.Height of top of Gauge above Ground **12** ft.Ground Sea Level **16.4** ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	—	—	.07	.13	—	—	.16	.01	.01	.02		1
2	.03	—	—	.09	.13	—	—	—	—	.28	—	.08		2
3	.01	—	—	—	.29	—	—	—	—	.77	—	—		3
4	.02	—	—	—	—	.02	.06	.06	—	.06	—	.05		4
5	.01	—	—	—	—	—	.13	—	.02	.20	—	.03		5
6	.02	—	—	—	—	—	.09	.26	—	—	—	—		6
7	—	—	—	—	—	—	.03	.28	—	.16	—	.06		7
8	.17	—	—	—	—	—	.14	.01	.06	.10	—	.02		8
9	.08	—	—	—	—	.01	.05	.34	—	.02	—	.57		9
10	.07	.03	—	—	—	.06	—	.07	—	—	—	.15		10
11	.20	.01	—	—	—	—	—	—	—	—	.06	.16		11
12	.17	.06	—	—	—	—	—	.02	—	.10	.06	—		12
13	~~.13~~	.01	—	—	—	—	—	—	—	.02	.08	.04		13
14	~~.13~~	.13	—	—	.24	—	—	—	.13	—	.01	.03		14
15	.02	.26	—	—	—	—	.21	—	—	.22	—	.03		15
16	.30	.01	—	—	—	—	.05	.01	—	.01	.02	.25		16
17	—	.11	—	—	.20	—	.06	—	—	.08	—	—		17
18	.03	—	—	—	.08	—	.01	—	.03	.02	.43	—		18
19	—	—	—	—	.02	—	—	.02	.06	—	.15	.06		19
20	—	—	—	—	.07	—	—	—	.08	—	.33	.02		20
21	—	—	—	.01	—	—	—	.06	.08	—	.03	.10		21
22	—	—	—	—	—	.02	—	.01	—	—	.15	.03		22
23	—	—	—	.07	—	—	—	—	—	—	.10	—		23
24	—	—	.05	—	.04	—	—	—	.03	—	.09	—		24
25	.10	—	.35	.18	.12	—	.03	.02	.14	.04	.68	.15		25
26	.15	.18	.07	.01	—	—	—	.08	.21	.35	—	.22		26
27	.07	.03	.02	—	.10	.13	.21	—	<u>1.58</u>	.02	.13	.01		27
28	.25	.04	—	.08	.14	.04	—	.13	.02	—	—	—		28
29	.17	~~X~~	—	.04	.12	—	—	—	—	—	.04	.24		29
30	.03	~~X~~	—	.12	.01	—	—	—	.02	.04	.20	—		30
31	.17	~~X~~	—	~~X~~	.06	~~X~~	—	—	~~X~~	.10	~~X~~	.15		31
TOTAL	252	.87	.49	.60	1.69	.41	1.07	1.37	2.62	2.60	2.67	2.47	Year's Total	19.28
* Days with .01 in. or more.	23	11	4	8	15	7	12	14	14	19	17	22		166
* Days with .04 in. or more.	14	6	3	6	13	4	9	8	9	13	13	14		112

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) **J.C. Barber** [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 39579/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at *Watersheds, Downs Road, Northfleet.*in the County of *Hants.*Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *1.2* ft.,, Ground ,, Sea Level *1.64* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	—	.02	.16	.37	—	—	.01	.24	—	—	—		1
2	.04	—	—	.04	.02	—	—	.18	.06	.03	—	—		2
3	.18	—	—	.22	—	—	—	.43	—	.02	.23	.40		3
4	.08	—	.17	.09	—	—	.02	1.58	—	.57	.04	.02		4
5	—	—	—	.14	.01	—	.06	.07	—	.14	.27	—		5
6	.41	.01	—	—	—	—	.07	.02	—	—	.29	—		6
7	.05	.09	—	—	—	—	—	.01	—	.27	.11	.06		7
8	—	.11	.13	—	—	—	—	.05	—	.27	.18	.26		8
9	.04	.03	—	—	—	—	—	.05	—	.49	.36	.17		9
10	.10	—	—	—	—	.33	—	.04	.03	.02	.03	—		10
11	—	—	.29	—	.04	.29	—	—	—	.70	.04	.03		11
12	—	—	—	—	—	.02	—	—	—	—	—	.03		12
13	—	—	.01	—	—	.06	—	—	.03	1.90	—	.04		13
14	.47	—	—	.02	.24	—	.02	—	—	.31	.54	.03		14
15	.53	—	.02	—	1.12	.02	—	—	.12	.83	.05	—		15
16	.21	—	.19	.01	.25	.12	—	—	.33	—	.35	—		16
17	.28	.03	—	.03	—	—	.14	—	—	—	.06	—		17
18	.23	—	.03	—	.09	.06	.05	—	.01	.18	.32	—		18
19	.20	—	.02	—	—	—	.11	—	.01	.63	—	.01		19
20	.14	—	—	—	—	.01	.26	—	.09	—	—	.09		20
21	.05	—	.17	—	—	.09	.15	.60	.22	—	—	—		21
22	.06	.23	.22	—	—	.04	.01	—	—	—	.05	—		22
23	.02	—	.01	.17	—	—	—	.07	—	.07	.45	—		23
24	.14	.05	.08	.19	—	—	.02	—	—	.09	—	—		24
25	.95	.28	.10	.11	—	—	.13	—	—	—	.34	—		25
26	.16	—	—	.05	—	—	.30	—	.02	.13	.14	—		26
27	.04	.12	.09	.09	—	—	—	—	.02	.05	.34	—		27
28	.01	.54	.12	—	—	—	—	—	—	.05	.06	.12		28
29	—	X	—	.37	—	—	—	—	—	.13	.04	—		29
30	—	X	—	.61	—	—	—	—	—	—	.11	—		30
31	—	X	—	X	—	X	.28	.02	X	—	X	—		31
TOTAL	4.42	1.49	1.67	2.30	2.14	1.04	1.62	3.13	1.18	6.88	4.40	1.26	31.59	
* Days with .01 in. or more.	23	10	16	15	8	10	14	13	12	20	22	12	175	
* Days with .04 in. or more.	20	7	10	12	6	7	10	9	6	17	21	6	131	

† Spare column, no entries required.

(Signed)

J.C. Barber.

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 395/9/5

AIR MINISTRY—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at WATERWORKS, DOWNS RD. NORTH FLEET.

in the County of KENT

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....ft.12.....in.

,, Ground ,, Sea Level ft.16.4.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.02	—	—	.05	—	—	—	—	—	.20	—		1
2	—	.05	—	.18	—	—	.02	—	—	.13	.74	—		2
3	—	.22	—	.10	—	—	.08	—	—	.18	1.37	.06		3
4	—	.05	—	.05	—	—	.01	—	—	.11	.09	.07		4
5	—	.04	—	—	—	—	.01	—	—	—	.60	.18		5
6	.13	.04	—	—	.03	—	.19	—	—	.24	.12	—		6
7	.28	.14	—	—	.01	—	.10	—	—	—	—	.04		7
8	—	—	—	—	—	—	—	—	.07	.32	.02	.18		8
9	—	—	—	—	—	—	—	—	—	.08	.24	.03		9
10	—	—	—	—	—	—	.51	—	—	.08	.08	—		10
11	—	.01	.04	.03	—	—	.02	—	—	—	.90	.02		11
12	—	.04	.04	—	—	—	.11	—	.05	—	.01	—		12
13	—	.02	.51	.01	—	—	.01	—	.15	—	1.43	—		13
14	—	—	.26	.14	—	—	—	—	.01	.02	—	.19		14
15	—	—	.07	.05	.17	.08	2.07	—	—	.05	.34	—		15
16	.02	.11	.19	—	—	.15	.43	—	.10	.74	.60	.04		16
17	—	—	.27	—	—	—	.01	—	.03	—	.04	—		17
18	.02	.31	.16	.34	—	—	.27	.01	.05	.26	.11	.18		18
19	—	.14	.08	.01	—	—	—	—	.49	—	.04	.04		19
20	—	.01	—	.02	—	.03	.03	.04	.03	.06	.14	.01		20
21	.05	—	—	—	.12	—	.12	—	—	.04	.22	—		21
22	.03	—	.05	—	.42	.16	—	—	.03	.03	.01	—		22
23	—	.04	.02	.17	.01	—	—	—	—	.06	.02	.03		23
24	—	—	—	.31	—	—	.15	—	—	.02	—	.03		24
25	—	—	.73	—	—	—	.11	—	—	.04	—	—		25
26	.81	.09	.66	.02	.31	.05	.03	—	—	—	—	.02		26
27	.26	.27	—	—	—	—	.36	—	—	—	—	—		27
28	.13	.01	—	.02	.02	—	—	—	—	—	—	—		28
29	.05	.03	.09	—	.02	.03	—	—	—	—	—	.15		29
30	.07	X	—	.19	—	—	—	—	—	.07	—	.02		30
31	.09	X	—	X	—	X	—	—	X	.61	X	.05		31
TOTAL	1.94	1.64	3.47	1.64	1.16	.50	4.64	.05	1.01	3.14	7.32	1.34	Year's Total 27.85	
* Days with .01 in. or more.	12	19	14	15	10	6	20	2	10	19	21	18	166	
* Days with .04 in. or more.	9	13	13	9	5	4	12	1	6	16	17	11	116	

† Spare column, no entries required.

(Signed)

J.C. Barber

P.T.O.

* See Instruction 3 (f) on other side.

REGIS

Kept at *Farrants*
in the County of *Ku*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
,, Ground ,, Sea I

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of the

396
BICKLEY
FARRANTS
1931 - 1940

060000036

780108

Y.
following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.1	.12	.2	.45			.1	.1	.2				1
2	.23	.9		.22		.8		.7	.33	.3			2
3	.6	.2	.3	.41	1.55			.37	.23		.4	.18	3
4								.5	.9				4
5				.36	.19	.61	.1	.41				.12	5
6		.12		.3						.25	.46		6
7						.11		.23		.5	.17		7
8	x .1	.6			.8	.36	.4	.17			.3	.3	8
9		.5	x .4								.65	.1	9
10		.11						.20			.35		10
11	.7	.25						.1	.12				11
12	.3			.1			.3	.4	.49				12
13							.3	.8					13
14		x .8					.53	.85					14
15	.5	.3		.20			.25	.30				.9	15
16				.13	.40			.19	.1				16
17		x .7		x .26	.8		.22	.3	.9	.4			17
18	.2	x .8	.1	.18		.31	.5	.67	.3	.1	.71		18
19	.3			.62		.28		.37	.6				19
20		.2		.6			.6	.14				.2	20
21	.3				.45			.2					21
22	.18		.15						.3		.2		22
23	.38				.29	.2			.16		.10		23
24			.1	.32	.3	.8	.3	.8	.3				24
25				.47	.6		.62					.1	25
26		.8		.28			.58				.30		26
27	.12	.30		.8	.28		.44				.9		27
28	.4	x .15											28
29	.10						.6			.34		x .14	29
30	x .12	x			.5			.8			F.2		30
31	.14	x		x		x			x		x		31
TOTAL	1.62	1.63	.26	4.08	3.46	1.85	2.96	4.37	1.69	.72	2.94	.60	YEAR'S TOTAL 26.18
*Days with or in. or more.	17	16	6	16	11	8	15	21	13	6	12	8	14.9
*Days with or in. or more.	11	13	2	14	10	7	10	17	8	3	9	4	10.8

40-9999 *7 = fog*

*See Instruction 2 (f) on other side.

(Signed)

A.B. Hudd
for - *Miss Chalmers*

[P.T.O.]

X Snow

REGISTER OF RAINFALL IN 1931.

Kept at Farran's Bickley
in the County of Kent

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft. 6 in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.1	.2	.2	.45			.1	.1	.2				1
2	.23	.9		.22	.8			.7	.33	.3			2
3	.6	.2	.3	.41	1.55			.37	.23		.4	.18	3
4								.5	.9				4
5				.36	.19	.61	.1	.41				.12	5
6		.12		.3						.25	.45		6
7						.11		.23		.5	.17		7
8	x .1	.6			.8	.36	.4	.17			.3	.3	8
9		.5	x .4								.65	.1	9
10		.11						.20			.35		10
11	.7	.25						.1	.12				11
12	.3			.1			.3	.4	.49				12
13							.3	.8					13
14		x .8					.53	.85					14
15	.5	.3		.20			.25	.30				.9	15
16				.13	.40			.19	.1				16
17		x .7		x .26	.8		.22	.3	.9	.4			17
18	.2	x .8	.1	.18		.31	.5	.67	.3	.1	.71		18
19	.3			.62		.28		.37	.6				19
20		.2		.6			.6	.14				.2	20
21	.3				.45			.2					21
22	.18		.15						.3		.2		22
23	.38				.29	.2			.16		.10		23
24			.1	.32	.3	.8	.3	.8	.3				24
25				.47	.6		.62					.1	25
26		.8		.28			.58				.30		26
27	.12	.30		.8	.28		.44				.9		27
28	.4	x .15											28
29	.10						.6			.34		x .14	29
30	x .12	x			.5			.8			F .2		30
31	.14	x		x		x			x		x		31
TOTAL	1.62	1.63	.26	4.08	3.46	1.85	2.96	4.37	1.69	.72	2.94	.60	YEAR'S TOTAL 26.18
*Days with or in. or more.	17	16	6	16	11	8	15	21	13	6	12	8	149
*Days with or more.	11	13	2	14	10	7	10	17	8	3	9	4	108

40-9999 7 = fog.

*See Instruction 2 (f) on other side.

(Signed) A.B. Hudd [P.T.O.]

X Snow

for - Miss Chalmers

Section

A

for the entry of Daily Observations.

Station No.

396

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Farnham Beckley

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

Ground Sea Level — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.8				.44			.11		.7	.2		1
2	.1			.12	.2			.5	.9	.1	.3	.19	2
3				.9	.26				.68				3
4						.20					.2		4
5	.10		.2		.4	.4	.25		.5				5
6	.37		.1	.21					.2				6
7			.10	.2	.1		.11		.2				7
8			.18		.18				.13	.48			8
9	.48	x .3	.2	.16	1.13								9
10	.75	x .20		.21	.8				.1	.6			10
11	.9	x .2		.4			1.03			.34	.3		11
12	.14	x .3		.2						.35			12
13	.7			.8	.1				.1	.51	.2	.5	13
14	.6	.1		.11						.4			14
15				.8	.30							.1	15
16	.16			.28	.11								16
17				.6			.9			.2			17
18							.2		.11		.8		18
19									.1	.16			19
20				.22	.1		.4	.37	.2	.56	.17		20
21				.16	.30					.27		.3	21
22		.3	.35		.5		.10		.31	.24	.32		22
23		.16		.3	.11				.16	1.03	.4	.8	23
24		.5					.29			.4	.4		24
25							.52		.8	.17	.1		25
26			.4	.2			.35	.11		.2		.2	26
27			.27	.6	.57	.5	.8			.67	.8		27
28			.3	.1	.9		.11			.21			28
29			.38		.1		.2	.49	.4	.35		.1	29
30		x		.3		.75		.7	.2	.3	.6	.15	30
31		x	.14	x		x			x		x	.2	31
TOTAL	2.31	.53	1.54	2.01	3.72	1.04	3.01	1.14	1.76	5.63	.92	.56	YEAR'S TOTAL 24.17
*Days with or more.	11	8	11	20	18	4	13	6	16	21	13	9	150
*Days with or more.	10	3	7	14	12	3	11	5	9	17	7	4	102

40-9999 X = Snow

*See Instruction 2 (f) on other side,

O Thunder Storm

(Signed) A.B. Hudd for Miss Chalmers F.R.O.

Section

A

for the entry of Daily Observations.

Station No. 396

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Tarrant's Bickley*
in the County of *Kent*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *6* in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.12	.13							.04				1
2	.30		.27		.09									2
3	.02	.11	.18								.11			3
4	.19		.02		.06									4
5	.09		.37		.33									5
6		.08	.04		.39					.12	.09			6
7	.26	.05	.07		.09					.07		.06		7
8	.05				.04		.22			.02				8
9					.06		.06			.04	.15			9
10		.28				.14	.04			.14				10
11	.12				.06	.32	.50	.05	.09		.04			11
12				.02		.18			.80					12
13	.07				.10		.39		.25	.01	.11			13
14					.02			.02		.12	.21			14
15	.17		.07				.30	.25						15
16	.05		.76			.22	.30		.02	.01	.07			16
17			.36			.02		.01	.04		.06			17
18	.04		.07			.09								18
19			.14	.04		.14			.21		.01			19
20		.08	.03	.09		.07					.01			20
21								.07	.40					21
22		.05				.03		.12		.07				22
23				.13	.57	.01			.20	.04				23
24		.38		.17	.03	.26			.28					24
25		.20		.18	.01				.03	.06	.05	.08		25
26		.46		.02					.26	.06	.06			26
27					.11			.02		.32		.17		27
28					.02		.16			.30		.04		28
29	.01						.05			.10				29
30	.12	X	.12						.02	.07		.16		30
31	.06	X		X		X		.13	X	.01	X			31
TOTAL	1.58	1.81	2.63	.62	1.98	1.48	3.02	.67	2.60	1.60	.97	.51	19.47	
*Days with ".01 in. or more.	15	10	14	7	15	11	9	8	12	18	12	5	136	
*Days with ".04 in. or more.	12	10	12	4	11	8	9	5	9	14	10	5	109	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *ALB. Hudd for Miss Chalmers* [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

396

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Farrant's Buckley*
in the County of *Kent**Record incomplete owing to death
of Head Gardener.*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
,, Ground ,, Sea Level _____ ft.*Is continued.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.1	—	—	—	—	—	—							1
2	—	—	.16	—	—	—	—							2
3	—	.7	—	.19	—	—	—							3
4	.14	—	.2	—	—	—	—							4
5	—	—	—	—	.4	—	—							5
6	—	—	.34	—	.24	.15	—							6
7	—	—	—	—	.14	—	—							7
8	—	—	—	—	—	—	—							8
9	—	—	—	—	—	—	—							9
10	—	—	.25	.16	—	—	—							10
11	.60	—	.28	.5	—	—	.7							11
12	.8	—	—	—	—	—								12
13	.41	—	.15	.1	—	—								13
14	.7	—	.37	—	.1	—								14
15	.2	—	.16	—	.7	—								15
16	.9	—	.20	.7	.16	—								16
17	.1	—	—	—	—	—								17
18	.13	—	.3	.30	—	—								18
19	—	—	.25	—	—	—								19
20	—	—	.12	—	—	—								20
21	—	—	—	.17	—	.4								21
22	—	—	—	—	—	—								22
23	—	—	—	.32	—	.46								23
24	—	.3	.3	.16	—	.8								24
25	.5	.2	—	.9	—	—								25
26	.3	—	—	.28	—	.12								26
27	.1	—	—	.50	—	.3								27
28	—	.7	—	.9	—	.22								28
29	—	—	—	—	—	—								29
30	.20	×	—	—	—	—								30
31	.2	×	—	×	—	×			×		×			31
TOTAL	1.87	.19	2.36	2.39	.66	1.11							Year's total	
*Days with or in. or more.	15	5	13	13	6	7								
*Days with .04 in. or more.	9	2	10	12	5	7								

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

G F Able (Signed) Miss Chalmer P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

396

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at (Farraants) Bickley
in the County of Kent

1935 up to date to date of ending
Should Read
Compensate 1st 8th 9th 10th of month

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

X Ave. 25.9 X

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	.5	—	—	.5	10	29	—	.12	.4	.5	—		1
2	.9	—	.1	.4	—	—	—	—	.16	.19	.7	—		2
3	—	.8	.24	—	—	.6	—	—	.3	1.05	.7	—		3
4	—	.39	.5	.19	—	.20	—	—	.22	.23	.2	.9		4
5	—	.2	—	.5	—	.48	—	—	.47	.1	—	—		5
6	.6	—	—	.27	—	.36	—	—	—	—	.3	—		6
7	.4	—	—	.25	—	.12	—	—	—	.2	.83	.10		7
8	—	—	—	.42	—	.5	—	.3	.14	.29	.30	.7		8
9	—	—	—	.26	—	.77	—	—	—	.85	.8	.5		9
10	.2	.3	—	—	—	—	—	—	—	—	.12	—		10
11	.22	.1	—	.10	—	.9	.5	—	—	—	.34	—		11
12	—	—	—	—	—	.24	—	.21	—	—	.64	—		12
13	.8	.14	—	.8	.9	.3	—	—	—	—	.2	—		13
14	—	—	—	.1	.25	.2	—	—	—	—	.3	.12		14
15	—	.21	—	.31	.1	.1	—	—	—	—	.12	.6		15
16	—	.9	—	.8	—	.48	—	—	.36	.3	.65	—		16
17	—	—	.30	.1	—	.10	—	—	.4	—	.66	—		17
18	—	—	—	.16	.4	.15	.12	—	.24	.4	.4	—		18
19	—	—	—	—	.13	.3	.8	—	.2	—	.6	—		19
20	.1	—	—	.5	.34	—	—	—	.4	—	.10	—		20
21	.2	.42	—	.4	—	—	—	—	—	.11	.3	—		21
22	.1	.43	—	—	—	—	—	.32	.25	—	—	—		22
23	—	.10	.11	—	—	—	—	.41	.3	—	—	.2		23
24	.5	.48	—	—	.67	—	—	.60	.33	—	—	.23		24
25	.20	.13	—	.33	.9	.18	—	—	—	—	—	.22		25
26	.6	—	—	—	—	—	—	.13	.2	.2	.1	.38		26
27	.8	.56	—	—	—	—	.2	—	.10	—	.6	.26		27
28	—	—	—	—	.8	—	—	—	.7	.10	—	.16		28
29	.7	—	—	—	—	—	—	—	.54	—	—	.26		29
30	—	X	.6	—	.14	—	—	.69	.3	.9	.27	.53		30
31	.4	X	—	X	—	X	—	—	X	.27	X	.48		31
TOTAL	1.233	1.4	.77	2.65	1.89	3.47	.56	2.39	3.21	3.36	4.60	3.03	30.25	
* Days with .01 in. or more.	16	15	6	17	11	18	5	7	19	15	23	15	168	
* Days with .04 in. or more.	12	12	5	15	10	14	4	6	14	11	17	14	134	

30.30

Year's Total.

40-9999

* See Instruction 2 (f) on other side.

† Spare column, do not use.

(Signed)

Miss Chalmer

P.T.O.

Section



for the entry of Daily Observations

Station No.

396

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at *Tarrant Keyley*in the County of *Kent*Diameter of Funnel of Gauge... *5* in.Height of top of Gauge above Ground... *1* ft. *5* in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1 following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>.21</i>	<i>.16</i>	<i>.7</i>	<i>.10</i>	—	<i>.10</i>	<i>.10</i>	<i>.2</i>	—	—	<i>.3</i>	<i>.15</i>		1
2	—	—	—	<i>.3</i>	—	<i>.20</i>	<i>.3</i>	<i>.11</i>	—	—	<i>.6</i>	<i>.1</i>		2
3	—	—	—	<i>.41</i>	—	<i>.22</i>	—	—	<i>.1</i>	—	<i>.42</i>	—		3
4	—	—	<i>.9</i>	<i>.1</i>	—	<i>.13</i>	—	<i>.6</i>	<i>.49</i>	<i>.1</i>	<i>.3</i>	<i>.5</i>		4
5	<i>.26</i>	—	<i>.4</i>	—	—	—	—	—	<i>.30</i>	<i>.4</i>	<i>.37</i>	<i>.2</i>		5
6	<i>.35</i>	—	—	—	—	<i>.6</i>	—	<i>.1</i>	<i>.9</i>	—	<i>.46</i>	<i>.6</i>		6
7	<i>.17</i>	—	<i>.1</i>	—	—	—	—	<i>.1</i>	<i>.4</i>	—	<i>.20</i>	—		7
8	<i>.31</i>	—	<i>.6</i>	—	—	—	—	—	—	<i>.2</i>	<i>.30</i>	<i>.35</i>		8
9	<i>.47</i>	—	<i>.2</i>	—	—	—	<i>.46</i>	—	<i>.18</i>	<i>.5</i>	<i>.1</i>	—		9
10	<i>.8</i>	—	—	—	—	—	<i>.53</i>	<i>.28</i>	<i>.2</i>	—	—	—		10
11	—	—	—	<i>.2</i>	—	—	<i>.24</i>	<i>.2</i>	—	—	<i>.77</i>	—		11
12	—	—	—	<i>.6</i>	—	—	<i>.14</i>	—	<i>.9</i>	—	<i>.50</i>	<i>.4</i>		12
13	—	—	—	<i>.10</i>	—	<i>.35</i>	<i>.2</i>	—	—	—	<i>.2</i>	<i>.37</i>		13
14	—	—	—	—	—	<i>.6</i>	—	—	<i>.2</i>	<i>.4</i>	<i>.22</i>	<i>.75</i>		14
15	—	<i>.3</i>	—	—	—	—	—	—	<i>.3</i>	—	<i>.1</i>	<i>.4</i>		15
16	<i>.41</i>	<i>.5</i>	—	—	<i>.13</i>	—	<i>.3</i>	—	<i>.5</i>	—	<i>.39</i>	<i>.1</i>		16
17	—	<i>.64</i>	—	—	<i>.9</i>	<i>.13</i>	—	—	—	<i>.2</i>	<i>.19</i>	<i>.28</i>		17
18	—	<i>.8</i>	—	—	—	<i>.9</i>	<i>.9</i>	—	—	<i>.2</i>	<i>.22</i>	<i>.18</i>		18
19	<i>.52</i>	<i>.3</i>	—	<i>.1</i>	—	<i>.3</i>	<i>.20</i>	<i>.15</i>	—	<i>.6</i>	<i>.3</i>	—		19
20	<i>.21</i>	<i>.9</i>	—	<i>.44</i>	—	—	<i>.9</i>	~~<i>.1</i>~~	<i>.94</i>	—	—	—		20
21	—	<i>.1</i>	—	<i>.36</i>	—	<i>.6</i>	—	—	<i>.3</i>	—	—	—		21
22	—	<i>.39</i>	<i>.9</i>	<i>.2</i>	—	—	<i>.11</i>	—	—	—	—	—		22
23	—	<i>.1</i>	—	<i>.4</i>	—	—	<i>.17</i>	—	—	<i>.7</i>	—	—		23
24	<i>.5</i>	—	—	—	—	—	—	—	<i>.19</i>	<i>.57</i>	—	—		24
25	<i>.18</i>	—	<i>.20</i>	<i>.25</i>	—	<i>.39</i>	<i>.13</i>	—	—	<i>.10</i>	<i>.4</i>	<i>.1</i>		25
26	—	<i>.6</i>	<i>.27</i>	<i>.9</i>	—	<i>.7</i>	<i>.4</i>	—	<i>.6</i>	<i>.18</i>	—	<i>.1</i>		26
27	<i>.22</i>	—	—	<i>.3</i>	—	—	—	—	<i>.17</i>	—	—	—		27
28	—	—	—	—	—	<i>.4</i>	<i>.20</i>	—	<i>.1</i>	—	—	<i>.4</i>		28
29	<i>.3</i>	<i>.7</i>	<i>.22</i>	—	—	<i>.18</i>	<i>.17</i>	—	—	—	<i>.11</i>	<i>.1</i>		29
30	<i>.4</i>	~~<i>.1</i>~~	—	—	<i>.16</i>	<i>.19</i>	<i>.1</i>	—	—	<i>.31</i>	—	—		30
31	<i>.43</i>	~~<i>.1</i>~~	<i>.12</i>	~~<i>.1</i>~~	<i>.5</i>	~~<i>.1</i>~~	<i>.11</i>	—	~~<i>.1</i>~~	<i>.86</i>	~~<i>.1</i>~~	<i>.18</i>		31
TOTAL	<i>3.94</i>	<i>1.52</i>	<i>1.19</i>	<i>1.97</i>	<i>.43</i>	<i>2.30</i>	<i>2.87</i>	<i>.66</i>	<i>2.69</i>	<i>2.35</i>	<i>4.38</i>	<i>2.56</i>	<i>2.68</i>	
* Days with .01 in. or more.	<i>16</i>	<i>12</i>	<i>11</i>	<i>15</i>	<i>4</i>	<i>16</i>	<i>19</i>	<i>8</i>	<i>17</i>	<i>14</i>	<i>20</i>	<i>18</i>	<i>152</i>	<i>170</i>
* Days with .04 in. or more.	<i>15</i>	<i>8</i>	<i>9</i>	<i>9</i>	<i>4</i>	<i>15</i>	<i>15</i>	<i>4</i>	<i>10</i>	<i>10</i>	<i>14</i>	<i>12</i>	<i>113</i>	<i>125</i>

* See Instruction 3 (f) on other side.

† Spare for entries required.

(Signed)

for Miss Chalmers

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

396

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Tarrant Key*in the County of *Kent*Diameter of Funnel of Gauge...*5*.....in.Height of top of Gauge above Ground...*1*.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.46	.5	.11	.6	—	—	—	—	—	—	.86	.29		1
2	—	.26	—	.38	—	—	—	—	.10	—	—	1.21		2
3	—	.14	—	—	—	—	—	—	—	—	—	.24		3
4	.8	.54	—	—	—	—	—	.53	—	—	—	.27		4
5	.28	.29	.41	—	—	—	.15	.1	—	—	—	—		5
6	.5	—	.51	—	.22	—	.6	—	—	.6	—	—		6
7	—	.79	.30	.5	—	—	—	—	—	—	.2	.2		7
8	—	.4	.5	—	.9	.6	—	—	—	—	.31	.54		8
9	—	—	—	.21	.22	—	—	.2	.34	—	—	—		9
10	.3	—	.46	.12	.41	.26	—	.4	—	—	—	.47		10
11	—	—	.26	—	.31	—	—	—	—	—	—	.2		11
12	.12	.23	.6	.1	.50	.27	.8	.2	.7	—	—	.14		12
13	.17	.2	.30	—	—	.16	—	.19	.24	—	—	.60		13
14	.2	.1	.16	—	—	.1	—	.18	.5	—	—	—		14
15	.13	.7	—	.12	—	—	.34	—	.3	—	—	—		15
16	.2	.16	.41	.42	—	.2	—	.22	.18	—	—	—		16
17	.26	—	.10	.21	—	—	—	—	.24	—	.7	—		17
18	.37	.4	—	—	.39	.74	—	—	.4	—	.11	.3		18
19	.5	.10	.7	.6	.3	.15	—	—	.4	—	.1	.13		19
20	.59	.3	.10	.32	.67	.14	—	—	—	—	—	—		20
21	.40	.69	.6	.8	.1	—	—	—	—	—	—	—		21
22	.43	.5	.3	—	.3	.40	.5	—	—	.67	.24	.2		22
23	.32	.26	—	—	—	—	.1	—	—	.80	—	—		23
24	.69	—	.6	—	.6	—	—	—	.6	.34	—	.1		24
25	.9	.61	.17	—	.3	—	—	—	.12	.22	—	.1		25
26	.1	.46	.6	.28	—	—	—	—	—	.2	—	—		26
27	—	.22	.2	.2	—	—	—	—	.6	.36	—	—		27
28	—	.9	—	—	—	—	—	—	—	.3	—	.4		28
29	.12	~~—~~	—	—	—	—	—	—	—	—	.4	.8		29
30	.19	~~—~~	—	—	—	.1	—	1.03	—	.1	.22	—		30
31	.20	~~—~~	—	~~—~~	—	~~—~~	—	—	~~—~~	.25	~~—~~	—		31
TOTAL	5.08	5.15	3.70	2.34	2.97	2.22	.69	2.24	1.57	2.76	1.88	4.12	34.72	
* Days with .01 in. or more.	23	22	20	14	13	11	6	9	13	10	9	17	167	
* Days with .04 in. or more.	19	19	18	12	9	8	5	6	12	7	7	11	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *For Miss E. Chalmers* [P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

396

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Farrault*

in the County of *Bent*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft. in.

Ground Sea Level ft.

File Number

321259/34

T. J. F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.5						.2		.4	.1		.5		1
2	.7	.1					.2			.40		.78		2
3	.2				.27					.55		.5		3
4	.4						.8	.3		.18		.15		4
5	.3						.48							5
6	.4						.9		.11			.8		6
7								.75	.4	.23		.2		7
8	.16						.19			.24		.4		8
9	.3	.1					.3	.32						9
10	.7	.6				.21		.11				.26		10
11	.26					.8		.2			.8	.14		11
12	.24							.13		.17	.5			12
13	.27	.12							.4	.9		.7		13
14	.21	.7			.30				.4					14
15	.2	.10					.18					.2		15
16	.3	.2					.1	.1		.3	.3	.29		16
17		.12			.16					.1				17
18	.4				.3				.4	.4	.42			18
19								.4	.3		.15	.4		19
20		.1							.2		.4			20
21	.4	.9						.4	.16		.5	.17		21
22								.2			.14	.14		22
23											.9	.2		23
24			.10						.78		.4	.12		24
25	.9		.39	.3	.7		.3		.5	.8	.93	.9		25
26	.19	.19	.11	.1				.11	.25	.36		.22		26
27		.3	.9		.4	.17	.15		.68					27
28	.23	.4		.5	.12	.7		.26				.8		28
29	.18			.1		.2					.5	.25		29
30	.3	~~X~~		.14					.3	.11	.25			30
31	.17	~~X~~		~~X~~	.9	~~X~~			~~X~~	.10	~~X~~	.16		31
TOTAL	2.51	.78	.69	.24	1.08	.55	1.28	1.84	2.31	2.60	2.32	3.24	19.44	✓
* Days with .01 in. or more.	23	12	4	5	8	5	11	12	13	15	13	22	14.3	✓
* Days with .04 in. or more.	17	7	4	2	7	4	6	8	10	12	12	19	10.8	✓

X Snow

† Spare column, no entry required

* See Instruction 3 (f) on other side.

(Signed)

B. G. Gable for Miss Chalmers

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

396

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Harrants Bickley*in the County of *Kent*Diameter of Funnel of Gauge...*5.9*...in.Height of top of Gauge above Ground...*1*...ft. in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.1		.1	.19	.40				.29			.2		1
2				.2	.5		.3	.30	.17	.4	.4			2
3				.24			.1	.52		.6	.18	.42		3
4	.16		.16	.16				2.04		.55	.9	.3		4
5	.3		.1	.8				.2		.4	.28	.8		5
6	.32						.15	.1			.27	.1		6
7	.2	.16						.4		.17	.6	.4		7
8		.14	.13					.12		.47	.29	.27		8
9		.4						.3		.48	.12	.14		9
10	.26					.24		.9	.8	.2	.1			10
11			.39			.23			.2	.64				11
12							.1					.2		12
13										1.81		.1		13
14			.2	.10	.10				.8	.38	.53	.2		14
15	.57				1.15	.3	.3		.38	1.41	.6	.1		15
16	.38		.14		.36	.7			.18		.43			16
17	.44	.6	.4		.3		.74				.13			17
18	.32		.2		.15	.14	.19			.19	.35			18
19	.17		.1				.12			.74				19
20	.12		.20			.4	1.05	.3	.2			.9		20
21	.10		.20			.7	.11	.5	.23	.2				21
22	.12	.22	.11			.8	.14		.1		.6			22
23	.9		.1	.22		.1	.9	.3		.3	.60			23
24	.29	.9	.6	.15			.5			.26	.1			24
25	.88	.36	.10	.2			.10	.20			.55			25
26		.1	.12	.4						.19	.28	.8		26
27	.12	.2		.16					.2	.4	.30			27
28		.36	.12	.19		.2	.2			.9	.6	.9x		28
29				.37						.12	.5			29
30		x		.64		.12					.18			30
31		x		x		x	.22		x	.1	x			31
TOTAL	4.40	1.46	1.65	2.58	2.24	1.05	3.06	2.48	1.46	7.76	4.93	1.33	Year's Total	
* Days with .01 in. or more.	15	18	10	17	14	7	11	16	13	11	22	15	177	
* Days with .04 in. or more.	15	8	11	12	6	8	11	8	7	18	21	8	133	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

E. Gable for Miss P. Palmer

P.T.O.

Section



for the entry of Daily Observations

Station No. 396

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at *Farrants Buckley*
 in the County of *Kent*
 Diameter of Funnel of Gauge.....*9.5* in.
 Height of top of Gauge above Ground.....*1* ft.....in.
 „ Ground „ Sea Level ft.

File Number
321259/34

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.1												1
2		.5		.9			.4			.14	.85	.2		2
3		.18		.8						.11	1.54	.5		3
4		.10		.2						.12	.12	.9		4
5		.1					.1				.40			5
6	.12	.5					.23			.19	.11			6
7	.28	.15						.5						7
8	.1								.16		.2	.29		8
9										.50	.19	.4		9
10							.61	.4		.6	.5			10
11				.4			.3				.85			11
12		.6x	.8						.10					12
13		.4x	.95						.14		1.36			13
14			.23x	.14								.19		14
15				.5	.15		.93			.2	.41			15
16	.7x		.26	.16		.14	.52		.2	.28	.59	.3		16
17			.31				.4		.12		.27	.18		17
18	.3x	.34	.27	.33			.33			.18	.42	.5		18
19		.24		.3			.2		.78		.13			19
20				.1			.4	.3		.14	.5			20
21	.10x				.33		.12				.20			21
22			.2		.52	.16			.19	.7	.2			22
23		.8	.4	.20							.2	.3		23
24				.41								.4		24
25			.55				.14							25
26		.8	.90		.24		.3							26
27	1.05 <i>snow & rain</i>	.26		.49			.8							27
28	.42x	.5		.1	.15									28
29	.19		.7		.5							.26		29
30	.4	x		.29						.5		.2		30
31	.3	x		x		x			x	.65	x	.3		31
TOTAL	2.34	1.70	3.68	2.35	1.44	0.30	3.17	0.12	1.51	3.01	7.60	1.32	28.54	Year's Total
* Days with .01 in. or more.	11	15	11	15	6	2	15	3	7	13	19	14	131	
* Days with .04 in. or more.	8	13	10	11	6	2	11	2	6	12	16	9	106	

* See Instruction 3 (f) on other side.

† Spare column, no entries required
 (Signed) *For Miss. Chalmer* P.T.O.

Section **A** for the entry of Data
AIR MINISTRY.

FORM 1090

REGISTRATION

Kept at *Swanley*

in the County of *Kent*

Diameter of Funnel of Gauge.....5"

Height of top of Gauge above Ground.

Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Station No. *396/4*
ORGANIZATION

SWANLEY

GLASSHOUSE DEM. STN.

1937 - 1940

061310004

9780108

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.47	.07	.01	.06	-	-	-	-	-	-	.64	.41		1
2	-	.14	.02	.40	-	-	-	-	.12	.03	.01	.63		2
3	-	.07	-	-	-	-	-	-	-	-	-	.39		3
4	.06	.45	-	-	-	-	-	.20	-	-	-	.32		4
5	.19	.21	.35	-	-	-	.14	-	-	-	.01	-		5
6	.04	-	.50	-	.13	-	-	-	-	-	.01	-		6
7	.01	.70	.25	.04	-	-	-	-	.07	.08	.01	.03		7
8	.01	.01	.05	-	.05	.05	-	-	-	-	.21	.53		8
9	-	.03	-	.28	.20	-	.01	.01	.36	-	-	.25		9
10	.01	-	.41	.09	.38	.40	.12	.01	-	-	-	.45		10
11	-	-	.24	-	-	-	.02	.17	-	-	-	.05		11
12	.10	.28	.03	.01	.45	-	.01	-	.10	-	-	.09		12
13	.14	.02	.30	.01	-	.58	-	-	.14	-	-	.50		13
14	.02	.01	.08	.07	.03	.01	.13	.29	.10	-	-	.10		14
15	.14	.05	-	.33	-	-	-	-	.16	-	-	.01		15
16	.01	.10	.42	.24	-	.01	-	.20	.12	-	-	.04		16
17	.24	.01	.05	.01	-	.03	-	-	.02	-	.13	-		17
18	.41	.02	-	-	.66	.87	-	-	-	-	.29	.10		18
19	.06	.07	.07	.05	.01	.01	.01	-	.05	-	-	.02		19
20	.51	.01	.10	.23	.84	.10	-	-	.02	-	.01	.02		20
21	.38	.59	.08	-	.01	-	.02	.02	-	-	.01	-		21
22	.41	.05	.02	.03	.05	.72	.02	-	-	.66	.21	.01		22
23	.25	-	-	-	-	-	-	-	-	.58	.02	.01		23
24	.65	.43	.02	-	.02	-	-	-	-	.32	-	-		24
25	.08	.32	.13	-	-	-	-	-	.15	.25	-	.02		25
26	.01	.19	.08	-	.06	-	-	-	-	.03	.02	.01		26
27	-	.08	-	.23	-	-	-	-	.06	.29	-	-		27
28	-	-	-	.01	-	-	-	-	-	.02	.01	.05		28
29	.19	-	-	-	-	-	-	-	-	.04	.03	.10		29
30	.21	X	-	-	-	.01	-	.11	-	-	.15	.01		30
31	.16	X	-	X	-	X	-	-	X	.07	X	.02		31
TOTAL	4.76	3.91	3.21	2.09	2.89	2.79	1.48	1.01	1.47	2.37	1.77	5.17	32.92	
* Days with .01 in. or more.	25	23	20	16	13	11	9	8	13	8	16	25	190	
* Days with .04 in. or more.	18	16	15	11	9	6	3	5	11	8	6	15	123	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

W. CORBETT ESQ

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 396/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ... *Rewley* ...in the County of ... *Kent* ...Diameter of Funnel of Gauge ... *5* ... in.Height of top of Gauge above Ground ... *1.3* ... ft.,, Ground ,, Sea Level *264.4* ... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.47	.07	.01	.06	—	—	—	—	—	—	.61	.41		1
2	—	.14	.02	.40	—	—	—	—	.12	.03	.01	.63		2
3	—	.07	—	—	—	—	—	—	—	—	—	.39		3
4	.06	.45	—	—	—	—	—	.20	—	—	—	.32		4
5	.19	.21	.35	—	—	—	.14	—	—	—	.01	—		5
6	.04	—	.50	—	.13	—	—	—	—	—	.01	—		6
7	.01	.70	.25	.04	—	—	—	—	.07	.08	.01	.03		7
8	.01	.01	.05	—	.05	.05	—	—	—	—	.21	.53		8
9	—	.03	—	.28	.20	—	.01	.01	.36	—	—	.25		9
10	.01	—	.41	.09	.38	.40	.12	.01	—	—	—	.45		10
11	—	—	.24	—	—	—	.02	.17	—	—	—	.05		11
12	.10	.28	.03	.01	.45	—	.01	—	.10	—	—	.09		12
13	.14	.02	.30	.01	—	.58	—	—	.14	—	—	.50		13
14	.02	.01	.08	.07	.03	.01	1.13	.29	.10	—	—	.10		14
15	.14	.05	—	.33	—	—	—	—	.16	—	—	.01		15
16	.01	.10	.42	.24	—	.01	—	.20	.12	—	—	.04		16
17	.24	.01	.05	.01	—	.03	—	—	.02	—	.13	—		17
18	.41	.02	—	—	.66	.87	—	—	—	—	.29	.10		18
19	.06	.07	.07	.05	.01	.01	.01	—	.05	—	—	.02		19
20	.51	.01	.10	.23	.84	.10	—	—	.02	—	.01	.02		20
21	.38	.59	.08	—	.01	—	.02	.02	—	—	.01	—		21
22	.41	.05	.02	.03	.05	.72	.02	—	—	.66	.21	.01		22
23	.25	—	—	—	—	—	—	—	—	.58	.02	.01		23
24	.65	.43	.02	—	.02	—	—	—	—	.32	—	—		24
25	.08	.32	.13	—	—	—	—	—	.15	.25	—	.02		25
26	.01	.19	.08	—	.06	—	—	—	—	.03	.02	.01		26
27	—	.08	—	.23	—	—	—	—	.06	.29	—	—		27
28	—	—	—	.01	—	—	—	—	—	.02	.01	.05		28
29	.19	—	—	—	—	—	—	—	—	.04	.03	.10		29
30	.21	~~X~~	—	—	—	.01	—	.11	—	—	.15	.01		30
31	.16	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.07	~~X~~	.02		31
TOTAL	4.76	3.91	3.21	2.09	2.89	2.79	1.48	1.01	1.47	2.37	1.77	5.17	32.92	
* Days with .01 in. or more.	25 X.	23 X.	20 X.	16 X.	13 X.	11 X.	9 X.	8 X.	12 X.	5.11	16 X.	25.40	190	
* Days with .04 in. or more.	18.9	16.	15.	11.	9.	6.	3.	5.	11	8.	6.	15.	123.4	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

W. Corbett

[P.T.O.]

W. CORBETT ESQ

Section

A

for the entry of Daily Observations

Station No.

396/11

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.Kept at Glanshouse Demons Stationin the County of KentDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1.....ft...3.....in.,, Ground ,, Sea Level 264.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04	—	.01	—	.02	.10	tr.	—	.08	.02	.02	.03		1
2	.07	.02	—	.08	.08	—	.02	—	—	.35	—	.04		2
3	.01	—	—	—	.22	—	—	—	tr.	.72	.01	.02		3
4	.02	—	—	—	—	—	.09	—	tr.	.05	—	.09		4
5	.02	—	—	—	—	—	.33	.05	—	.19	—	—		5
6	—	—	—	—	—	—	.23	—	—	—	—	.03		6
7	—	—	—	—	—	tr.	.07	.72	—	.20	—	.05		7
8	—	—	—	—	—	—	.19	—	—	.12	—	.02		8
9	.18	—	—	—	—	—	—	.30	—	.01	—	.67		9
10	.07	.08	—	—	—	.08	.03	.10	—	.01	—	.08		10
11	.21	.01	—	—	tr.	—	—	—	—	.12	.08	.20		11
12	.12	.05	—	—	—	—	—	—	—	.03	.18	.01		12
13	.23	.10	—	—	—	—	—	—	—	—	—	.10		13
14	—	.06	—	—	.25	—	—	—	.09	—	—	.03		14
15	.02	.12	—	—	tr.	—	.19	—	—	.29	—	.09		15
16	.19	.01	—	—	—	—	—	tr.	—	.01	.03	.22		16
17	—	.09	—	—	.14	—	.02	—	—	.13	—	—		17
18	.03	—	—	—	.11	—	—	—	.07	.04	.45	—		18
19	—	.01	—	—	—	—	—	.01	.07	—	.19	.03		19
20	—	—	—	tr.	.07	—	—	—	.09	—	.48	.10		20
21	.02	—	—	tr.	—	—	—	.04	.12	—	—	.13		21
22	.01	—	—	tr.	—	.02	—	.01	—	—	.23	—		22
23	—	—	—	tr.	—	—	—	—	—	—	.11	—		23
24	—	—	.07	tr.	tr.	—	—	—	—	—	.06	—		24
25	.09	—	.27	.18	.05	—	.02	—	.28	.07	.24	tr.		25
26	.16	.17	.08	—	—	—	—	.17	.28	.33	—	.22		26
27	.05	.03	—	—	.10	.10	.20	—	.69	—	.15	—		27
28	.21	.04	—	.05	.25	.05	—	.20	.03	—	—	.01		28
29	.02	X	—	.03	.15	—	—	—	.01	.02	.05	.21		29
30	.13	X	—	.12	.01	.02	—	—	.08	.05	.22	—		30
31	.04	X	—	X	.05	X	—	—	X	.10	X	.12		31
TOTAL	1.94	.79	.43	.46	1.50	.37	1.39	1.60	1.89	2.86	2.50	2.50	18.23	
* Days with .01 in. or more.	228	135	48	51	138	68	111	91	128	205	151	228	152	
* Days with .04 in. or more.	14	8	3	4	11	4	7	7	10	14	12	14	108	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

John Robert

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 396/4.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Glasshouse Demonstration Station

in the County of Swanley, Kent.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

Ground Sea Level 264.7 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	.02	.14	.36	-	.03	.04	.32	-	-	.02		1
2	.03	-	-	.02	.05	-	.03	.23	.16	.01	.02	-		2
3	.17	-	-	.21	-	-	-	.51	-	.05	.19	.02		3
4	.08	.02	.16	.09	-	-	.02	1.43	.02	.57	.05	.02		4
5	-	-	.01	.18	.01	-	.07	.02	-	.07	.28	.42		5
6	.22	-	-	.01	.01	-	.09	.05	-	.01	.41	.03		6
7	.04	.15	-	-	-	-	.01	-	-	.21	.10	.03		7
8	-	.12	.13	-	-	-	-	.19	-	.37	.18	.06		8
9	.05	.03	-	-	-	-	-	.03	.07	.49	.12	.26		9
10	.14	-	-	-	-	.27	-	.08	.01	.01	.04	.17		10
11	-	-	.32	-	trace	.12	-	-	-	.74	.01	.02		11
12	-	-	-	-	trace	-	-	-	.02	.01	.02	trace		12
13	-	.01	.01	trace	-	.08	-	-	.05	1.66	.01	.03		13
14	.44	-	.02	.05	.21	.01	.01	-	-	.35	.58	.03		14
15	.53	-	.02	-	.95	.02	.02	-	.33	1.17	.10	.02		15
16	.28	-	.16	.02	.32	.08	-	-	.06	-	.43	-		16
17	.37	.05	.03	trace	.05	.11	.23	-	.02	.02	.08	-		17
18	.29	-	.02	-	.02	-	.22	-	.01	.21	.33	-		18
19	.15	-	.01	-	-	-	.25	-	-	.64	.01	.01		19
20	.18	-	-	-	-	.26	.88	.03	.05	-	-	.07		20
21	.06	-	.16	-	-	.08	.43	-	.32	.04	.01	-		21
22	.10	.20	.14	-	-	.10	.10	-	.02	-	.03	-		22
23	.07	-	.01	.20	-	-	.08	.06	-	.05	.46	-		23
24	trace	.13	.15	.19	-	-	.04	.01	-	.01	.02	-		24
25	.64	.27	.09	.03	-	-	.13	.02	-	-	.38	-		25
26	.14	.01	.01	.05	-	.01	.11	-	.01	.13	.16	.07		26
27	.05	.04	.09	.27	-	-	-	-	.03	.04	.32	.10		27
28	-	.35	.12	.03	-	.01	-	-	-	.05	.06	-		28
29	-	-	-	.38	-	-	-	-	-	.10	.04	-		29
30	-	X	-	.58	-	.07	-	-	-	.01	.18	-		30
31	-	X	-	X	-	X	.24	.03	X	.01	X	-		31
TOTAL	4.05	1.38	1.68	2.45	1.98	1.22	2.99	2.73	1.50	7.03	4.62	1.38	Year's Total	33.01
* Days with .01 in. or more.	21	12	20	16	19	13	19	14	16	26	28	14	21	
* Days with .04 in. or more.	19	8	10	11	6	9	13	8	8	18	20	7	137	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

H. J. Roberts

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 396/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

SWANLEY

REGISTER OF RAINFALL IN 1934

Kept at (Glasshouse Demonstration Station)

in the County of Swanley, Kent

Diameter of Funnel of Gauge...5...in.

Height of top of Gauge above Ground...1 ft...3 in.

,, Ground ,, Sea Level .264.7...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.04	.03	-	.02	-	-	-	-	-				1
2	-	.09	-	.24	-	-	.01	-	-	.12				2
3	-	.20	-	.1	-	-	.01	-	-	.13				3
4	-	.07	-	.03	-	-	trace	-	-	.12				4
5	-	.03	-	-	-	-	.03	-	-	.01				5
6	.16	.04	-	-	.05	-	.2	-	-	.13				6
7	.30	.14	-	-	-	-	.04	.08	-	-				7
8	.01	.01	-	.02	-	-	-	-	.04	.3				8
9	-	-	-	.01	-	.03	-	-	trace	.08				9
10	-	-	-	-	-	-	.53	.02	-	.05				10
11	-	-	.02	.02	-	-	.03	-	-	-				11
12	-	snow .03	.06	-	-	-	.06	-	.15	.01				12
13	-	snow .02	.83	-	-	.02	.01	-	.04	-				13
14	-	-	snow .2	-	-	-	-	trace	-	.02				14
15	-	-	.07	.15	.19	-	1.14	-	.03	.02				15
16	snow .03	snow .09	.33	.06	-	.01	.4	-	.08	.72				16
17	-	-	.18	snow .09	-	.23	.05	-	.05	.01				17
18	snow .02	.29	.19	.29	-	-	.21	trace	-	.2				18
19	-	.20	.07	.02	-	-	.13	-	.58	-				19
20	-	.03	.03	.02	-	-	.08	.35	.04	.04				20
21	snow .02	-	-	-	.4	-	.04	.02	trace	.07				21
22	snow .05	-	.04	-	.3	.18	trace	-	-	.02				22
23	-	.05	.04	.21	-	-	.08	-	-	.06				23
24	-	-	.01	.35	-	-	.22	-	-	.01				24
25	-	.01	.53	-	.45	-	.06	-	-	.04				25
26	.82 snow	.10	.78	-	-	.49	-	-	-	-				26
27	snow .20	.11	-	-	-	-	.13	-	-	-				27
28	snow .15	.01	-	.02	.15	-	-	-	-	-				28
29	snow .05	-	.1	-	.15	.02	-	-	.03	-				29
30	snow .05	X	-	.16	-	-	-	-	-	.06				30
31	.13	X	-	X	-	X	-	-	X	.57	X			31
TOTAL	1.99	1.56	3.51	1.79	1.71	.98	3.46	.47	1.04	2.79	(6.80)	(1.20)	(27.30)	Pr: h
* Days with .01 in. or more.	13	19	4	16	18	4	20	24	11	22	(20)	(16)	(17)	W: h
* Days with .04 in. or more.	9	12	13	9	8	3	15	2	7	14	(16)	(8)	(11)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Kept at *(Park Langley) Beck*
in the County of *Kent*

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to the
year in the space on the right of this paragraph.

396/5
BECKENHAM
PARK LANGLEY
1934 - 1940

Station No. *396/5*
L ORGANIZATION.

11/Kent/5
C1934

notes for accumulations
March 18/3/35

06000000 +1 780108

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			<i>(.10)</i>					<i>.13</i>				<i>.36</i>	1
2		<i>(.05)</i>	<i>.30</i>							<i>.25</i>			2
3		<i>.40</i>		<i>.27</i>					<i>.60</i>	<i>.25</i>		<i>.37</i>	3
4	<i>.4</i>		<i>.4</i>							<i>.30</i>	<i>.7</i>	<i>.27</i>	4
5					<i>.7</i>					<i>.3</i>	<i>.6</i>	<i>.30</i>	5
6			<i>.32</i>		<i>.20</i>	<i>.15</i>		<i>.12</i>		<i>.13</i>		<i>.43</i>	6
7										<i>.16</i>		<i>.17</i>	7
8					<i>.10</i>			<i>.15</i>			<i>.22</i>	<i>.2</i>	8
9									<i>.11</i>			<i>.32</i>	9
10			<i>.23</i>	<i>.15</i>							<i>.77</i>		10
11	<i>.50</i>		<i>.30</i>	<i>.8</i>			<i>.10</i>	<i>.6</i>		<i>.5</i>	<i>.92</i>	<i>.8</i>	11
12	<i>.6</i>		<i>.3</i>				<i>.8</i>	<i>.67</i>				<i>.2</i>	12
13	<i>.36</i>		<i>.8</i>	<i>.3</i>			<i>.47</i>	<i>.4</i>				<i>.22</i>	13
14	<i>.7</i>		<i>.33</i>								<i>.43</i>	<i>.27</i>	14
15			<i>.15</i>		<i>.12</i>				<i>.8</i>	<i>.5</i>		<i>.77</i>	15
16	<i>.10</i>		<i>.20</i>	<i>.8</i>	<i>.20</i>						<i>.10</i>		16
17			<i>.2</i>							<i>.10</i>		<i>.15</i>	17
18			<i>.2</i>				<i>.13</i>			<i>.5</i>		<i>.35</i>	18
19			<i>.20</i>	<i>.27</i>								<i>.17</i>	19
20			<i>.12</i>				<i>.8</i>						20
21			<i>.2</i>			<i>.5</i>						<i>.2</i>	21
22				<i>.17</i>			<i>3.00</i>	<i>.25</i>		<i>.3</i>		<i>.10</i>	22
23				<i>.30</i>		<i>.40</i>			<i>.20</i>				23
24				<i>.25</i>			<i>.55</i>	<i>.6</i>				<i>.2</i>	24
25					<i>.5</i>	<i>.7</i>						<i>.25</i>	25
26				<i>.45</i>		<i>.3</i>				<i>.7</i>		<i>.5</i>	26
27				<i>.45</i>		<i>.11</i>						<i>.25</i>	27
28		<i>.20</i>		<i>.15</i>			<i>.4</i>	<i>.53</i>				<i>.15</i>	28
29						<i>.7</i>		<i>.7</i>	<i>.10</i>			<i>.2</i>	29
30		X										<i>.17</i>	30 d
31	<i>.35</i>	X		X		X			X	<i>.17</i>	X	<i>.8</i>	31
TOTAL	<i>(.48)</i> <i>.13</i>	<i>(.25)</i> <i>.40</i>	<i>(.10)</i> <i>.50</i>	<i>2.66</i>	<i>.74</i>	<i>.98</i>	<i>4.45</i>	<i>2.02</i>	<i>1.15</i>	<i>1.64</i>	<i>2.57</i>	<i>5.28</i>	YEAR'S TOTAL <i>25.38</i>
*Days with or in. or more.	<i>.13</i>												
*Days with or in. or more.													

(Signed)
G. H. PRESTON, ESQ.

Section

A

for the entry of Daily Observations.

Station No.

396/15

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

11/Kent/15

C1934

Kept at (Park Langley) Beckenham
in the County of Kent.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
Ground Sea Level 210 ft.

Days. Jan. Feb. March allocated for accumulations
March 18/3/35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			(.10)					.13				.36	1
2			(.05)							.25			2
3		.40		.27					.60	.25		.37	3
4	.4		.4							.30	.7	.27	4
5					.7					.3	.6	.30	5
6			.32		.20	.15		.12		.13		.43	6
7										.16		.17	7
8					.10			.15			.22	.2	8
9									.11			.32	9
10			.23	.15							.77		10
11	.50		.30	.8			.10	.6		.5	.92	.8	11
12	.6		.3				.8	.67				.2	12
13	.36		.8	.3			.47	.4				.22	13
14	.7		.33								.43	.27	14
15			.15		.12				.8	.5		.77	15
16	.10		.20	.8	.20						.10		16
17			.2							.10		.15	17
18			.2				.13			.5		.35	18
19			.20	.27								.17	19
20			.12				.8						20
21			.2			.5						.2	21
22				.17			3.00	.25		.3		.10	22
23				.30		.40			.20				23
24				.25			.55		.6			.2	24
25					.5	.7						.25	25
26				.45		.3				.7		.5	26
27				.45		.11						.15	27
28		.20		.15			.4	.53				.15	28
29						.7		.7	.10			.2	29
30		X										.17	30 d
31	.35	X		X		X			X	.17	X	.8	31
TOTAL	(.48) 1.13	(.25) .40	(.10) .10	2.66	.74	.98	4.45	2.02	1.15	1.64	2.57	5.28	YEAR'S TOTAL 25.38
*Days with .01 in. or more.	1.13												
*Days with .04 in. or more.													

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 396/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.Kept at 29 Malmain Way
in the County of Beckenham, Kent.Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15				.10	.2	.48		X	.5	.6			1
2	.5			.5		.6			✓	.6		.1		2
3			.15			.17			-	.11	.11			3
4		.12		.3		.22			X 90	.93		.14		4
5			.4	.16		.26	.5		X	.24	.5			5
6	.6	.30	.3	.26		.27			-	.1		.2		6
7	.3			.23		.12					.63	.11		7
8				.37		.8				.36	.27			8
9				.18		.60				.77	.6	.20		9
10				.3		.3					.13	.7		10
11	.22			.12		.11	.2				.32			11
12						.17		.19			.65			12
13	.6	.17		.10		.8					.2			13
14					.5	.5					.2	.8		14
15				.30	.16	.5	.12	.4	.11		.15	.6		15
16		.16		.5		.40			.25		.50			16
17			.7	.2		.12			.2	.1	.60	.2		17
18				.15	.4	.8	.12		.22		.2			18
19					.16	.3	.7		.3	.3	.6			19
20		.32		.5		.6	.25				.10			20
21		.35		.3	.20						.3			21
22		.12						.24	.27	.11	.1			22
23	.4	.40	.10					.38	.3					23
24	.5							.20	.17	.28		.20		24
25	.16	.14		.27	.50	.42		.7				.16		25
26	.6				.10			.10	.2			.33		26
27		.53					.2				.5	.22		27
28					.10				.18	.11		.28		28
29									.8			.23		29
30	.15	X						.50	.54	.5	.21	.50		30
31		X		X	.11	X		.15	X	.22	X	.44	.2	31
TOTAL	1.03	2.58	.39	2.40	1.52	3.40	1.13	2.00	2.93	3.06	4.05	3.07	Year's Total	
* Days with .01 in. or more.	11	10	5	17	10	21	8	9	16	14	21	17	27.56	
* Days with .04 in. or more.	10	10	4	13	10	18	6	9	11	11	16	14	132	X

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

G. H. Puxton

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 396/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Beckenham

in the County of Kent

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level.....ft.

Acc

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.19	.16	.07	.25		.15	.10	.2			.3	.12		1
2	.6	.4	.1	.2		.10	.3	.10			.8	.2		2
3	.2			.40		.24	.1	.1	✓		.24			3
4	.1	.1	.8			.28		.2	✓		.8	.3		4
5	.20	.1	.3			.12		.1	✓		.2	.8		5
6	.27					.12		.1	✓ 94		.4			6
7	.22		.2			.10		.3	✓		.17			7
8	.23		.8					.1			.20	.22		8
9	.40		.2				.76		✓					9
10	.6						.40	.17	✓					10
11							.20	.4	—		.75			11
12				.9		.17	.12		.12		.42			12
13						.17	.40	.1			.2	.8		13
14				.2		.4			.4		.17	1.15		14
15		.6									.2	.8		15
16	.20									.16	.32	.3		16
17	.27	.4			.20	.12					.12	.15		17
18		.57					.12				.12	.12		18
19	.20	.13				.20	.15				.1	.1		19
20	.15	.4		.38			.6	.17	.7					20
21		.7		.25		.25			.5					21
22	.17	.5	.6				.10					.11		22
23	.1	.32	.1		.10		.14			.16				23
24	.6	.7		.5						.60				24
25	.12	.1	.16	.20		.43	.46			.12				25
26	.1	.6	.17	.6		.10	.5		.38	.13				26
27	.21						.35		.26	.11				27
28	.60	.1	.12			.21						.6		28
29	.7	.12	.3			.24					.11	.3		29
30	.5	×				.25	.6			.26				30
31	.24	×		×	.12	×	.10		×	.65	×	.10		31
TOTAL	4.07	1.77	.86	1.72	.42	3.19	3.61	.60	2.56	2.19	3.30	2.39	Year's Total	26.68
1935	1.03	2.58	.39	2.40	1.52	3.40	1.13	2.00	2.93	3.06	4.05	3.07	27.56	1935
	24	17	13	10	3	18	15	12	13	8	18	16	170	
	20	13	7	8	3	18	15	4	11	8	13	11	131	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

G. H. Puxton

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 396/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.Kept at Beckenhamin the County of KentDiameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...../ft. in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.39	.3	.2	.6							.66	.36		1
2	.2	.11	.4	.44					.12			.93		2
3	.7	.10	.1									.15		3
4	—	.44	—					.18				.22		4
5	.12	.23	.38				.5							5
6	.4	.2	.70		.12									6
7	—	.69	.4	.5			.3							7
8	—	.2	.3		.11	.7			.3					8
9	—	.4	—	.23				.3	.27		.23	~~1.10~~		9
10	—	.1	.37	.10	.23	.30	.3	.8				~~X~~		10
11	—	—	.22	.1	.36		.4							11
12	.12	.19	.10		.35				.9			.28		12
13	.14	.2	.36		.2	.22		.23	.37			.34		13
14	.2	.3	.18			.7		.28	.7					14
15	.12	.5	—	.11			.20		.6			.3		15
16	.2	.10	.38	.41		.8		.20	.15					16
17	.23	.3	.11	.19		.10			.15					17
18	.33	.3	.2	.1	.29	.78			.25		.18			18
19	—	.7	.3	.6	.08	.12			.7					19
20	.53	.8	.8	.23	.63	.20								20
21	.45	.61	.4	.6			.3							21
22	.24	.5	.4		.3	.26				.62	.27	.23		22
23	.30	—	—		.3		.3			.68		.1		23
24	.22	.55	.17						.7	.27				24
25	.5	.25	.15		.12				.8	.28				25
26	.1	.20	.4							.3				26
27	—	.12	.2	.25					.8	.33				27
28	—	.5	.1							.3		.7		28
29	—	X	—	.2						.5				29
30	—	X	—	.1				1.85			.21			30
31	.46	X	—	X		X			X	.20	X	.5		31
1937 TOTAL	4.16	4.12	3.55	2.24	7.35	2.20	.41	2.85	1.86	2.49	1.55	3.77	Year's Total 31.55	✓ 1937
* Days with .01 in. or more.	21	23	24	16	12	10	7	7	14	9	5	13	164	✓ 1936
* Days with .04 in. or more.	17	17	16	12	9	10	3	6	13	7	5	11	128	✓ 1936

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

G. H. Preston

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 396/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Beckenham in the County of Kent Diameter of Funnel of Gauge..... 5 in.Height of top of Gauge above Ground.... 1 ft. in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date.	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				.4	.13				.2	.4	.6	.5		1
2		.2		.5	.5		.18			.31				2
3					.25					.43	.1			3
4	.12						.5	.3		.5	.7			4
5							.50	.1	.4	.13	.2			5
6	.4						.10							6
7							.30	1.6			.5			7
8	.13						.20	.15						8
9	.3						.2	.23		.23	.65			9
10	.8	.4				.14		.13				x		10
11	.20					.3		.50			.10	.17		11
12	.18							.48		.11	.17			12
13	.22	.13								.3		x		13
14	.19	.2			.26				.3					14
15	.5	.8					.25			.30		x		15
16	.15										.3	x		16
17					.12		.2			.10		.40		17
18	.3				.7				.5	.3	.37			18
19									.3		.15			19
20		.12							.5		.43	x		20
21	.3								.10		.5	x		21
22						.3		.6			.11			22
23					.4						.4			23
24			.12						1.17		.3			24
25	.6		.34		.8		.3		.3	.5	.87			25
26	.16	.20	.13					.6	.23	.30		x		26
27	.6	.4			.2		.15		.85		.13	.62		27
28	.3	.3			.25	.15		.34	.2					28
29	.26				.11	.6		.2			.4	x		29
30	.3	x		.13	.2	.3			.7	.6	.17	.22		30
31	.9	x		x	.7	x			x		x	x		31
1938 TOTAL	2.15	.68	.59	.18	1.38	.57	1.80	1.87	2.69	2.17	2.76	2.20	Year's Total 19.04	✓ G. H. Burton
* Days with .01 in. or more.	20	9	3	2	13	7	11	12	13	14	16	18	13.8	✓
* Days with .04 in. or more.	15	6	3	2	11	4	8	9	8	12	13	14	10.5	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 396/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Beckenham in the County of Kent Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.../....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.01	.21	.01							.01		1
2	.11			.01	.03			.32	.23		.03			2
3	.15			.21				.40	.32	.05	.21	.37		3
4			.45	.30			.03	.30		.52	.07	.03		4
5				.11			.12	.06		.06	.24	.08		5
6	.24			.01			.09	.02			.23	.02		6
7	.04	.13						.02		.10	.04	.04		7
8		.10	.14				.01	.20		.45	.22	.24		8
9		.04						.02		.34	.07	.13		9
10	.17							.07	.04	.03	.01			10
11			.26			.20				.63	.01	.02		11
12						.23				.02				12
13				.03		.02				1.60				13
14	.41			.06	.05					.28	.40	.01		14
15	.65				1.12	.04			.56	1.26	.05	.02		15
16	.37		.07	.03	.40	.08	.07		.13	.09	.39			16
17	.42	.05			.04		.71			.18	.05			17
18	.27	.02	.05		.08	.15	.07				.25			18
19	.16						.17			.50				19
20	.16		.02			.08	.78	.12				.07		20
21	.07		.16				.14	.05	.18	.02				21
22	.11	.13	.08	.05		.08	.14				.04			22
23	.10			.11		.01	.12	.03		.03	.47			23
24	.9	.17	.06	.15			.05			.15				24
25	.70	.27	.06	.09			.27	.33			.33			25
26	.10		.02				.05			.14	.13			26
27		.04	.07	.11			.02		.02	.05	.33			27
28		.30	.08	.27		.02				.10	.06			28
29				.35						.06	.02			29
30		~~X~~		.55		.13				.02	.16			30
31		~~X~~		~~X~~		~~X~~	.23		~~X~~	.02	~~X~~	.13		31
1939 TOTAL	4.32	1.25	1.23	2.65	2.03	1.04	3.07	3.06	1.48	6.70	3.81	1.17	Year's Total 32.87	31.81

* Day with
0.1 in or
more.* Days with
0.4 in or more

18	10	14	17	7	11	17	13	7	24	23	13	174
----	----	----	----	---	----	----	----	---	----	----	----	-----

18	9	11	13	6	8	14	9	6	18	19	7	138
----	---	----	----	---	---	----	---	---	----	----	---	-----

* See Instruction 3(f) on other side.

(Signed)

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 396/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1931/1940.

Kept at Beckenham

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2				.05			.05			.16	.20			2
3		.20								.05	.52	.06		3
4										.08	1.37	.07		4
5							.06			.02	.08	.06		5
6	X	.07			.03		.12			.12	.40			6
7	X	.07		.11	.02		.06	.09			.05			7
8	✓								.15	.32	.10	.21		8
9						.65					.08	.05		9
10							.50				.03			10
11				.03							.73			11
12							.05				.02			12
13						.20			.16	.03	.90			13
14			1.00				.03		.01	.07	.01	.16		14
15				.11	.08		.65			.06	.30	.02		15
16	✓		.29	.12		.11	.46		.08	.60	.50	.03		16
17			.30				.05		.02		.35			17
18	✓	.45	.07	.26			.30				.38	.12		18
19				.06			.03		.67		.12			19
20							.12	.02	.05	.05	.04			20
21	✓				.47		.05		.01		.21			21
22	X	.22			.25	.15			.06		.01			22
23							.02		.05		.01			23
24				.45			.16			.63	.07	.07		24
25			.63				.06		.2	.02				25
26	X	.09	.40	.02	.13	.08	.01		.12					26
27	X	.22		.09			.07							27
28	X				.10									28
29	X	.05	.05									.19		29
30	✓			.27	.26					.50				30
31	1.90											.03		31
TOTAL	1.90	1.37	2.74	1.57	1.34	1.19	2.85	.11	1.15	2.11	6.41	1.04	Year's Total 23.78	
* Days with .01 in. or more.	(13)	8	7	11	8	5	19	2	11	14	22	12	132	
* Days with .04 in. or more.	(8)	8	7	9	6	5	15	1	8	10	17	9	103	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

** The following register of monthly totals &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931...

At Coppley Avenue 20 Sundridge Ave
In the County of Bromley Kent

BROMLEY
SUNDRIDGE AVE

1931 - 1940

060000037

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 ft. 1
Height of Ground above Sea Level 200 ft.

nearest to gauge

Heights of objects

Distances ..

Directions from
gauge ..

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Total 25.01Signature H. Wynne Thomas

Kindly send me per copy of Journal Table
11/11

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 1931.

At Copley Drive 20 Sunday Avenue
In the County of Bromley Kent


Hour of observation by the clock in Winter 9 a.m. in Summer 9 a.m.
Nearest Railway Station Bickley Distance 1 mile Direction from gauge ESE

Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 1 in.
Height of Ground above Sea Level 200 ft.

Nearest Parish Church at St. John's Church Distance 1/2 mile Direction from gauge W
Nature of objects nearest to gauge flower bed shrubs
Heights of objects 8-10 ft
Distances 25 ft
Directions from gauge North E.W. S. down open

If gauge has been moved during the year state—

Date of move Distance Direction
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more	Number of Days with .04 in. or more
Inches.	Inches.	Date.		
JAN.	1.45			
FEB.	1.61			
MAR.	1.25			
APRIL	3.95			
MAY	2.87			
JUNE	2.00			
JULY	3.02			
AUG.	4.38			
SEPT.	1.45			
OCT.	1.70			
NOV.	2.70			
DEC.	1.63			
Total	25.01			

Signature Dr H Wynne Thomas

Kindly send me copy of Annual Table

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932.

At Copley Drive 20 Sundridge Avenue
In the County of Bromley Kent

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 ft 1 in.
Height of Ground above Sea Level 270 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ·01 in. or more	·04 in. or more
JAN.	2.05				
FEB.	.46				
MAR.	1.28				
APRIL	2.06				
MAY	3.61				
JUNE	.84				
JULY	2.46				
AUG.	.95				
SEPT.	1.24				
OCT.	5.88				
NOV.	.82				
DEC.	.55				
Total	22.20				

Signature H. H. Wynne Thomas

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

H. Wynne Thomas
20 Sundridge Ave Bromley Kent

Hour of observation by the clock—in Winter 9.0 a.m. in Summer 9.0 a.m.

Nearest Railway Station Bromley N Distance 3/4 mile Direction from gauge N.W.

Nearest Parish Church at Bromley Distance 1 mile Direction from gauge W

Nature of objects nearest to gauge Low shrubs rose tree etc

Heights of objects 5-8 ft

Distances 20 ft


Directions from gauge None

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces." An entry ·005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } ·14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933.

At Copley Drive 20 Sunday Lane
In the County of Bromley Kent

Rain Gauge
Diameter of Funnel 1.5 in.
Height of Top above Ground 1 ft 1 in.
Height of Ground above Sea Level 288 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with or in. or more	or in. or more
JAN.	<u>1.40</u>				
FEB.	<u>1.66</u>				
MAR.	<u>2.20</u>				
APRIL	<u>1.65</u>				
MAY	<u>1.97</u>				
JUNE	<u>1.40</u>				
JULY	<u>2.21</u>				
AUG.	<u>1.32</u>				
SEPT.	<u>2.40</u>				
OCT.	<u>1.54</u>				
NOV.	<u>1.92</u>				
DEC.	<u>1.47</u>				
Total	<u>17.18</u>				

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9.0 am in Summer 9.0 am

Nearest Railway Station Bromley North Distance 3/4 mile gauge N

Nearest Parish Church at Bromley Distance 1 mile gauge W

Nature of objects nearest to gauge Some houses

Heights of objects 2.8

Distances 20 ft

Directions from gauge North

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature W. Thomas

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At 20 Sundridge Avenue Bromley
In the County of Kent

Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 1 in.
Height of Ground above Sea Level 270 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date	Number of Days with ".01 in. or more	".04 in. or more
JAN.	1.67				
FEB.	2.0				
MAR.	2.44				
APRIL	2.01				
MAY	.72				
JUNE	1.08				
JULY	1.72				
AUG.	1.46				
SEPT.	1.02				
OCT.	1.79				
NOV.	2.99				
DEC.	5.33				
Total	28.83				
	2.4				

Signature Dr. H. Wynne Thomas

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Dr. H. Wynne Thomas
20 Sundridge Avenue, Bromley, Kent

Hour of observation by the clock—in Winter 9.0 in Summer 9.0

Nearest Railway Station Bromley North Distance 3/4 mile gauge W

Nearest Parish Church at Bromley Distance 1 mile gauge W

Nature of objects nearest to gauge Low shrubs

Height of objects 5-8 ft

Distances 20 feet

Directions from gauge North

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

Miss W. W. Thomas, Bayn Hafod, Rednal, Worcester

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Station No 397
File No 321180/34

Sent bioc. 7/M.O.Y. 1.6.1935.

*See Instruction 2 (f) below.

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
 - If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
 - The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
 - If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - The heaviest daily fall for each month should be underlined.
3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

397

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935.

At Copley Down 20 Sundridge Ave. Broomley Kent
In the County of Kent
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft 1 in.
Height of Ground above Sea Level 270 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Number of Days with 0.1 in. or more 0.4 in. or more
JAN.	1.29		
FEB.	2.77		
MAR.	.64		
APRIL	2.64		
MAY	1.41		
JUNE	3.42		
JULY	.79		
AUG.	2.16		
SEPT.	2.98		
OCT.	3.16		
NOV.	4.03		
DEC.	3.00		
Total	28.28		

Signature H. Wynne Thomas.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

H. Wynne Thomas
Copley Down 20 Sundridge Ave. Broomley Kent

Hour of observation by the clock—in Winter 9.0 a.m. in Summer 9.0 a.m.

Nearest Railway Station Broomley N.W. Distance 3/4 mile Direction from gauge W

Nearest Parish Church at Broomley Distance 1 mile Direction from gauge W

Nature of objects nearest to gauge Some shrubs

Height of objects 5-8 ft

Distances 20 ft

Directions from gauge North

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*Kindly send me
"General Table"
for 1934*

M.O. 7
3 JAN 1936

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

397

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At Copley Dene 20 Sundridge Avenue
In the County of Bromley Kent
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 1 in.
Height of Ground above Sea Level 270 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with
	Inches	Inches	0.1 in. or more
JAN.	<u>4.02</u>		
FEB.	<u>1.65</u>		
MAR.	<u>1.08</u>		
APRIL	<u>1.70</u>		
MAY	<u>.52</u>		
JUNE	<u>2.87</u>		
JULY	<u>2.91</u>		
AUG.	<u>.57</u>		
SEPT.	<u>2.34</u>		
OCT.	<u>2.30</u>		
NOV.	<u>3.52</u>		
DEC.	<u>2.44</u>		
TOTAL	<u>25.92</u>		

Signature H. Wynne Thomas

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9.0 a.m. in Summer 9 a.m.

Nearest Railway Station Bromley West Distance 3/4 mile Direction from gauge W

Nearest Parish Church at Bromley Distance 1 mile Direction from gauge W

Nature of objects nearest to gauge Low shrubs

Height of objects 5 ft - 8 ft

Distances 20 ft


Directions from gauge North

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Coply Lane, 20 Sundridge Av. Bromley
In the County of Hert.

Rain Gauge (Diameter of Funnel.....5.....in.
Height of Top above Ground.....1.....ft. 1.....in.
Height of Ground above Sea Level.....270.....ft.)

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with
	Inches	Inches	01 in. or more
JAN.	4.40		
FEB.	4.26		
MAR.	3.44		
APRIL	2.21		
MAY	2.68		
JUNE	2.11		
JULY	.60		
AUG.	1.97	*	
SEPT.	1.44		
OCT.	2.78		
NOV.	1.70		
DEC.	4.05		
TOTAL	31.64		

Signature H. Wynne Thomas

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.....9.0 a.m......in Summer.....9.0 a.m.

Nearest Railway Station.....Bromley North.....Distance.....3/4.....miles.....Direction from gauge.....W

Nearest Parish Church at.....Bromley.....Distance.....1.....miles.....Direction from gauge.....W

Nature of objects nearest to gauge.....Low shrubs

Height of objects.....5-8 ft

Distances.....20 ft


Directions from gauge.....North

If gauge has been moved during the year state—

Date of move.....Distance.....Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Copplestone 20 Sundridge AveIn the County of Bromley KentRain Gauge Diameter of Funnel.....5 in.Height of Top above Ground.....1 ft. 1 in.Height of Ground above Sea Level.....270 ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Number of Days with 0.1 in. or more 0.4 in. or more
JAN.	<u>2.47</u>		
FEB.	<u>.75</u>		
MAR.	<u>.61</u>		
APRIL	<u>.22</u>		
MAY	<u>2.41</u>		
JUNE	<u>.51</u>		
JULY	<u>1.22</u>		
AUG.	<u>1.17</u>		
SEPT.	<u>2.30</u>		
OCT.	<u>2.48</u>		
NOV.	<u>2.83</u>		
DEC.	<u>2.75</u>		
TOTAL	<u>19.72</u> ✓		

Signature H. Wynne Thomas

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.....9.0.....in Summer.....9.0Nearest Railway Station.....Bromley N. & S. Distance.....3/4 mile gauge.....WNearest Parish Church at.....Bromley Distance.....1 mile gauge.....WNature of objects nearest to gauge.....Low shrubsHeight of objects.....52.8 ftDistances.....20 ftDirections from gauge.....North

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

-9 JAN. 1939

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt: 3079/2165 25,500 12/87 W.H. & S. 668/91

S.O. Code No. 40-9999

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At *Copley Dene 20 Sundridge Av.*In the County of *Bromley Kent*Rain Gauge { Diameter of Funnel.....*5*.....in.Height of Top above Ground.....*1 ft. 10 in.*Height of Ground above Sea Level.....*270*.....ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more	Number of Days with 0.4 in. or more
JAN.	<i>4.10</i>				
FEB.	<i>1.28</i>				
MAR.	<i>1.38</i>				
APRIL	<i>2.46</i>				
MAY	<i>1.97</i>				
JUNE	<i>0.99</i>				
JULY	<i>2.97</i>				
AUG.	<i>2.80</i>				
SEPT.	<i>1.44</i>				
OCT.	<i>7.29</i>				
NOV.	<i>4.32</i>				
DEC.	<i>6.30</i>				
TOTAL	<i>31.39</i> <i>(32.26)</i>				

Signature *H. Wynne Thomas*

* See Instruction 3 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—


*H. WYNNE THOMAS**Copley Dene 20 Sundridge Av Bromley*Hour of observation by the clock—in Winter.....*9.0 a.m.*.....in Summer.....*9.0 a.m.*Nearest Railway Station.....*Bromley N.*.....Distance.....*3/4 m.*.....gauge.....*W.*Nearest Parish Church at.....*Bromley*.....Distance.....*1 mile*.....gauge.....*W.*Nature of objects nearest to gauge.....*low shrubs*Height of objects.....*5 ft - 8 ft*Distances.....*20 ft*Directions from gauge.....*North*

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
 (b) What note was made of the times of beginning and end of the fall?
 (c) When was the measurement made?

Dec total 6.30
Dec est'd from
early obs

M.O. 7
- 5 JAN. 1940

Kindly forward to me, General Table
(Part 110 of British Rainfall)
when ready, J.W.T.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- (a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- (b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- (c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- (f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/88 W. H. & S. 668/91

S.O. Code No. 40-9999

397 File No 321180/34

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940

At Coppy Lane 20 Sundridge Av
In the County of Bromley Kent

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 1 in.
Height of Ground above Sea Level 270 ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more	0.4 in. or more
JAN.	<u>1.77</u> (<u>2.24</u>)				
FEB.	<u>1.98</u>				
MAR.	<u>3.27</u>				
APRIL	<u>2.05</u>				
MAY	<u>1.20</u>				
JUNE	<u>.60</u>				
JULY	<u>3.16</u>				
AUG.	<u>nil</u>				
SEPT.	<u>1.46</u>				
OCT.	<u>2.77</u>				
NOV.	<u>7.07</u>				
DEC.	<u>1.25</u>				
TOTAL	<u>27.05</u>				

Signature H. Wynne Thomas

* See Instruction 3 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:

Name and Address to which any inquiry relating to this register should be sent:—

H. Wynne Thomas
Coppy Lane 20 Sundridge Av Bromley

Hour of observation by the clock—in Winter 9.15 in Summer 9.15Nearest Railway Station Bromley North Distance 3/4 mi. Direction from W.Nearest Parish Church at Bromley Distance 1 mile Direction from W.Nature of objects nearest to gauge Low shrubsHeight of objects 5 ft 8 inDistances 20 ftDirections from gauge North

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



M. O. 3a.
10 JAN 1941
B. R.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

gan etc. from nearby
Kindly send me a copy of General Table
(Part III of British Rainfall) when ready
I did not receive a copy in 1939.

Enclosure

County Book

10 Year Book

Rainfall

B. R. pages

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/38 W.H.&S. 668/91

S.O. Code No. 40-9999

Section **A** for the ent
AIR, MIN
FORM 1090.

Kept at *Bromley*
in the County of *Kent*

Diameter of Funnel of Gauge
Height of top of Gauge above C
,, Ground ,, S

THE MORNING ME

An observer who does not conform
year in the space on the right

398

BROMLEY

1931 - 1940

FOR OFFICIAL USE.
INFALL ORGANIZATION.

931.

DAY.

780108 of the following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.48									1
2													2
3					1.39							.17	3
4													4
5						.48		1.31					5
6													6
7													7
8													8
9											.53		9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19				.48									19
20													20
21													21
22			.16										22
23	.30												23
24													24
25													25
26							.59						26
27		.26											27
28													28
29										.30			29
30		X											30
31		X		X		X			X		X		31
TOTAL	1.35	1.45	0.25	3.72	3.13	1.65	2.85	5.53	1.44	0.66	2.48	0.54	YEAR'S TOTAL
*Days with or in. or more.	19	19	4	18	15	11	15	21	14	6	15	9	166
*Days with or in. or more.	10	12	2	12	11	6	10	18	10	3	10	5	109

40-9999 24.3 36.8 6.4 94.5 79.5 41.9 72.4 140.5 36.6 16.8 63.0 13.7 636.4
(Signed) [P.T.O.]

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bromley
in the County of Kent

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I				.48									I
2					1.39							.17	2
3						.48		1.31					3
4													4
5													5
6													6
7													7
8													8
9											.53		9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19				.48									19
20													20
21													21
22			.16										22
23	.30												23
24													24
25													25
26							.59						26
27		.26											27
28													28
29										.30			29
30		X											30
31		X		X		X			X		X		31
TOTAL	1.35	1.45	0.25	3.72	3.13	1.65	2.85	5.53	1.44	0.66	2.48	0.54	YEAR'S TOTAL 25.05
*Days with or in. or more.	19	19	4	18	15	11	15	21	14	6	15	9	166
*Days with or in. or more.	10	12	2	12	11	6	10	18	10	3	10	5	109

40-9999 34.3 36.8 6.4 94.5 79.5 41.9 72.4 140.5 36.6 16.8 63.0 13.7 636.4
(Signed) P.T.O.

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1932.

Kept at Bromley
in the County of Kent

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2												.12	2
3									.41				3
4													4
5													5
6													6
7													7
8													8
9					.11								9
10	.67	.15											10
II							1.01						II
12													12
13													13
14													14
15													15
16				.22									16
17													17
18													18
19													19
20													20
21													21
22											.26		22
23		.15								.96			23
24													24
25													25
26													26
27													27
28													28
29			.34					.45					29
30		X				.58						.12	30
31		X		X		X			X		X		31
TOTAL	2.05	0.47	1.41	1.72	3.58	0.88	2.94	1.08	1.60	5.40	0.80	0.47	22.40
*Days with .01 in. or more.	11	9	11	21	20	5	11	8	15	23	14	9	157
*Days with .04 in. or more.	10	4	6	13	14	3	11	6	10	17	6	4	104

40-9999

5.1 11.9 35.8 43.7 90.9 22.3 74.7 27.4 40.6 137.2 20.3 11.9

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

REGISTER OF RAINFALL IN 1933.

Kept *Bromley*
in the County of *Hert*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground *1* ft.....in.
Ground Sea Level *213* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	0.24												2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12									8.3				12
13													13
14											1.9		14
15							4.8	2.2					15
16			5.9			2.4							16
17													17
18													18
19													19
20													20
21													21
22													22
23				0.17	6.6								23
24		4.1											24
25				0.17									25
26													26
27										2.8			27
28													28
29													29
30		X										1.13	30
31		X		X		X			X		X		31
TOTAL	1.30	1.71	2.24	0.64	1.89	1.53	1.77	0.52	2.34	1.50	0.88	0.45	YEAR'S TOTAL
*Days with "or in. or more.	13	11	14	7	17	12	10	7	12	15	15	8	141
*Days with "or in. or more.	12	9	12	6	8	8	9	4	9	12	8	6	103

Section **A**

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

398

Kept at Bromley
in the County of Kent
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground 1 ft.....in.
Ground „ Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									.56				2
3													3
4										.32			4
5													5
6													6
7													7
8													8
9													9
10											1.06		10
11	.48												11
12													12
13													13
14			.32										14
15					.21							.75	15
16													16
17													17
18													18
19													19
20													20
21													21
22							1.45						22
23						.37							23
24													24
25													25
26				.38									26
27													27
28		.08						.51					28
29		X											29
30		X											30
31		X		X		X			X		X		31
TOTAL	1.60	0.19	2.14	2.10	0.69	0.83	2.83	1.54	1.15	1.56	2.80	5.01	22.44
*Days with "or in. or more.	16	4	15	14	7	8	9	12	9	13	10	23	140
*Days with ".04 in. or more.	10	3	10	13	5	6	7	9	6	11	7	21	108

Section

A

for the entry of Daily Observations.

Station No. 398

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1935.

Kept at Bromley
in the County of KentDiameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							.55							1
2														2
3			.18											3
4														4
5														5
6														6
7											.70			7
8				.33										8
9						.65				.85				9
10														10
11	.023													11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24		.42			.58									24
25														25
26														26
27														27
28														28
29									.55					29
30		X						.65				.53		30
31		X		X		X			X		X			31
TOTAL	1.07	2.69	0.50	2.45	1.37	3.33	0.89	2.07	2.87	2.93	3.94	2.97	27.08	
*Days with or in. or more.	15	16	7	19	18	19	6	6	18	13	20	17	164	
*Days with .04 in. or more.	9	13	4	15	7	16	4	6	15	9	16	15	129	

40-9999

*See Instruction 2(f) on other side.

pare column, no entries required.
(Signed)

P.T.O.

Section **A**

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Bromley
in the County of Kent

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9							.40							9
10								.19						10
11											.89			11
12														12
13														13
14												.95		14
15														15
16														16
17		.62												17
18														18
19														19
20				.38					.76					20
21														21
22														22
23														23
24														24
25			.20			.62								25
26														26
27														27
28	.59													28
29														29
30		X			.11									30
31		X		X		X			X	.83	X			31
TOTAL	4.10	1.62	1.00	1.49	0.39	2.93	2.81	0.42	2.28	2.27	3.54	2.54	25.39	✓
* Days with .01 in. or more.	23	14	11	13	6	19	20	4	16	13	15	17	171	✓
* Days with .04 in. or more.	21	9	8	8	4	15	15	3	11	9	13	12	128	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

398¹⁸³

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

For 1990.

REGISTER OF RAINFALL IN 1937.

Kept at Bromley

in the County of Kent

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....0 in.

„ Ground „ Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.68			1
2				.43								1.00		2
3														3
4														4
5														5
6			.56											6
7		.73												7
8														8
9									.26					9
10														10
11														11
12														12
13														13
14														14
15							.23							15
16														16
17														17
18						.69								18
19														19
20					.68									20
21														21
22														22
23										.91				23
24	.52													24
25														25
26														26
27														27
28														28
29														29
30		X						1.65						30
31		X		X		X			X		X			31
TOTAL	4.19	4.09	3.30	2.23	2.53	2.05	4.4	2.33	1.46	2.47	1.53	3.88	30.80	
* Days with .01 in. or more.	22	23	19	13	12	10	7	7	15	13	7	20	168	
* Days with .04 in. or more.	18	15	16	12	8	9	2	7	13	8	5	13	126	

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 398

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bromley

in the County of Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft.....in.

Ground Sea Level 213.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3										.50				3
4														4
5							.53							5
6														6
7								1.14						7
8														8
9												.66		9
10						.17								10
11														11
12														12
13														13
14					.27									14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24									.92					24
25			.36								.96			25
26		.19												26
27														27
28														28
29	.33													29
30		~~X~~		.13										30
31		~~X~~		~~X~~		~~X~~			~~X~~		~~X~~			31
TOTAL	2.43	.72	.66	.21	1.34	.57	1.57	2.35	2.24	2.39	2.85	2.45	19.78	✓
* Days with .01 in. or more.	22	11	4	2	12	6	11	10	13	15	16	21	143	✓
* Days with .04 in. or more.	15	6	4	2	10	4	8	6	6	13	11	13	98	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

398

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at

in the County of

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level ft.

T.L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3												38		3
4								155						4
5														5
6														6
7														7
8														8
9														9
10														10
11			31			22								11
12														12
13										169				13
14														14
15					117				49					15
16														16
17														17
18														18
19														19
20							83							20
21														21
22														22
23											55			23
24														24
25	72	36												25
26														26
27														27
28														28
29														29
30		X		58										30
31		X		X		X			X		X			31
TOTAL	420	127	131	248	206	104	271	304	117	690	430	117	3165	Year's Total
* Days with .01 in. or more.	21	9	14	15	7	10	15	12	9	21	21	12	166	
* Days with .04 in. or more.	17	7	9	11	5	8	11	7	5	17	17	7	121	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

Station No. 398 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Bromley

in the County of Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level 213 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3											1.44			3
4														4
5														5
6														6
7								.05						7
8														8
9						.39								9
10														10
11														11
12														12
13			.88											13
14														14
15							.71							15
16														16
17														17
18		.30												18
19									.16					19
20														20
21					.55									21
22														22
23														23
24				.38										24
25														25
26	1.01													26
27														27
28														28
29												.23		29
30		~~1.01~~												30
31		~~1.01~~		~~1.01~~		~~1.01~~			~~1.01~~	.59	~~1.01~~			31
TOTAL	2.25	1.62	3.30	1.85	1.16	.93	2.95	.06	1.00	2.08	7.07	1.18	Year's Total	25.45
* Days with .01 in. or more.	11	16	15	15	8	7	17	2	12	18	19	15	155	
* Days with .04 in. or more.	9	13	11	11	5	5	12	1	9	14	16	10	116	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

BROMLEY (BISHOPS AVENUE)

Section



for the entry of Data
AIR MINISTRY.

FORM 1090

REGIST

Kept at

Bromley (Bishop's Ave)

in the County of Kent

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this year in the space on the right of this part

398/2

BROMLEY BISHOPS AVE

1938 - 1940

tion No.

398/2

ORGANIZATION

AY

wing

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	—	trace	—	.04	.14	—	—	.02	.01	.01	.10		1
2	.05	.01	—	.08	.34	—	.06	—	—	.33	—	.03		2
3	.01	—	—	—	trace	—	—	—	trace	.46	trace	—		3
4	.05	—	—	—	—	—	.03	.02	—	.05	—	.07		4
5	.02	—	—	—	—	—	.50	trace	—	.15	—	—		5
6	.03	—	—	—	—	—	.05	—	.11	—	—	—		6
7	—	—	—	—	—	—	.18	.91	.01	.17	—	.05		7
8	.13	—	—	—	—	trace	.13	—	—	.13	—	—		8
9	.02	trace	—	—	—	—	.02	.31	—	—	—	.69		9
10	.06	.05	—	—	—	.21	—	.08	—	.01	—	.06		10
11	.24	trace	—	—	—	—	—	—	—	—	.09	.12		11
12	.22	.03	—	—	—	—	—	.20	—	.12	.04	trace		12
13	.25	.14	—	—	—	—	—	—	—	.02	.15	.08		13
14	.19	.03	—	—	.27	—	—	—	.02	—	trace	.02		14
15	.03	.09	—	—	—	—	.19	—	—	.33	—	.03		15
16	.24	.01	—	—	.75	—	.01	trace	trace	trace	.01	.26		16
17	—	.13	—	—	.06	—	trace	—	trace	.11	—	—		17
18	.03	—	—	—	—	—	—	—	.04	.05	.40	—		18
19	—	—	—	—	.02	—	—	.01	.02	—	.14	.02		19
20	trace	—	—	—	—	—	—	—	.04	—	.40	—		20
21	.04	—	—	trace	—	—	—	.03	.11	—	.04	.16		21
22	—	—	—	trace	—	.02	—	trace	—	—	.12	.19		22
23	—	—	—	trace	.01	.01	—	—	—	trace	.08	.01		23
24	—	—	.13	.02	.07	—	—	—	1.00	—	.02	.05		24
25	.09	—	.39	—	—	—	.03	—	.04	.03	.93	trace		25
26	.18	.19	.16	—	—	—	—	.11	.25	.29	—	.26		26
27	.05	.03	trace	—	.03	.16	—	—	.69	trace	.16	—		27
28	.06	.04	—	—	.23	.06	.13	.27	—	—	trace	.01		28
29	.32	X	—	.01	.10	—	—	—	—	—	.04	.22		29
30	.03	X	—	.13	.01	.02	—	—	.04	.08	.22	trace		30
31	.15	X	—	X	.08	X	—	—	X	.07	X	.11		31
TOTAL	2.52	.75	.68	.24	1.41	.62	1.33	1.94	2.39	2.41	2.85	2.54	19.68	Print
* Days with .01 in. or more.	24	11	3	4	13	7	11	9	13	17	16	20	148	CyB
* Days with .04 in. or more.	16	6	3	2	9	4	7	6	9	13	13	14	102	14/3

* See Instruction 3 (f) on other side

G. H. FRANEY

† Spare column, no entries required

(Signed)

G. H. Franey

[P.T.O.]

Section **A** for the entry of Daily Observations

Station No. **398/2**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Bromley (Bishops Avenue)*
in the County of *Kent*

Diameter of Funnel of Gauge.....*8*.....in.
Height of top of Gauge above Ground.....*1*.....ft.....*1/2*.....in.
„ Ground „ Sea Level.....*190*.....ft.

879912/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	—	trace	—	.04	.14	—	—	.02	.01	.01	.10		1
2	.05	.01	—	.08	.34	—	.06	—	—	.33	—	.03		2
3	.01	—	—	—	trace	—	—	—	trace	.46	trace	—		3
4	.05	—	—	—	—	—	.03	.02	—	.05	—	.07		4
5	.02	—	—	—	—	—	.50	trace	—	.15	—	—		5
6	.03	—	—	—	—	—	.05	—	.11	—	—	—		6
7	—	—	—	—	—	—	.18	.91	.01	.17	—	.05		7
8	.13	—	—	—	—	trace	.13	—	—	.13	—	—		8
9	.02	trace	—	—	—	—	.02	.31	—	—	—	.69		9
10	.06	.05	—	—	—	.21	—	.08	—	.01	—	.06		10
11	.24	trace	—	—	—	—	—	—	—	—	.09	.12		11
12	.22	.03	—	—	—	—	—	~~.20~~	—	.12	.04	trace		12
13	.25	.14	—	—	—	—	—	—	—	.02	.15	.08		13
14	.19	.03	—	—	.27	—	—	—	.02	—	trace	.02		14
15	.03	.09	—	—	—	—	.19	—	—	.33	—	.03		15
16	.24	.01	—	—	.75	—	.01	trace	trace	trace	.01	.26		16
17	—	.13	—	—	.06	—	trace	—	trace	.11	—	—		17
18	.03	—	—	—	—	—	—	—	.04	.05	.40	—		18
19	—	—	—	—	.02	—	—	.01	.02	—	.14	.02		19
20	trace	—	—	—	—	—	—	—	.04	—	.40	—		20
21	.04	—	—	trace	—	—	—	.03	.11	—	.04	.16		21
22	—	—	—	trace	—	.02	—	trace	—	—	.12	.19		22
23	—	—	—	trace	.01	.01	—	—	—	trace	.08	.01		23
24	—	—	.13	.02	.07	—	—	—	1.00	—	.02	.05		24
25	.09	—	.39	—	—	—	.03	—	.04	.03	.93	trace		25
26	.18	.14	.16	—	—	—	—	.11	.25	.29	—	.26		26
27	.05	.03	trace	—	.03	.16	—	—	.69	trace	.16	—		27
28	.06	.04	—	—	.23	.06	.13	.27	—	—	trace	.01		28
29	.32	X	—	.01	.10	—	—	—	—	—	.04	.22		29
30	.03	X	—	.13	.01	.02	—	—	.04	.08	.22	trace		30
31	.15	X	—	X	.08	X	—	—	X	.07	X	.11		31
TOTAL	2.52	.75	.68	.24	1.41	.62	1.33	1.94	2.39	2.41	2.85	2.54	19.68	Print
* Days with .01 in. or more.	24	11	3	4	13	7	11	9	13	17	16	20	148	14/3
* Days with .04 in. or more.	16	6	3	2	9	4	7	6	9	13	13	14	102	

* See Instruction 3 (f) on other side.

G. H. FRANEY

† Spare column, no entries required
(Signed) G. H. Franey

Section



for the entry of Daily Observations

Station No. 398/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at 6, Bishops Avenue Bromley

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 190 ft.

Sept
see next

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	—	.01	.19	.32	—	trace	—	—	—	trace	trace	†	1
2	trace	—	—	.01	.04	—	.04	.33	—	—	.03	—		2
3	.15	—	—	.22	—	—	—	.37	—	—	.20	.39		3
4	.05	—	.13	.18	—	—	.05	1.64	—	.67	.05	.02		4
5	—	—	trace	.08	trace	—	.22	.02	—	—	.22	.07		5
6	.21	—	trace	—	—	—	.05	—	—	—	.25	trace		6
7	.03	.13	—	—	—	—	—	.02	—	.09	.03	.03		7
8	—	.13	.15	—	—	—	—	.25	—	—	.34	.28		8
9	.03	.04	—	—	—	—	—	.01	—	—	.04	.13		9
10	.16	—	—	—	—	.20	—	.06	—	1.46	.01	—		10
11	—	—	.32	—	—	.22	—	—	—	—	—	.02		11
12	—	—	—	—	trace	trace	—	—	—	—	.01	trace		12
13	—	—	—	.02	—	—	trace	—	—	1.68	—	.01		13
14	.42	—	.01	.07	.11	trace	—	—	—	.31	.47	.01		14
15	.66	—	trace	trace	1.09	.02	.03	—	—	1.27	.12	.01		15
16	.30	—	.09	.02	.33	.06	.01	—	—	.02	.37	—		16
17	.40	.05	.04	trace	.01	—	.73	—	—	—	.04	—		17
18	.28	trace	.02	—	.07	.13	.10	—	—	.27	.30	—		18
19	.15	—	trace	—	—	—	.11	—	—	.55	—	—		19
20	.14	—	trace	—	—	.06	1.03	.05	—	—	—	.08		20
21	.04	—	.19	—	—	.06	.12	.05	—	.01	—	—		21
22	.15	.18	.10	trace	—	.07	.12	—	—	—	.03	—		22
23	.07	—	.03	.29	—	—	.06	.02	—	.03	.56	—		23
24	.92	.08	.02	.03	—	—	.05	.01	—	.22	—	—		24
25	—	.34	.07	.02	—	—	.10	.20	—	—	.48	—		25
26	.05	—	trace	.04	—	—	.01	—	—	.17	.18	.05		26
27	.03	.03	.10	.13	—	—	trace	—	—	.04	.35	—		27
28	—	.30	.11	.19	—	trace	—	—	—	.08	.06	.06		28
29	—	X	—	.37	—	trace	—	—	—	.07	.04	—		29
30	—	X	—	.58	—	.08	—	—	—	trace	.21	.01		30
31	—	X	—	X	—	X	.20	—	X	trace	X	—		31
TOTAL	4.26	1.28	1.39	2.44	1.97	.90	3.03	3.03	(1.20)	6.94	4.39	1.17	Year's Total	
* Days with .01 in. or more.	20	9	15	16	7	9	17	13	(10)	16	23	14	[30.807]	(32.00)
* Days with .04 in. or more.	16	8	10	11	6	8	14	8	(5)	13	18	7	[15.97]	(16.9)
													[14.7]	(12.4)

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Gordon H. Francey

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 398/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930Kept at 6, Bishop Avenue Bromley
in the County of KentDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 19.0 ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	<u>Snow</u> .03	—	—	—	—	—	—	—	—	.16	—		1
2	—	.08	—	.06	—	—	.04	—	—	.13	.72	.02		2
3	—	.12	—	.09	—	—	—	—	—	.10	<u>1.46</u>	.05		3
4	—	.09	—	.02	—	—	—	—	—	.11	.09	.08		4
5	—	.01	—	—	—	—	.04	—	—	.02	.43	.07		5
6	—	.04	—	—	.03	—	.15	—	—	.14	.09	—		6
7	.17	.12	—	.01	.01	—	.01	.06	—	—	—	—		7
8	.31	.01	—	—	—	—	—	—	.16	.24	.02	.21		8
9	—	—	—	—	—	.43	—	—	.01	.14	.15	.05		9
10	—	—	.01	—	—	—	.58	.02	—	.02	.03	<u>Trace</u>		10
11	—	—	<u>Trace</u>	.02	—	—	<u>Trace</u>	—	—	—	.88	—		11
12	—	<u>Snow</u> .04	.05	—	—	—	.07	—	.05	—	.01	—		12
13	—	<u>Snow</u> .01	.89	—	—	.13	.07	—	.12	—	1.15	—		13
14	—	—	.16	.12	—	—	—	—	—	.03	—	.16		14
15	—	—	.04	.05	.10	<u>Trace</u>	.645	—	.03	.10	.31	.01		15
16	—	<u>Snow</u> .18	.25	—	—	.11	.445	—	.08	.70	.52	.04		16
17	—	—	.35	.14	—	—	.04	—	—	—	.25	—		17
18	—	.28	.07	.29	—	—	.28	—	.08	.14	.40	.15		18
19	<u>Snow</u> .02	.22	.11	.06	—	—	.02	—	.76	—	.11	.02		19
20	—	.02	.01	.01	—	.02	.09	.02	.03	.08	.05	—		20
21	—	<u>Trace</u>	—	—	.58	—	.06	<u>Trace</u>	—	.04	.18	—		21
22	—	—	.02	.05	.21	.12	—	—	.18	.02	—	—		22
23	<u>Snow</u> .04	.05	.025	.19	—	—	—	—	—	.04	.01	.03		23
24	—	—	—	.36	—	—	.18	—	—	—	—	.03		24
25	—	—	.57	—	—	—	.05	—	—	.02	<u>Trace</u>	—		25
26	<u>Snow</u> 1 in.	.06	.65	.01	.18	.05	—	—	—	—	<u>Trace</u>	.01		26
27	<u>Snow</u> .4	.25	—	.14	—	—	.08	—	—	—	—	<u>Trace</u>		27
28	<u>Snow</u> .38	—	—	—	.12	—	—	—	—	—	—	—		28
29	<u>Snow</u> .06	.04	.05	—	.01	.02	—	—	—	—	—	.24		29
30	<u>Snow</u> .08	~~X~~	—	.34	—	—	—	—	—	.04	—	<u>Trace</u>		30
31	.04	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.58	~~X~~	.04		31
TOTAL	2.50	1.65	3.25	1.94	1.24	.88	2.58	.10	1.50	2.75	7.02	1.21	Year's Total	
* Days with .01 in. or more.	10x	18x	15x	17x	8x	7x	17x	3x	10x	19x	20x	16x	16041	26.92
* Days with .04 in. or more.	9	13	12	12	5	5	15	1	7	14	16	10	119	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

G. H. F. [Signature] P.T.O.

Section

A

for the entry

AIR MINIST

FORM 1090.

REGI

Kept at *Somerset*
in the County of *Bromley*

Diameter of Funnel of Gauge.....

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEA

An observer who does not conform
year in the space on the right of

399

BROMLEY
PLAISTON LANE

1931 - 1932

399
FOR OFFICIAL USE.
FALL ORGANIZATION,
3/.

DAY.

the following

Jan. 1, following

060000042

780108

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	09	—	54	—	05	—	—	01	—	—	—	I
2	23	06	—	20	—	—	—	08	27	03	01	—	2
3	05	—	04	42	1.43	—	—	26	21	—	02	22	3
4	—	01	—	—	—	—	—	05	07	—	06	—	4
5	—	—	—	20	13	50	—	47	06	—	—	15	5
6	—	10	—	04	—	—	05	—	—	15	43	—	6
7	—	—	—	—	05	10	—	24	—	02	15	—	7
8	04	05	05	—	02	29	02	28	—	04	03	02	8
9	—	01	05	—	—	02	—	—	—	—	54	02	9
10	03	19	—	—	—	—	—	20	—	—	39	—	10
11	06	25	—	—	—	—	—	—	05	—	17	—	11
12	03	—	—	—	—	—	—	05	44	—	—	—	12
13	—	—	—	—	—	—	09	06	—	—	—	—	13
14	—	11	—	—	—	—	43	1.20	—	—	—	—	14
15	03	—	—	20	09	—	25	16	—	—	01	09	15
16	—	08	—	14	31	—	—	37	—	—	—	—	16
17	02	02	—	19	05	03	21	04	10	03	—	—	17
18	01	06	01	17	—	30	04	52	03	—	45	—	18
19	03	—	—	51	—	32	12	45	06	—	—	—	19
20	01	02	—	05	—	—	05	23	—	—	01	03	20
21	02	—	—	—	44	—	—	02	—	—	—	—	21
22	11	—	18	—	—	—	—	—	02	—	01	—	22
23	36	—	—	01	29	03	—	—	14	—	08	—	23
24	—	—	—	28	04	08	02	09	03	—	—	—	24
25	05	—	—	48	05	—	50	—	—	—	—	—	25
26	—	09	—	43	—	—	66	—	—	—	27	—	26
27	10	28	—	06	25	—	76	—	—	—	07	—	27
28	04	12	—	03	—	—	—	—	—	01	—	07	28
29	10	X	—	—	04	—	07	—	—	30	01	09	29
30	11	X	—	—	05	—	—	07	—	—	—	—	30
31	10	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	1.53	1.59	.33	3.95	3.24	172	3.21	4.84	149	.68	2.71	.69	YEAR'S TOTAL
*Days with 0.1 in. or more.	20	16	5	17	14	10	14	19	13	7	17	8	160
*Days with 0.4 in. or more.	12	12	3	15	13	7	12	18	9	3	10	5	119

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. S. Antikwa

12/10.

Section

A

for the entry of Daily Observations.

399
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at Somerham House, Plasterhouse
in the County of KentDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground — ft. 9 in.,, Ground ,, Sea Level 234 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	09	—	54	—	05	—	—	01	—	—	—	I
2	23	06	—	20	—	—	—	08	27	03	01	—	2
3	05	—	04	42	1.43	—	—	26	21	—	02	22	3
4	—	01	—	—	—	—	—	05	07	—	06	—	4
5	—	—	—	20	13	50	—	47	06	—	—	15	5
6	—	10	—	04	—	—	05	—	—	15	43	—	6
7	—	—	—	—	05	10	—	24	—	02	15	—	7
8	04	05	05	—	02	29	02	28	—	04	03	02	8
9	—	01	05	—	—	02	—	—	—	—	54	02	9
10	03	19	—	—	—	—	—	20	—	—	39	—	10
11	06	25	—	—	—	—	—	—	05	—	17	—	11
12	03	—	—	—	—	—	—	05	44	—	—	—	12
13	—	—	—	—	—	—	09	06	—	—	—	—	13
14	—	11	—	—	—	—	43	1.20	—	—	—	—	14
15	03	—	—	20	09	—	25	16	—	—	01	09	15
16	—	08	—	14	31	—	—	37	—	—	—	—	16
17	02	02	—	19	05	03	21	04	10	03	—	—	17
18	01	06	01	17	—	30	04	52	03	—	45	—	18
19	03	—	—	51	—	32	12	45	06	—	—	—	19
20	01	02	—	05	—	—	05	23	—	—	01	03	20
21	02	—	—	—	44	—	—	02	—	—	—	—	21
22	11	—	18	—	—	—	—	—	02	—	01	—	22
23	36	—	—	01	29	03	—	—	14	—	08	—	23
24	—	—	—	28	04	08	02	09	03	—	—	—	24
25	05	—	—	48	05	—	50	—	—	—	—	—	25
26	—	09	—	43	—	—	66	—	—	—	27	—	26
27	10	28	—	06	25	—	76	—	—	—	07	—	27
28	04	17	—	03	—	—	—	—	—	01	—	07	28
29	10	X	—	—	04	—	07	—	—	30	01	09	29
30	11	X	—	—	05	—	—	07	—	—	—	—	30
31	10	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	1.53	1.59	.33	3.95	3.24	172	3.27	4.84	149	.68	2.71	.69	YEAR'S TOTAL
*Days with .01 in. or more.	20	16	5	17	14	10	14	19	13	7	17	8	160
*Days with .04 in. or more.	12	12	3	15	13	7	12	18	9	3	10	5	119

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. J. Anthonie

1930.

REGISTER OF RAINFALL IN 1932.

Kept at 73 Plaistow Lane Bromley
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 9 in.
Ground Sea Level 224 ft.

Station No. 399
File No: 770380/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	07	-	-	02	33	-	-	25	01	08	03	04	1
2	01	-	-	10	02	-	-	11	12	02	03	14	2
3	-	-	-	14	22	-	-	01	66	-	-	-	3
4	-	-	-	-	-	19	-	-	-	-	03	-	4
5	10	-	02	-	09	03	24	-	05	-	-	-	5
6	34	-	-	19	-	-	-	-	03	-	-	-	6
7	-	-	09	04	-	-	06	-	08	01	-	01	7
8	-	-	15	56	19	-	-	-	09	41	-	-	8
9	41	02	02	09	11	-	-	-	-	-	-	-	9
10	65	05	01	19	09	-	-	-	01	06	-	-	10
11	19	01	-	04	-	-	56	02	-	30	04	04	11
12	10	02	-	01	-	-	-	11	-	32	-	-	12
13	05	-	-	08	01	-	-	-	02	48	01	01	13
14	04	01	-	06	03	-	-	-	-	04	01	-	14
15	-	-	-	07	37	-	-	-	-	12	-	-	15
16	10	-	-	20	13	-	-	-	-	-	-	-	16
17	-	-	-	03	-	-	13	-	-	02	01	-	17
18	-	-	-	-	-	-	10	-	10	-	07	-	18
19	-	-	-	-	-	-	-	-	01	16	03	-	19
20	-	-	-	20	-	-	14	35	03	57	12	-	20
21	-	-	-	12	27	-	-	-	-	26	-	15	21
22	-	01	35	-	08	-	04	-	27	18	29	-	22
23	-	15	05	04	15	-	-	-	18	103	05	09	23
24	-	06	-	-	-	-	28	-	-	06	06	-	24
25	-	-	-	-	-	-	56	-	08	19	02	-	25
26	-	-	04	03	01	-	25	07	-	04	-	-	26
27	-	-	29	05	59	06	12	-	-	63	-	-	27
28	-	-	-	-	06	-	11	-	-	22	09	-	28
29	-	-	37	-	02	-	-	42	05	27	-	02	29
30	-	X	-	02	01	63	-	-	82	04	05	17	30
31	-	X	11	X	-	X	01	-	X	-	X	01	31
TOTAL	206	33	150	178	378	91	260	144	181	551	94	68	YEAR'S TOTAL 2334
*Days with or in. or more.	11	8	11	21	19	4	13	9	17	23	16	10	162
*Days with or in. or more.	10	3	8	16	13	3	12	7	10	20	8	6	116

Kept at Beckenham
in the County of Ken

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gr
,, Ground ,, Se

THE MORNING MEA

An observer who does not conform
year in the space on the right of

400
BECKENHAM

1931 - 1940

060000031

DAY.

the following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.31	-	.62	-	-	-	.04	.04	-	-	-	I
2	.25	.06	-	.23	-	-	-	.65	.36	.04	.01	.06	2
3	.06	-	.05	.44	1.61	-	-	.28	.45	-	.03	.24	3
4	-	-	-	-	.02	-	-	.06	.01	-	.05	-	4
5	-	.01	-	.43	.09	.63	.03	.41	.02	-	.01	.16	5
6	-	.11	-	.05	-	.04	-	-	-	.30	.44	-	6
7	-	-	-	-	.04	.04	-	.22	-	.05	.18	-	7
8	-	.04	-	-	-	.40	.02	.34	-	-	.15	.03	8
9	-	.02	-	-	-	-	-	.01	-	-	.54	.02	9
10	-	.18	-	-	-	-	-	.30	-	-	.34	-	10
II	.14	.34	-	-	-	-	-	.01	.06	-	.19	-	II
12	.02	.02	-	-	-	-	.04	.16	.53	-	-	-	12
13	-	-	-	-	-	-	.03	.09	-	-	-	-	13
14	-	.14	-	-	-	-	.56	1.58	-	-	-	-	14
15	.04	.02	-	.26	.14	-	.54	.40	-	-	.01	.12	15
16	-	.05	-	.15	.48	.01	.64	.02	.10	-	-	-	16
17	-	.03	-	.26	.11	-	-	.06	.03	.02	-	-	17
18	.05	.04	.05	.14	-	.30	.25	.94	-	-	.63	-	18
19	.03	-	-	.42	-	.40	.04	.21	.04	-	-	-	19
20	.01	.03	-	.04	-	-	.11	.20	-	-	.01	.03	20
21	.03	-	-	-	.44	-	.06	.01	-	-	-	-	21
22	.15	-	.25	-	-	-	-	-	.05	-	.02	-	22
23	.34	-	.11	-	.34	.04	-	-	.15	-	.11	-	23
24	-	.02	.01	.65	.04	.08	.05	.13	.03	-	-	-	24
25	.04	-	-	.28	.08	-	.45	-	-	-	-	-	25
26	-	.04	-	.53	-	-	.43	-	-	-	.33	-	26
27	.10	.34	-	.03	.26	-	.61	-	-	-	.02	-	27
28	.05	.15	-	.04	-	-	-	-	-	.03	-	.04	28
29	.14	-	-	-	.04	-	.08	-	-	.32	-	-	29
30	.14	X	-	-	.01	-	-	.04	-	-	-	-	30
31	.14	X	-	X	-	X	-	-	X	-	X	-	31
TOTAL	1.49	2.09	.44	5.00	3.82	1.94	4.46	6.31	1.93	.46	3.45	.46	22.81
*Days with or in. or more.	12	19	5	16	14	9	16	22	13	6	14	8	162
*Days with .04 in. or more.	10	12	4	15	12	8	13	18	9	4	10	5	123

Section



for the entry of Daily Observations.

4000
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Birkenham
in the County of Kent

Year 5th h^h

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.31	-	.62	-	-	-	.04	.07	-	-	-	1
2	.25	.06	-	.23	-	-	-	.65	.36	.04	.01	.06	2
3	.06	-	.05	.44	1.61	-	-	.28	.45	-	.03	.24	3
4	-	-	-	-	.02	-	-	.06	.01	-	.05	-	4
5	-	.01	-	.43	.09	.63	.03	.41	.02	-	.01	.16	5
6	-	.11	-	.05	-	.04	-	-	-	.30	.44	-	6
7	-	-	-	-	.04	.04	-	.22	-	.05	.13	-	7
8	-	.04	-	-	-	.40	.02	.24	-	-	.15	.03	8
9	-	.02	-	-	-	-	-	.01	-	-	.54	.02	9
10	-	.18	-	-	-	-	-	.30	-	-	.34	-	10
11	.14	.34	-	-	-	-	-	.01	.06	-	.19	-	11
12	.02	.02	-	-	-	-	.04	.16	.53	-	-	-	12
13	-	-	-	-	-	-	.03	.09	-	-	-	-	13
14	-	.14	-	-	-	-	.56	1.58	-	-	-	-	14
15	.04	.02	-	.26	.14	-	.54	.40	-	-	.01	.12	15
16	-	.05	-	.15	.48	.01	.64	.02	.10	-	-	-	16
17	-	.03	-	.26	.11	-	-	.06	.03	.02	-	-	17
18	.05	.04	.05	.14	-	.30	.25	.94	-	-	.63	-	18
19	.03	-	-	.42	-	.40	.04	.21	.04	-	-	-	19
20	.01	.03	-	.04	-	-	.11	.20	-	-	.01	.03	20
21	.03	-	-	-	.44	-	.03	.01	-	-	-	-	21
22	.15	-	.25	-	-	-	-	-	.05	-	.02	-	22
23	.34	-	.11	-	.34	.04	-	-	.15	-	.11	-	23
24	-	.02	.01	.65	.04	.03	.03	.13	.03	-	-	-	24
25	.04	-	-	.28	.08	-	.46	-	-	-	-	-	25
26	-	.04	-	.53	-	-	.43	-	-	-	.33	-	26
27	.10	.34	-	.03	.26	-	.61	-	-	-	.02	-	27
28	.05	.15	-	.04	-	-	-	-	-	.03	-	.04	28
29	.14	-	-	-	.04	-	.08	-	-	.32	-	-	29
30	.14	X	-	-	.01	-	-	.04	-	-	-	-	30
31	.14	X	-	X	-	X	-	-	X	-	X	-	31
TOTAL	1.49	2.09	.44	5.00	3.62	1.94	4.46	6.31	1.93	.46	3.45	.46	32.81
*Days with or in. or more.	14	19	5	16	14	9	16	22	13	6	14	8	162
*Days with .04 in. or more.	13	12	4	15	12	8	13	18	9	4	10	5	123

40-9999

*See Instruction 2 (f) on other side.

(Signed)

H. Starr Burt

P.T.O.

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

400

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at X Beckenham (CROYDON RD)
in the County of KentDiameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	-	-	.03	.30	-	-	.13	-	.04	.03	.02	1
2	-	-	-	.14	.06	-	-	.06	.40	.03	.04	.10	2
3	-	-	-	.24	.29	-	-	-	.36	-	-	-	3
4	-	-	-	-	-	.14	-	-	-	-	.02	-	4
5	.14	.01	.01	-	.05	.03	.16	-	.03	-	-	-	5
6	.42	-	.02	.22	-	-	-	-	.03	-	-	-	6
7	-	-	.12	.03	.01	-	.05	-	.04	.02	-	-	7
8	-	-	.20	.02	.30	-	-	-	.03	.40	-	-	8
9	.62	-	-	.09	1.06	-	-	-	-	-	-	-	9
10	.99	.03	.04	.24	.11	-	-	-	-	.09	-	-	10
11	.24	.01	-	.06	.01	-	1.28	.10	-	.46	.03	.03	11
12	.14	.02	-	-	-	-	-	-	.01	.32	-	-	12
13	.04	-	-	.12	-	-	-	-	-	.49	.02	-	13
14	.05	.03	-	.06	.04	-	-	-	-	.03	-	-	14
15	-	-	-	.14	.18	-	-	-	-	.12	-	-	15
16	.14	-	-	.24	.10	-	-	-	-	-	-	-	16
17	-	-	-	.04	-	-	.13	-	-	.02	.01	-	17
18	-	-	-	-	-	-	-	-	.11	-	.06	-	18
19	-	-	-	-	-	-	-	-	.01	.18	.03	-	19
20	.02	-	-	.26	.01	-	.03	.23	-	.52	.12	-	20
21	-	-	-	.12	.40	-	-	.06	-	.24	-	.05	21
22	.01	.02	.40	-	.05	-	.14	-	.26	.20	.29	-	22
23	-	.14	.02	.04	.11	-	-	-	.12	1.02	.03	.09	23
24	-	.05	-	-	-	-	.32	-	.10	.04	.04	-	24
25	-	-	-	-	-	-	.56	-	.01	.16	.01	-	25
26	-	-	.05	.03	.03	-	.35	.04	-	.04	-	-	26
27	-	-	.36	.05	.50	.03	.14	-	-	.40	.04	-	27
28	-	-	.02	-	.06	-	.09	-	-	.20	-	-	28
29	-	-	.42	-	.03	.02	-	.40	.04	.24	-	.01	29
30	-	X	.02	.02	.05	.61	-	-	.04	.01	.05	.12	30
31	-	X	.15	X	-	X	.02	-	X	-	X	.02	31
TOTAL	2.92	.39	1.83	2.24	3.85	.86	3.30	1.04	1.69	5.68	.85	.44	YEAR'S TOTAL 25.09
*Days with ".01 in. or more.	12	8	13	20	21	5	12	4	15	23	15	8	159
*Days with ".04 in. or more.	10	3	8	15	14	2	10	4	10	18	4	4	111

40-9999

*See Instruction 2 (f) on other side.

(Signed)

THE SURVEYOR

H.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

400

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at

X Beckenham (CROYDON RD) X

in the County of

KentDiameter of Funnel of Gauge **8** in.Height of top of Gauge above Ground **1** ft. **X** in.,, Ground ,, Sea Level **110** ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.16	.12	-	-	-	-	-	-	.01	.08	-		1
2	.25	-	.23	-	.14	-	-	-	-	-	-	-		2
3	-	.11	.12	-	-	-	-	-	-	-	.06	-		3
4	.14	-	.01	-	.20	-	-	-	-	-	.01	-		4
5	.06	-	.20	-	.21	-	-	-	-	-	-	-		5
6	-	.04	.02	-	.45	-	-	-	-	.12	.08	-		6
7	.22	.05	.05	-	-	-	-	-	-	.21	-	-		7
8	.06	-	-	-	.05	-	.06	-	-	-	-	-		8
9	-	-	-	-	.06	-	.08	-	-	.05	.12	-		9
10	-	.21	-	-	.01	-	-	-	-	.14	-	-		10
11	.11	-	-	-	.04	.02	.43	.06	.11	-	.05	-		11
12	-	-	-	.04	.01	.20	-	-	.86	-	.01	-		12
13	.06	-	-	-	.10	.21	.24	-	.10	-	.10	-		13
14	-	-	-	-	.01	-	-	.03	-	.10	.21	-		14
15	.14	-	.05	-	-	-	.39	.25	-	.02	-	-		15
16	.04	-	.64	-	-	.24	.02	-	-	-	.03	-		16
17	-	-	.26	-	-	.03	-	.01	.06	-	.05	-		17
18	.03	-	.12	-	-	.04	-	-	-	-	-	-		18
19	-	-	.13	.02	-	.22	.30	-	.45	-	-	.04		19
20	-	.05	.04	.10	-	.04	-	-	.05	-	-	-		20
21	-	-	-	-	-	.01	-	.05	.31	-	-	-		21
22	-	-	-	-	.10	.04	-	.11	-	.20	.02	-		22
23	-	-	-	.19	.40	-	-	-	.14	.01	.01	-		23
24	-	.49	-	.04	-	.53	-	-	.31	-	.01	-		24
25	-	.25	-	.19	.02	-	-	-	.01	.04	-	.08		25
26	-	.34	-	-	.02	.03	-	-	.23	.06	.04	.08		26
27	-	-	-	-	.04	-	-	-	-	.22	-	.04		27
28	-	-	-	-	-	-	.15	-	-	-	-	.03		28
29	-	-	-	.08	-	-	.04	-	-	.13	-	-		29
30	.13	X	.08	-	-	-	-	-	.03	.06	-	.15		30
31	.08	X	-	X	-	X	-	.14	X	.01	X	-		31
TOTAL	1.40	1.88	2.32	.41	1.99	1.46	1.44	.65	2.69	1.53	.93	.45	18.05	
*Days with .01 in. or more.	13	9	14	4	16	12	9	7	12	15	15	6	135	
*Days with .04 in. or more.	12	9	12	6	11	8	8	5	10	11	9	5	106	

Year's total

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

X THE SURVEYOR X

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

400

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Beckenham

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft in.

Ground Sea Level 110 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	-	-	.20	-	.05	.01	.05		1
2	.02	-	.14	-	-	-	-	-	.06	.23	-	.18		2
3	-	.05	-	.24	-	-	-	.05	-	.19	-	.01		3
4	.08	-	.04	-	.06	-	-	-	-	.20	.05	.24		4
5	-	-	.03	-	-	-	-	-	-	.01	.05	.24		5
6	-	-	.20	-	.22	.19	-	.11	-	.13	.02	.54		6
7	.04	-	-	-	-	-	-	-	-	.20	-	.16		7
8	-	-	-	-	.09	-	-	.06	.04	-	.20	-		8
9	-	-	-	-	-	-	-	-	-	-	1.02	.24		9
10	-	-	.24	.16	-	-	-	.02	-	.04	.66	-		10
11	.48	-	.32	.09	-	-	.02	.03	-	-	.01	.08		11
12	.08	.01	.02	.09	-	-	.06	.62	-	-	-	-		12
13	.28	-	.09	.01	-	-	.54	.04	-	-	.01	.14		13
14	.06	-	.35	-	.01	-	-	-	-	.03	.45	.22		14
15	.02	-	.15	-	.20	-	-	-	-	-	.10	.61		15
16	.09	-	.20	.04	.16	-	-	-	-	.10	-	-		16
17	-	-	-	.01	-	-	-	-	-	.04	-	.15		17
18	.16	-	.01	.21	-	-	.12	-	-	-	-	.32		18
19	-	-	.22	.10	-	-	-	-	.04	-	-	.14		19
20	-	-	.09	-	-	-	.10	-	-	-	-	.01		20
21	-	-	-	.18	-	.03	-	-	-	.01	-	-		21
22	-	-	-	-	-	-	1.80	.18	.14	-	-	.13		22
23	-	-	-	.33	-	.36	-	-	-	-	.02	.04		23
24	-	.01	.03	.26	-	.10	.68	-	.05	-	-	-		24
25	.05	.09	-	.14	.02	.04	-	-	-	.10	-	.25		25
26	.05	-	-	.24	-	.12	-	-	.01	-	-	.03		26
27	-	-	-	.45	-	.09	-	-	-	-	-	.18		27
28	-	.04	-	.32	-	.02	.04	.55	-	-	.02	.14		28
29	-	X	-	-	-	-	-	.03	.09	-	-	.01		29
30	.15	X	-	-	-	-	-	.06	-	-	-	.21		30
31	.03	X	-	X	-	X	-	-	X	.16	X	.10		31
TOTAL	1.69	.232	.23	3.06	.46	.95	3.36	2.05	1.12	1.59	2.62	5.18	Year's Total.	24.84
* Days with .01 in. or more.	14	5	15	16	7	8	8	12	7	14	13	26		144
* Days with .04 in. or more.	11	3	11	14	5	6	7	9	6	11	7	21		111

Section **A** for the entry of Daily Observations.Station No. **400**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Ameydon Rd. Bournemouth*
in the County of *Kent*Diameter of Funnel of Gauge.....**8**.....in.Height of top of Gauge above Ground.....**12**.....ft. **12**.....in.,, Ground ,, Sea Level**110**.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	.06	-	.04	-	.08	.55	-	.35	.04	.04	.01		1
2	.03	-	-	.05	-	-	-	-	.04	.10	.04	-		2
3	-	.04	.16	.02	-	.14	-	-	.03	.84	.09	-		3
4	-	.02	-	.19	-	.35	-	.1	.04	.13	-	.15		4
5	-	.24	.03	.04	-	.04	.04	-	.40	-	.01	-		5
6	.08	.01	.01	.26	-	.33	-	-	-	.02	.02	.02		6
7	.02	.01	-	.25	-	.11	-	-	-	.08	.63	.12		7
8	-	-	.01	.55	-	-	-	-	-	.38	.29	.21		8
9	-	-	-	.22	-	.54	-	-	-	.85	.06	-		9
10	.03	-	-	-	-	.02	-	-	-	-	.13	.06		10
11	.23	.01	-	.13	-	.11	-	-	-	-	.30	-		11
12	-	-	-	-	-	.13	-	.12	-	-	.60	-		12
13	.04	.15	-	.08	.09	.04	-	-	-	-	-	-		13
14	-	-	-	.03	.14	.02	-	-	-	-	.02	.06		14
15	-	.18	-	.30	.08	-	-	-	.09	-	.22	.04		15
16	-	.10	-	.05	-	.34	-	-	.24	.03	.54	.02		16
17	-	-	.02	.01	-	.11	-	-	.01	-	.54	-		17
18	-	-	-	.15	-	.06	.19	-	.26	.04	.04	-		18
19	-	-	-	-	.19	.01	.01	-	.03	+	.05	.02		19
20	-	.31	-	.04	.25	.05	.16	-	.01	-	.10	-		20
21	.03	.39	-	-	-	-	-	-	-	.10	.02	-		21
22	-	.09	.02	-	-	-	-	.15	.28	-	-	-		22
23	-	-	.09	-	-	-	-	.40	.04	-	-	.04		23
24	.06	.42	-	-	.48	-	-	.41	.22	-	-	.12		24
25	.20	.13	-	.32	.03	.46	-	-	-	-	-	.15		25
26	.10	.21	-	-	-	-	-	.09	.01	-	-	.34		26
27	-	.41	-	-	-	-	.01	-	.14	-	.06	.23		27
28	-	-	-	-	.05	-	-	-	.08	.10	-	.24		28
29	.08	X	-	-	-	-	-	-	.59	-	.01	.25		29
30	.04	X	-	.11	.10	-	-	.63	.04	.09	.26	.58		30
31	-	X	-	X	-	X	-	-	X	.25	X	.48		31
TOTAL	1.10	2.48	.24	2.64	1.44	3.00	1.04	1.80	2.08	2.03	4.13	3.19	24.64	27.57
* Days with .01 in. or more.	13	14	4	19	9	18	6	6	19	14	22	19	169	
* Days with .04 in. or more.	8	13	2	16	8	15	5	6	15	12	14	15	132	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) *A. L. Best*

T.O.

Section



for the entry of Daily Observations.

Station No. 400

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Beckenham*in the County of *Kent*Diameter of Funnel of Gauge.....*8*.....in.Height of top of Gauge above Ground.....*12*.....ft.,, Ground ,, Sea Level.....*110*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>.19</i>	<i>.10</i>	<i>.04</i>	<i>.09</i>	—	<i>.11</i>	<i>.12</i>	<i>.01</i>	—	—	<i>.03</i>	<i>.12</i>		1
2	<i>.08</i>	<i>.04</i>	—	<i>.01</i>	—	<i>.30</i>	<i>.01</i>	<i>.12</i>	—	—	<i>.04</i>	<i>.01</i>		2
3	<i>.01</i>	<i>.01</i>	—	<i>.35</i>	—	<i>.50</i>	—	—	<i>.11</i>	—	<i>.24</i>	—		3
4	—	<i>.01</i>	<i>.04</i>	—	—	<i>.04</i>	—	<i>.01</i>	<i>.34</i>	—	<i>.01</i>	<i>.02</i>		4
5	<i>.25</i>	<i>.01</i>	<i>.02</i>	—	—	—	—	—	<i>.26</i>	<i>.01</i>	<i>.01</i>	<i>.06</i>		5
6	<i>.28</i>	—	—	—	—	<i>.04</i>	—	<i>.01</i>	<i>.08</i>	—	<i>.06</i>	<i>.04</i>		6
7	<i>.18</i>	—	<i>.01</i>	—	—	<i>.16</i>	—	<i>.03</i>	<i>.04</i>	<i>.01</i>	<i>.33</i>	<i>.02</i>		7
8	<i>.18</i>	—	<i>.06</i>	—	—	—	—	—	—	—	<i>.20</i>	<i>.24</i>		8
9	<i>.48</i>	—	<i>.01</i>	—	—	—	<i>.40</i>	—	<i>.18</i>	<i>.02</i>	<i>.30</i>	<i>.01</i>		9
10	<i>.06</i>	—	—	—	—	—	<i>.40</i>	<i>.22</i>	<i>.01</i>	—	—	<i>.06</i>		10
11	—	—	—	<i>.03</i>	—	—	<i>.16</i>	<i>.01</i>	—	—	<i>.81</i>	—		11
12	—	—	—	<i>.16</i>	—	<i>.18</i>	<i>.13</i>	—	<i>.15</i>	—	<i>.45</i>	<i>.08</i>		12
13	—	—	—	—	—	<i>.20</i>	—	—	—	—	<i>.01</i>	<i>.33</i>		13
14	—	<i>.02</i>	—	—	—	<i>.05</i>	<i>.42</i>	—	<i>.06</i>	<i>.06</i>	<i>.23</i>	<i>1.06</i>		14
15	—	<i>.04</i>	—	—	—	—	<i>.01</i>	—	<i>.02</i>	—	<i>.01</i>	<i>.08</i>		15
16	<i>.34</i>	<i>.03</i>	—	—	<i>.02</i>	—	<i>.01</i>	—	<i>.04</i>	—	<i>.36</i>	<i>.06</i>		16
17	<i>.14</i>	<i>.64</i>	—	—	<i>.15</i>	<i>.12</i>	—	—	—	<i>.02</i>	<i>.15</i>	<i>.20</i>		17
18	<i>.06</i>	<i>.15</i>	—	—	—	<i>.04</i>	<i>.10</i>	—	—	<i>.03</i>	<i>.20</i>	<i>.13</i>		18
19	<i>.13</i>	<i>.02</i>	—	<i>.01</i>	—	<i>.18</i>	<i>.15</i>	—	—	<i>.04</i>	—	—		19
20	<i>.12</i>	<i>.04</i>	—	<i>.44</i>	—	—	<i>.03</i>	—	<i>.06</i>	—	—	—		20
21	—	<i>.02</i>	—	<i>.24</i>	—	<i>.26</i>	<i>.01</i>	—	<i>.04</i>	—	—	—		21
22	<i>.15</i>	<i>.36</i>	<i>.06</i>	<i>.01</i>	<i>.14</i>	—	<i>.10</i>	—	—	—	—	<i>.13</i>		22
23	<i>.01</i>	<i>.01</i>	<i>.03</i>	<i>.04</i>	—	—	<i>.08</i>	—	—	<i>.06</i>	—	—		23
24	<i>.05</i>	<i>.04</i>	—	—	—	—	—	—	<i>.03</i>	<i>.60</i>	—	—		24
25	<i>.14</i>	—	<i>.14</i>	<i>.20</i>	—	<i>.34</i>	<i>.36</i>	—	<i>.21</i>	<i>.12</i>	<i>.03</i>	<i>.01</i>		25
26	—	<i>.04</i>	<i>.06</i>	<i>.10</i>	—	<i>.08</i>	<i>.04</i>	—	<i>.03</i>	<i>.15</i>	—	—		26
27	<i>.19</i>	—	<i>.03</i>	<i>.03</i>	—	—	—	—	<i>.23</i>	<i>.13</i>	—	—		27
28	<i>.66</i>	—	<i>.04</i>	—	—	<i>.31</i>	<i>.34</i>	—	<i>.02</i>	—	—	<i>.04</i>		28
29	<i>.06</i>	<i>.11</i>	<i>.05</i>	—	—	<i>.34</i>	<i>.04</i>	—	—	<i>.01</i>	<i>.04</i>	<i>.03</i>		29
30	<i>.04</i>	~~X~~	—	—	<i>.04</i>	<i>.26</i>	—	—	—	<i>.32</i>	—	—		30
31	<i>.32</i>	~~X~~	<i>.18</i>	~~X~~	<i>.05</i>	~~X~~	<i>.08</i>	—	~~X~~	<i>.44</i>	~~X~~	<i>.11</i>		31
TOTAL	<i>4.15</i>	<i>1.48</i>	<i>.88</i>	<i>1.44</i>	<i>.45</i>	<i>3.66</i>	<i>3.38</i>	<i>.41</i>	<i>1.94</i>	<i>2.31</i>	<i>3.62</i>	<i>2.84</i>	<i>24.09</i>	<i>24.09</i>
* Days with .01 in. or more.	<i>23</i>	<i>18</i>	<i>14</i>	<i>13</i>	<i>5</i>	<i>18</i>	<i>20</i>	<i>4</i>	<i>18</i>	<i>15</i>	<i>24</i>	<i>21</i>	<i>191</i>	
* Days with .04 in. or more.	<i>21</i>	<i>10</i>	<i>9</i>	<i>8</i>	<i>4</i>	<i>18</i>	<i>15</i>	<i>2</i>	<i>13</i>	<i>9</i>	<i>13</i>	<i>14</i>	<i>136</i>	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 400.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937.

Kept at Beckenhamin the County of KentDiameter of Funnel of Gauge.....8.....in.Height of top of Gauge above Ground.....12.....ft.,, Ground ,, Sea Level 110.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.40	.03	.01	.06	—	—	—	—	—	—	.62	.49		1
2	—	.13	.05	.47	—	—	—	—	.14	.05	—	.89		2
3	—	.10	.01	—	—	—	—	—	—	.01	—	.10		3
4	.04	.44	—	—	—	—	—	—	—	—	—	.28		4
5	.20	.20	.41	—	—	—	.12	—	—	—	—	—		5
6	.05	—	.72	—	.15	—	—	—	—	.03	.01	—		6
7	—	.70	.08	.06	—	—	—	—	.05	.03	—	.02		7
8	—	.01	—	—	.06	.06	—	—	—	—	.20	.49		8
9	—	.04	—	.25	.15	.01	—	.01	.26	—	—	.12		9
10	.02	—	.41	.09	.21	.20	.02	.11	—	—	—	.48		10
11	—	—	.20	—	.22	.01	.03	—	—	—	—	.02		11
12	.11	.21	.12	—	.40	.20	—	.02	.09	—	—	.16		12
13	.13	.02	.33	—	—	.04	—	.14	.21	—	—	.53		13
14	.01	.03	.20	—	—	.01	—	.14	.04	—	—	—		14
15	.12	.06	—	—	—	.01	.16	—	.14	—	—	.02		15
16	—	.11	.34	.10	—	.05	—	.19	.21	—	—	.01		16
17	.25	.01	.09	.42	—	.08	—	—	.18	—	.02	—		17
18	.36	.03	—	.19	.29	.73	—	—	.16	—	.18	.06		18
19	.05	.08	.05	.06	.06	.12	—	—	.09	—	—	.10		19
20	.52	.08	.04	.25	.73	.10	—	—	.02	—	—	—		20
21	.30	.64	.05	.09	.01	—	.04	—	—	—	—	—		21
22	.26	.02	.02	—	.03	.38	.03	—	—	.56	.25	.02		22
23	.34	—	—	—	—	—	.01	—	—	.81	—	—		23
24	.52	.56	.23	—	.02	—	—	—	.08	.21	—	.01		24
25	.04	.29	.18	—	.08	—	—	—	.06	.38	—	—		25
26	—	.16	.05	—	—	—	—	—	—	.02	—	—		26
27	.02	.10	—	.23	—	—	—	—	.04	.26	—	—		27
28	—	.06	—	.01	—	—	—	—	—	.02	—	.06		28
29	.09	X	—	—	—	.01	—	—	—	.05	.03	.05		29
30	.14	X	—	—	—	.01	—	.58	—	.01	.21	—		30
31	.18	X	—	X	—	X	—	—	X	.19	X	—		31
TOTAL	4.31	4.14	3.62	2.31	2.40	2.15	.41	1.25	1.96	2.83	1.53	3.91	30.82	✓
* Days with .01 in. or more.	22	24	20	13	13	16	7	7	15	14	8	19	148	✓
* Days with .04 in. or more.	19	14	14	12	10	10	3	5	14	8	5	13	103	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) K. H. H. [P.T.O.]

Section **A** for the entry of Daily Observations Station No. 400

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Beckenham
in the County of Kent
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 12 in.
Ground Sea Level 110 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	.01	—	.03	.11	—	—	.01	.01	.04	.04		1
2	.05	.01	—	.04	.04	—	.24	—	—	.31	—	.03		2
3	.01	—	—	—	.24	—	—	—	—	.49	—	—		3
4	.04	—	—	—	—	—	.06	.02	—	.05	—	.04		4
5	.01	—	—	—	—	—	.50	.01	—	.12	—	—		5
6	.02	—	—	—	—	—	.09	—	.02	—	—	—		6
7	—	—	—	—	—	—	.25	1.20	.02	.15	—	.04		7
8	.13	—	—	—	—	—	.29	—	—	.15	—	—		8
9	.04	—	—	—	—	—	.01	.24	—	—	—	.40		9
10	.08	.04	—	—	—	.09	.01	.09	—	.01	—	.05		10
11	.22	—	—	—	—	—	—	—	—	—	.10	.11		11
12	.23	.01	—	—	—	—	—	.80	—	.13	.03	—		12
13	.29	.12	—	—	—	—	—	.01	—	.02	.14	.12		13
14	.21	.01	—	—	.24	—	—	—	.02	—	.01	.01		14
15	.03	.08	—	—	—	—	.20	—	—	.31	—	.06		15
16	.24	.01	—	—	—	—	—	—	—	—	.01	.29		16
17	—	.11	—	—	.18	—	.01	—	.02	.08	—	—		17
18	.02	—	—	—	.05	—	—	—	.03	.03	.42	—		18
19	—	—	—	—	—	—	—	.02	.02	—	.18	—		19
20	—	—	—	—	.05	—	—	—	.03	—	.44	—		20
21	.03	—	—	—	—	—	—	.05	.12	—	.02	.20		21
22	—	—	—	—	—	.02	—	.03	—	—	.12	.26		22
23	—	—	—	—	—	—	—	—	—	—	.08	.04		23
24	—	—	.14	—	.01	—	—	—	1.20	—	.03	.06		24
25	.08	—	.36	.03	.06	—	.04	.03	.03	.03	1.13	.02		25
26	.20	.20	.06	—	—	—	—	.06	.25	.32	—	.25		26
27	.05	.03	.05	.01	.01	.19	.18	—	.49	—	.13	.01		27
28	.05	.04	—	.01	.28	.05	—	.33	—	—	—	.02		28
29	.32	X	—	—	.12	—	—	—	—	—	.03	.25		29
30	.03	X	—	.09	.01	.03	—	—	.06	.04	.22	—		30
31	.14	X	—	X	.04	X	—	—	X	.06	X	.11		31
TOTAL	2.51	.66	.62	.21	1.42	.49	1.88	2.92	2.62	2.34	3.13	2.44	Year's Total	21.54
* Days with .01 in. or more.	24	11	5	5	14	6	12	13	14	14	14	21		159
* Days with .04 in. or more.	15	6	4	2	10	4	9	7	5	12	11	16		101

† Spare column, no entries required

* See Instruction 3.(f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 400

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1092

REGISTER OF RAINFALL IN 1939

Kept at *Beckenham*in the County of *Kent*Diameter of Funnel of Gauge *8.5* in.Height of top of Gauge above Ground *12* ft. *12* in." Ground " Sea Level *110* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Nil

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	.01	.23	.30	-	.02	.02	.12	-	-	-		1
2	.01	-	-	-	.03	-	.06	.34	.35	-	.02	-		2
3	.14	-	-	.21	-	-	-	.34	-	.02	.20	.42		3
4	.07	-	.16	.31	-	-	.07	1.50	-	.50	.07	.03		4
5	-	-	-	.10	-	-	.38	.04	-	.06	.27	.10		5
6	.23	-	-	-	-	-	.02	.02	-	-	.16	.01		6
7	.02	.13	-	-	-	-	-	-	-	.11	.03	.04		7
8	-	.14	.16	-	-	-	-	.38	-	.53	.12	.23		8
9	.05	.04	-	-	-	-	-	.01	-	.27	.10	.14		9
10	.18	-	-	-	-	.18	~~.18~~	.08	.06	.01	.01	-		10
11	-	-	.28	-	-	.22	~~.22~~	-	-	.56	.01	.01		11
12	-	-	-	-	-	-	-	-	-	.01	-	-		12
13	-	-	-	.02	-	-	-	-	.02	1.66	-	-		13
14	.49	-	.01	.07	.04	-	-	-	-	.30	.45	-		14
15	.69	-	-	-	1.10	.04	-	-	.41	1.32	.05	-		15
16	.38	-	.06	.02	.38	.06	.01	-	.11	.03	.48	-		16
17	.32	.05	.02	.01	.02	-	.84	-	-	-	.04	-		17
18	.31	.01	.01	-	.12	.26	.08	-	-	.14	.30	-		18
19	.18	-	.01	-	-	-	.09	-	-	.50	-	-		19
20	.19	-	.01	-	-	.08	.61	.15	-	-	-	.07		20
21	.10	-	.18	-	-	.07	.12	.04	.15	.01	-	-		21
22	.19	.22	.13	-	-	.06	.15	-	-	-	.04	-		22
23	.05	-	-	.16	-	-	.11	.01	-	.03	.52	-		23
24	.10	.15	.05	.16	-	-	.02	-	-	.15	-	-		24
25	.63	.37	.04	.02	-	-	.10	.21	-	-	.49	-		25
26	.14	-	-	.08	-	-	.03	-	-	.15	.20	.03		26
27	.03	.04	.07	.11	-	-	-	-	.02	.05	.31	-		27
28	-	.33	.05	.36	-	-	-	-	-	.09	.07	~~.08~~		28
29	-	-	-	.34	-	-	-	-	-	.09	.03	-		29
30	-	~~X~~	-	.57	-	-	-	-	-	-	.22	~~.04~~		30
31	-	~~X~~	-	~~X~~	-	~~X~~	.22	-	~~X~~	.02	~~X~~	-		31
TOTAL	4.53	1.48	1.25	2.74	1.99	0.97	2.93	3.17	1.29	6.71	4.19	1.20	Year's Total	
* Days with .01 in. or more.	22	10	16	16	7	8	19	13	8	23	23	12	32.48	
* Days with .04 in. or more.	18	9	10	12	5	8	12	8	6	16	18	8	17.5	
													12.9	

† Spare column, no entries required.

(Signed)

*James D. B. B.**General Engineer.*

28/4/42

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No.

400

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19840

Kept at

in the County of

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft. 12 in.

„ Ground „ Sea Level ft. 110

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Nil

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.02	-	-	-	-	-	-	-	-	.21	-		1
2	-	.06	-	.04	-	-	.04	-	-	.13	.70	-		2
3	-	.07	-	.06	-	-	-	-	-	.08	1.53	.08		3
4	-	.07	-	.05	-	-	-	-	-	.10	.14	.08		4
5	.01	-	-	-	-	-	.04	-	-	.01	.43	.06		5
6	.13	.03	-	-	.02	-	.12	-	-	.16	.11	-		6
7	.27	.09	-	-	.02	-	.16	.04	-	-	-	-		7
8	-	-	-	.02	.01	-	-	-	.18	.32	.02	.22		8
9	-	.01	-	-	-	.40	-	-	-	.07	.17	.06		9
10	-	-	-	-	-	-	.37	-	-	.03	.03	-		10
11	-	-	-	-	-	-	-	-	-	-	.92	-		11
12	-	.02	.07	-	-	-	.08	-	.08	-	-	-		12
13	-	-	.79	.01	-	.12	-	-	.12	-	1.09	-		13
14	-	-	.19	.11	-	-	-	-	.01	.03	-	.19		14
15	-	-	.03	.05	.08	-	.64	-	-	.08	.26	-		15
16	-	^{snow} .19	.22	.19	-	.07	.43	-	.10	.62	.64	.02		16
17	-	-	.30	-	-	-	.04	-	-	-	.36	-		17
18	-	.30	.21	.32	-	-	.23	-	.01	.13	.41	.13		18
19	-	.24	.04	.05	-	-	.02	-	.72	-	.12	.02		19
20	-	-	.02	.01	-	.01	.10	.02	.02	-	.05	-		20
21	^{snow} .04	-	-	-	.40	-	.06	-	-	-	.22	-		21
22	-	-	-	-	.42	.05	-	-	.03	-	.01	-		22
23	-	.04	-	.18	-	-	-	-	-	.08	-	-		23
24	-	-	-	.28	-	-	.18	-	-	-	-	-		24
25	-	-	.43	-	-	-	.06	-	-	.01	-	-		25
26	.98	.04	.70	.01	.11	.06	.01	-	-	-	-	-		26
27	.10	.18	-	.10	-	-	.06	-	-	-	-	-		27
28	.30	-	-	-	.07	-	-	-	-	-	-	-		28
29	.04	-	.04	-	.36	.03	-	-	-	-	-	.22		29
30	.02	~~X~~	-	.32	-	-	-	-	-	.07	-	-		30
31	.02	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.63	~~X~~	.04		31
TOTAL	1.91	1.36	3.04	1.80	1.49	0.74	2.67	0.06	1.27	2.55	7.42	1.12	Year's Total	25.43
* Days with .01 in. or more.	10	14	12	16	9	7	17	2	9	16	19	11		142
* Days with .04 in. or more.	7	10	10	13	6	5	15	1	5	12	16	9		109

np late
rec'd 5/42

† Spare column, no entries required.

(Signed)

James D. D. D.
Thomas G. G. G.

28/4/42

[P.T.O.]

* See Instruction 3 (f) on other side.

Kept at **PENGE**
in the County of **KENT**

Diameter of Funnel of Gauge **5**
Height of top of Gauge above Ground **1**
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule
year in the space on the right of this para
Please

AY.
e following

Jan. 1, following

780109

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.08	.16	.55									1
2	.19			.26				.07	.30	.05			2
3		.37	.04	.47	1.34			.17	.28			.31	3
4	.05							.01	.04		.06		4
5				.36		.65	.03		.02				5
6		.12						.12		.28	.50	.10	6
7						.11		.19			.11		7
8		.04				.07				.06	.04	.03	8
9						.24		.39					9
10		.17						.29			.99		10
11	.10	.21									.27		11
12	.02							.13	.40				12
13							.11						13
14							.43	2.21				.10	14
15	.03	.09		.24	.16		.54	.48					15
16				.11	.11			.22					16
17	.04	.13			.30		.20	.04	.10				17
18		.07		.56		.20	.14	.35			.43		18
19	.04			.15		.45	.04	.52	.06				19
20				.06			.09	.20					20
21	.04				.43								21
22	.07		.19										22
23	.24		.17		.29				.18		.09		23
24		.03		.37	.09	.08	.04	.11	.03				24
25	.04			.49			.67						25
26		.09		.43			.65				.25		26
27	.07				.25		.76						27
28	.04	.32		.04									28
29	.13				.08					.30		.09	29
30	.14	×						.05					30
31		×		×		×			×		×		31
TOTAL	1.24	1.72	0.56	4.09	3.05	1.80	3.70	5.55	1.41	0.69	2.74	0.63	YEAR'S TOTAL 27.18
*Days with "or in. or more.	15	12	4	13	9	7	12	17	9	4	9	5	116
*Days with "04 in. or more.	13	11	4	13	9	7	11	16	7	4	9	4	108

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931 .

Kept at **PENGE**
in the County of **KENT**

Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. **1 1/2** in.
Ground Sea Level **120** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.08	.16	.55									1
2	.19			.26				.07	.30	.05			2
3		.37	.04	.47	1.34			.17	.28			.31	3
4	.05							.01	.04		.06		4
5				.36		.65	.03		.02				5
6		.12						.12		.28	.50	.10	6
7						.11		.19			.11		7
8		.04				.07				.06	.04	.03	8
9						.24		.39					9
10		.17						.29			.99		10
11	.10	.21									.27		11
12	.02							.13	.40				12
13							.11						13
14							.43	2.21				.10	14
15	.03	.09		.24	.16		.54	.48					15
16				.11	.11			.22					16
17	.04	.13			.30		.20	.04	.10				17
18		.07		.56		.20	.14	.35			.43		18
19	.04			.15		.45	.04	.52	.06				19
20				.06			.09	.20					20
21	.04				.43								21
22	.07		.19										22
23	.24		.17		.29				.18		.09		23
24		.03		.37	.09	.08	.04	.11	.03				24
25	.04			.49			.67						25
26		.09		.43			.65				.25		26
27	.07				.25		.70						27
28	.04	.32		.04									28
29	.13				.08					.30		.09	29
30	.14	×						.05					30
31		×		×		×			×		×		31
TOTAL	1.24	1.72	0.56	4.09	3.05	1.80	3.70	5.55	1.41	0.69	2.74	0.63	YEAR'S TOTAL 27.18
*Days with or in. or more.	15	12	4	13	9	7	12	17	9	4	9	5	116
*Days with or in. or more.	13	11	4	13	9	7	11	16	7	4	9	4	108

40-9999

*See Instruction 2 (f) on other side.

(Signed) *M. Longden* [P.T.O.]

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at **PENGE**in the County of **KENT**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **1** ft **1 1/2** in.,, Ground ,, Sea Level **120** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08				.35			.24	.02	.08	.03	.06	1
2				.18	.04			.13		.05		.10	2
3				.20	.22				.86				3
4						.17							4
5	.11					.02	.15		.04				5
6	.34			.16					.03				6
7			.09	.03			.10		.16				7
8			.16		.14				.05	.36			8
9	.29				1.16								9
10	.67			.24	.11					.05			10
11	.15			.09			.80			.59	.03	.02	11
12	.05	.15		.06				.07		.31			12
13	.04									.27			13
14	.03	.05		.27					.03	.15			14
15				.07	.24								15
16				.21	.12					.11			16
17	.08			.05									17
18							.15		.21		.09		18
19										.19	.03		19
20				.18			.12	.26	.05	.56	.12		20
21				.11	.45			.19		.25		.07	21
22		.04	.30		.08		.15		.23	.23	.29		22
23		.15	.04	.05	.21				.19	1.00	.03	.08	23
24							.23			0.06	.05		24
25							.85		.07	0.17	.08		25
26			.07	.05			.22	.02		.04			26
27			.25	.03	.64		.09			.61	.09		27
28			.02		.09		.10			.20			28
29			.30		.06			.42	.05	.21			29
30		X	.09		.21	.50			.04		.03	.10	30
31		X	.11	X		X			X	.03	X	.02	31
TOTAL	1.84	0.39	1.43	1.98	4.12	0.69	2.96	1.33	2.03	5.52	0.81	0.45	YEAR'S TOTAL 23.55
*Days with ".01 in. or more.	10	4	10	16	15	3	11	7	14	21	11	7	129
*Days with ".04 in. or more.	9	4	9	14	15	2	11	6	11	20	5	5	111

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P. T. O.

Section

A

for the entry of Daily Observations.

Station No.

401

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at PENCE

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 1/2 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.20	.11	.	.	.	.	.	.	.02	.08	.		1
2	.17	.	.22	.	.22	.	.	.	.	.	.	.		2
3	.	.11	.09	.	.	.	.	.	.	.	.03	.		3
4	.13	.	.03	.	.	.	.	.	.	.	.05	.		4
5	.10	.01	.19	.	.40	.	.	.	.	.	.	.		5
6	.	.08	.07	.	.31	.	.	.	.	.12	.07	.		6
7	.20	.	.09	.	.15	.	.	.	.	.	.	.		7
8	.06	.05	.	.	.04	.	.08	.	.	.	.	.		8
9	.	.	.	.	.06	.	.07	.	.	.04	.12	.		9
10	.	.30	.	.	.	.07	.05	.	.	.10	.	.		10
11	.12	.	.	.	.15	.15	.25	.	.06	.07	.	.		11
12	.	.	.	.03	.	.24	.	.	.57	.	.	.		12
13	.07	.	.	.	.09	.	.15	.05	.30	.	.16	.		13
14	.	.	.	.	.04	.	.	.03	.	.12	.19	.		14
15	.10	.	.	.	.	.	.38	.20	.	.02	.	.		15
16	.	.	.58	.	.	.28	.03	.	.	.	.	.		16
17	.	.05	.33	.	.	.05	.	.	.09	.	.10	.		17
18	.03	.	.06	.	.	.15	.	.	.	.	.	.		18
19	.	.	.18	.04	.	.15	.	.	.51	.	.	.03		19
20	.	.03	.07	.15	.	.05	.15	.	.23	.	.	.		20
21	.	.	.	.	.	.	.	.04	.34	.	.	.		21
22	.	.	.	.	.07	.18	.	.	.02	.22	.	.		22
23	.	.	.	.23	.80	.	.	.18	.32	.02	.	.		23
24	.	.21	.	.14	.	.49	.	.	.26	.	.03	.		24
25	.	.36	.	.25	.	.	.	.	.03	.06	.04	.05		25
26	.	.34	.	.03	.	.02	.	.	.24	.03	.	.13		26
27	.	.	.	.	.	.	.	.	.	.34	.	.05		27
28	.	.	.	.	.08	.	.	.	.	.33	.	.		28
29	.	.	.	.	.	.	.29	.	.	.04	.	.		29
30	.	X	.07	.	.	.	.	.	.	.10	.	.18		30
31	.17	X	.	X	.	X	.	.14	X	.	X	.		31
TOTAL	1.18	1.74	2.09	0.87	2.41	1.83	1.45	0.64	2.47	1.63	0.87	0.44	Year's Total	18.12
*Days with ".01 in. or more.	11	11	13	7	12	11	9	6	12	15	10	5		122
*Days with ".04 in. or more.	9	9	12	5	12	10	8	5	10	11	8	4		103

A. W. R. 11/6/33

Section

A

for the entry of Daily Observations.

Station No.

401

FORM 1090,

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934.

Kept at PENGEin the County of KENTDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 1 1/2 in.,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.	.	.	.	.	.	.25	.	.05	.	.29		1
2	.02	.	.15	.	.	.	.	.	.59	.25	.	.26		2
3	.	.05	.	.22	.	.	.	.10	.	.12	.	.		3
4	.09	.	.05	.05	.	.	.	.	.	.16	.06	.37		4
5	.	.	.04	.	.	.	.	.	.	.04	.	.27		5
6	.05	.	.30	.	.27	.18	.	.	.	.15	.03	.61		6
7	.	.	.	.	.	.	.	.12	.	.19	.	.13		7
8	.	.	.	.	.10	.	.	.04	.04	.	.22	.		8
9	.	.	.	.	.	.	.	.07	.	.	.75	.31		9
10	.	.	.15	.15	.	.	.	.04	.	.05	.72	.		10
11	.35	.	.31	.08	.	.	.	.04	.	.	.	.10		11
12	.09	.	.03	.	.	.	.05	.40	.	.	.	.		12
13	.31	.	.09	.	.	.	.63	.06	.	.	.	.17		13
14	.03	.	.29	.	.04	.	.	.	.	.02	.46	.28		14
15	.	.	.17	.	.	.	.	.	.	.	.	.50		15
16	.09	.	.13	.23	.14	.	.	.	.	.09	.	.		16
17	.	.	.	.	.	.	.	.	.	.05	.	.10		17
18	.33	.	.	.23	.	.	.11	.	.	.	.	.30		18
19	.	.	.17	.11	.	.	.	.	.08	.	.	.15		19
20	.	.	.13	.	.	.	.10	.	.	.06	.	.		20
21	.	.	.	.19	.	.	.	.	.	.	.	.		21
22	.	.	.	.	.	.05	.98	.25	.20	.	.	.		22
23	.	.	.	.25	.	.32	.	.	.	.	.	.17		23
24	.	.03	.04	.16	.	.06	.39	.	.09	.	.03	.		24
25	.03	.11	.	.09	.	.41	.	.	.	.	.	.20		25
26	.06	.	.	.26	.	.11	.	.	.	.	.	.04		26
27	.	.	.	.42	.	.03	.	.	.	.	.	.20		27
28	.	.10	.	.07	.	.04	.	.56	.	.	.02	.21		28
29	.	.	.	.	.	.	.	.04	.	.	.	.03		29
30	.15	×	.	.	.	.	.04	.	.11	.	.	.10		30
31	.05	×	.	×	.	×	.	.05	×	.20	×	.12		31
TOTAL	1.65	0.29	2.05	2.51	0.55	1.20	2.30	2.02	1.11	1.43	2.29	4.91	Year's Total	22.31
*Days with .01 in. or more.	13	4	14	14	4	8	7	13	6	13	8	22		126
*Days with .04 in. or more.	10	3	13	14	4	7	7	13	6	12	5	21		115

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

M. Mongden

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 401

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935 .

Kept at PENCE

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 1/2 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.17	.05	.	.05	.	.12	.55	.	.25	.	.21	.		1
2	.04	.	.	.05	.	.13	.	.	.08	.10	.	.		2
3	.	.	.25	.	.	.	.	.	.06	1.18	.	.		3
4	.	.07	.	.22	.	.	.	.	.19	.22	.18	.21		4
5	.	.16	.	.04	.	.31	.05	.	.45	.	.04	.		5
6	.03	.	.	.26	.	.24	.	.	.	.	.	.		6
7	.04	.04	.	.32	.	.	.	.	.	.	.32	.14		7
8	.	.	.	.33	.	.12	.	.	.	.36	.66	.17		8
9	.	.	.	.18	.	.74	.	.	.	1.10	.10	.		9
10	.	.	.	.05	.	.	.	.	.	.	.12	.		10
11	.25	.03	.	.17	.	.12	.	.	.	.03	.26	.		11
12	.	.	.	.	.	.15	.	.13	.	.	.55	.		12
13	.07	.16	.	.10	.05	.06	.	.	.	.	.	.		13
14	.	.	.	.01	.25	.	.	.	.	.	.	.		14
15	.	.20	.	.25	.04	.	.	.	.10	.	.19	.		15
16	.	.15	.	.07	.	.29	.	.	.25	.	.52	.		16
17	.	.	.	.	.	.12	.	.	.06	.	.58	.		17
18	.	.	.	.	.	.07	.11	.	.25	.10	.05	.		18
19	.	.06	.	.05	.21	.03	.14	.	.	.	.06	.		19
20	.	.	.	.	.27	.	.11	.	.09	.	.12	.		20
21	.	.25	.	.	.	.	.	.	.	.11	.	.		21
22	.	.28	.05	.	.	.	.	.11	.32	.	.	.		22
23	.	.	.13	.	.	.	.	.43	.	.	.	.		23
24	.	.45	.	.	.25	.	.	.50	.29	.	.	.		24
25	.25	.14	.	.36	.20	.43	.	.	.	.	.	.		25
26	.05	.	.	.	.	.	.	.14	.	.	.	.71		26
27	.	.61	.	.	.	.	.	.	.17	.	.06	.17		27
28	.	.	.	.	.	.	.	.	.05	.12	.	.13		28
29	.	.	.	.	.	.	.	.	.55	.	.	.25		29
30	.21	X	.	.12	.	.	.	.81	.07	.	.24	.50		30
31	.	X	.	X	.	X	.	.	X	.08	X	.59		31
TOTAL	1.11	2.65	.43	2.63	1.27	2.93	.96	2.12	3.23	3.40	4.26	2.87	27.86	
* Days with .01 in. or more.	9	14	3	17	7	14	5	6	16	10	17	9	127	
* Days with .04 in. or more.	8	13	3	16	7	13	5	6	16	9	17	9	122	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

W. Longdon

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

401

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at PENGE.....

in the County of KENT.....

Diameter of Funnel of Gauge...5.....in.

Height of top of Gauge above Ground...4...ft...1½...in.

,, Ground ,, Sea Level ...122.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.13	.05	.13	-	.07	.14	-	-	-	.20	-		1
2	.03	.05	-	-	-	.13	.02	.11	-	-	-	.09		2
3	-	-	-	.35	-	.21	-	-	.09	-	.31	-		3
4	-	-	-	-	-	.11	-	-	.45	-	-	-		4
5	.18	-	-	-	-	.04	-	-	.23	-	.05	.16		5
6	.22	-	.03	-	-	.18	-	-	.05	-	.25	-		6
7	.20	-	.10	-	-	-	.03	-	-	-	.16	-		7
8	.17	-	.15	-	-	-	-	-	.04	-	.27	.27		8
9	.38	-	-	-	-	-	.53	-	.08	.05	-	-		9
10	.05	-	-	-	-	-	.49	.13	.08	-	-	-		10
11	-	-	-	-	-	-	.17	.02	-	-	.61	-		11
12	-	-	-	.22	-	.10	.13	-	.18	-	.39	.10		12
13	-	-	-	-	-	.31	-	-	-	-	-	.20		13
14	-	.03	-	-	-	.07	.42	-	.12	.05	.22	.84		14
15	-	.52	-	-	-	-	.03	-	.28	-	-	.02		15
16	.12	-	-	-	-	-	-	-	.04	-	.34	.03		16
17	.24	-	-	-	.13	.04	-	-	-	.02	.13	.15		17
18	.09	.08	-	-	-	.13	.26	-	-	-	.14	.09		18
19	.31	.04	-	-	-	.17	.07	.10	-	.09	-	-		19
20	.13	.07	-	.45	-	-	.05	-	storm .63	-	-	-		20
21	-	-	-	.24	-	.26	-	-	.09	-	-	-		21
22	.14	.36	-	-	.16	-	.12	-	-	-	-	.14		22
23	-	-	-	.04	.03	-	.03	-	-	.08	-	-		23
24	.09	.12	-	-	-	-	-	-	.06	.49	-	-		24
25	.14	-	.25	.22	-	.21	.22	-	-	.08	.03	-		25
26	-	.05	-	.09	-	.10	.13	-	.07	.20	-	-		26
27	.22	-	.21	.03	-	-	-	-	.20	.12	-	-		27
28	.64	-	-	-	-	.12	.28	-	-	-	-	.05		28
29	.08	.12	.12	-	-	.13	.19	-	-	-	.08	-		29
30	.04	~~X~~	-	-	.07	.17	-	-	-	.04	-	-		30
31	.25	~~X~~	.16	~~X~~	.04	~~X~~	.09	-	~~X~~	.90	~~X~~	.05		31 d"
TOTAL	3.93	1.57	1.07	1.77	.43	2.55	3.40	.36	2.69	2.12	3.18	2.19	Year's Total 25.25	✓
* Days with .01 in. or more.	21	11	8	9	5	18	19	4	16	11	14	13	149	✓
* Days with .04 in. or more.	20	10	7	8	4	18	15	3	16	10	13	11	135	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

Surveyor

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 401

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Recreation Ground, Benge

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 1/2 in.

Ground Sea Level 122 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.45	-	-	.08	-	-	.01	-	-	-	.62	.70		1
2	-	.11	.04	.54	-	-	-	-	.14	.04	-	.90		2
3	-	.07	-	-	-	-	-	-	-	-	-	.05		3
4	.06	.36	-	-	-	-	-	-	-	-	-	.30		4
5	.18	.25	.42	-	-	-	.10	-	-	-	-	-		5
6	.08	-	snow .79	-	.16	-	.04	-	-	.02	-	-		6
7	-	.67	.05	-	-	-	-	-	.04	-	-	-		7
8	-	-	-	.05	-	-	-	-	-	.03	.27	.35		8
9	-	.05	-	.23	.16	-	-	-	.25	-	-	.17		9
10	-	-	.31	.13	.04	storm .37	-	-	-	-	-	.36		10
11	-	-	.22	-	.40	-	.06	.10	-	-	-	.02		11
12	-	.19	.08	-	.44	-	-	.24	.08	-	-	.04		12
13	.13	-	.24	-	-	.24	-	-	.12	-	-	.60		13
14	.02	.06	.23	-	-	-	-	.23	.05	-	-	-		14
15	.06	.06	.26	.11	-	-	.22	.23	.20	-	-	-		15
16	-	.12	-	.38	-	.08	-	.22	.16	-	-	.04		16
17	.28	-	.13	.21	-	.06	-	-	.18	-	.02	-		17
18	.30	.03	-	-	.28	storm .71	-	-	.01	-	.15	-		18
19	.03	.09	.03	.05	.07	.11	-	-	.06	-	-	-		19
20	.40	.07	-	.20	.64	.15	-	-	.02	-	-	.16		20
21	.22	.60	-	.07	-	-	.04	-	-	-	-	-		21
22	.29	.08	.02	-	-	m 13	-	-	-	.60	-	.02		22
23	.30	-	-	-	-	-	.04	-	-	.68	.20	-		23
24	.44	.51	.13	-	-	-	-	-	.09	.24	-	-		24
25	.04	.25	.18	-	.08	-	-	-	.07	.47	-	-		25
26	.03	.12	-	-	.08	-	-	-	-	.01	-	-		26
27	-	.10	-	.23	-	-	-	-	.04	.38	-	-		27
28	-	.07	-	-	-	-	-	-	-	.03	-	.05		28
29	snow .04	X	-	-	-	-	-	-	-	.01	.04	.06		29
30	.22	X	-	-	-	-	-	-	-	.08	.21	-		30
31	.18	X	-	X	-	X	-	-	X	.23	X	.01	d	31
TOTAL	3.75	3.86	3.16	2.28	2.35	1.85	.51	1.02	1.51	2.82	1.51	3.83	Year's Total 28.45	✓
* Days with .01 in. or more	20	20	15	12	10	8	7	15	13	7	16	11	113	✓
* Days with .04 in. or more	17	19	13	12	10	8	6	5	13	8	6	13	130	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) M. Morgan Surveyor [P.T.O.]

Section



for the entry of Daily Observations

Station No. 401

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at PENGE.....

in the County of K.E.N.T.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1....ft...1.5....in.

,, Ground ,, Sea Level ...122.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	-	-	.06	.10	-	-	.02	.02	-	.04		1
2	.03	.02	-	-	.02	-	.21	-	-	.15	-	.05		2
3	-	-	-	.09	.30	-	-	-	-	.34	-	-		3
4	.06	-	-	-	-	-	.04	.01	-	-	-	.02		4
5	-	-	-	-	-	-	.53	-	-	.16	-	.04		5
6	.03	-	-	-	-	-	.07	-	.02	-	-	-		6
7	-	-	-	-	-	-	.12	1.06	-	-	-	.03		7
8	.10	-	-	-	-	-	.28	-	-	.14	-	-		8
9	.03	.01	-	-	-	-	-	.21	-	-	-	.58		9
10	.10	-	-	-	-	.09	.01	.14	.02	-	-	.04		10
11	.23	.03	-	-	-	-	-	-	-	-	.10	.10		11
12	.21	.02	-	-	-	-	-	-	-	.12	.01	-		12
13	.26	SNOW .19	-	-	-	-	-	.27	-	.02	.11	.10		13
14	.18	-	-	-	.19	-	-	-	.03	-	-	.01		14
15	.01	SNOW .11	-	-	-	-	.14	-	-	.23	-	.02		15
16	.22	-	-	-	-	-	-	-	-	.11	-	.34		16
17	-	.12	-	-	.17	-	-	-	-	.09	-	-		17
18	.02	-	-	-	.06	-	-	-	.06	.02	.36	-		18
19	-	-	-	-	-	-	-	-	.02	-	.18	-		19
20	-	-	-	-	.03	-	-	-	.03	-	.38	-		20
21	.03	-	-	-	-	-	-	.11	.10	-	.02	-		21
22	.01	-	-	-	-	.03	-	.03	-	-	.08	-		22
23	.10	-	-	-	-	-	-	-	-	-	.09	-		23
24	-	-	.09	-	-	-	-	-	1.34	-	.02	-		24
25	-	-	.26	.04	.09	-	.05	.05	.03	.04	.99	-		25
26	.19	.12	.07	-	-	-	-	.03	.24	.29	-	-		26
27	.05	.03	.04	.04	-	.19	.16	-	-	-	.12	SNOW .64		27
28	.06	.05	-	-	.31	.02	-	.27	.73	-	-	-		28
29	.30	X	-	-	.10	-	-	.03	-	-	.03	.28		29
30	.04	X	-	.04	-	.03	-	-	.04	.06	.15	-		30
31	.16	X	-	X	.05	X	-	-	X	.06	X	.11		31
TOTAL	2.45	.71	.46	.21	1.38	.46	1.61	2.21	2.68	1.85	2.64	2.40	19.06	
* Days with .01 in. or more.	23	10	4	4	11	6	10	11	13	15	14	18	143	
* Days with .04 in. or more.	15	5	4	4	9	3	9	7	6	12	10	15	95	
Year's Total														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) M. Mangon [P.T.O.]

Section



for the entry of Daily Observations

Station No. 401

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at PENGE

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 1/2 in.

Ground Sea Level 122 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02			.23	.31			.02	.21					1
2				.02	.02		.03	.29	.53					2
3	.10			.21				.44			.19	.34		3
4	.09		.13	.13			.08	.23		.45	.06			4
5				.12			.10	.10		.15	.21	.05		5
6	.23			.01			.11			.08	.14			6
7	.02	.12						.02			.04	.01		7
8		.04	.15					.49		.43	.09	.23		8
9	.03	.07						.01		.41	.09	.11		9
10	.15					.14		.07						10
11			.30			.25			.07	.36				11
12														12
13			.01	.03						.21				13
14	.35			.03	.07		.01			.52	.44			14
15	.55			.02	.91	.05			.44	1.16				15
16	.38		.07		.31	.06	.03		.10	.02	.47			16
17	.25		.04		.12		.59				.04			17
18	.28	.04	.02		.23	.42	.04			.09	.26			18
19	.15						.10			.52				19
20	.16					.08	.74	.05				.07		20
21	.11		.19			.07	.10	.07	.18					21
22	.13	.20	.11			.10	.14							22
23	.09			.15			.04			.02	.60			23
24	SNOW .06	.05	.07	.18			.06			.17				24
25	SNOW .77	.35	.04					.19		.18	.44			25
26	.02			.03			.14			.03	.17	.05		26
27		.01	.07	.16			.01				.25	.07		27
28	.04	.33	.06	.31						.12	.07			28
29				.27						.06	.04			29
30		X		.68		.04					.24			30
31		X		X		X	.14		X	.02	X			31
TOTAL	3.98	1.21	1.26	2.58	1.97	1.21	2.46	2.96	1.53	6.00	3.84	.93	29.95	✓
* Days with .01 in. or more.	21	9	13	16	7	9	17	12	6	19	18	8	155	✓
* Days with .04 in. or more.	17	8	11	10	6	9	13	9	6	15	18	7	129	✓

Year's Total

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

SURVEYOR

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 401

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at TOWN HALL ANERLEY

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 1/2 in.

Ground Sea Level 12.2 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	—	—	—	.18	—		1
2	—	—	—	.06	—	—	.04	—	—	.13	.91	—		2
3	—	.12	—	.04	—	—	.01	—	—	.10	1.10	.09		3
4	—	.15	—	.05	—	—	—	—	—	.10	.16	.09		4
5	—	—	—	—	—	—	—	—	—	—	.31	.06		5
6	.19	.02	—	—	.01	—	.22	—	—	.17	.10	—		6
7	.29	.08	—	—	—	—	.20	.01	—	—	—	—		7
8	—	—	—	—	—	—	—	—	.30	.22	.03	—		8
9	—	—	—	—	—	.23	—	—	—	—	.05	—		9
10	—	—	—	—	—	—	.24	.07	—	.10	.12	.05		10
11	—	—	—	.02	—	—	—	—	—	—	.86	.22		11
12	—	—	.09	.01	—	—	.06	—	.13	—	—	—		12
13	—	—	.23	—	—	.09	—	—	—	—	1.13	—		13
14	—	—	SNOW .78	.13	—	—	—	—	—	.03	—	.19		14
15	—	—	.03	.04	.09	—	.64	—	.12	.03	.27	—		15
16	—	.15	.10	.27	—	.08	.43	—	—	.63	.56	—		16
17	—	—	.40	.32	—	—	.02	—	—	—	.43	—		17
18	—	.26	.30	—	—	—	.20	—	.16	.13	.57	.17		18
19	—	.27	.05	.03	—	—	—	—	.78	—	.01	—		19
20	SNOW .07	.02	—	.01	—	—	.12	—	—	.02	.17	.03		20
21	—	—	—	—	.27	—	.10	.03	.03	.05	.29	—		21
22	—	—	.03	—	.54	.18	—	—	.04	—	.04	—		22
23	—	.05	.01	.18	—	.02	—	—	—	—	.02	.02		23
24	—	—	.42	.27	—	—	.19	—	—	—	—	—		24
25	—	—	—	—	—	—	.07	—	—	—	—	—		25
26	SNOW .94	.03	.95	.04	.10	.10	—	—	—	—	—	—		26
27	SNOW .10	.14	—	.02	—	—	.11	—	—	—	—	—		27
28	SNOW .59	—	—	.04	.47	—	—	—	—	—	—	—		28
29	—	.04	.03	—	—	.03	—	—	—	—	—	—		29
30	—	X	—	.35	—	—	—	—	—	.08	—	.03		30
31	.09	X	—	X	—	X	—	—	X	.55	X	.23		31
TOTAL	2.27	1.33	3.42	1.88	1.48	.73	2.65	.11	1.56	2.34	7.31	1.18	Year's Total 26.26	
* Days with .01 in. or more.	8	12	13	17	6	7	15	3	7	14	20	11	138	
* Days with .04 in. or more.	7	9	9	12	5	5	13	1	6	11	17	8	103	

† Spare column, no entries required.

(Signed)

M. J. Inisby

[P.T.O.]

* See Instruction 3 (f) on other side.

Section **A** for the entry of D
AIR MINISTRY.

FORM 1090.

REGISTER

Kept at **Anerley**
in the County of **Kent**

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea Level

THE MORNING MEASURE

An observer who does not conform to this
year in the space on the right of this p
Ple

402
A N E R L E Y

1931-1940

780109

DAY.
of the following

Jan. 1, following

Trace

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~Trace~~	~~09~~	~~16~~							~~02~~			1
2		22						06	03				2
3	21	06		40				02	26	04		30	3
4	06			27	1.15			16	30				4
5		03		41				02	03		10	15	5
6				36	03	62	03	22			63		6
7		11		05			01						7
8					06	12		26					8
9		05	Snow 09			29	04	33		15			9
10		17											10
11						02		29			40		11
12	10	21						01	06		60		12
13	03	02		01				15	39		27		13
14								05					14
15	02	09					~~9.5~~	45	21				15
16	04	02		21	~~4.3~~		~~9.5~~	54					16
17	01	08		10				07	07			13	17
18		02		17	09			20	03	04			18
19	04	06		13		32	05	75			43		19
20	03			49		29	13	15	06				20
21	02	02					15	22					21
22					40			02					22
23	17		16						~~19~~				23
24	15		11	Trace	28						08		24
25			01	64	03	09	04	10			01		25
26	03		~~6.2~~	~~6.2~~	08		62				02	01	26
27		10	~~6.2~~	~~6.2~~			~~1.25~~				25		27
28	07	30			22								28
29	05			06			08					09	29
30	15	X			07					32			30
31	09	X		X	02	X		15	X		X	Trace	31
TOTAL	126	160	53	3.92	2.86	1.75	3.55	5.05	166	53	2.79	168	26.21
*Days with or in. or more.	1.35	1.72	54	15	13	7	14	21	12.13	54	10	7	14.3
*Days with or in. or more.	1.12	12	A3	14	10	6	12	16	10	4	8	6	11.3

40-9999

*See Instruction 2 (f) on other side.

(Signed) **S. Stannard**

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Anerley
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
Ground Sea Level ft.

cont. for WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following
Trace

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~Trace~~ ~~0.09~~	~~0.16~~								~~0.02~~			1
2		0.22						0.06	0.03				2
3	0.21	0.06		0.40				0.02	0.26	0.04		0.30	3
4	0.06			0.27	1.15			0.16	0.30				4
5		0.03		0.41				0.02	0.03		0.10	0.15	5
6				0.36	0.03	0.62	0.03	0.22			0.63		6
7		0.11		0.05			0.01						7
8					0.06	0.12		0.26					8
9		0.05	0.09			0.29	0.04	0.33		0.15			9
10		0.17											10
11						0.02		0.29			0.40		11
12	0.10	0.21						0.01	0.06		0.60		12
13	0.03	0.02		0.01				0.15	0.39		0.27		13
14								0.05					14
15	0.02	0.09					0.95	1.45	0.21				15
16	0.04	0.02		0.21	0.43			0.54					16
17	0.01	0.08		0.10				0.07	0.07			0.13	17
18		0.02		0.17	0.09		0.20	0.03	0.04				18
19	0.04	0.06		0.13		0.32	0.05	0.75			0.43		19
20	0.03			0.49		0.29	0.13	0.15	0.06				20
21	0.02	0.02					0.15	0.22					21
22					0.40			0.02					22
23	0.17		0.16						0.19				23
24	0.15		0.11	Trace	0.28						0.08		24
25			0.01	0.64	0.02	0.09	0.04	0.10			0.01		25
26	0.03			0.62	0.08		0.62				0.02	0.01	26
27		0.10					1.25				0.25		27
28	0.07	0.30			0.22								28
29	0.05			0.06			0.08					0.99	29
30	0.15	X			0.07					0.32			30
31	0.09	X		X	0.02	X		0.15	X		X	Trace	31
TOTAL	1.26	1.60	0.53	3.92	2.86	1.75	3.35	5.05	1.66	0.53	2.79	0.68	26.21
*Days with or in. or more.	13	17	5	15	13	7	14	21	12	5	10	7	143
*Days with .04 in. or more.	11	12	4	14	10	6	12	16	10	4	8	6	113

Section



for the entry of Daily Observations.

Station No. 402

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

 Kept at Anerley
 in the County of Kent

 Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 5 in.
 „ Ground „ Sea Level _____ ft.

*W.D. June 1st low
July 2nd low*

July period estimated by surrounding stations. Observer informed on 906. 21/3/33. Blush. Observer sent actual readings 23/3/33.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

.02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>Yr</u>			<u>.04</u>	<u>Yr</u>				<u>.01</u>	<u>.04</u>	<u>.02</u>	<u>.10</u>	1
2	<u>.09</u>			<u>.10</u>	<u>.35</u>	<u>.01</u>	<u>.57</u>	<u>.19</u>	<u>.04</u>	<u>.07</u>	<u>.01</u>		2
3				<u>.12</u>					<u>.12</u>	<u>.04</u>	<u>.05</u>	<u>.10</u>	3
4				<u>.21</u>	<u>.37</u>				<u>.83</u>				4
5						<u>.17</u>					<u>.05</u>		5
6	<u>.43</u>		<u>Yr</u>	<u>.01</u>	<u>.01</u>		<u>.15</u>		<u>.05</u>				6
7				<u>.17</u>									7
8			<u>.27</u>				<u>.08</u>		<u>.08</u>				8
9					<u>.30</u>				<u>.05</u>	<u>.35</u>			9
10	<u>.40</u>	<u>rainy</u>		<u>.21</u>	<u>.90</u>								10
11	<u>.65</u>	<u>snow</u>	<u>.04</u>	<u>.16</u>	<u>.06</u>				<u>.01</u>	<u>.11</u>			11
12	<u>.14</u>			<u>.05</u>	<u>.02</u>			<u>.04</u>		<u>.57</u>	<u>.03</u>	<u>.02</u>	12
13	<u>.09</u>						<u>.55</u>			<u>.35</u>			13
14	<u>.03</u>			<u>.05</u>	<u>.04</u>					<u>.37</u>			14
15	<u>.04</u>			<u>.27</u>	<u>.02</u>		<u>.01</u>			<u>.03</u>	<u>.02</u>		15
16				<u>.29</u>	<u>.31</u>					<u>.11</u>			16
17	<u>.08</u>				<u>.12</u>								17
18				<u>.06</u>			<u>.10</u>			<u>.02</u>	<u>Yr</u>		18
19							<u>.02</u>		<u>.22</u>		<u>.10</u>		19
20										<u>.19</u>			20
21				<u>.30</u>				<u>.21</u>	<u>.04</u>	<u>.56</u>			21
22		<u>.09</u>			<u>.48</u>			<u>.08</u>		<u>.36</u>			22
23		<u>.16</u>	<u>.34</u>		<u>.06</u>		<u>.25</u>		<u>.27</u>	<u>1.26</u>	<u>.40</u>	<u>.15</u>	23
24		<u>.02</u>	<u>.05</u>		<u>.22</u>				<u>.11</u>				24
25										<u>.09</u>	<u>.12</u>		25
26							<u>1.12</u>		<u>.08</u>	<u>.20</u>			26
27			<u>.05</u>				<u>.20</u>			<u>.04</u>			27
28			<u>.31</u>	<u>.04</u>	<u>.68</u>			<u>.01</u>		<u>.62</u>			28
29				<u>.03</u>	<u>.12</u>					<u>.20</u>	<u>.08</u>		29
30		<u>X</u>	<u>.39</u>		<u>.06</u>			<u>.44</u>	<u>.04</u>	<u>.23</u>		<u>.02</u>	30
31		<u>X</u>	<u>.08</u>	<u>X</u>	<u>.22</u>	<u>X</u>	<u>2.48</u>	<u>.01</u>	<u>X</u>	<u>.03</u>	<u>X</u>	<u>.10</u>	31
TOTAL	<u>1.95</u>	<u>.41</u>	<u>1.57</u>	<u>2.07</u>	<u>4.34</u>	<u>.69</u>	<u>2.48</u>	<u>.99</u>	<u>1.96</u>	<u>5.92</u>	<u>.96</u>	<u>.41</u>	YEAR'S TOTAL
*Days with .01 in. or more.	<u>10</u>	<u>5</u>	<u>10</u>	<u>18</u>	<u>18</u>	<u>3</u>	<u>3</u>	<u>7</u>	<u>14</u>	<u>23</u>	<u>12</u>	<u>4</u>	<u>130</u>
*Days with .04 in. or more.	<u>9</u>	<u>4</u>	<u>10</u>	<u>16</u>	<u>15</u>	<u>2</u>	<u>3</u>	<u>5</u>	<u>12</u>	<u>20</u>	<u>8</u>	<u>5</u>	<u>109</u>
40-9999	<u>1.95</u>	<u>.41</u>	<u>1.57</u>	<u>2.07</u>	<u>4.34</u>	<u>.69</u>	<u>2.48</u>	<u>.99</u>	<u>1.96</u>	<u>5.92</u>	<u>.96</u>	<u>.41</u>	<u>23.65</u>
*See Instruction 2 (f) on other side.							(Signed)	<u>S. Stannard</u>					P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 402

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at

Amerley

in the County of

Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

nil

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.23							.12		.04		1
2		.16	.11							.02	.07		2
3	.25		.25		.17								3
4		.10	.14										4
5	.22	.01											5
6	.03	.01	.07		.32								6
7		.10	.19		.44					.11	.08		7
8	.26	.03	.10		.01					.14			8
9	.02	Tr			.04		.04			Tr			9
10					.07		.09			.05	.04		10
11		.28			.02		.02			.12			11
12	.12				.15	.15	.25		.04		.08		12
13				.02		.23		.04	.60				13
14	.06				.11	.01	.20		.25				14
15					.02		.02	.02		.12			15
16	.11						.28	.21					16
17	.03	.01				.30	.04						17
18	.01	.04	.34			.04		.01					18
19	.04		.20	.17		.30							19
20		.01					.14		.85				20
21		.02	.12			.05			.05				21
22		.02						.01	.31				22
23					.04	.25		.10	.05	.15	.04		23
24				.19	.77				.35				24
25		.55		.10		.02			.23		.01		25
26				.19	Tr				.03	.25			26
27		.35		.03	Tr	.03			.20			.12	27
28					.07					.50		.06	28
29							.13					.04	29
30	.03	X		.01			.14		.03				30
31	.23	X	.07	X		X		.12	X	.10	X	.15	31
TOTAL	1.41	.69	2.23	.71	2.23	1.38	1.35	.51	2.99	1.60	.64	.37	14.11
*Days with .01 in. or more	12	5	13	8	13	11	11	5	12	11	8	4	128
*Days with .04 in. or more	3	8	13	5	10	8	9	4	10	11	7	4	98

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) S. Stannard

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 402

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Anerley

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

09

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.05							*.19				1
2								.22		.06	.02	.35		2
3	.06		.14						.61	.23	.01	.12		3
4	.01	.06		.25				.08		.12		.03		4
5	.07		.06	.02						.16	.04	.34		5
6										.03	.06	.32		6
7			.30		.26	.10		.06		.15	.03	.54		7
8	.05					Trace		.06		.21		.11		8
9					.08			.08	.03		.20	.03		9
10											.78	.23		10
11			.05	.14				.03		.05	.55			11
12	.40		.40	.08				.04			.02	.06		12
13							.03	.46						13
14	.41						.62	.12		.01	Trace	.13		14
15			.38						.03	.02	.42	.33		15
16			.15		.14						.12	.42		16
17			.15	.03	.05					.10	Trace			17
18	.09									.05		.10		18
19	.32		.20	.19			.09					.27		19
20				.11		.01			.07	.01		.14		20
21			.11				.10							21
22				.18		.04		.01		.07				22
23							.95	.21	.18					23
24				.25		.30		.01			Trace	.06		24
25				.21		.07	.35		.05			.04		25
26	.07	.15		.12		.40				.11		.21		26
27				.25		.12			.01			.02		27
28				.36		.02						.22		28
29				.07		.04	.03	.53				.14		29
30		X						.06	.11			Trace		30
31	.12	X		X		X		.06	X		X	.14		31
TOTAL	1.60	.21	1.99	2.26	.53	1.10	2.17	2.03	1.09	1.38	4.38	21.27	✓	
* Days with .01 in. or more.	12	3	12	14	4	9	7	15	8	16	11	23	✓	
* Days with .04 in. or more.	11	3	12	12	4	7	5	12	5	12	7	20	✓	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) S. Stannard

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 402

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.Kept at *Anerley*
in the County of *Kent*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *5* in.
,, Ground ,, Sea Level *1* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

.56

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.13	.01				.05	.22	.26		1
2	.12	.04		.01		.10	.57		.19	.04	.07	.01		2
3	.03			.03					.08	.10	.02			3
4		.05	.21	.02		Trace			.09	.15	.14			4
5		.08		.17		.29			.17	.20	.01	.14		5
6		.10	.03	.33		.13	.04		.45		.02	.01		6
7	Trace	.01		.33		.28				.02	.03			7
8	.02			.22		.11				.08	.59			8
9			.01	.30						.32	.34	.32		9
10				.22		.59				.15	.06			10
11	.03			Trace		.02					.15	.07		11
12	.21	Trace		.12		.09					.26			12
13		Trace				.15		.06			.55			13
14	.08	.14		.07	.10	.04					.01			14
15				.01	.12	.02			.03	.01	.02	.06		15
16		.15		.25	.03	.01			.07		.21	.08		16
17		.12		.04		.22			.27	.03	.45	.02		17
18			Trace	.14		.10			.02		.53			18
19				.14		.05	.09		.26	.07	.04	.02		19
20				.01	.19	.01	.16		.03		.07	.02		20
21	Trace	.23		.02	.27	.04	.14		.06		.11			21
22	.02	.30								.10	.02			22
23		.04	Trace					.23	.33					23
24			.06					.29	.08	.01				24
25	.05	.43			.39			.53	.22					25
26	.20	.12		.32	.04	.32								26
27	.19	.16						.13	.01					27
28		.43						.03	.16		.07	.20		28
29					.02				.07	.12		.19		29
30	.06	X							.50			.21		30
31		X		X	.08	X		.82	X	.09	X	.55		31
TOTAL	1.01	2.40	.31	2.28	1.37	2.58	1.00	2.09	3.09	3.54	4.08	2.88	26.55	27.11
* Days with .01 in. or more.	11	15	4	19	10	19	5	7	19	16	24	19	169	
* Days with .04 in. or more.	4	14	2	13	8	14	5	6	15	12	16	14	128	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) *S. S. Tannard*

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 402

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090*

REGISTER OF RAINFALL IN 1936

Kept at *Amerley*in the County of *Glent*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground....*1* ft. *5* in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

.18

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.33	.12	.21		.07	.19	.10		Trace	.40			1
2	.21	.09	.06	.09		.08	.17	.05			.05	.23		2
3	.04	.07		.02		.20	.02	.11			.35			3
4	Trace			.29		.20	.01		.15	Trace				4
5			.10			.13		.02	.34	.01				5
6	.19		.02					.01		.01	.07			6
7	.22					.21		.02	.08		.41	.14		7
8	.17		.01				.06	.05	.05					8
9	.18		.05								.31	.31		9
10	.41		.01				.70		.17	.03				10
11	.04		Trace				.51	.18						11
12				.21			.18	.02			.15			12
13						.45	.15	.05	.18					13 1.36
14											.03	.36		14 rain for 3 days
15		.06				.08	.44		.40	.08				15
16	rain snow	.06					.04				.05			16
17	.31	.03			.05						.60	.10		17
18	rain snow	.52			.10	.08				.03	.27	.21		18
19	.29	.09				.10	.36			.05				19
20	.20	.04		.02		.22		.11						20
21	.11	.07	.02	.47			.07		.71					21
22		.04		.24	.02	.27	.11		.10					22
23	.13	.34	.06	.02	.20	.04	.08			.12		.13		23
24		.02	.03	.05										24
25		.10								.51				25
26	.15	.01	.12	.24		.22	.21		.12	.28	.06	.03		26
27	.01	.06	.14	.11		.11	.14		.03					27
28	.16	.01	.02	.04					.19	.14				28
29	.61		.07			.12	.25		.02					29
30	.07		.05			.16	.17		.01	.03		.07		30
31	.04				.10	.19	.10			.63				31
TOTAL	3.54	1.73	.88	2.01	1.47	2.74	3.77	.62	2.58	1.92	3.70	2.63	24.17	
* Days with .01 in. or more.	20	19	17	15	13	14	16	5	19	20	10	11	15	
* Days with .04 in. or more.	19	18	13	9	10	11	5	4	19	18	6	4	12	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) *S. S. Tannard* [P.T.O.]

Section



for the entry of Daily Observations

Station No. 402

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937.

Kept at *Anerley*in the County of *Kent*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground...*1*...ft...*5*.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

02

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.18	.07	—	—	—	—	—	—	—	.27	.28		1
2	.36	.08	—	.54	—	—	—	—	—	—	.59	.74		2
3	—	.13	.05	.54	—	—	—	—	.14	.04	—	.76		3
4	—	.09	—	—	—	—	—	—	—	—	—	.34		4
5	.08	.65	—	—	—	—	—	—	—	—	—	.34		5
6	.20	.40	—	—	—	—	.14	—	—	—	—	—		6
7	.08	—	—	—	.15	—	.14	—	—	.03	—	—		7
8	—	.70	.81	.08	.20	—	—	—	.04	.02	—	—		8
9	—	—	.01	—	.07	—	—	—	—	—	.29	.44		9
10	—	.05	—	.32	—	—	—	—	.25	—	—	.08		10
11	—	—	.34	.32	.45	.33	.03	.09	—	—	—	.32		11
12	—	—	.18	.01	.45	.01	—	—	—	—	—	—		12
13	.13	.20	.09	.44	—	—	.01	.10	—	—	—	—		13
14	.16	.03	.40	.01	—	.22	.05	.26	.15	—	—	.68		14
15	.16	.06	.40	.01	—	—	—	.25	.08	—	—	—		15
16	.13	.07	—	.12	—	.03	.21	—	.23	—	—	.02		16
17	.12	.30	.47	—	.05	—	.25	.15	—	—	—	.02		17
18	.59	.01	.13	.15	—	.09	—	—	.15	—	.20	—		18
19	.04	—	—	.26	.68	—	—	.02	—	.11	—	—		19
20	.05	.10	.05	—	—	.12	—	—	.04	—	—	—		20
21	.43	.07	.10	—	.53	—	—	—	.04	—	—	—		21
22	.60	.60	.07	.08	—	—	.05	—	—	—	—	—		22
23	.02	—	.01	.02	.13	.05	—	—	.34	.22	—	—		23
24	.25	—	—	—	—	—	—	—	—	—	—	—		24
25	.42	.51	.20	—	.02	—	—	—	.11	.26	—	—		25
26	.04	.26	.18	—	.08	—	—	—	.05	.50	—	.08		26
27	—	.13	.06	—	.10	—	—	—	—	.02	—	—		27
28	—	.11	—	.25	—	—	—	—	.05	.37	—	—		28
29	—	—	—	—	—	—	—	—	—	.06	—	.04		29
30	.27	—	—	—	—	—	—	—	—	—	—	.05		30
31	—	—	—	—	—	—	—	.02	—	.10	—	—		31
TOTAL	3.79	4.46	3.44	2.05	2.25	1.73	.56	.88	1.60	2.44	1.54	3.96	28.78	
* Days with .01 in. or more.	20	23	18	15	12	10	7	6	15	12	6	15	158	
* Days with .04 in. or more.	19	19	14	14	10	8	6	4	14	8	6	13	135	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *S. Stanward* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 402

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Anesleyin the County of Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft...5.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

13

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.09	.06	—	.10	.07	.03	—	—	.06	.09	.16	—	1
2	—	.13	.02	—	.10	—	—	—	—	.02	—	.05	—	2
3	—	.01	—	.08	.19	—	.22	—	—	.20	—	.06	—	3
4	—	—	—	—	.11	—	—	—	—	.41	.02	—	—	4
5	.10	—	—	—	—	—	.04	.02	—	.07	—	.08	—	5
6	.03	—	—	—	—	—	.52	—	—	.14	—	—	—	6
7	.03	—	—	—	—	—	.07	1.19	.05	—	—	—	—	7
8	—	—	—	—	—	—	.11	—	—	.15	—	.04	—	8
9	.10	—	—	—	—	—	.30	—	.02	.14	—	—	—	9
10	.03	.01	—	—	—	.01	.01	.24	—	.01	—	.55	—	10
11	.10	.03	—	—	—	.07	—	.09	.10	.02	—	.05	—	11
12	.24	—	—	—	—	.01	—	—	—	—	.12	.10	—	12
13	.22	.02	—	—	—	—	—	.34	—	.14	—	—	—	13
14	.26	snow	—	—	—	—	—	—	—	.02	.14	.12	—	14
15	.20	snow	—	—	.20	—	—	—	.03	—	.01	.01	—	15
16	.05	snow	—	—	—	—	.14	—	—	.35	—	.05	—	16
17	.20	snow	—	—	.16	—	.01	.02	—	.01	.02	.33	—	17
18	—	snow	—	—	—	—	—	—	.03	.10	—	—	—	18
19	.03	—	—	—	.04	—	.01	—	.02	.03	.39	—	—	19
20	—	—	—	—	—	—	—	.02	.02	—	.20	—	—	20
21	—	—	—	—	.02	—	—	—	.03	—	.38	—	—	21
22	.03	—	—	—	—	—	—	.09	.11	—	—	.19	snow	22
23	—	—	—	—	—	.02	—	.09	.01	—	.11	.24	snow	23
24	—	—	—	—	—	—	—	—	—	—	.10	.01	snow	24
25	—	—	.15	—	.03	—	—	—	1.30	—	.03	.03	snow	25
26	.10	—	.22	.05	.08	—	.05	.08	—	.05	1.01	.09	snow	26
27	.19	.19	.15	—	—	—	—	.02	.23	.30	—	.21	snow	27
28	.06	.04	—	.03	.07	.21	.19	—	.42	.01	—	.01	snow	28
29	.05	—	—	—	.28	.03	—	.32	—	—	—	.02	—	29
30	.29	.06	—	—	.10	—	—	.01	—	—	.04	.25	—	30
31	.04	—	—	.10	—	.03	—	—	.06	.07	—	.01	†.13	31
TOTAL	2.35	.90	.54	.26	1.35	.48	1.67	2.63	2.57	2.33	2.66	2.69	20.66	✓
* Days with .01 in. or more.	21	13	5	4	12	8	12	13	13	20	14	22	155	✓
* Days with .04 in. or more.	16	7	3	3	10	3	9	8	6	13	10	16	104	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) S. Stannard [P.T.O.]

Section



for the entry of Daily Observations

Station No. 402

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Anerley
 in the County of Kent
 Diameter of Funnel of Gauge.....5 in.
 Height of top of Gauge above Ground....1 ft. 5 in.
 „ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Nil

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date			
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	i				
1	—	—	.30		.47	—	.04	.14	—	—	.07	.24		1			
2	.02	—	—	.26	.27	—	—	.01	.17	—	—	—		2			
3	.01	—	—	.01	.03	—	—	.39	.48	—	.02	—		3			
4	.13	—	—	.16	—	—	—	.39	—	.02	.22	.38		4			
5	.08	—	.15	.15	—	—	.15	.13	—	.48	.22	—		5			
6	—	—	.01	.18	—	—	.20	.04	—	.19	—	—		6			
7	.25	—	—	.01	—	—	.03	.02	—	—	.30	—		7			
8	.03	.14	—	—	—	—	—	.02	—	.02	.08	.10		8			
9	—	.08	.12	—	—	—	—	.45	—	.84	.20	.18		9			
10	.04	.05	—	—	—	—	—	.01	—	—	.13	—		10			
11	.16	—	—	—	—	—	—	.07	.08	.01	—	—		11			
12	—	—	.32	—	—	.37	—	—	—	.35	.02	—		12			
13	—	—	—	—	.01	.01	—	—	—	—	—	—		13			
14	—	—	.01	.04	—	—	—	—	—	1.35	—	—		14			
15	.44	—	—	.03	.06	.01	—	—	.04	.22	.45	—		15			
16	.65	—	.02	.75	.84	—	—	—	.35	1.00	.49	.05		16			
17	.31	—	.08	.02	.31	.12	—	—	.09	.03	—	—		17			
18	.27	.04	.03	—	.06	—	.55	—	—	—	.04	—		18			
19	.25	.01	.03	—	.19	.48	.05	—	—	.17	.27	—		19			
20	.14	—	.01	—	—	—	.11	—	—	.31	—	—		20			
21	.22	—	.01	—	—	.09	.73	.10	—	—	—	—		21			
22	.03	—	.18	—	—	.04	.10	.14	.15	—	—	—		22			
23	.18	.24	.14	—	—	.06	.15	—	—	—	.55	—		23			
24	.04	—	—	.18	—	—	.06	.02	—	—	.07	—		24			
25	.13	—	.09	.17	—	—	.08	—	—	.19	.01	.01		25			
26	.65	.42	—	—	—	—	.12	.13	—	—	.41	—		26			
27	.01	—	—	.04	—	—	.01	—	—	.19	.18	.05		27			
28	—	.06	.08	.15	—	—	.01	—	.02	.13	.20	—		28			
29	—	—	.08	.33	—	—	—	—	—	—	.11	.07		29			
30	—	X	—	.33	—	.03	Trace	—	—	—	—	—		30			
31	—	X	—	X	—	X	.14	—	X	.07	.24	.01		31			
TOTAL	4.04	1.34	1.36	2.53	1.77	1.25	2.49	2.92	5.57	3.86	1.05	Year's Total	29.56				
* Days with .01 in. or more.	21	9	8	16	7	8	10	15	14	15	8	19	18	22	10	16	170
* Days with .04 in. or more.	16	8	4	12	6	4	7	12	9	10	4	15	14	19	8	9	128

† Spare column, no entries required.

(Signed)

S. Stannard

P.T.O.

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 402

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1934

Kept at Anerley

in the County of Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft. 5.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

.03

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.04	—	.36	—	—	—	—	—	.57	—		1
2	—	.03	—	—	—	—	—	—	—	—	.20	—		2
3	—	—	—	.04	—	—	.05	—	—	—	.60	—		3
4	.01	.19	—	—	—	—	—	—	—	.21	1.36	—		4
5	—	.18	—	.11	—	—	—	—	—	.11	.15	.24		5
6	—	.01	—	—	—	—	.35	—	—	—	.33	—		6
7	.45	.13	—	—	.04	—	.35	—	—	.18	—	—		7
8	—	—	—	—	—	—	.05	—	—	—	—	—		8
9	—	—	—	—	—	—	—	—	.31	.23	—	.23		9
10	—	—	—	—	—	.17	—	—	.02	.12	.33	.05		10
11	—	—	—	—	—	—	.25	.08	—	.4	.4	—		11
12	—	—	.10	.06	—	—	—	—	—	—	.82	—		12
13	—	—	—	—	—	—	.05	—	.21	—	—	—		13
14	—	—	.80	—	—	.09	—	—	—	—	.86	—		14
15	—	—	.17	.11	—	—	—	—	—	—	—	.20		15
16	—	—	.04	.29	.09	—	.88	—	—	.65	.28	.01		16
17	—	.18	.27	—	—	.06	—	—	.13	—	.53	—		17
18	—	—	.42	—	—	—	.02	—	—	—	.42	—		18
19	—	.55	.11	.31	—	—	.20	—	.11	—	.38	.18		19
20	—	—	.06	.05	—	—	.04	—	.75	—	.11	—		20
21	—	—	.02	.01	—	—	.11	.02	.03	—	.09	—		21
22	.04	—	—	—	.50	—	.09	—	—	.16	.35	—		22
23	.03	—	—	—	.26	.12	—	—	—	.02	—	—		23
24	—	.07	.04	.23	.02	.02	—	—	—	—	.02	—		24
25	—	—	—	.25	—	—	.19	—	—	—	—	.06		25
26	—	—	.52	—	—	—	.08	—	—	—	—	—		26
27	1.00	.05	.65	.03	.12	.07	—	—	—	—	—	—		27
28	.66	.15	—	.07	—	—	.16	—	—	—	—	—		28
29	—	.04	—	.01	—	—	—	—	.04	—	—	—		29
30	.10	—	.05	.36	.25	.05	—	—	—	—	—	.26		30
31	.01	—	—	—	—	—	—	—	—	.57	—	.01		31
TOTAL	2.33	1.44	3.23	1.93	1.28	.58	2.52	.10	1.60	2.25	6.83	.03	Year's Total	25.40
* Days with .01 in. or more.	10	13	15	15	7	4	16	2	9	11	17	10	130	131
* Days with .04 in. or more.	4	11	13	12	6	6	15	1	7	10	16	4	111	111

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) S. S. Stannard

P.T.O.

Kept at Hawkwood Chis
in the County of Kent

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
" Ground " Sea Lev

THE MORNING MEASU

An observer who does not conform
following year in the space on the rig

403
CHISLEHURHT
HAWKWOOD

403.
FOR OFFICIAL USE.
FALL ORGANIZATION.
9231.

OUS DAY.
January 1st of the

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	$\frac{3}{100}$	$\frac{10}{100}$	$\frac{2}{100}$	$\frac{32}{100}$	-	$\frac{4}{100}$	-	-	$\frac{1}{100}$	-	-	-	1
2	$\frac{20}{100}$	$\frac{6}{100}$	-	$\frac{21}{100}$	-	-	-	$\frac{7}{100}$	$\frac{26}{100}$	$\frac{2}{100}$	-	$\frac{1}{100}$	2
3	$\frac{8}{100}$	$\frac{2}{100}$	$\frac{3}{100}$	$\frac{31}{100}$	$\frac{150}{100}$	-	-	$\frac{35}{100}$	$\frac{17}{100}$	-	-	$\frac{17}{100}$	3
4	$\frac{1}{100}$	$\frac{2}{100}$	-	$\frac{1}{100}$	-	-	-	$\frac{5}{100}$	$\frac{9}{100}$	-	$\frac{4}{100}$	-	4
5	-	-	-	$\frac{30}{100}$	$\frac{17}{100}$	$\frac{54}{100}$	-	$\frac{5}{100}$	$\frac{7}{100}$	-	-	$\frac{13}{100}$	5
6	-	$\frac{8}{100}$	-	$\frac{4}{100}$	-	-	-	$\frac{3}{100}$	-	$\frac{23}{100}$	$\frac{42}{100}$	-	6
7	-	-	-	-	$\frac{5}{100}$	$\frac{15}{100}$	-	$\frac{16}{100}$	-	$\frac{3}{100}$	$\frac{15}{100}$	$\frac{1}{100}$	7
8	$\frac{1}{100}$	$\frac{5}{100}$	$\frac{2}{100}$	-	$\frac{3}{100}$	$\frac{33}{100}$	$\frac{1}{100}$	$\frac{21}{100}$	-	$\frac{4}{100}$	$\frac{3}{100}$	$\frac{2}{100}$	8
9	-	-	$\frac{1}{100}$	-	-	$\frac{1}{100}$	-	-	-	-	$\frac{59}{100}$	$\frac{2}{100}$	9
10	-	$\frac{14}{100}$	-	-	-	-	-	$\frac{17}{100}$	-	-	$\frac{32}{100}$	-	10
11	$\frac{9}{100}$	$\frac{2}{100}$	-	-	-	-	-	$\frac{1}{100}$	$\frac{4}{100}$	$\frac{1}{100}$	$\frac{25}{100}$	-	11
12	$\frac{3}{100}$	$\frac{1}{100}$	-	-	-	-	$\frac{2}{100}$	$\frac{4}{100}$	$\frac{46}{100}$	-	$\frac{1}{100}$	$\frac{1}{100}$	12
13	$\frac{1}{100}$	-	-	-	-	-	$\frac{4}{100}$	$\frac{6}{100}$	-	-	$\frac{1}{100}$	-	13
14	-	$\frac{9}{100}$	-	-	-	-	$\frac{41}{100}$	$\frac{78}{100}$	-	-	-	-	14
15	$\frac{5}{100}$	$\frac{3}{100}$	-	$\frac{19}{100}$	$\frac{5}{100}$	-	$\frac{19}{100}$	$\frac{25}{100}$	-	-	$\frac{1}{100}$	$\frac{7}{100}$	15
16	$\frac{1}{100}$	$\frac{5}{100}$	-	$\frac{12}{100}$	$\frac{36}{100}$	-	$\frac{11}{100}$	$\frac{1}{100}$	-	-	-	-	16
17	-	$\frac{2}{100}$	-	$\frac{25}{100}$	$\frac{9}{100}$	-	$\frac{19}{100}$	$\frac{2}{100}$	$\frac{16}{100}$	$\frac{1}{100}$	-	-	17
18	$\frac{1}{100}$	$\frac{6}{100}$	-	$\frac{13}{100}$	-	$\frac{26}{100}$	$\frac{5}{100}$	$\frac{69}{100}$	$\frac{9}{100}$	-	$\frac{40}{100}$	-	18
19	$\frac{2}{100}$	-	-	$\frac{53}{100}$	-	$\frac{25}{100}$	$\frac{9}{100}$	$\frac{41}{100}$	$\frac{51}{100}$	-	$\frac{2}{100}$	-	19
20	$\frac{1}{100}$	$\frac{2}{100}$	-	$\frac{5}{100}$	-	-	$\frac{4}{100}$	$\frac{12}{100}$	-	-	-	$\frac{2}{100}$	20
21	$\frac{1}{100}$	-	-	-	$\frac{45}{100}$	-	-	$\frac{2}{100}$	-	-	-	-	21
22	$\frac{14}{100}$	-	$\frac{10}{100}$	-	-	-	-	-	$\frac{2}{100}$	-	$\frac{1}{100}$	-	22
23	$\frac{34}{100}$	-	-	-	$\frac{24}{100}$	$\frac{2}{100}$	-	-	$\frac{15}{100}$	-	$\frac{9}{100}$	-	23
24	-	-	$\frac{1}{100}$	$\frac{30}{100}$	$\frac{4}{100}$	$\frac{1}{100}$	-	$\frac{6}{100}$	$\frac{4}{100}$	-	$\frac{1}{100}$	-	24
25	$\frac{5}{100}$	-	-	$\frac{46}{100}$	$\frac{3}{100}$	-	$\frac{62}{100}$	-	-	-	-	-	25
26	-	$\frac{5}{100}$	-	$\frac{30}{100}$	-	-	$\frac{56}{100}$	-	-	-	$\frac{26}{100}$	-	26
27	$\frac{8}{100}$	$\frac{25}{100}$	-	$\frac{6}{100}$	$\frac{23}{100}$	-	$\frac{48}{100}$	-	-	-	$\frac{19}{100}$	-	27
28	$\frac{5}{100}$	$\frac{15}{100}$	-	$\frac{3}{100}$	-	-	-	-	-	-	-	$\frac{6}{100}$	28
29	$\frac{11}{100}$	-	-	-	$\frac{7}{100}$	-	$\frac{6}{100}$	-	-	$\frac{25}{100}$	$\frac{2}{100}$	$\frac{4}{100}$	29
30	$\frac{7}{100}$	X	-	-	$\frac{1}{100}$	-	-	$\frac{5}{100}$	-	-	-	-	30
31	$\frac{12}{100}$	X	-	X	-	X	-	-	X	$\frac{59}{100}$	X	$\frac{56}{100}$	31 58
TOTAL	$\frac{149}{100}$	$\frac{141}{100}$	$\frac{19}{100}$	$\frac{361}{100}$	$\frac{332}{100}$	$\frac{167}{100}$	$\frac{276}{100}$	$\frac{360}{100}$	$\frac{155}{100}$	$\frac{47}{100}$	$\frac{283}{100}$	$\frac{57}{100}$	YEAR'S TOTAL $\frac{2315}{100}$
Days with "01 in. or more.	22	18	6	17	14	9	13	21	13	7	18	11	180
Days with "04 in. or more.	12	12	1	15	11	7	11	17	10	3	10	5	114

Section **A**

for the entry of Daily

403.
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1923.

Kept at Heckwood Chislehurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

~~1923~~

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	$\frac{3}{100}$	$\frac{10}{100}$	$\frac{2}{100}$	$\frac{32}{100}$	-	$\frac{4}{100}$	-	-	$\frac{1}{100}$	-	-	-	1
2	$\frac{20}{100}$	$\frac{6}{100}$	-	$\frac{21}{100}$	-	-	-	$\frac{7}{100}$	$\frac{26}{100}$	$\frac{2}{100}$	-	$\frac{1}{100}$	2
3	$\frac{8}{100}$	$\frac{2}{100}$	$\frac{3}{100}$	$\frac{31}{100}$	$\frac{150}{100}$	-	-	$\frac{35}{100}$	$\frac{17}{100}$	-	-	$\frac{17}{100}$	3
4	$\frac{1}{100}$	$\frac{2}{100}$	-	$\frac{1}{100}$	-	-	-	$\frac{5}{100}$	$\frac{9}{100}$	-	$\frac{4}{100}$	-	4
5	-	-	-	$\frac{30}{100}$	$\frac{17}{100}$	$\frac{54}{100}$	-	$\frac{5}{100}$	$\frac{7}{100}$	-	-	$\frac{13}{100}$	5
6	-	$\frac{8}{100}$	-	$\frac{4}{100}$	-	-	-	$\frac{3}{100}$	-	$\frac{23}{100}$	$\frac{42}{100}$	-	6
7	-	-	-	-	$\frac{5}{100}$	$\frac{15}{100}$	-	$\frac{16}{100}$	-	$\frac{3}{100}$	$\frac{15}{100}$	$\frac{1}{100}$	7
8	$\frac{1}{100}$	$\frac{5}{100}$	$\frac{2}{100}$	-	$\frac{3}{100}$	$\frac{33}{100}$	$\frac{1}{100}$	$\frac{21}{100}$	-	$\frac{4}{100}$	$\frac{3}{100}$	$\frac{2}{100}$	8
9	-	-	$\frac{1}{100}$	-	-	$\frac{1}{100}$	-	-	-	-	$\frac{59}{100}$	$\frac{2}{100}$	9
10	-	$\frac{14}{100}$	-	-	-	-	-	$\frac{17}{100}$	-	-	$\frac{32}{100}$	-	10
11	$\frac{5}{100}$	$\frac{21}{100}$	-	-	-	-	-	$\frac{1}{100}$	$\frac{4}{100}$	$\frac{1}{100}$	$\frac{25}{100}$	-	11
12	$\frac{3}{100}$	$\frac{1}{100}$	-	-	-	-	$\frac{2}{100}$	$\frac{4}{100}$	$\frac{46}{100}$	-	$\frac{1}{100}$	$\frac{1}{100}$	12
13	$\frac{1}{100}$	-	-	-	-	-	$\frac{4}{100}$	$\frac{6}{100}$	-	-	$\frac{1}{100}$	-	13
14	-	$\frac{9}{100}$	-	-	-	-	$\frac{41}{100}$	$\frac{78}{100}$	-	-	-	-	14
15	$\frac{5}{100}$	$\frac{3}{100}$	-	$\frac{19}{100}$	$\frac{5}{100}$	-	$\frac{19}{100}$	$\frac{25}{100}$	-	-	$\frac{1}{100}$	$\frac{7}{100}$	15
16	$\frac{1}{100}$	$\frac{5}{100}$	-	$\frac{12}{100}$	$\frac{36}{100}$	-	$\frac{11}{100}$	$\frac{4}{100}$	-	-	-	-	16
17	-	$\frac{2}{100}$	-	$\frac{25}{100}$	$\frac{9}{100}$	-	$\frac{19}{100}$	$\frac{2}{100}$	$\frac{16}{100}$	$\frac{1}{100}$	-	-	17
18	$\frac{1}{100}$	$\frac{6}{100}$	-	$\frac{13}{100}$	-	$\frac{26}{100}$	$\frac{5}{100}$	$\frac{69}{100}$	$\frac{3}{100}$	-	$\frac{40}{100}$	-	18
19	$\frac{2}{100}$	-	-	$\frac{53}{100}$	-	$\frac{25}{100}$	$\frac{9}{100}$	$\frac{41}{100}$	$\frac{5}{100}$	-	$\frac{2}{100}$	-	19
20	$\frac{1}{100}$	$\frac{2}{100}$	-	$\frac{5}{100}$	-	-	$\frac{4}{100}$	$\frac{12}{100}$	-	-	-	$\frac{2}{100}$	20
21	$\frac{1}{100}$	-	-	-	$\frac{45}{100}$	-	-	$\frac{2}{100}$	-	-	-	-	21
22	$\frac{14}{100}$	-	$\frac{10}{100}$	-	-	-	-	-	$\frac{2}{100}$	-	$\frac{1}{100}$	-	22
23	$\frac{34}{100}$	-	-	-	$\frac{24}{100}$	$\frac{3}{100}$	-	-	$\frac{15}{100}$	-	$\frac{9}{100}$	-	23
24	-	-	$\frac{1}{100}$	$\frac{30}{100}$	$\frac{4}{100}$	$\frac{1}{100}$	-	$\frac{6}{100}$	$\frac{4}{100}$	-	$\frac{1}{100}$	-	24
25	$\frac{5}{100}$	-	-	$\frac{46}{100}$	$\frac{3}{100}$	-	$\frac{62}{100}$	-	-	-	-	-	25
26	-	$\frac{5}{100}$	-	$\frac{30}{100}$	-	-	$\frac{56}{100}$	-	-	-	$\frac{26}{100}$	-	26
27	$\frac{8}{100}$	$\frac{25}{100}$	-	$\frac{6}{100}$	$\frac{23}{100}$	-	$\frac{48}{100}$	-	-	-	$\frac{19}{100}$	-	27
28	$\frac{5}{100}$	$\frac{15}{100}$	-	$\frac{3}{100}$	-	-	-	-	-	-	-	$\frac{6}{100}$	28
29	$\frac{11}{100}$	-	-	-	$\frac{7}{100}$	-	$\frac{6}{100}$	-	-	$\frac{25}{100}$	$\frac{2}{100}$	$\frac{4}{100}$	29
30	$\frac{7}{100}$	X	-	-	$\frac{1}{100}$	-	-	$\frac{5}{100}$	-	-	-	-	30
31	$\frac{12}{100}$	X	-	X	-	X	-	-	X	$\frac{59}{100}$	X	$\frac{56}{100}$	31 58
TOTAL	$\frac{149}{100}$	$\frac{141}{100}$	$\frac{19}{100}$	$\frac{361}{100}$	$\frac{332}{100}$	$\frac{167}{100}$	$\frac{276}{100}$	$\frac{360}{100}$	$\frac{155}{100}$	$\frac{47}{100}$	$\frac{283}{100}$	$\frac{67}{100}$	YEAR'S TOTAL $\frac{2315}{100}$
Days with "01 in. or more.	22	18	6	17	14	9	13	21	13	7	18	11	180
Days with "04 in. or more.	12	12	1	15	11	7	11	17	10	3	10	5	114

Section

A

for the entry of Daily Observations.

Station No.

403

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hawkwood, Chislehurst.
in the County of Kent.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. in.,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	$\frac{7}{100}$	-	-	$\frac{2}{100}$	$\frac{39}{100}$	-	-	$\frac{11}{100}$	-	$\frac{5}{100}$	$\frac{2}{100}$	$\frac{4}{100}$	1
2	-	-	-	$\frac{7}{100}$	$\frac{3}{100}$	-	-	$\frac{4}{100}$	$\frac{5}{100}$	$\frac{2}{100}$	$\frac{3}{100}$	$\frac{12}{100}$	2
3	-	-	-	$\frac{7}{100}$	$\frac{22}{100}$	-	-	-	$\frac{62}{100}$	-	$\frac{1}{100}$	-	3
4	$\frac{1}{100}$	-	-	-	-	$\frac{18}{100}$	-	-	-	-	-	-	4
5	$\frac{8}{100}$	-	$\frac{1}{100}$	-	$\frac{2}{100}$	$\frac{3}{100}$	$\frac{26}{100}$	-	$\frac{3}{100}$	-	-	$\frac{1}{100}$	5
6	$\frac{30}{100}$	-	-	$\frac{16}{100}$	-	-	-	-	$\frac{2}{100}$	-	-	-	6
7	$\frac{1}{100}$	-	$\frac{8}{100}$	$\frac{3}{100}$	$\frac{1}{100}$	-	$\frac{7}{100}$	-	$\frac{2}{100}$	-	-	-	7
8	-	-	$\frac{15}{100}$	$\frac{3}{100}$	$\frac{18}{100}$	-	-	-	$\frac{10}{100}$	$\frac{49}{100}$	-	-	8
9	$\frac{34}{100}$	$\frac{1}{100}$	$\frac{1}{100}$	$\frac{10}{100}$	$\frac{93}{100}$	-	-	-	-	$\frac{1}{100}$	-	-	9
10	$\frac{65}{100}$	$\frac{5}{100}$	-	$\frac{21}{100}$	$\frac{8}{100}$	-	-	-	-	$\frac{5}{100}$	-	-	10
11	$\frac{8}{100}$	-	-	$\frac{5}{100}$	$\frac{1}{100}$	-	$\frac{95}{100}$	-	-	$\frac{25}{100}$	$\frac{2}{100}$	$\frac{1}{100}$	11
12	$\frac{12}{100}$	$\frac{7}{100}$	-	$\frac{1}{100}$	-	-	-	-	-	$\frac{31}{100}$	$\frac{1}{100}$	-	12
13	$\frac{7}{100}$	-	-	$\frac{6}{100}$	-	-	-	-	$\frac{1}{100}$	$\frac{46}{100}$	$\frac{1}{100}$	$\frac{1}{100}$	13
14	$\frac{6}{100}$	$\frac{2}{100}$	-	$\frac{12}{100}$	$\frac{4}{100}$	-	-	-	-	$\frac{5}{100}$	-	-	14
15	$\frac{1}{100}$	-	-	$\frac{7}{100}$	$\frac{10}{100}$	-	-	-	-	$\frac{12}{100}$	-	-	15
16	$\frac{15}{100}$	-	-	$\frac{22}{100}$	$\frac{15}{100}$	-	-	-	-	-	-	-	16
17	-	-	-	$\frac{6}{100}$	-	-	$\frac{6}{100}$	-	-	$\frac{2}{100}$	$\frac{1}{100}$	-	17
18	-	-	-	-	-	-	$\frac{4}{100}$	-	-	-	$\frac{6}{100}$	-	18
19	$\frac{1}{100}$	$\frac{1}{100}$	-	-	-	-	-	-	-	$\frac{13}{100}$	$\frac{4}{100}$	-	19
20	-	-	-	$\frac{18}{100}$	$\frac{4}{100}$	-	$\frac{10}{100}$	$\frac{29}{100}$	$\frac{3}{100}$	$\frac{53}{100}$	$\frac{12}{100}$	-	20
21	-	-	-	$\frac{15}{100}$	$\frac{31}{100}$	-	-	-	-	$\frac{25}{100}$	-	$\frac{3}{100}$	21
22	-	-	$\frac{29}{100}$	-	$\frac{6}{100}$	-	$\frac{6}{100}$	-	$\frac{27}{100}$	$\frac{25}{100}$	$\frac{29}{100}$	-	22
23	-	$\frac{14}{100}$	$\frac{3}{100}$	$\frac{4}{100}$	$\frac{4}{100}$	-	-	-	$\frac{16}{100}$	$\frac{98}{100}$	$\frac{6}{100}$	$\frac{6}{100}$	23
24	-	$\frac{5}{100}$	-	-	-	-	$\frac{29}{100}$	-	$\frac{1}{100}$	$\frac{5}{100}$	$\frac{5}{100}$	-	24
25	-	-	-	-	-	-	$\frac{40}{100}$	-	$\frac{9}{100}$	$\frac{15}{100}$	$\frac{1}{100}$	$\frac{1}{100}$	25
26	-	-	$\frac{1}{100}$	$\frac{2}{100}$	-	-	$\frac{33}{100}$	$\frac{8}{100}$	-	$\frac{4}{100}$	-	$\frac{1}{100}$	26
27	-	-	$\frac{24}{100}$	$\frac{6}{100}$	-	$\frac{4}{100}$	$\frac{11}{100}$	-	-	$\frac{60}{100}$	$\frac{6}{100}$	-	27
28	-	-	$\frac{3}{100}$	$\frac{1}{100}$	-	-	$\frac{10}{100}$	-	-	$\frac{21}{100}$	$\frac{1}{100}$	-	28
29	-	-	$\frac{29}{100}$	-	-	-	-	$\frac{35}{100}$	$\frac{3}{100}$	$\frac{31}{100}$	-	$\frac{1}{100}$	29
30	-	X	-	$\frac{2}{100}$	-	$\frac{57}{100}$	-	$\frac{2}{100}$	$\frac{2}{100}$	$\frac{3}{100}$	$\frac{4}{100}$	$\frac{13}{100}$	30
31	-	X	$\frac{19}{100}$	X	-	X	-	-	X	-	X	$\frac{3}{100}$	31
TOTAL	$\frac{14}{100}$	$\frac{35}{100}$	$\frac{134}{100}$	$\frac{176}{100}$	$\frac{261}{100}$	$\frac{82}{100}$	$\frac{277}{100}$	$\frac{89}{100}$	$\frac{158}{100}$	$\frac{239}{100}$	$\frac{85}{100}$	$\frac{47}{100}$	YEAR'S TOTAL 21. inches
*Days with "or in. or more.	14.	7.	11	22	16	4	12	6	15.	23.	17	12.	168.
*Days with ".04 in. or more.	10.	4.	6.	15.	13.	3	12	5.	7.	19.	8.	4.	106.

40-9999

*See Instruction 2 (f) on other side.

(Signed) Mary C Edmann (Miss) P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

403

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hawkwood, Chislehurstin the County of KentDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground — ft. 10 in.,, Ground ,, Sea Level 300 ft.*Line Dr. sent
20.2.34.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

CHURCHILL

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	$\frac{2}{100}$	$\frac{13}{100}$	$\frac{10}{100}$	—	—	—	—	—	—	$\frac{3}{100}$	$\frac{2}{100}$	—		1
2	$\frac{25}{100}$	—	$\frac{23}{100}$	—	$\frac{1}{100}$	—	—	—	—	—	$\frac{4}{100}$	—		2
3	$\frac{4}{100}$	$\frac{9}{100}$	$\frac{13}{100}$	—	—	—	—	—	—	—	—	—		3
4	$\frac{13}{100}$	—	$\frac{1}{100}$	—	$\frac{6}{100}$	—	—	—	—	—	$\frac{1}{100}$	—		4
5	$\frac{11}{100}$	$\frac{1}{100}$	$\frac{33}{100}$	—	$\frac{29}{100}$	—	—	—	—	—	—	—		5
6	—	$\frac{1}{100}$	$\frac{5}{100}$	—	$\frac{32}{100}$	—	—	—	—	$\frac{13}{100}$	—	—		6
7	$\frac{20}{100}$	$\frac{4}{100}$	$\frac{8}{100}$	—	$\frac{12}{100}$	—	—	—	—	$\frac{8}{100}$	$\frac{9}{100}$	—		7
8	$\frac{1}{100}$	$\frac{1}{100}$	—	—	—	—	$\frac{18}{100}$	—	—	$\frac{1}{100}$	—	—		8
9	—	—	—	—	$\frac{10}{100}$	—	$\frac{5}{100}$	—	—	$\frac{2}{100}$	—	—		9
10	—	$\frac{19}{100}$	—	—	—	$\frac{17}{100}$	$\frac{3}{100}$	—	—	$\frac{9}{100}$	$\frac{12}{100}$	—		10
11	$\frac{4}{100}$	—	—	—	$\frac{3}{100}$	$\frac{23}{100}$	$\frac{41}{100}$	$\frac{3}{100}$	$\frac{4}{100}$	—	$\frac{6}{100}$	—		11
12	—	—	—	—	—	$\frac{20}{100}$	$\frac{2}{100}$	—	$\frac{62}{100}$	—	—	—		12
13	$\frac{7}{100}$	—	—	—	$\frac{8}{100}$	$\frac{2}{100}$	$\frac{30}{100}$	—	$\frac{25}{100}$	—	—	—		13
14	—	—	~~1~~	—	$\frac{2}{100}$	—	—	—	—	$\frac{8}{100}$	$\frac{10}{100}$	$\frac{3}{100}$		14
15	$\frac{14}{100}$	—	$\frac{5}{100}$	—	—	—	$\frac{71}{100}$	$\frac{17}{100}$	—	$\frac{2}{100}$	$\frac{19}{100}$	—		15
16	$\frac{5}{100}$	—	$\frac{69}{100}$	—	—	$\frac{22}{100}$	$\frac{44}{100}$	—	—	—	$\frac{2}{100}$	—		16
17	—	$\frac{2}{100}$	$\frac{32}{100}$	—	—	$\frac{3}{100}$	—	—	$\frac{2}{100}$	—	—	—		17
18	$\frac{3}{100}$	—	$\frac{9}{100}$	—	—	$\frac{7}{100}$	—	—	—	—	$\frac{14}{100}$	—		18
19	—	$\frac{5}{100}$	$\frac{9}{100}$	—	—	$\frac{10}{100}$	—	$\frac{4}{100}$	$\frac{12}{100}$	—	—	—		19
20	—	$\frac{2}{100}$	$\frac{3}{100}$	$\frac{4}{100}$	—	$\frac{7}{100}$	$\frac{5}{100}$	$\frac{10}{100}$	—	—	—	—		20
21	—	$\frac{3}{100}$	—	—	—	$\frac{3}{100}$	$\frac{3}{100}$	—	$\frac{20}{100}$	—	—	—		21
22	—	—	—	—	—	—	—	—	—	$\frac{3}{100}$	$\frac{1}{100}$	—		22
23	—	$\frac{1}{100}$	—	$\frac{9}{100}$	$\frac{56}{100}$	—	—	—	$\frac{26}{100}$	$\frac{4}{100}$	—	—		23
24	—	$\frac{28}{100}$	—	$\frac{13}{100}$	$\frac{4}{100}$	$\frac{22}{100}$	—	—	$\frac{25}{100}$	—	$\frac{2}{100}$	—		24
25	—	$\frac{14}{100}$	—	$\frac{16}{100}$	$\frac{1}{100}$	—	—	—	$\frac{10}{100}$	—	—	$\frac{2}{100}$		25
26	—	$\frac{36}{100}$	—	$\frac{2}{100}$	—	$\frac{1}{100}$	—	—	$\frac{23}{100}$	—	—	$\frac{8}{100}$		26
27	—	$\frac{1}{100}$	—	—	$\frac{8}{100}$	—	—	—	$\frac{1}{100}$	—	$\frac{5}{100}$	$\frac{8}{100}$		27
28	—	—	—	—	$\frac{2}{100}$	—	$\frac{12}{100}$	—	—	$\frac{35}{100}$	—	$\frac{4}{100}$		28
29	—	—	—	—	—	—	$\frac{6}{100}$	—	—	$\frac{34}{100}$	—	$\frac{14}{100}$		29
30	$\frac{9}{100}$	X	$\frac{10}{100}$	—	—	—	—	—	$\frac{1}{100}$	$\frac{13}{100}$	—	—		30
31	$\frac{4}{100}$	X	—	X	—	X	—	$\frac{9}{100}$	X	$\frac{3}{100}$	X	—		31
TOTAL	$\frac{135}{100}$	$\frac{146}{100}$	$\frac{30}{100}$	$\frac{44}{100}$	$\frac{80}{100}$	$\frac{37}{100}$	$\frac{240}{100}$	$\frac{43}{100}$	$\frac{211}{100}$	$\frac{138}{100}$	$\frac{932}{100}$	$\frac{39}{100}$	Year's Total $\frac{1461}{100}$	16.35
*Days with or in. or more.	14	16	14	5	14	12	12	5	12	14	13	6	137	
*Days with .04 in. or more.	12	9	12	4	10	8	9	4	9	8	9	4	98	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *Mary C. Edmann*

P.T.O.

Section

A

for the entry of Daily Observations.

403
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934.

Kept at Hawthorn Wood, Chislehurst

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 32 ft. in.

Ground Sea Level 300 ft.

January observations lost.
Estimated from other Chislehurst Stations

Observer informed 15/2/35

24/2/35
Blanch

Remaining months excellent

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	✓	-	-	-	-	-	-	11/100	-	5/100	2/100	26/100	1
2	✓	-	16/100	-	-	-	-	-	58/100	30/100	-	20/100	2
3	-	4/100	-	17/100	-	-	-	4/100	-	36/100	-	-	3
4	X	-	2/100	-	-	-	-	-	-	64/100	7/100	39/100	4
5	-	-	1/100	-	5/100	-	-	-	-	10/100	5/100	35/100	5
6	-	-	30/100	-	19/100	16/100	-	4/100	-	14/100	2/100	44/100	6
7	✓	-	-	-	-	-	-	4/100	-	18/100	-	16/100	7
8	-	-	-	-	12/100	-	-	5/100	5/100	-	22/100	-	8
9	✓	-	-	-	-	-	-	-	3/100	-	76/100	33/100	9
10	-	1/100	22/100	13/100	-	-	-	2/100	-	4/100	1/100	-	10
11	X	-	26/100	4/100	-	-	3/100	3/100	-	-	2/100	8/100	11
12	X	-	2/100	-	-	-	6/100	33/100	-	-	-	2/100	12
13	X	-	10/100	-	-	-	52/100	6/100	-	-	2/100	20/100	13
14	X	-	31/100	-	-	-	-	-	-	-	46/100	30/100	14
15	✓	-	15/100	-	8/100	-	-	-	15/100	5/100	11/100	50/100	15
16	X	-	17/100	8/100	16/100	-	-	-	-	6/100	-	-	16
17	-	-	-	-	-	-	-	-	-	7/100	-	18/100	17
18	X	-	4/100	19/100	-	-	9/100	-	-	-	-	30/100	18
19	-	-	19/100	9/100	-	-	-	-	8/100	-	-	22/100	19
20	-	-	13/100	-	-	-	15/100	-	-	-	-	-	20
21	-	-	-	17/100	-	3/100	-	-	-	3/100	-	-	21
22	-	-	-	-	-	-	28/100	17/100	16/100	-	-	-	22
23	-	-	-	17/100	-	45/100	-	-	-	-	-	16/100	23
24	-	-	3/100	27/100	-	10/100	45/100	-	3/100	-	-	-	24
25	X	6/100	-	5/100	3/100	-	-	-	-	6/100	-	23/100	25
26	X	-	-	25/100	-	13/100	-	-	2/100	-	-	3/100	26
27	-	-	-	33/100	-	4/100	-	-	-	-	-	20/100	27
28	-	10/100	-	7/100	-	26/100	3/100	46/100	-	-	4/100	14/100	28
29	-	-	-	-	-	-	-	3/100	9/100	-	-	-	29
30	X	X	-	-	-	-	-	-	-	-	-	24/100	30
31	✓	X	-	X	-	X	-	-	X	16/100	X	-	31
TOTAL	(1.50)	16/100	2 11/100	2 120/100	63/100	1 16/100	1 57/100	1 38/100	1 19/100	2 24/100	2.85	4.93	YEARS TOTAL (21.63)
Days with '01 in. or more.	(16)	4	15	13	6	7	8	12	9	14	12	21	(137)
Days with '04 in. or more.	(10)	3	11	13	5	6	6	9	6	13	8	19	(109)

Section

A

for the entry of Daily Observations.

Station No. 403

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Harwood Chislehurstin the County of KentDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 12 ft. in.,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<u>24</u> 100	<u>4</u> 100	—	<u>5</u> 100	<u>6</u> 100	<u>10</u> 100	<u>25</u> 100	—	<u>13</u> 100	<u>2</u> 100	<u>6</u> 100	—		1
2	<u>9</u> 100	—	—	—	—	—	—	—	<u>16</u> 100	<u>15</u> 100	<u>5</u> 100	—		2
3	—	—	<u>25</u> 100	<u>10</u> 100	—	<u>14</u> 100	—	—	<u>4</u> 100	<u>25</u> 100	<u>8</u> 100	—		3
4	—	<u>9</u> 100	—	<u>18</u> 100	—	<u>10</u> 100	—	—	<u>20</u> 100	<u>27</u> 100	—	<u>17</u> 100		4
5	—	<u>35</u> 100	—	<u>5</u> 100	—	<u>35</u> 100	—	—	<u>43</u> 100	—	<u>3</u> 100	—		5
6	<u>5</u> 100	—	<u>6</u> 100	<u>25</u> 100	—	<u>30</u> 100	—	—	—	—	—	—		6
7	<u>3</u> 100	<u>2</u> 100	—	<u>24</u> 100	—	<u>19</u> 100	—	—	—	—	<u>95</u> 100	<u>13</u> 100		7
8	—	—	—	<u>40</u> 100	—	—	—	—	—	<u>26</u> 100	<u>32</u> 100	<u>15</u> 100		8
9	—	—	—	<u>18</u> 100	—	<u>86</u> 100	—	—	—	<u>82</u> 100	<u>8</u> 100	<u>3</u> 100		9
10	—	—	—	<u>8</u> 100	—	—	—	—	—	—	<u>11</u> 100	<u>10</u> 100		10
11	<u>25</u> 100	—	—	<u>9</u> 100	—	<u>8</u> 100	<u>9</u> 100	—	—	—	<u>32</u> 100	—		11
12	—	—	—	—	—	<u>22</u> 100	—	<u>22</u> 100	—	—	<u>65</u> 100	—		12
13	<u>8</u> 100	<u>15</u> 100	—	<u>8</u> 100	—	—	—	—	—	—	—	—		13
14	—	—	—	—	<u>30</u> 100	<u>6</u> 100	—	—	—	—	<u>4</u> 100	<u>7</u> 100		14
15	—	<u>18</u> 100	—	<u>32</u> 100	—	—	—	—	<u>10</u> 100	—	<u>13</u> 100	<u>6</u> 100		15
16	—	<u>9</u> 100	—	<u>10</u> 100	—	<u>68</u> 100	—	—	<u>30</u> 100	<u>6</u> 100	<u>64</u> 100	—		16
17	—	—	<u>39</u> 100	—	—	<u>10</u> 100	—	—	—	—	<u>63</u> 100	—		17
18	—	—	—	<u>17</u> 100	—	<u>12</u> 100	<u>17</u> 100	—	<u>27</u> 100	<u>5</u> 100	<u>4</u> 100	—		18
19	—	—	—	—	<u>23</u> 100	—	<u>12</u> 100	—	—	—	<u>6</u> 100	—		19
20	—	<u>35</u> 100	—	<u>6</u> 100	<u>17</u> 100	<u>27</u> 100	—	—	—	—	<u>10</u> 100	—		20
21	<u>5</u> 100	<u>35</u> 100	—	—	—	—	—	—	—	<u>10</u> 100	<u>3</u> 100	—		21
22	—	<u>13</u> 100	—	—	—	—	—	—	<u>32</u> 100	—	—	—		22
23	—	—	—	—	—	—	—	<u>81</u> 100	—	—	—	<u>5</u> 100		23
24	<u>8</u> 100	<u>41</u> 100	<u>10</u> 100	—	<u>45</u> 100	—	—	<u>49</u> 100	<u>30</u> 100	—	—	<u>23</u> 100		24
25	<u>18</u> 100	<u>10</u> 100	—	<u>33</u> 100	<u>26</u> 100	<u>9</u> 100	—	—	—	—	—	<u>21</u> 100		25
26	<u>6</u> 100	—	—	—	—	—	—	<u>9</u> 100	—	—	—	<u>35</u> 100		26
27	—	<u>46</u> 100	—	—	—	—	—	—	<u>9</u> 100	—	<u>7</u> 100	<u>21</u> 100		27
28	—	—	—	—	<u>10</u> 100	—	—	—	<u>15</u> 100	<u>13</u> 100	—	<u>10</u> 100		28
29	—	—	—	—	—	—	—	—	<u>53</u> 100	<u>11</u> 100	—	<u>22</u> 100		29
30	<u>6</u> 100	X	—	—	<u>15</u> 100	—	—	<u>61</u> 100	<u>2</u> 100	—	<u>27</u> 100	<u>47</u> 100		30
31	—	X	—	X	—	X	—	—	X	<u>25</u> 100	X	<u>38</u> 100		31
TOTAL	<u>17</u> 100	<u>272</u> 100	<u>80</u> 100	<u>268</u> 100	<u>172</u> 100	<u>346</u> 100	<u>63</u> 100	<u>222</u> 100	<u>294</u> 100	<u>347</u> 100	<u>466</u> 100	<u>233</u> 100	Total	28.80
* Days with .01 in. or more.	11	13	4	16	8	15	4	5	13	11	18	15	131	
* Days with .04 in. or more.	10	12	4	16	8	15	4	5	13	11	18	15	131	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Mary C. Edlmann

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 403

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Harstwood Chislehurst*

in the County of *Kent*

Diameter of Funnel of Gauge *5* in. *12*
 Height of top of Gauge above Ground *12* ft. *12* in.
 „ Ground „ Sea Level *300* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>17/100</i>	<i>15/100</i>	<i>9/100</i>	<i>10/100</i>		<i>10/100</i>	<i>12/100</i>				<i>4/100</i>	<i>15/100</i>		1
2	<i>4/100</i>					<i>25/100</i>	<i>3/100</i>	<i>12/100</i>			<i>6/100</i>			2
3				<i>39/100</i>		<i>24/100</i>					<i>18/100</i>			3
4			<i>9/100</i>			<i>12/100</i>		<i>7/100</i>	<i>52/100</i>			<i>6/100</i>		4
5	<i>22/100</i>		<i>4/100</i>						<i>19/100</i>	<i>15/100</i>	<i>8/100</i>	<i>5/100</i>		5
6	<i>27/100</i>					<i>6/100</i>		<i>2/100</i>	<i>11/100</i>		<i>46/100</i>	<i>4/100</i>		6
7	<i>23/100</i>					<i>23/100</i>		<i>3/100</i>	<i>4/100</i>		<i>17/100</i>			7
8	<i>32/100</i>		<i>7/100</i>								<i>28/100</i>	<i>32/100</i>		8
9	<i>42/100</i>						<i>53/100</i>		<i>19/100</i>	<i>6/100</i>				9
10	<i>8/100</i>						<i>48/100</i>	<i>36/100</i>	<i>16/100</i>					10
11							<i>21/100</i>				<i>77/100</i>			11
12				<i>8/100</i>		<i>19/100</i>	<i>13/100</i>				<i>47/100</i>	<i>9/100</i>		12
13				<i>10/100</i>		<i>10/100</i>			<i>9/100</i>			<i>39/100</i>		13
14						<i>4/100</i>	<i>42/100</i>			<i>4/100</i>	<i>20/100</i>	<i>74/100</i>		14
15		<i>8/100</i>				<i>2/100</i>			<i>4/100</i>			<i>9/100</i>		15
16	<i>29/100</i>				<i>11/100</i>				<i>6/100</i>		<i>36/100</i>	<i>3/100</i>		16
17	<i>27/100</i>	<i>67/100</i>			<i>7/100</i>	<i>6/100</i>	<i>8/100</i>				<i>17/100</i>	<i>19/100</i>		17
18		<i>8/100</i>				<i>10/100</i>	<i>10/100</i>			<i>6/100</i>	<i>18/100</i>	<i>15/100</i>		18
19	<i>31/100</i>	<i>3/100</i>				<i>23/100</i>	<i>15/100</i>	<i>12/100</i>						19
20	<i>17/100</i>	<i>12/100</i>		<i>42/100</i>			<i>5/100</i>		<i>12/100</i>					20
21				<i>30/100</i>		<i>36/100</i>			<i>4/100</i>					21
22	<i>16/100</i>	<i>41/100</i>	<i>8/100</i>		<i>15/100</i>	<i>4/100</i>	<i>11/100</i>					<i>14/100</i>		22
23				<i>5/100</i>			<i>15/100</i>				<i>8/100</i>			23
24	<i>8/100</i>	<i>9/100</i>									<i>63/100</i>			24
25	<i>14/100</i>		<i>19/100</i>	<i>23/100</i>		<i>31/100</i>	<i>9/100</i>		<i>17/100</i>	<i>18/100</i>	<i>6/100</i>	<i>3/100</i>		25
26		<i>6/100</i>	<i>20/100</i>	<i>7/100</i>		<i>10/100</i>	<i>3/100</i>			<i>18/100</i>				26
27	<i>21/100</i>								<i>24/100</i>					27
28	<i>59/100</i>		<i>10/100</i>			<i>12/100</i>	<i>24/100</i>					<i>4/100</i>		28
29	<i>9/100</i>	<i>17/100</i>	<i>10/100</i>			<i>11/100</i>	<i>13/100</i>				<i>12/100</i>			29
30	<i>6/100</i>	X			<i>14/100</i>	<i>18/100</i>				<i>36/100</i>		<i>2/100</i>		30
31	<i>38/100</i>	X	<i>19/100</i>	X	<i>4/100</i>	X	<i>11/100</i>		X	<i>79/100</i>	X	<i>18/100</i>		31
TOTAL	<i>450/100</i>	<i>185/100</i>	<i>115/100</i>	<i>174/100</i>	<i>51/100</i>	<i>291/100</i>	<i>313/100</i>	<i>72/100</i>	<i>256/100</i>	<i>240/100</i>	<i>360/100</i>	<i>2813/100</i>	Year's Total.	
* Days with .01 in. or more.	20	16	10	9	5	20	18	6	13	10	15	17	164	
* Days with .04 in. or more.	20	9	10	9	5	19	15	4	13	10	15	14	143	

Section



for the entry of Daily Observations

Station No.

403

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Haslemere, Cheshamin the County of KentDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....10.....ft.,, Ground ,, Sea Level 3.00.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	$\frac{39}{100}$	$\frac{5}{100}$	—	$\frac{7}{100}$	—	—	—	—	—	—	$\frac{71}{100}$	$\frac{35}{100}$		1
2	—	$\frac{14}{100}$	$\frac{5}{100}$	$\frac{37}{100}$	—	—	—	—	—	—	—	$\frac{15}{100}$		2
3	—	$\frac{13}{100}$	—	—	—	—	—	—	$\frac{12}{100}$	—	—	$\frac{33}{100}$		3
4	$\frac{9}{100}$	$\frac{50}{100}$	—	—	—	—	—	$\frac{63}{100}$	—	—	—	$\frac{27}{100}$		4
5	$\frac{23}{100}$	$\frac{26}{100}$	$\frac{20}{100}$	—	—	—	$\frac{14}{100}$	—	—	—	—	—		5
6	$\frac{4}{100}$	—	$\frac{57}{100}$	—	$\frac{20}{100}$	—	$\frac{4}{100}$	—	—	—	—	—		6
7	—	$\frac{78}{100}$	$\frac{40}{100}$	$\frac{6}{100}$	—	—	—	—	$\frac{4}{100}$	$\frac{10}{100}$	—	$\frac{7}{100}$		7
8	—	—	$\frac{5}{100}$	—	$\frac{7}{100}$	$\frac{8}{100}$	—	$\frac{2}{100}$	—	—	$\frac{34}{100}$	$\frac{42}{100}$		8
9	—	$\frac{4}{100}$	—	$\frac{22}{100}$	$\frac{23}{100}$	—	—	$\frac{2}{100}$	$\frac{29}{100}$	—	—	$\frac{32}{100}$		9
10	—	—	$\frac{42}{100}$	$\frac{12}{100}$	$\frac{43}{100}$	$\frac{28}{100}$	$\frac{6}{100}$	—	—	—	—	$\frac{47}{100}$		10
11	—	—	$\frac{25}{100}$	—	—	—	—	—	—	—	—	$\frac{3}{100}$		11
12	$\frac{15}{100}$	$\frac{22}{100}$	$\frac{4}{100}$	—	—	$\frac{24}{100}$	$\frac{3}{100}$	—	$\frac{13}{100}$	—	—	$\frac{11}{100}$		12
13	$\frac{7}{100}$	$\frac{3}{100}$	$\frac{25}{100}$	—	—	$\frac{23}{100}$	—	$\frac{17}{100}$	$\frac{17}{100}$	—	—	$\frac{49}{100}$		13
14	—	$\frac{2}{100}$	$\frac{13}{100}$	—	—	—	—	$\frac{14}{100}$	$\frac{6}{100}$	—	—	$\frac{3}{100}$		14
15	$\frac{15}{100}$	$\frac{8}{100}$	—	$\frac{12}{100}$	—	—	$\frac{30}{100}$	—	$\frac{3}{100}$	—	—	$\frac{9}{100}$		15
16	—	$\frac{17}{100}$	$\frac{39}{100}$	$\frac{32}{100}$	$\frac{41}{100}$	$\frac{4}{100}$	—	$\frac{21}{100}$	$\frac{9}{100}$	—	—	$\frac{2}{100}$		16
17	$\frac{38}{100}$	—	$\frac{9}{100}$	$\frac{22}{100}$	—	$\frac{3}{100}$	—	—	$\frac{25}{100}$	—	$\frac{5}{100}$	—		17
18	$\frac{19}{100}$	$\frac{3}{100}$	—	—	—	$\frac{79}{100}$	—	—	$\frac{15}{100}$	—	$\frac{17}{100}$	—		18
19	$\frac{4}{100}$	$\frac{9}{100}$	$\frac{2}{100}$	$\frac{9}{100}$	$\frac{4}{100}$	$\frac{17}{100}$	—	—	$\frac{5}{100}$	—	—	—		19
20	$\frac{59}{100}$	—	$\frac{14}{100}$	$\frac{28}{100}$	$\frac{67}{100}$	$\frac{14}{100}$	—	—	—	—	—	—		20
21	$\frac{36}{100}$	$\frac{72}{100}$	$\frac{8}{100}$	$\frac{8}{100}$	—	—	$\frac{3}{100}$	$\frac{10}{100}$	—	—	—	$\frac{14}{100}$		21
22	$\frac{45}{100}$	$\frac{4}{100}$	$\frac{4}{100}$	—	$\frac{4}{100}$	$\frac{51}{100}$	$\frac{4}{100}$	—	—	$\frac{72}{100}$	$\frac{25}{100}$	—		22
23	$\frac{30}{100}$	—	—	—	—	—	$\frac{2}{100}$	—	—	$\frac{75}{100}$	—	—		23
24	$\frac{67}{100}$	$\frac{57}{100}$	—	—	$\frac{3}{100}$	—	—	—	$\frac{11}{100}$	$\frac{33}{100}$	—	—		24
25	$\frac{11}{100}$	$\frac{33}{100}$	$\frac{19}{100}$	—	$\frac{2}{100}$	—	—	—	$\frac{10}{100}$	$\frac{25}{100}$	—	—		25
26	—	$\frac{20}{100}$	$\frac{5}{100}$	—	—	—	—	—	—	$\frac{1}{100}$	—	—		26
27	—	$\frac{5}{100}$	—	$\frac{25}{100}$	—	—	—	—	$\frac{4}{100}$	$\frac{33}{100}$	—	—		27
28	—	$\frac{15}{100}$	—	$\frac{3}{100}$	—	—	—	—	—	$\frac{3}{100}$	—	$\frac{8}{100}$		28
29	—	—	—	—	—	—	—	—	—	$\frac{8}{100}$	$\frac{5}{100}$	$\frac{8}{100}$		29
30	$\frac{29}{100}$	~~X~~	—	—	—	—	—	$\frac{87}{100}$	—	—	$\frac{32}{100}$	—		30
31	$\frac{18}{100}$	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	$\frac{29}{100}$	~~X~~	—		31
TOTAL	~~18~~	~~21~~	$\frac{336}{100}$	~~13~~	$\frac{214}{100}$	$\frac{251}{100}$	$\frac{66}{100}$	$\frac{216}{100}$	$\frac{163}{100}$	$\frac{289}{100}$	~~7~~	$\frac{45}{100}$	Year's Total $\frac{3350}{100}$	✓
* Days with .01 in. or more.	18	21	18	13	10	10	8	8	14	10	7	17	154	✓
* Days with .04 in. or more.	18	18	17	12	8	9	5	6	13	8	7	14	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Harry C. Edlmann

[P.T.O.]

Section **A** for the entry of Daily ObservationsStation No. **403**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Hawthornwood, Chislehurstin the County of KentDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 10 ft.Ground Sea Level 3.00 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>5</u> <u>100</u>	<u>12</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>4</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>11</u> <u>100</u>		1
2	<u>11</u> <u>100</u>	<u>3</u> <u>100</u>	<u>1</u>	<u>10</u> <u>100</u>	<u>8</u> <u>100</u>	<u>1</u>	<u>6</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>36</u> <u>100</u>	<u>4</u> <u>100</u>	<u>1</u>		2
3	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>28</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>60</u> <u>100</u>	<u>1</u>	<u>1</u>		3
4	<u>16</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>5</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>5</u> <u>100</u>	<u>1</u>	<u>1</u>		4
5	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>41</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>15</u> <u>100</u>	<u>1</u>	<u>9</u> <u>100</u>		5
6	<u>5</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>11</u> <u>100</u>	<u>1</u>	<u>9</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>		6
7	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>8</u> <u>100</u>	<u>75</u> <u>100</u>	<u>3</u> <u>100</u>	<u>25</u> <u>100</u>	<u>5</u> <u>100</u>	<u>1</u>		7
8	<u>16</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>16</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>16</u> <u>100</u>	<u>1</u>	<u>1</u>		8
9	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>4</u> <u>100</u>	<u>30</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>18</u> <u>100</u>	<u>1</u>		9
10	<u>10</u> <u>100</u>	<u>8</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>10</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>5</u> <u>100</u>	<u>1</u>		10
11	<u>26</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>10</u> <u>100</u>	<u>15</u> <u>100</u>	<u>1</u>		11
12	<u>22</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>9</u> <u>100</u>	<u>1</u>	<u>15</u> <u>100</u>	<u>5</u> <u>100</u>	<u>1</u>		12
13	<u>26</u> <u>100</u>	<u>10</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>3</u> <u>100</u>	<u>17</u> <u>100</u>	<u>2</u> <u>100</u>		13
14	<u>20</u> <u>100</u>	<u>3</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>27</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>5</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>2</u> <u>100</u>		14
15	<u>5</u> <u>100</u>	<u>7</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>16</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>34</u> <u>100</u>	<u>4</u> <u>100</u>	<u>1</u>		15
16	<u>23</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>3</u> <u>100</u>	<u>26</u> <u>100</u>		16
17	<u>1</u>	<u>18</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>16</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>15</u> <u>100</u>	<u>1</u>	<u>1</u> <u>100</u>		17
18	<u>4</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>10</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>5</u> <u>100</u>	<u>1</u>	<u>42</u> <u>100</u>	<u>1</u>		18
19	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>2</u> <u>100</u>	<u>3</u> <u>100</u>	<u>1</u>	<u>15</u> <u>100</u>	<u>1</u> ✓		19
20	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>8</u> <u>100</u>	<u>1</u>	<u>41</u> <u>100</u>	<u>1</u> ✓		20
21	<u>4</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>3</u> <u>100</u>	<u>1</u>	<u>5</u> <u>100</u>	<u>14</u> <u>100</u>	<u>1</u>	<u>5</u> <u>100</u>	<u>1</u> ✓		21
22	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>15</u> <u>100</u>	<u>1</u> ✓		22
23	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>8</u> <u>100</u>	<u>1</u> ✓		23
24	<u>1</u>	<u>1</u>	<u>13</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>87</u> <u>100</u>	<u>1</u>	<u>95</u> <u>100</u>	<u>82</u> <u>100</u> ✓		24
25	<u>10</u> <u>100</u>	<u>16</u> <u>100</u>	<u>28</u> <u>100</u>	<u>3</u> <u>100</u>	<u>11</u> <u>100</u>	<u>1</u>	<u>3</u> <u>100</u>	<u>1</u>	<u>5</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u> ✓		25
26	<u>19</u> <u>100</u>	<u>16</u> <u>100</u>	<u>20</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>12</u> <u>100</u>	<u>23</u> <u>100</u>	<u>40</u> <u>100</u>	<u>1</u>	<u>1</u> ✓		26
27	<u>6</u> <u>100</u>	<u>5</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>5</u> <u>100</u>	<u>16</u> <u>100</u>	<u>12</u> <u>100</u>	<u>1</u>	<u>67</u> <u>100</u>	<u>1</u>	<u>13</u> <u>100</u>	<u>1</u>		27
28	<u>10</u> <u>100</u>	<u>5</u> <u>100</u>	<u>1</u>	<u>6</u> <u>100</u>	<u>27</u> <u>100</u>	<u>7</u> <u>100</u>	<u>1</u>	<u>23</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>		28
29	<u>26</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>3</u> <u>100</u>	<u>12</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>5</u> <u>100</u>	<u>25</u> <u>100</u>		29
30	<u>3</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>12</u> <u>100</u>	<u>1</u>	<u>2</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>3</u> <u>100</u>	<u>8</u> <u>100</u>	<u>25</u> <u>100</u>	<u>1</u>		30
31	<u>17</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>10</u> <u>100</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>14</u> <u>100</u>	<u>1</u>	<u>13</u> <u>100</u>	<u>1</u>		31
TOTAL	<u>279</u> <u>100</u>	<u>75</u> <u>100</u>	<u>61</u> <u>100</u>	<u>34</u> <u>100</u>	<u>59</u> <u>100</u>	<u>40</u> <u>100</u>	<u>22</u> <u>100</u>	<u>166</u> <u>100</u>	<u>236</u> <u>100</u>	<u>286</u> <u>100</u>	<u>34</u> <u>100</u>	<u>228</u> <u>100</u>	19 80 <u>100</u>	19 80 <u>100</u>
* Days with .01 in. or more.	20.	9	3	5	11	5.	10.	8	13	13	14.	15.	133	133
* Days with .04 in. or more.	19	7	3	3	11	3.	9	7	10	12	13.	13.	110	110

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Mary C. Edman [P.T.O.]

Section **A**

for the entry of Daily Observations

Station No. **403**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at **Hastwood, Chislehurst, Kent**in the County of **Kent**Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground.....ft. **10**.....in.Ground Sea Level **3.00**.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				$\frac{18}{100}$	$\frac{49}{100}$			$\frac{16}{100}$	$\frac{25}{100}$					1
2					$\frac{4}{100}$				$\frac{23}{100}$					2
3	$\frac{18}{100}$			$\frac{23}{100}$				$\frac{46}{100}$			$\frac{24}{100}$	$\frac{23}{100}$		3
4	$\frac{8}{100}$	$\frac{12}{100}$		$\frac{12}{100}$				$\frac{27}{100}$				$\frac{3}{100}$		4
5				$\frac{8}{100}$			$\frac{10}{100}$				$\frac{12}{100}$	$\frac{6}{100}$		5
6	$\frac{25}{100}$							$\frac{2}{100}$			$\frac{19}{100}$	$\frac{3}{100}$		6
7	$\frac{2}{100}$	$\frac{15}{100}$						$\frac{6}{100}$						7
8		$\frac{15}{100}$	$\frac{13}{100}$					$\frac{9}{100}$		$\frac{46}{100}$	$\frac{17}{100}$	$\frac{27}{100}$		8
9	$\frac{4}{100}$									$\frac{40}{100}$	$\frac{19}{100}$	$\frac{15}{100}$		9
10	$\frac{27}{100}$					$\frac{25}{100}$		$\frac{6}{100}$		$\frac{12}{100}$				10
11			$\frac{35}{100}$			$\frac{26}{100}$				$\frac{66}{100}$				11
12														12
13									$\frac{10}{100}$	$\frac{84}{100}$				13
14	$\frac{43}{100}$			$\frac{5}{100}$	$\frac{7}{100}$					$\frac{36}{100}$	$\frac{42}{100}$			14
15	$\frac{63}{100}$				$\frac{12}{100}$	$\frac{3}{100}$	$\frac{16}{100}$		$\frac{35}{100}$	$\frac{138}{100}$	$\frac{9}{100}$			15
16	$\frac{32}{100}$	$\frac{8}{100}$	$\frac{16}{100}$		$\frac{35}{100}$						$\frac{42}{100}$			16
17	$\frac{41}{100}$		$\frac{3}{100}$				$\frac{83}{100}$				$\frac{5}{100}$			17
18	$\frac{28}{100}$				$\frac{25}{100}$	$\frac{18}{100}$	$\frac{16}{100}$							18
19	$\frac{16}{100}$						$\frac{14}{100}$							19
20	$\frac{15}{100}$					$\frac{10}{100}$	$\frac{90}{100}$					$\frac{23}{100}$		20
21	$\frac{7}{100}$		$\frac{20}{100}$			$\frac{8}{100}$	$\frac{15}{100}$	$\frac{7}{100}$	$\frac{35}{100}$					21
22	$\frac{14}{100}$	$\frac{20}{100}$				$\frac{10}{100}$	$\frac{15}{100}$	$\frac{25}{100}$			$\frac{27}{100}$			22
23	$\frac{6}{100}$			$\frac{21}{100}$										23
24	$\frac{36}{100}$	$\frac{7}{100}$	$\frac{16}{100}$				$\frac{13}{100}$							24
25	$\frac{50}{100}$	$\frac{35}{100}$	$\frac{10}{100}$				$\frac{15}{100}$	$\frac{9}{100}$						25
26	$\frac{14}{100}$			$\frac{22}{100}$					$\frac{26}{100}$					26
27			$\frac{12}{100}$									$\frac{5}{100}$		27
28		$\frac{36}{100}$	$\frac{10}{100}$			$\frac{4}{100}$								28
29														29
30				$\frac{63}{100}$		$\frac{12}{100}$					$\frac{22}{100}$			30
31							$\frac{19}{100}$	$\frac{6}{100}$						31
TOTAL	$\frac{449}{100}$	$\frac{136}{100}$	$\frac{43}{100}$	$\frac{67}{100}$	$\frac{82}{100}$	$\frac{16}{100}$	$\frac{36}{100}$	$\frac{34}{100}$	$\frac{134}{100}$	$\frac{510}{100}$	$\frac{238}{100}$	$\frac{15}{100}$	Year's Total $\frac{2898}{100}$	4
* Days with .01 in. or more.	19	7	10	7	6	9	11	10	6	6	11	8	110	✓
* Days with .04 in. or more.	18	7	9	7	6	8	11	9	6	6	11	76	105	104

* See Instruction 3 (f) on other side.

x $\frac{32}{100}$

† Spare column, no entries required.

(Signed) **Mary C. Edman** [P.T.O.]x $\frac{449}{100}$

404

Station.

404

** The following register of mon
&c., is NOT required if daily
values are given on the other

RAINFALL IN 1931

At ChislehurstIn the County of KentDiameter of Funnel 5Height of Top above Ground 1 ft.Height of Ground above Sea Level 780109

CHISLEHURST

1931-40

this section and also the space for

ating to this register should be sent:—

Name Chislehurst

9 am in Summer 9 am

Distance 6150 Direction from gauge W by SDistance 2200 Direction from gauge W by N

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ·01 in. or more	·04 in. or more
JAN.	1.55				
FEB.	1.42				
MAR.	0.28				
APRIL	3.80				
MAY	3.50				
JUNE	1.91				
JULY	2.89				
AUG.	3.96				
SEPT.	2.03				
OCT.	0.35				
NOV.	3.04				
DEC.	0.65				
Total	25.38				

Heights of objects

Distances

Directions from
gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of
gauges which do not represent it. If the pattern is different from any of these please
make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please
give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers
to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature W.P. Jones

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces." An entry ·005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } ·14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Chislehurst
In the County of Kent
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. - in.
Height of Ground above Sea Level 330 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ·01 in. or more ·04 in. or more
JAN.	1.55			
FEB.	1.42			
MAR.	0.28			
APRIL	3.80			
MAY	3.50			
JUNE	1.91			
JULY	2.84			
AUG.	3.96			
SEPT.	2.03			
OCT.	0.35			
NOV.	3.04			
DEC.	0.65			
Total	25.38			

Signature W.P. Jones

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W.P. Jones
Peasants Hollow Lane Chislehurst
Hour of observation by the clock—in Winter 9 am in Summer 9 am
Nearest Railway Station Chislehurst Distance 6158 gauge W by S
Nearest Parish Church at " Distance 2200 gauge W by N
Nature of objects nearest to gauge Tree Wall Tree House
Heights of objects 35/40' 6' 35/40' 30'
Distances 100' 12' 55' 42'
Directions from gauge N S E W

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $17 \left| \right. \cdot 14 \left| \right.$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

B**C**

404

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At ChislehurstIn the County of KentDiameter of Funnel 5 in.Height of Top above Ground 1 ft. in.Height of Ground above Sea Level 330 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with or in. or more	or in. or more
JAN.	1.98				
FEB.	0.46				
MAR.	1.47				
APRIL	2.04				
MAY	3.41				
JUNE	0.92				
JULY	2.36				
AUG.	1.49				
SEPT.	1.34				
OCT.	5.82				
NOV.	0.94				
DEC.	0.57				
Total	22.80				

Signature W. P. Jones

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. P. Jones
Pearsons Holbrook Lane ChislehurstHour of observation by the clock—in Winter 9 am in Summer 9 amNearest Railway Station Chislehurst Distance 6150 gauge W by S.Nearest Parish Church at do Distance 2200 gauge W by N

Nature of objects nearest to gauge	<u>Trees</u>	<u>Wall</u>	<u>Trees</u>	<u>House</u>
Heights of objects	<u>35'-40'</u>	<u>6'-0"</u>	<u>35'-40'</u>	<u>30'</u>
Distances ..	<u>100'</u>	<u>12'-0"</u>	<u>55'</u>	<u>42'</u>
Directions from gauge ..	<u>N</u>	<u>S</u>	<u>E</u>	<u>W</u>

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O.
4 JAN 1933

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London,

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At ChislehurstIn the County of KentDiameter of Funnel 5 in.Height of Top above Ground 1 ft. in.Height of Ground above Sea Level 330 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with or in. or more	Number of Days with or in. or more
JAN.	1.40				
FEB.	1.75				
MAR.	2.43				
APRIL	0.59				
MAY	2.10				
JUNE	1.41				
JULY	2.12				
AUG.	0.61				
SEPT.	2.52				
OCT.	1.81				
NOV.	1.00				
DEC.	0.47				
Total	18.21				

Signature W. P. Jones

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. P. Jones
Peabody Stationers & Printers

Hour of observation by the clock—in Winter _____ in Summer _____

Nearest Railway Station Chislehurst Distance 6150 Direction from W by S

Nearest Parish Church at do Distance 2200 Direction from W by N

Nature of objects nearest to gauge	Truss	Wall	Truss	House
Heights of objects	35'-40'	6'	35'-40'	30'
Distances ..	100'	12'	55'	42'
Directions from gauge ..	N	S	E	W

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 11, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At ChislehurstIn the County of KentDiameter of Funnel 5 in.Height of Top above Ground 1 ft. - in.Height of Ground above Sea Level 330 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with '01 in. or more	'04 in. or more
JAN.	1.65				
FEB.	0.20				
MAR.	2.15				
APRIL	1.93				
MAY	0.65				
JUNE	1.44				
JULY	1.75				
AUG.	1.35				
SEPT.	1.12				
OCT.	2.32				
NOV.	2.80				
DEC.	4.95				
Total	22.31				

Signature

W. P. Jones

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. P. Jones
Peabons Hollow Lane Chislehurst

Hour of observation by the clock—in Winter _____ in Summer _____

Nearest Railway Station Chislehurst Distance 6.150 gauge W by S

Nearest Parish Church at Chislehurst Distance 2200 gauge W by N

Nature of objects nearest to gauge	Trees	Wall	Trees	House
Heights of objects	35'-40'	6'-0	35'-40'	30'
Distances ..	100'	12-0	55'	42'
Directions from gauge ..	N	S	E	W

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At ChislehurstIn the County of Kent

Rain Gauge { Diameter of Funnel.....5.....in.
Height of Top above Ground.....1.....ft.....in.
Height of Ground above Sea Level.....330.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with .01 in. or more
	Inches	Inches	Date
JAN.	<u>1.35</u>		
FEB.	<u>2.59</u>		
MAR.	<u>0.62</u>		
APRIL	<u>2.70</u>		
MAY	<u>1.65</u>		
JUNE	<u>3.61</u>		
JULY	<u>0.53</u>		
AUG.	<u>2.46</u>		
SEPT.	<u>3.27</u>		
OCT.	<u>3.29</u>		
NOV.	<u>4.26</u>		
DEC.	<u>2.70</u>		
TOTAL	<u>29.03</u>		

Signature W. P. Jones

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. P. Jones
Peasons, Holbrook Lane, Chislehurst
Hour of observation by the clock—in Winter about 10.0 am on 1st day of month

Nearest Railway Station Chislehurst Distance 6.150 Direction from gauge W by S

Nearest Parish Church at " Distance 22.00 Direction from gauge W by N


Nature of objects nearest to gauge	<u>Trees</u>	<u>Wall</u>	<u>Trees</u>	<u>House</u>
Height of objects	<u>35/40 ft</u>	<u>6' 0"</u>	<u>35/40 ft</u>	<u>30'</u>
Distances	<u>100 ft</u>	<u>12-0</u>	<u>55 ft</u>	<u>42 ft</u>
Directions from gauge	<u>N</u>	<u>S</u>	<u>E</u>	<u>W</u>

If gauge has been moved during the year state —

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- It is known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7
2 JAN 1936

*See Instruction 2 (f) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt. 3430/1699 15,000 2/35 W. H. & S. 668/91.

BMonthly
Summary.**C**

Particulars of Station,

404

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At BhislehurstIn the County of Kent

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 0 in.
Height of Ground above Sea Level 330 ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with ".01 in. or more or more
JAN.	<u>4.40</u>			
FEB.	<u>1.56</u>			
MAR.	<u>1.21</u>			
APRIL	<u>1.67</u>			
MAY	<u>0.77</u>			
JUNE	<u>3.15</u>			
JULY	<u>2.91</u>			
AUG.	<u>0.64</u>			
SEPT.	<u>3.02</u>			
OCT.	<u>2.46</u>			
NOV.	<u>3.52</u>			
DEC.	<u>2.48</u>			
TOTAL	<u>27.79</u>			

Signature W. P. Jones

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. P. Jones
Peasons, Hollbrook Lane, Bhislehurst

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.Nearest Railway Station Bhislehurst Distance 6.15 Direction from gauge W by SNearest Parish Church at do Distance 2.20 Direction from gauge W by N

Nature of objects nearest to gauge	Trus	Wall	Trus	House
Height of objects	<u>35/40</u>	<u>6'</u>	<u>35/40</u>	<u>30'</u>
Distances	<u>100'</u>	<u>12'</u>	<u>55'</u>	<u>42'</u>
Directions from gauge	<u>N</u>	<u>S</u>	<u>E</u>	<u>W</u>


If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

*Inner nipple
not a bottle*



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- It is known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7
8 JAN 1937

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt. 3430/1699 15,000 2/35 W. H. & S. 668/91.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At ChislehurstIn the County of Kent

Rain Gauge { Diameter of Funnel.....5 in.
Height of Top above Ground.....1 ft. 5 in.
Height of Ground above Sea Level.....330 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with
	<u>inches</u>	<u>Inches</u>	<u>Date</u>
JAN.	<u>4.34</u>		
FEB.	<u>4.59</u>		
MAR.	<u>3.22</u>		
APRIL	<u>2.11</u>		
MAY	<u>2.69</u>		
JUNE	<u>2.48</u>		
JULY	<u>1.22</u>		
AUG.	<u>1.36</u>		
SEPT.	<u>1.56</u>		
OCT.	<u>3.39</u>		
NOV.	<u>1.02</u>		
DEC.	<u>3.85</u>		
TOTAL	<u>31.63</u>		

Signature W. P. Jones

Every observer is requested to fill in this section and also the space for notes as far as possible—

Name and Address to which any inquiry relating to this register should be sent:—

W. P. Jones
Leasons, Holbrook Lane, Chislehurst

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station.....Chislehurst.....Distance.....6.150.....gauge.....W by S

Nearest Parish Church at.....".....Distance.....2200.....gauge.....W by N


Nature of objects nearest to gauge	<u>Trees</u>	<u>Wall</u>	<u>Trees</u>	<u>House</u>
Height of objects	<u>35/40'</u>	<u>6-0</u>	<u>35/40'</u>	<u>30</u>
Distances	<u>100'</u>	<u>12-0</u>	<u>55'</u>	<u>42'</u>
Directions from gauge	<u>N</u>	<u>S</u>	<u>E</u>	<u>W</u>

If gauge has been moved during the year state—

Date of move.....Distance.....Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

[D] INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

404

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At ChislehurstIn the County of KentRain Gauge { Diameter of Funnel 5 in.Height of Top above Ground 1 ft.Height of Ground above Sea Level 330 ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Number of Days with 0.1 in. or more	Number of Days with 0.4 in. or more
JAN.	2.56			
FEB.	0.71			
MAR.	0.51			
APRIL	0.43			
MAY	1.46			
JUNE	0.45			
JULY	1.12			
AUG.	1.80			
SEPT.	1.96			
OCT.	2.97			
NOV.	2.82			
DEC.	2.23			
TOTAL	19.02			

Signature W. P. Jones

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. P. Jones
Peasons Holbrook Lane Chislehurst

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station Chislehurst Distance 6.15 ft. gauge W. by SNearest Parish Church at do Distance 2200 ft. gauge W. by N


Nature of objects nearest to gauge	Tree	Wall	Tree	House
Height of objects	35/40'	6'	35/40'	30'
Distances	100'	12'	55'	42'
Directions from gauge	N	S	E	W

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

- 4 JAN. 1939

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | .14 would show that the reading on the

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W.H. & S. 652/91

S.O. Code No. 40-9999

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At Bislehurst
In the County of Kent
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. — in.
Height of Ground above Sea Level 330 ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more	Number of Days with 0.01 in. or more
JAN.	4.33				
FEB.	1.34				
MAR.	1.41				
APRIL	2.48				
MAY	2.10				
JUNE	1.20				
JULY	3.03				
AUG.	3.84				
SEPT.	1.13				
OCT.	7.12				
NOV.	4.44				
DEC.	1.21				
TOTAL	33.63				

Signature W. P. Jones

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. P. Jones
Leasnoes Holbrook Lane Bislehurst

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station Bislehurst Distance 6.50 ft. gauge W by S

Nearest Parish Church at do Distance 22.00 ft. gauge W by N


Nature of objects nearest to gauge	Height of objects	Distances	Directions from gauge
<u>Trees</u>	<u>35/40</u>	<u>100</u>	<u>N</u>
<u>Wall</u>	<u>6</u>	<u>12</u>	<u>S</u>
<u>Trees</u>	<u>35/40</u>	<u>55</u>	<u>E</u>
<u>Horse</u>	<u>30</u>	<u>42</u>	<u>W</u>

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- (a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- (b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- (c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
 - (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
 - (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - (f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
 - (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - (h) The heaviest daily fall for each month should be underlined.
4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

BMonthly
Summary.**C**

Particulars of Station. 404

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940

At Chislehurst
In the County of Kent
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 0 in.
Height of Ground above Sea Level 330 ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Number of Days with 0.1 in. or more or more
JAN.	2.19		
FEB.	1.63		
MAR.	3.61		
APRIL	1.80		
MAY	1.48		
JUNE	0.67		
JULY	3.42		
AUG.	0.15		
SEPT.	1.67		
OCT.	2.94		
NOV.	7.08		
DEC.	1.25		
TOTAL	27.89		

Signature W. P. Jones

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. P. Jones
Peasons Hollbrook Lane Chislehurst

Hour of observation by the clock—in Winter.....in Summer.....


Nearest Railway Station Chislehurst Distance 6.15 gauge W by S

Nearest Parish Church at do Distance 2.20 gauge W by N

Nature of objects nearest to gauge	Trus	Wall	Trees	Houses
Height of objects	40' 50'	6'	40' 50'	30'
Distances	100'	12'	55'	42'
Directions from gauge	N	S	E	W

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.




If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?



* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/38 W.H. & S. 682/91

S.O. Code No. 40-9999

The following register of n
&c., is NOT required if d
values are given on the c

**CHISHLEHURST
ST. PETERS LODGE**

At **St. Peter's Lodge**
In the County of **Hants**

1936 ONLY

780109

Rain Gauge { Diameter of Funnel.....
Height of Top above Ground.....
Height of Ground above Sea Level.....

n this section and also the space for
relating to this register should be sent:—

er... **8.3041** in Summer...
Direction from **SW**
Distance... **1 mi** gauge...
Direction from **S.W.**
Distance... gauge...

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Number of Days with 0.1 in. or more Date	0.4 in. or more
JAN.	4.73			
FEB.	1.89			
MAR.	.98			
APRIL	1.65			
MAY	.50			
JUNE	3.52			
JULY	2.97			
AUG.	.76			
SEPT.	2.97			
OCT.	2.30			
NOV.	3.52			
DEC.	2.44			
TOTAL	28.23			

Height of objects


Distances

Directions from gauge

7 ft.	about 24 ft.	7 ft.	2 ft.
24 yards	24 ft.	19 yd.	25 ft.
N. W.	S. E.	N. E.	S. W.

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....
Indicate pattern of gauge in use by deleting those sketches of cross sections of
gauges which do not represent it. If the pattern is different from any of these please
make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please
give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers
to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

Signature **S. L. Marks**

MISS S. L. MARKS

f 620832/37

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.
2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.
3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—
 - (a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
 - (b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

- sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
 - (c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
 - (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
 - (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - (f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
 - (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - (h) The heaviest daily fall for each month should be underlined.
4. The columns are so spaced that the entries can be made by a typewriter.

B

Summary.

C

Particulars of Station.

404/5

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193.6

At S. Peter's Lodge, ChilhamIn the County of KentRain Gauge { Diameter of Funnel.....5.....in.Height of Top above Ground.....ft.....1.0.....in.Height of Ground above Sea Level.....ft.....330.....ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more or more
JAN.	4.73			
FEB.	1.89			
MAR.	.98			
APRIL	1.65			
MAY	.80			
JUNE	3.52			
JULY	2.97			
AUG.	.76			
SEPT.	2.97			
OCT.	2.30			
NOV.	3.52			
DEC.	2.44			
TOTAL	28.23			

O.K. W. H. Hobbs
modSignature S. L. Tiarks

X MISS S. L. Tiarks X

* See Instruction 3 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

S. L. TiarksS. Peter's Lodge, ChilhamHour of observation by the clock—in Winter.....8.30 A.M......in Summer.....10.00 A.M......Nearest Railway Station.....Chilham..... Distance.....1.2.....gauge.....S.W.Nearest Parish Church at....."..... Distance.....".....gauge.....S.W.

Nature of objects nearest to gauge

Height of objects

Distances


Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

REGIST

Kept at *Scadbury Park*
in the County of *Kent*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Lev

THE MORNING MEASUR

An observer who does not conform to the
year in the space on the right of this

405
CHISLEHURST
SCADBURY PARK
1931-40

5
COPY FOR OFFICIAL USE.
INFALL ORGANIZATION.
931 .

DAY.

of the following

Jan. 1, following

Please read the Notes and Instructions

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.07	—	.35	—	.06	—	.02	—	—	—	—	1
2	.18	.06	—	.19	—	—	—	.06	.27	.03	—	.01	2
3	.06	.02	.03	.30	1.44	—	—	—	.22	—	.04	.16	3
4	.01	.01	—	—	—	—	—	.04	.02	—	.03	—	4
5	—	—	—	.28	.20	.53	—	—	.07	—	—	.11	5
6	—	.10	—	.03	—	—	—	.05	—	.27	.54	—	6
7	.01	—	—	—	.06	.17	—	.16	—	.04	.13	—	7
8	.01	.03	—	—	—	.37	—	.34	—	—	.03	.01	8
9	—	—	—	—	—	—	—	—	—	—	.56	.02	9
10	—	.14	.01	—	—	—	—	.17	—	—	.38	—	10
11	.06	.22	—	—	—	—	—	—	.04	—	.28	—	11
12	.03	—	—	—	—	—	.06	.02	.45	—	—	—	12
13	—	—	—	—	—	—	.02	.08	—	—	—	—	13
14	—	.11	—	—	—	—	.41	.92	—	—	—	—	14
15	.05	.03	—	.25	.11	—	.50	.22	—	—	—	.08	15
16	—	.04	—	.14	.27	—	—	.13	—	—	—	—	16
17	—	.01	—	.29	.07	—	.19	.02	.09	—	—	—	17
18	—	.08	—	.12	—	.34	.05	.56	.11	—	.40	—	18
19	.03	—	—	.49	—	.28	.07	.45	.05	—	—	—	19
20	—	.02	—	.04	—	—	.03	.12	—	—	—	.02	20
21	.02	—	—	—	.53	—	—	.02	—	—	—	—	21
22	.14	—	.12	—	—	—	—	—	.01	—	.01	—	22
23	.28	—	—	—	.24	.03	—	.04	.09	—	.08	—	23
24	—	—	.01	.34	.03	.07	—	.04	.02	—	—	—	24
25	.04	—	—	.41	.04	—	.46	—	—	—	—	—	25
26	—	.07	—	.30	—	—	.63	—	—	—	.27	—	26
27	.09	.26	—	.01	.21	—	.68	—	—	—	.11	—	27
28	.04	.12	—	.02	—	—	—	—	—	—	—	.08	28
29	.12	X	—	—	.06	—	.06	—	—	.32	.01	.07	29
30	.08	X	—	—	.03	—	—	.06	—	—	—	—	30
31	.10	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	1.36	1.39	—17	3.56	3.29	1.85	3.16	3.52	1.44	—66	2.87	—56	23.83
*Days with or more.	19	17	4	16	13	8	12	20	12	4	14	9	148
*Days with or more.	12	11	1	13	11	7	10	16	9	3	10	5	108

Section

A

for the entry of D

405
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at *Scadbury Park, Chislehurst*
in the County of *Kent*.

Diameter of Funnel of Gauge.....*5* in.
Height of top of Gauge above Ground.....*1* ft..... in.
Ground Sea Level.....*250* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.07	—	.35	—	.06	—	.02	—	—	—	—	1
2	.18	.06	—	.19	—	—	—	.06	.27	.03	—	.01	2
3	.06	.02	.03	.30	1.44	—	—	—	.22	—	.04	.16	3
4	.01	.01	—	—	—	—	—	.04	.02	—	.03	—	4
5	—	—	—	.28	.20	.53	—	—	.07	—	—	.11	5
6	—	.10	—	.03	—	—	—	.05	—	.27	.54	—	6
7	.01	—	—	—	.06	.17	—	.16	—	.04	.13	—	7
8	.01	.03	—	—	—	.37	—	.34	—	—	.03	.01	8
9	—	—	—	—	—	—	—	—	—	—	.56	.02	9
10	—	.14	.01	—	—	—	—	.17	—	—	.38	—	10
11	.06	.22	—	—	—	—	—	—	.04	—	.28	—	11
12	.03	—	—	—	—	—	.06	.02	.45	—	—	—	12
13	—	—	—	—	—	—	.02	.08	—	—	—	—	13
14	—	.11	—	—	—	—	.41	.92	—	—	—	—	14
15	.05	.03	—	.25	.11	—	.50	.22	—	—	—	.08	15
16	—	.04	—	.14	.27	—	—	.13	—	—	—	—	16
17	—	.01	—	.29	.07	—	.19	.02	.09	—	—	—	17
18	—	.08	—	.12	—	.34	.05	.56	.11	—	.40	—	18
19	.03	—	—	.49	—	.28	.07	.45	.05	—	—	—	19
20	—	.02	—	.04	—	—	.03	.12	—	—	—	.02	20
21	.02	—	—	—	.53	—	—	.02	—	—	—	—	21
22	.14	—	.12	—	—	—	—	—	.01	—	.01	—	22
23	.28	—	—	—	.24	.03	—	.04	.09	—	.08	—	23
24	—	—	.01	.34	.03	.07	—	.04	.02	—	—	—	24
25	.04	—	—	.41	.04	—	.46	—	—	—	—	—	25
26	—	.07	—	.30	—	—	.63	—	—	—	.27	—	26
27	.09	.26	—	.01	.21	—	.68	—	—	—	.11	—	27
28	.04	.12	—	.02	—	—	—	—	—	—	—	.08	28
29	.12	X	—	—	.06	—	.06	—	—	.32	.01	.07	29
30	.08	X	—	—	.03	—	—	.06	—	—	—	—	30
31	.10	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	1.36	1.39	—17	3.56	3.29	1.85	3.16	3.52	1.44	—66	2.87	—56	23.83
*Days with or in. or more.	19	17	4	16	13	8	12	20	12	4	14	9	148
*Days with or in. or more.	12	11	1	13	11	7	10	16	9	3	10	5	108

40-9999

*See Instruction 2 (f) on other side.

(Signed) *B. Orchard*

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

405
405

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Seadbury Park, Chilchurst
in the County of KentDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.Ground Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.01	—	.01	.43	—	—	.22	.01	.06	.02	.04	1
2	.01	—	—	.07	.02	—	.01	.09	.07	—	.02	.11	2
3	—	—	—	.08	.20	—	—	.01	.67	—	—	—	3
4	—	—	—	—	—	.18	—	—	—	—	.02	—	4
5	.08	—	.02	—	.02	.04	.35	—	.03	—	—	—	5
6	.31	—	—	.18	.01	—	—	—	.02	—	—	—	6
7	—	—	.11	.04	—	—	.04	—	.04	—	—	—	7
8	—	—	.15	.08	.20	—	—	—	.09	.51	—	—	8
9	.34	—	.01	.10	.69	—	—	—	—	—	—	—	9
10	.63	.03	—	.21	.09	—	—	—	—	.06	—	—	10
11	.14	.02	—	.05	—	—	.30	—	—	.25	.02	.03	11
12	.09	.04	—	—	—	—	—	—	—	.38	—	—	12
13	.06	—	—	.07	.01	—	—	—	.01	.48	.01	.01	13
14	.06	.01	—	.15	.06	—	.02	—	—	.05	—	.01	14
15	—	—	—	.07	.05	—	—	—	—	.13	—	—	15
16	.12	—	—	.24	.17	—	—	—	—	—	—	—	16
17	—	—	—	.04	—	—	.07	—	—	.01	.01	—	17
18	—	—	—	—	—	—	.02	—	.09	—	.06	—	18
19	—	.01	—	—	—	—	—	—	.01	.13	.04	—	19
20	—	—	—	.18	.22	—	.07	.14	.02	.55	.12	—	20
21	—	—	—	.14	.34	—	—	—	—	.26	—	.04	21
22	—	—	.32	—	.07	—	.03	—	.26	.27	.28	—	22
23	—	.02	.04	—	.03	—	—	—	.15	1.05	.04	.07	23
24	—	.10	—	.05	—	—	.33	—	—	.04	.06	—	24
25	—	.04	—	—	—	—	.37	—	.09	.23	.01	.02	25
26	—	—	.02	.03	.02	—	.36	.11	—	.02	—	.01	26
27	—	—	.24	.05	.51	.04	.15	—	—	.59	.07	—	27
28	—	—	.01	—	.05	—	.10	—	—	.18	—	—	28
29	—	—	.28	—	.02	—	—	.35	.04	.31	—	.03	29
30	—	×	—	.06	.04	.60	—	.01	.02	.03	.03	.14	30
31	—	×	.20	×	—	×	—	—	×	—	×	.02	31
TOTAL	1.88	.28	1.40	1.90	3.25	.86	2.22	.93	1.62	5.59	.81	.53	YEAR'S TOTAL 21.27
*Days with .01 in. or more.	11	9	11	20	21	4	14	7	16	21	15	12	161
*Days with .04 in. or more.	10	3	7	18	14	4	10	5	9	18	7	5	110

40-9999

*See Instruction 2 (f) on other side.

(Signed) B. Orchard

P.T.O.

REGISTER OF RAINFALL IN 1933.

Kept at *Scadbury Park, Chislehurst*
in the County of *Kent*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
Ground Sea Level *250* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.14	.10	—	—	—	—	—	—	.03	.03	—		1
2	.17	—	.21	—	.06	—	—	—	—	—	—	—		2
3	.05	.10	.10	—	—	—	—	—	—	—	.03	—		3
4	.15	—	.01	—	.07	—	—	—	—	—	—	—		4
5	.11	—	.28	—	.30	—	—	—	—	—	—	—		5
6	—	.06	.03	—	.32	—	—	—	—	.15	.11	—		6
7	.21	.04	.13	—	.11	—	—	—	—	.09	—	.04		7
8	.05	—	—	—	.01	—	.21	—	—	.01	—	—		8
9	—	—	—	—	.16	—	.06	—	—	.03	.13	—		9
10	—	.21	—	—	.02	.14	.03	—	—	.10	—	—		10
11	.09	—	—	—	.01	.16	.35	.04	.05	—	.05	—		11
12	—	—	—	—	—	.23	.01	—	.71	—	—	—		12
13	.07	—	—	—	.09	—	.35	—	.24	.01	.10	—		13
14	—	—	—	—	.01	—	—	.02	—	.12	.16	.01		14
15	.13	—	.06	—	—	—	.45	.19	—	.02	.01	—		15
16	.05	—	.60	—	—	.24	.35	—	.01	—	.07	—		16
17	—	.01	.33	—	—	—	—	.02	.04	—	.05	—		17
18	.02	—	.09	—	—	.09	—	—	—	—	.01	—		18
19	—	.03	.10	.01	—	.11	—	—	.10	—	.01	.02		19
20	—	.03	.02	.07	—	.06	.11	—	—	—	.01	—		20
21	—	.05	—	—	—	.10	.01	.05	.34	.01	—	—		21
22	—	—	—	—	—	—	—	.12	—	.02	.01	—		22
23	—	—	—	.10	.71	—	—	—	.21	.02	—	—		23
24	—	.11	—	.14	.04	.20	—	—	.23	—	.01	—		24
25	—	.15	—	.18	.01	—	—	—	.09	—	.01	.04		25
26	—	.36	—	.02	—	—	—	—	.23	.05	.04	.09		26
27	—	—	—	—	.13	—	.02	—	—	.24	—	.06		27
28	—	—	—	—	.03	—	.16	—	—	.47	—	.03		28
29	.01	X	—	—	—	—	.09	—	—	.09	—	—		29
30	.11	X	.15	—	—	—	—	—	.02	.06	—	.14		30
31	.05	X	—	X	—	X	—	.11	X	.01	X	—		31
TOTAL	1.28	1.29	2.21	.52	1.08	1.33	2.20	.55	2.27	1.53	.84	.43	16	53
*Days with .01 in. or more.	15	12	14	6	16	9	13	7	12	18	17	8	147	
*Days with .04 in. or more.	12	9	11	4	10	9	9	5	10	9	8	5	111	

Section **A** for the entry of Daily Observations.Station No. **405**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at *Scadbury Park, Chislehurst*
in the County of *Kent*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *—* in.
,, Ground ,, Sea Level *250* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	—	—	—	—	—	.08	—	.05	.01	.28		1
2	.02	—	.15	—	—	—	—	—	.53	.30	—	.17		2
3	—	.04	—	.15	—	—	—	.02	—	.45	—	—		3
4	.13	—	.02	—	—	—	—	—	—	.61	.09	.36		4
5	—	—	.01	—	.05	—	—	—	—	.07	.04	.34		5
6	—	—	.31	.01	.20	.19	—	.04	—	.14	.01	.44		6
7	.03	—	—	—	—	.01	—	.04	—	.17	—	—		7
8	—	—	—	—	.12	—	—	.06	.04	—	.20	.01		8
9	.01	—	—	—	—	—	—	—	.02	—	.71	.30		9
10	—	.02	.19	.13	—	—	—	.02	—	.05	.94	—		10
11	.40	—	.21	.05	—	—	.03	.02	—	—	.01	.07		11
12	.06	—	.02	—	—	—	.05	.31	—	—	—	.03		12
13	.30	—	.12	.01	—	—	.59	.03	—	—	.02	.15		13
14	.07	—	.25	—	.02	—	—	—	—	.02	.44	.27		14
15	.02	—	.12	—	.06	—	—	—	.01	.08	.09	.40		15
16	.07	.02	.15	.09	.17	—	—	—	—	.06	—	.01		16
17	—	—	.01	—	—	—	—	—	—	.07	—	.16		17
18	.11	—	.02	.18	—	—	.09	—	—	—	—	.27		18
19	—	—	.19	.09	—	.01	—	—	.08	—	.01	.19		19
20	—	—	.11	—	—	—	.05	—	—	—	.01	.01		20
21	—	—	.01	.19	—	.03	—	—	—	.01	—	.01		21
22	—	—	—	—	—	—	.25	.16	.17	—	—	.10		22
23	—	—	—	.25	—	.48	—	—	—	—	—	.07		23
24	—	.01	.02	.08	—	.12	.73	—	.03	—	—	—		24
25	.04	.03	—	.06	.06	—	—	—	—	.05	.01	.21		25
26	.05	—	—	.19	—	.12	—	—	.01	—	—	.03		26
27	—	.01	—	.26	—	.05	—	—	—	—	—	.18		27
28	—	.02	—	.04	—	.40	.02	.45	—	—	.03	.13		28
29	—	X	.01	—	—	—	—	.01	.08	—	—	.02		29
30	.16	X	—	—	—	—	—	—	—	—	—	.21		30
31	.01	X	—	X	—	X	—	—	X	.16	X	.08		31
TOTAL	1.49	.15	1.92	1.78	.68	1.41	1.81	1.24	.97	2.24	2.62	4.50	20.81	
* Days with .01 in. or more.	16	7	18	15	7	9	8	12	9	15	15	27	158	
* Days with .04 in. or more.	10	1	10	13	6	6	6	7	5	12	7	20	103	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) *B. Orchard* [P.T.O.]

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 405.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Scadbury Park, Chislehurst*
in the County of *Kent*.Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *5* in.
Ground Sea Level *240* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.05	—	.04	—	.12	.22	—	.11	.02	.03	.01		1
2	.08	—	—	.05	—	—	—	—	.17	.09	.05	—		2
3	—	.07	.23	.02	—	.11	—	—	.03	.93	.10	—		3
4	—	.02	—	.19	—	.22	—	—	.18	.24	.04	.13		4
5	—	.36	.04	.05	—	.24	—	—	.46	.01	.01	—		5
6	.05	.03	.01	.22	—	.25	—	—	—	—	.02	.01		6
7	.03	—	—	.23	—	.14	—	—	—	—	.86	.11		7
8	—	.01	—	.35	—	.07	—	.01	—	.24	.33	.15		8
9	—	—	—	.22	—	.89	—	—	—	.79	.06	.02		9
10	.01	.01	—	—	—	.02	—	—	—	—	.14	.06		10
11	.23	—	—	.10	—	.04	.02	—	—	—	.28	.01		11
12	—	.01	—	—	—	.19	—	.17	—	—	.65	—		12
13	.08	.13	—	.06	.08	.04	—	—	—	—	.01	—		13
14	—	—	—	.04	.25	.04	—	—	—	—	.02	.06		14
15	—	.17	—	.24	—	.03	—	—	.14	—	.11	.07		15
16	—	.07	—	.10	—	.77	—	—	.32	.04	.58	.01		16
17	.01	—	.13	.01	—	.10	—	.01	.02	—	.59	—		17
18	—	—	—	.14	.05	.11	.12	—	.26	.05	.03	—		18
19	—	—	—	—	.10	.01	.06	—	.01	—	.06	.01		19
20	.01	.30	—	.07	.16	.06	.08	—	.03	—	.06	—		20
21	.01	.30	—	.04	—	—	—	—	—	.09	.03	—		21
22	—	.13	.01	—	—	—	—	.37	.39	—	—	—		22
23	—	—	.14	—	—	—	—	.55	.01	—	—	.06		23
24	.05	.41	—	—	.65	—	—	.47	.29	.02	—	.16		24
25	.18	.16	—	.30	.05	.14	—	—	—	—	.01	.13		25
26	.09	.12	—	—	—	—	—	.08	.01	.02	—	.28		26
27	.01	.27	—	—	—	—	.01	—	.05	—	.05	.18		27
28	—	—	—	—	.06	—	—	—	.06	.08	—	.08		28
29	—	X	—	—	—	—	—	—	.45	—	—	.19		29
30	.08	X	.01	.05	.11	—	—	.60	.02	.07	.26	.37		30
31	—	X	—	X	—	X	—	—	X	.23	X	.34		31
TOTAL	1.13	2.62	—	5.72	5.51	3.59	—	5.1	2.26	3.01	2.92	4.38	2.44	27.46
* Days with .01 in. or more.	15	18	7	20	9	20	6	8	19	15	24	21	182	
* Days with .04 in. or more.	9	13	4	18	9	17	4	6	12	11	16	15	134	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

13. Orchard

[P.T.O.]

Section "A" for the entry of Daily Observations

Station No. 405.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at SCADBURY PARK.

in the County of CHISLEHURST, KENT.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground....1 ft.....in.

,, Ground ,, Sea Level 24.0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	.15	.06	.09	—	.11	.16	—	—	—	.02	.15		1
2	.02	.01	—	.01	—	.26	.04	.12	—	—	.06	—		2
3	.01	—	—	.34	—	.30	—	—	.01	—	.24	—		3
4	—	—	.08	—	—	.11	—	—	.51	—	—	.04		4
5	.22	—	.05	—	—	—	—	.08	.19	.03	.07	.06		5
6	.31	—	—	—	—	.04	—	.01	.06	—	.42	.03		6
7	.24	—	.01	—	—	.22	—	.01	.03	.01	.14	.03		7
8	.22	—	.06	—	—	—	—	—	—	.01	.29	.28		8
9	.38	—	.01	—	—	—	.44	—	.13	.02	—	—		9
10	.08	—	—	—	—	—	.40	.20	.18	—	—	—		10
11	—	—	—	.06	—	—	.15	.03	—	—	.60	—		11
12	—	—	—	.06	—	.15	.12	—	.09	—	.38	.07		12
13	—	—	—	.08	—	.12	—	—	—	—	.01	.32		13
14	—	.02	—	—	—	.04	.37	—	.02	.03	.18	.61		14
15	.01	.04	—	—	—	.01	.04	—	.03	—	.01	.06		15
16	.35	.03	—	—	.12	—	.01	—	.04	—	.37	.02		16
17	.18	.51	—	—	.09	.08	—	—	—	.02	.17	.17		17
18	.03	.04	—	—	—	.04	.08	—	—	.02	.16	.12		18
19	.21	.02	—	—	—	.54	.14	.10	—	.02	.01	—		19
20	.18	.04	—	.39	—	—	.03	—	.12	—	—	—		20
21	—	.01	—	.22	.01	.40	—	—	.02	—	—	—		21
22	.15	.37	.06	.01	.15	.04	.10	—	—	—	.01	.14		22
23	.01	—	—	.03	—	—	.12	—	—	.06	—	—		23
24	.07	.06	—	—	—	—	—	—	—	.62	—	—		24
25	.13	—	.17	.22	—	.27	.08	—	.15	.10	.04	.02		25
26	—	.05	.15	.05	—	.04	.03	—	.05	.16	—	.01		26
27	.20	—	—	.01	—	—	—	—	.17	.11	—	—		27
28	.60	—	.03	—	—	.24	.19	—	.01	—	—	.02		28
29	.06	.13	.12	—	—	.29	.05	—	—	.01	.10	.01		29
30	.05	✕	—	—	.14	.11	—	—	—	.24	—	—		30
31	.30	✕	.15	✕	.02	✕	.10	—	✕	.89	✕	.11		31
TOTAL	4.16	1.48	.95	1.57	.53	3.41	2.65	.55	2.81	2.35	3.28	2.27	26.01	✓
* Days with .01 in. or more.	24	14	12	13	6	20	19	7	17	16	19	19	186	✓
* Days with .04 in. or more.	19	9	9	9	4	19	16	4	11	7	14	12	133	✓
Year's Total														

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) 13. Orchard [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 405

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at SCADBURY PARK,
in the County of GHISLEHURST. KENT.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground....1 ft.....in.

,, Ground ,, Sea Level 2.40 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.41	.04	—	.06	—	—	—	—	—	—	.75	.42		1
2	—	.11	.04	.45	—	—	—	—	.11	—	—	1.03		2
3	—	.09	—	—	—	—	—	—	—	—	—	.22		3
4	.07	.42	—	—	—	—	—	.22	—	—	—	.31		4
5	.22	.29	.34	—	—	—	.14	—	—	—	.01	—		5
6	.04	—	.60	—	.17	—	.03	—	—	.05	—	.01		6
7	—	.79	.14	.05	—	—	—	—	.03	.04	.01	.01		7
8	—	—	.03	—	.06	.05	—	—	—	—	.25	.60		8
9	—	.04	—	.22	.25	.30	—	—	.25	—	—	.13		9
10	.02	—	.34	.15	.50	—	.09	.02	—	—	—	.41		10
11	—	—	.29	—	—	—	.02	—	—	—	—	.02		11
12	.09	.21	.08	—	.80	.21	.01	.03	.09	—	—	.08		12
13	.14	.02	.24	—	—	.24	—	.12	.11	—	—	.53		13
14	.01	.02	.17	.01	.01	.01	—	.38	.05	—	—	—		14
15	.10	.07	—	.11	—	—	.41	—	.03	—	—	.02		15
16	.01	.14	.34	.35	—	.02	—	.22	.11	—	—	—		16
17	.19	.01	.07	.24	—	.01	—	—	.08	—	.09	—		17
18	.28	.02	—	—	.44	.79	—	—	.27	—	.15	.06		18
19	.04	.11	.02	.06	.04	.18	.01	—	.04	—	—	.10		19
20	.44	.02	.14	.21	.76	.16	—	—	.02	—	—	—		20
21	.28	.65	.07	.06	—	—	.02	—	—	—	—	—		21
22	.38	.04	.02	—	.02	.42	.03	—	—	.79	.22	.02		22
23	.28	—	.02	—	—	—	—	—	—	.62	.01	—		23
24	.56	.54	.16	—	.01	—	—	—	.07	.28	—	—		24
25	.07	.29	.05	—	—	—	—	—	.09	.21	—	.02		25
26	.02	.17	—	—	.04	—	—	—	—	.01	—	—		26
27	—	.05	.01	.24	—	—	—	—	.03	.32	—	—		27
28	—	.10	—	.01	—	.01	—	—	—	.02	—	.04		28
29	.10	X	—	—	—	—	—	—	—	.06	.03	.08		29
30	.14	X	—	—	—	—	—	.50	—	—	.19	—		30
31	.17	X	—	X	—	X	—	—	X	.07	X	.01		31
TOTAL	4.06	4.21	3.17	2.22	3.10	2.40	.76	1.49	1.38	2.47	1.71	4.12	31.12	✓
* Days with .01 in. or more.	23	23	20	14	12	12	9	7	15	11	10	20	176	✓
* Days with .04 in. or more.	19	18	15	12	9	8	3	5	11	9	6	13	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) B. Orchard [P.T.O.]

Section **A** for the entry of Daily ObservationsStation No. 405

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Seadbury Park
in the County of Chislehurst Kent
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground....1 ft.....in.
„ Ground „ Sea Level 240 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	—	—	—	.03	.09	—	—	.03	—	—	.11		1
2	.08	.01	—	.10	.08	—	.01	—	—	.37	.01	.03		2
3	.01	—	—	—	.25	—	—	—	—	.50	—	—		3
4	.04	—	—	—	—	—	.04	.02	—	.05	—	.06		4
5	.01	—	—	—	—	—	.22	—	—	.14	—	—		5
6	.02	—	—	—	—	—	.08	—	.04	—	—	—		6
7	—	—	—	—	—	—	.11	.67	—	.20	—	.04		7
8	.16	—	—	—	—	—	.13	—	—	.13	—	—		8
9	.03	—	—	—	—	—	.02	.29	—	—	—	.56		9
10	.07	.07	—	—	—	.08	—	.13	—	—	—	.06		10
11	.25	—	—	—	—	—	—	—	—	—	.07	.12		11
12	.20	.02	—	—	—	—	—	.04	—	.13	.03	—		12
13	.25	.06	—	—	—	—	—	—	—	.02	.13	.04		13
14	.15	.03	—	—	.28	—	—	—	.04	—	—	.01		14
15	.02	.08	—	—	—	—	.14	—	—	.32	.01	.03		15
16	.21	.01	—	—	—	—	—	—	—	—	—	.26		16
17	—	.11	—	—	.14	—	—	—	—	.09	—	—		17
18	.03	—	—	—	.08	—	—	—	.04	.08	.38	—		18
19	—	—	—	—	—	—	—	.02	.02	—	.12	.01		19
20	—	—	—	—	.06	—	—	—	.06	—	.36	.01		20
21	.03	—	—	—	—	—	—	.04	.13	—	.04	.11		21
22	.01	—	—	—	—	.01	—	.02	—	—	.11	.17		22
23	—	—	—	—	—	—	—	—	—	—	.07	.01		23
24	—	—	.10	—	—	—	—	—	.58	—	.03	.03		24
25	.09	—	.33	.07	.09	—	.03	—	.05	.04	.75	.01		25
26	.20	.16	.10	.01	—	—	—	.18	.23	.33	—	.21		26
27	.05	.03	.01	—	.05	.15	.11	—	.66	—	.13	—		27
28	.10	.04	—	.07	.23	.06	—	.21	—	—	—	—		28
29	.21	~~X~~	—	.02	.09	—	—	—	—	—	.02	.23		29
30	.02	~~X~~	—	.11	—	.02	—	—	.03	.07	.22	—		30
31	.17	~~X~~	—	~~X~~	.09	~~X~~	—	—	~~X~~	.10	~~X~~	.09		31
TOTAL	2.44	.62	.54	.38	1.47	.41	.89	1.62	1.91	2.57	2.48	2.20	17.53	✓
* Days with .01 in. or more.	25	11	4	6	12	6	10	10	12	15	16	21	148	✓
* Days with .04 in. or more.	15	6	3	4	11	4	7	7	9	14	11	13	104	✓
Year's Total														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) B. Orchard [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 405

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Seadbury Park
in the County of Chislehurst, Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....in.

,, Ground ,, Sea Level...260.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	.01	.18	.38	—	.01	.01	.25	—	—	.02		1
2	.01	—	—	.02	.03	—	.02	.32	.16	.02	.03	—		2
3	.14	—	—	.21	—	—	—	.44	—	.03	.17	.35		3
4	.07	—	.11	.13	—	—	.01	1.80	—	.53	.05	.03		4
5	—	—	—	.09	—	—	.04	.01	—	.02	.21	.04		5
6	.21	—	—	—	—	—	.05	—	—	—	.20	—		6
7	.02	.14	—	—	—	—	—	.08	—	.17	.05	.02		7
8	—	.14	.09	—	—	—	—	.08	—	.38	.20	.22		8
9	.04	.03	—	—	—	—	—	.01	—	.49	.10	.13		9
10	.16	—	—	—	—	.25	—	.05	.07	.01	.01	—		10
11	—	—	.32	—	—	.18	—	—	—	.55	.02	.02		11
12	—	—	—	—	—	—	—	—	—	—	.01	—		12
13	—	—	—	.01	—	.02	—	—	.02	1.64	—	.01		13
14	.37	—	.01	.07	.11	—	—	—	.01	.37	.48	.02		14
15	.47	—	—	—	1.10	.02	.03	—	.27	1.21	.03	.01		15
16	.38	—	.13	.02	.30	.08	—	—	.35	—	.40	—		16
17	.43	.05	.02	.03	.03	—	.81	—	—	—	.07	—		17
18	.24	—	.01	—	.14	—	.16	—	—	.30	.29	—		18
19	.13	—	.01	—	—	.14	.11	—	—	.75	—	—		19
20	.17	—	—	—	—	.15	.75	—	.01	—	—	.08		20
21	.05	—	.17	—	—	.08	.16	.01	.27	.02	—	—		21
22	.09	.17	.12	—	—	.12	.08	—	—	—	.03	—		22
23	.05	—	—	.16	—	.01	.10	.04	—	.05	.51	—		23
24	.16	.06	.09	.15	—	—	.04	.01	—	.14	—	—		24
25	.44	.34	.08	.01	—	—	.26	.03	—	—	.45	.02		25
26	.11	—	—	.10	—	.01	.01	—	—	.13	.16	.04		26
27	.03	.02	.09	.11	—	—	—	—	.03	.04	.42	—		27
28	—	.32	.08	.16	—	.01	—	—	—	.05	.06	.09		28
29	—	X	—	.36	—	—	—	—	—	.09	.05	—		29
30	—	X	—	.65	—	.06	—	—	—	—	.21	—		30
31	—	X	—	X	—	X	.21	—	X	.01	X	—		31
TOTAL	378	127	134	246	209	173	285	289	144	700	421	170	31	56
* Days with .01 in. or more.	22	9	15	17	7	13	17	13	10	22	24	15	184	✓
* Days with .04 in. or more.	18	7	10	12	5	8	12	7	6	16	18	7	126	✓

Year's Total

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

B. Orchard

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 405

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at SCADBURY PARK.

in the County of CHISLEHURST. KENT.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground..1 ft. 0 in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.02	—	—	—	—	—	—	—	—	.14	—		1
2	—	.10	—	.11	—	—	.03	—	—	.12	.74	—		2
3	—	.11	—	.08	—	—	—	—	—	.11	1.44	.04		3
4	—	.09	—	.02	—	—	—	—	—	.11	.11	.07		4
5	—	.02	—	—	—	—	.07	—	—	.01	.48	.07		5
6	.19	.03	—	—	.04	—	.16	—	—	.18	.12	—		6
7	.32	.15	—	—	—	—	.01	—	—	—	—	—		7
8	—	.01	—	.01	—	—	—	—	.08	.24	.02	.20		8
9	—	—	—	—	—	.35	—	—	—	.18	.15	.04		9
10	—	—	—	—	—	—	.55	.04	—	.06	.03	.01		10
11	—	—	.03	.02	—	—	.04	—	—	—	.74	—		11
12	—	.02	.05	—	—	—	.08	—	.10	—	—	—		12
13	—	.01	.89	.01	—	—	.07	—	.11	—	1.17	—		13
14	—	—	.26	.14	—	—	—	.01	—	.01	—	.14		14
15	—	—	.06	.05	.12	.01	.78	—	.02	—	.30	.01		15
16	.03	.07	.17	.16	—	.13	.56	—	.09	.72	.55	—		16
17	—	—	.30	—	—	—	.53	—	—	—	.19	.05		17
18	—	.29	.15	.30	—	—	.29	—	—	.18	.40	.16		18
19	—	.22	.09	.02	—	—	.02	—	.89	.01	.05	.02		19
20	—	.02	.01	—	—	.01	.18	.03	.03	.01	.07	—		20
21	.03	—	—	—	.37	—	.05	—	—	.21	.17	—		21
22	—	—	.02	—	.28	.13	—	—	.23	.01	.01	—		22
23	—	.05	.03	.18	.02	.01	—	—	—	.05	.01	.04		23
24	—	—	—	.38	—	—	.17	—	—	—	—	.03		24
25	—	—	.57	—	—	—	.06	—	—	—	—	—		25
26	.97	.05	.89	—	.20	.16	—	—	—	—	—	—		26
27	.07	.18	—	.02	—	—	.05	.01	—	—	—	—		27
28	.21	—	—	.01	.13	—	—	—	—	—	—	—		28
29	.03	.02	.05	—	.23	.01	—	—	.01	—	—	.22		29
30	.10	X	—	.16	—	—	—	—	—	.04	—	.01		30
31	.07	X	—	X	—	X	—	—	X	.53	X	.04		31
TOTAL	2.02	1.46	3.51	1.67	1.39	.81	3.70	.09	1.56	2.78	6.89	1.15	27.09	
* Days with .01 in. or more.	10	18	15	16	8	8	18	4	9	18	20	16	160	
* Days with .04 in. or more.	7	10	11	9	7	4	15	1	6	13	16	11	120	
Year's Total														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) B. Orchard [P.T.O.]

REGISTE

Kept at **THE HORTICULTURAL**
in the County of **KENT**

Diameter of Funnel of Gauge **5"**
Height of top of Gauge above Ground
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this r
year in the space on the right of this par
Plea

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

31 .

DAY.

the following

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.02	-	.34	.01	.22	-	.03	.02	-	-	-	1
2	.20	.07	-	.17	6	-	6	.05	.31	.02	-	6	2
3	-	.01	.03	.34	1.50	-	-	.29	.25	-	.02	.15	3
4	.06	-	-	.01	-	-	6	.05	6	.01	.03	-	4
5	-	-	-	.23	.11	.44	.02	6	.06	-	.01	.07	5
6	-	.09	-	.03	.07	-	6	.02	-	.21	.58	-	6
7	-	.01	-	6	6	.08	-	.12	-	.02	.14	6	7
8	-	.02	-	-	-	.30	.02	.11	-	6	-	6	8
9	.02*	.01	6	-	-	-	-	-	.08	-	.45	.02	9
10	-	.12	.01*	-	-	-	-	-	-	-	.40	.01	10
11	.05	.19	-	-	-	-	-	.04	.03	-	.30	6	11
12	-	.02	-	.02	-	-	.03	-	.40	-	6	-	12
13	.06	-	-	-	-	-	.02	.08	-	-	-	-	13
14	-	.10*	-	.27	-	.02	.56	.07	-	-	-	-	14
15	.07	.03	-	.13	.14	-	.39	1.40	-	-	.01	.08	15
16	.01	.04	-	.34	.24	6	-	.30	6	-	6	-	16
17	-	-	6	-	.04	-	.16	.10	.09	.01	6	-	17
18	.01	.11	-	.02	-	.10	.05	.07	6	-	.37	-	18
19	.03	-	-	.57	-	.19	.03	.50	.07	-	6	-	19
20	.01	.02	-	.05	-	-	.02	.35	-	-	6	.01	20
21	.01	-	-	.04	.54	-	6	.10	6	-	-	-	21
22	.20	-	.10	-	-	-	-	-	.03	-	.01	-	22
23	.07	-	.01	-	.15	.03	-	-	.02	-	.05	-	23
24	-	.04	.03	.57	.02	.04	-	.03	.02	-	-	6	24
25	.04	-	-	.43	-	-	.32	6	6	-	-	-	25
26	-	.06	6	.31	-	-	.54	-	6	-	.29	-	26
27	.07	.24	-	-	.19	-	.56	-	-	-	.01	-	27
28	.04	.09*	-	.05	-	-	-	-	-	.01	-	.11	28
29	.10	X	-	-	.03	-	.06	-	-	.25	-	.02	29
30	-	X	-	-	.02	-	-	.04	-	6	-	-	30
31	.20	X	-	X	-	X	-	-	X	-	X	-	31
TOTAL	1.25	1.29	0.18	3.92	3.06	1.42	2.78	3.75	1.38	0.53	2.67	0.47	YEAR'S TOTAL 22.70
*Days with or in. or more.	18	19	5	18	13	9	14	19	12	7	14	8	156
*Days with or in. or more.	12	11	1	14	9	7	8	16	7	2	8	4	99

40-9999

*See Instruction 2 (f) on other side.

(Signed)

X The Principal X

[P.T.O.]

Section



for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at THE HORTICULTURAL COLLEGE

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 155 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.02	-	.34	.01	.22	-	.03	.02	-	-	-	1
2	.20	.07	-	.17	6	-	6	.05	.31	.02	-	6	2
3	-	.01	.03	.34	1.50	-	-	.29	.25	-	.02	.15	3
4	.06	-	-	.01	-	-	6	.05	6	.01	.03	-	4
5	-	-	-	.23	.11	.44	.02	6	.06	-	.01	.07	5
6	-	.09	-	.03	.07	-	6	.02	-	.21	.58	-	6
7	-	.01	-	6	6	.08	-	.12	-	.02	.14	6	7
8	-	.02	-	-	-	.30	.02	.11	-	6	-	6	8
9	.02*	.01	6	-	-	-	-	-	.08	-	.45	.02	9
10	-	.12	.01*	-	-	-	-	-	-	-	.40	.01	10
11	.05	.19	-	-	-	-	-	.04	.03	-	.30	6	11
12	-	.02	-	.02	-	-	.03	-	.40	-	6	-	12
13	.06	-	-	-	-	-	.02	.08	-	-	-	-	13
14	-	.10*	-	.27	-	.02	.56	.07	-	-	-	-	14
15	.07	.03	-	.13	.14	-	.39	1.40	-	-	.01	.08	15
16	.01	.04	-	.34	.24	6	-	.30	6	-	6	-	16
17	-	-	6	-	.04	-	.16	.10	.09	.01	6	-	17
18	.01	.11	-	.02	-	.10	.05	.07	6	-	.37	-	18
19	.03	-	-	.57	-	.19	.03	.50	.07	-	6	-	19
20	.01	.02	-	.05	-	-	.02	.35	-	-	6	.01	20
21	.01	-	-	.04	.54	-	6	.10	6	-	-	-	21
22	.20	-	.10	-	-	-	-	-	.03	-	.01	-	22
23	.07	-	.01	-	.15	.03	-	-	.02	-	.05	-	23
24	-	.04	.03	.57	.02	.04	-	.03	.02	-	-	6	24
25	.04	-	-	.43	-	-	.32	6	6	-	-	-	25
26	-	.06	6	.31	-	-	.54	-	6	-	.29	-	26
27	.07	.24	-	-	.19	-	.56	-	-	-	.01	-	27
28	.04	.09*	-	.05	-	-	-	-	-	.01	-	.11	28
29	.10	X	-	-	.03	-	.06	-	-	.25	-	.02	29
30	-	X	-	-	.02	-	-	.04	-	6	-	-	30
31	.20	X	-	X	-	X	-	-	X	-	X	-	31
TOTAL	1.25	1.29	0.18	3.92	3.06	1.42	2.78	3.75	1.38	0.53	2.67	0.47	YEAR'S TOTAL
*Days with or in. or more.	18	19	5	18	13	9	14	19	12	7	14	8	156
*Days with .04 in. or more.	12	11	1	14	9	7	8	16	7	2	8	4	99

40-9999

*See Instruction 2 (f) on other side.

(Signed) C. H. H. C. Steele

X The Principal. X

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 406

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The HORTICULTURAL COLLEGE, SWANLEY

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 155 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	5	—	—	.45	—	—	.50	.01	.05	5	.03	1
2	—	5	—	.08	.03	—	—	.07	.02	—	.03	.09	2
3	5	—	—	.06	.24	—	—	—	.60	—	—	5	3
4	—	—	—	—	—	.18	—	—	—	—	—	—	4
5	—	5	5	—	.04	.06	.30	—	.03	—	—	—	5
6	.28	—	—	—	—	—	—	—	5	—	—	—	6
7	—	—	.12	.24	—	—	.05	—	.08	5	—	—	7
8	—	—	.14	.04	—	—	—	—	.07	.55	—	—	8
9	.28	5	.01	.10	.76	—	—	—	—	—	—	—	9
10	.66	.02	5	.20	.07	—	—	—	—	—	—	—	10
11	.04	.03	—	.04	5	5	—	—	—	.20	5	.04	11
12	.08	.04	—	—	—	—	.05	—	—	—	.01	—	12
13	.16	.01	—	—	5	—	—	—	5	.09	—	5	13
14	.06	.02	—	.15	.06	—	—	—	5	.07	—	5	14
15	5	5	—	.06	.21	—	—	—	—	.12	—	5	15
16	.01	—	—	.26	—	—	—	—	—	—	—	—	16
17	5	—	—	.04	—	—	.07	—	—	—	—	5	17
18	—	—	—	—	—	—	.10	—	.05	—	.10	—	18
19	—	—	—	—	—	.04	—	—	—	.10	.03	—	19
20	—	—	—	.14	—	—	.04	5	.04	.54	.12	—	20
21	—	—	—	.05	.33	—	5	5	—	.20	—	.04	21
22	5	.01	.30	—	.08	—	.04	—	.28	.17	.23	—	22
23	—	.07	.23	.04	.02	—	—	—	.13	.94	.05	.07	23
24	—	.04	—	—	—	—	—	—	5	.05	.04	—	24
25	5	5	—	—	—	—	.50	—	.07	.18	5	5	25
26	—	—	.02	—	—	—	.29	.11	—	5	5	5	26
27	—	—	.24	5	.45	—	.08	—	—	.40	.09	—	27
28	—	—	.39	.10	.05	—	.09	—	—	.15	—	—	28
29	—	—	—	—	—	—	—	.22	.03	.37	—	.02	29
30	—	X	—	.06	.35	.63	—	—	5	.07	.04	.14	30
31	—	X	.13	X	—	X	5	—	X	—	X	.01	31
TOTAL	1.60	.24	1.48	1.66	3.14	.91	1.61	.90	1.41	4.25	.74	.44	YEAR'S TOTAL 18.38
*Days with .01 in. or more.	9	8	9	16	14	4	11	4	12	17	10	8	123
*Days with .04 in. or more.	7	3	7	16	13	4	11	4	8	17	7	5	102

40-9999

*See Instruction 2 (f) on other side.

(Signed) Catherine Steele P.T.O.

Station No. 406

FORM 1090.

Kept at The Horticultural College, Swanley
in the County of Kent.

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft.....0 in.
 Ground Sea Level 155 ft.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

40-9999

*See Instruction 2 (f) on other side.

(Signed) Catherine Speck P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

466

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at HORTICULTURAL COLLEGE, SWANLEY

in the County of KENT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 11 in.

Ground Sea Level 155 ft.

Sent Circ. 02/M.O.7. 1.6.35.

Return amended in accordance with
reply to Circ 02/M.O.7 1-6-35

E.T.S.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Trace	—	—	—	—	—	—	0.08	—	0.04	0.02	0.26		1
2	0.03	—	0.12	—	—	—	—	—	0.52	0.29	Trace	0.14		2
3	—	0.04	Trace	0.04	—	—	—	0.02	—	0.42	Trace	Trace		3
4	0.13	—	0.03	—	—	—	—	—	—	0.16	0.08	0.37		4
5	—	—	—	—	0.03	—	—	—	—	0.08	0.04	0.24		5
6	0.05	—	0.30	Trace	0.19	0.13	—	0.02	—	0.13	0.03	0.32		6
7	—	—	—	—	—	—	—	0.06	—	0.14	—	0.13		7
8	—	—	—	—	0.09	0.02	—	0.05	—	—	0.20	0.01		8
9	—	—	—	—	Trace	—	—	—	0.01	—	0.72	0.43		9
10	—	0.03	0.32	0.12	—	—	—	0.01	—	0.06	0.83	0.01		10
11	0.46 0.40	—	0.35	0.05	—	—	Trace	0.02	—	—	0.01	0.07		11
12	0.07	—	0.05	—	—	—	0.07	0.33	—	—	Trace	0.04		12
13	—	—	0.12	Trace	—	—	0.38	0.27	—	—	0.02	0.03		13
14	0.45	—	0.35	—	0.01	—	—	—	—	0.01	0.49	0.29		14
15	—	—	0.08	0.01	0.04	—	—	—	0.04	Trace	0.08	0.38		15
16	0.06	—	0.18	0.09	0.05	—	—	—	—	0.05	0.01	0.03		16
17	—	Trace	0.01	—	—	—	—	—	—	0.08	0.01	0.19		17
18	0.09	—	—	0.19	—	—	0.06	—	—	Trace	Trace	0.19		18
19	—	—	0.21	0.11	—	Trace	—	—	0.07	0.01	Trace	0.10		19
20	—	—	0.16	—	—	—	0.03	—	Trace	0.01	Trace	0.01		20
21	—	—	Trace	0.14	—	0.02	—	—	—	Trace	Trace	0.01		21
22	—	—	—	—	—	—	0.10	0.29	0.12	—	—	0.08		22
23	—	—	—	0.26	—	0.59	—	—	—	—	Trace	0.07		23
24	—	0.01	0.02	0.07	—	0.16	0.57	—	0.03	—	—	Trace		24
25	0.05	—	—	0.11	0.03	—	—	—	—	0.01	—	0.26		25
26	0.09	—	—	0.13	—	0.11	—	—	0.01	—	—	0.08		26
27	Trace	Trace	—	0.21	—	0.02	—	—	—	—	—	0.11		27
28	—	0.04	—	0.10	—	0.18	0.01	0.44	—	—	0.02	0.19		28
29	—	—	—	—	—	—	0.02	0.02	0.05	—	Trace	—		29
30	0.17	×	—	—	—	—	—	—	—	—	—	0.16		30
31	—	×	—	×	—	×	—	—	×	0.10	×	0.09		31
TOTAL	1.65	0.12	2.30	1.63	0.44	1.23	1.24	1.61	0.85	1.58	2.56	4.29	19.50 27.08	143
* Days with .01 in. or more.	11	4	14	14	7	8	8	12	8	15	14	28	143	
* Days with .04 in. or more.	10	2	11	13	4	5	5	7	5	11	7	22	102	

Section **A** for the entry of Daily Observations.

Station No. 406

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at HORTICULTURAL COLLEGE, SWANLEY

in the County of KENT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 11 in.

,, Ground ,, Sea Level 155 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.24	0.07	-	0.02	-	0.05	0.15	-	0.11	0.03	0.02	-		1
2	0.12	0.01	-	0.02	-	-	-	-	0.11	0.12	0.09	-		2
3	0.01	0.06	0.21	0.03	-	0.02	-	-	0.03	0.80	0.10	-		3
4	Tr	0.04	-	0.19	-	0.26	-	-	0.17	0.11	Tr	0.10		4
5	-	0.38	0.04	0.05	-	0.24	-	-	0.44	-	Tr	0.02		5
6	0.03	0.08	0.02	0.23	-	0.14	-	-	-	-	0.04	0.02		6
7	0.05	0.01	-	0.18	-	0.14	-	-	-	-	0.74	0.10		7
8	Tr	0.02	0.01	0.39	-	0.01	-	0.01	-	0.18	0.29	0.13		8
9	Tr	Tr	-	0.14	-	0.52	-	-	-	0.72	0.10	0.01		9
10	0.01	0.01	-	0.02	-	0.01	-	-	-	-	0.03	0.05		10
11	0.23	-	-	0.09	-	0.03	-	-	-	-	0.30	0.02		11
12	-	Tr	-	Tr	-	0.11	-	0.70	-	-	0.85	-		12
13	0.07	0.13	-	0.04	0.05	0.02	-	-	-	-	0.04	-		13
14	Tr	-	-	0.05	0.26	0.06	-	-	-	-	0.02	0.05		14
15	-	0.11	-	0.28	0.03	0.02	-	-	0.21	-	0.10	0.06		15
16	Tr	0.07	Tr	0.13	Tr	0.43	-	-	0.28	0.03	0.65	Tr		16
17	0.01	-	0.10	0.01	0.01	0.10	-	-	0.02	-	0.60	Tr		17
18	-	-	-	0.14	0.05	0.11	0.06	-	0.20	0.03	0.04	Tr		18
19	-	-	-	Tr	0.12	Tr	0.06	-	-	Trace	0.05	0.01		19
20	-	0.31	-	0.05	0.10	0.05	0.11	-	0.02	-	0.07	-		20
21	0.01	0.31	-	0.02	-	-	-	-	0.03	0.07	0.04	-		21
22	Tr	0.18	0.01	-	-	-	-	0.25	0.57	Tr	Tr	-		22
23	-	Tr	0.07	-	0.01	-	-	0.18	0.01	-	-	0.08		23
24	0.04	0.47	-	-	0.66	-	-	0.45	0.26	Tr	-	0.17		24
25	0.15	0.13	-	0.30	0.08	0.11	-	Tr	-	-	Tr	0.22		25
26	0.05	0.08	-	-	-	-	-	0.06	Tr	Tr	Tr	0.32		26
27	-	0.43	-	-	-	-	-	0.01	0.05	Tr	0.04	0.16		27
28	Tr	0.01	-	-	0.02	-	-	-	0.04	0.07	Tr	0.10		28
29	-	X	-	-	-	-	-	-	0.27	-	-	0.21		29
30	0.05	X	-	0.06	0.08	-	-	0.61	0.03	0.08	0.23	0.43		30
31	Tr	X	-	X	0.02	X	-	-	X	0.19	X	0.31		31
TOTAL	1.07	2.91	0.46	2.44	1.29	2.43	0.38	2.27	2.85	2.43	4.44	2.57	25.74	
* Days with .01 in. or more.	14	20	7	21	13	19	4	8	18	12	21	20	177	
* Days with .04 in. or more.	9	15	4	15	8	13	4	6	12	9	18	15	128	

Section



for the entry of Daily Observations.

Station No. 406

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ...Horticultural College, Swanley.

in the County of ...Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....11.....in.

,, Ground ,, Sea Level 155.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.17	0.15	0.04	0.08	-	0.15	0.16	Trace	-	-	0.02	0.17		1
2	0.01	-	Trace	Trace	-	0.26	0.03	0.10	-	-	0.05	-		2
3	Trace	-	-	0.20	-	0.10	-	-	-	-	0.25	-		3
4	-	-	0.07	-	-	0.16	-	0.01	0.29	Trace	-	0.05		4
5	0.23	-	0.03	-	-	-	-	Trace	0.26	0.05	0.06	0.05		5
6	0.26	-	-	-	-	0.04	-	Trace	0.06	Trace	0.26	-		6
7	0.27	-	0.01	-	-	0.15	-	0.01	0.03	0.01	0.21	0.01		7
8	0.17	-	0.05	-	-	-	-	-	-	0.03	0.25	0.25		8
9	0.23	-	0.02	-	Trace	-	0.40	0.01	0.07	0.03	-	Trace		9
10	0.19	-	Trace	-	-	-	0.39	0.16	0.12	-	-	-		10
11	-	-	-	0.07	-	-	0.15	0.01	-	-	0.60	-		11
12	-	-	-	0.12	-	0.13	0.08	Trace	0.05	-	0.28	0.06		12
13	-	-	-	0.04	-	0.25	-	-	-	-	Trace	0.32		13
14	-	0.04	-	-	-	0.05	0.38	-	0.03	0.05	0.18	0.49		14
15	Trace	0.07	-	-	-	-	-	-	0.04	-	0.01	0.05		15
16	0.20	0.03	-	-	0.04	-	0.02	-	0.03	-	0.33	0.03		16
17	0.27	0.52	-	-	0.01	0.09	-	-	-	0.02	0.15	0.11		17
18	-	0.03	-	-	-	0.04	0.06	-	-	0.02	0.10	0.08		18
19	0.27	0.02	-	Trace	-	0.35	0.20	0.08	-	0.01	Trace	Trace		19
20	0.20	0.04	Trace	0.36	-	-	0.02	-	1.47	-	-	-		20
21	-	Trace	-	0.26	-	0.38	-	-	Trace	-	-	-		21
22	0.15	0.39	0.06	-	0.19	0.05	0.08	-	-	-	-	0.11		22
23	0.03	0.02	-	0.03	-	-	0.10	-	-	0.03	-	-		23
24	0.06	0.08	-	-	-	-	-	-	0.01	0.50	-	-		24
25	0.12	Trace	0.17	0.22	-	0.32	0.11	-	0.13		0.04	-		25
26	Trace	0.04	0.22	-	-	0.07	Trace	-	0.04	0.13	-	0.02		26
27	0.18	-	-	Trace	-	-	-	-	0.17	0.12	-	-		27
28	0.71	-	0.10	-	-	0.12	0.01	Trace	0.04	-	-	0.03		28
29	0.05	0.14	0.03	-	-	0.10	0.12	-	-	0.02	0.07	Trace		29
30	0.04	X	-	-	0.05	0.08	-	-	-	0.16	-	-		30
31	0.26	X	0.13	X	-	X	0.07	-	X	0.72	X	0.09		31
TOTAL	4.27	1.59	0.93	1.58	0.29	2.89	2.38	0.38	2.84	1.91	3.06	1.94	24.06	✓
* Days with .01 in. or more.	21	13	12	9	4	19	17	7	16	* 16	16	16	166	✓
* Days with .04 in. or more.	19	9	8	8	3	19	13	3	10	* 8	14	12	126	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ...R. S. Smith... [P.T.O.]

* These numbers are included as there was considerable rain on both days (2.54 in. + 2.4 in.) when separate observations were not made.

Section



for the entry of Daily Observations

Station No. 406

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Horticultural College, Swanleyin the County of KENTDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 11 ft.,, Ground ,, Sea Level 155 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.41	0.03	-	0.05	-	-	-	-	rr	-	<u>0.56</u>	0.43		1
2	rr	0.11	0.03	0.41	-	-	-	-	0.14	0.02	0.01	<u>1.37</u>		2
3	-	0.07	-	-	-	-	-	-	-	-	-	0.38		3
4	0.05	0.40	-	-	-	-	-	0.08	-	-	-	0.30		4
5	0.19	0.28	0.31	-	-	-	0.14	-	-	-	rr	-		5
6	0.02	rr	<u>0.64</u>	-	0.13	-	-	-	-	0.04	rr	-		6
7	-	<u>0.76</u>	0.13	0.04	-	-	-	-	0.03	0.03	rr	0.01		7
8	-	rr	0.05	-	0.08	0.05	-	-	-	-	0.25	0.67		8
9	-	0.04	-	0.29	0.12	rr	-	rr	<u>0.22</u>	-	-	0.16		9
10	-	-	0.40	0.10	0.28	0.34	0.15	0.02	-	-	-	0.50		10
11	-	-	0.25	-	0.41	-	0.02	-	-	rr	-	0.04		11
12	0.09	0.24	0.03	rr	0.46	0.21	0.01	0.02	0.09	-	-	0.08		12
13	0.14	0.01	0.29	rr	rr	0.35	-	0.15	0.16	-	-	0.57		13
14	0.02	0.02	0.13	-	0.03	rr	-	0.11	0.05	-	-	rr		14
15	0.12	0.05	rr	0.10	rr	-	<u>0.82</u>	-	0.06	-	-	0.01		15
16	0.01	0.10	0.40	<u>0.93</u>	-	0.01	-	<u>0.21</u>	0.11	-	-	0.02		16
17	0.25	0.02	0.03	0.26	-	0.01	-	-	0.12	-	0.12	-		17
18	0.39	0.01	-	rr	0.62	<u>0.94</u>	-	-	0.04	rr	0.26	0.07		18
19	0.05	0.07	0.05	0.05	0.02	0.16	-	-	0.04	rr	-	0.05		19
20	0.56	0.01	0.10	0.27	<u>0.83</u>	0.07	-	-	0.02	-	rr	rr		20
21	0.32	0.58	0.06	0.03	-	-	0.01	0.01	-	rr	-	rr		21
22	0.40	0.05	0.02	-	0.03	0.54	0.01	-	-	<u>0.61</u>	0.20	0.01		22
23	0.24	rr	-	-	-	-	-	-	-	0.51	rr	-		23
24	<u>0.64</u>	0.44	0.01	-	0.02	-	-	-	0.06	0.27	-	-		24
25	0.08	0.30	0.18	-	0.01	-	-	-	0.08	0.22	-	0.02		25
26	0.01	0.17	0.07	-	0.17	-	-	-	-	0.02	-	-		26
27	-	0.05	-	0.25	-	-	-	-	0.07	0.28	-	-		27
28	-	0.07	-	0.01	-	-	-	-	-	0.02	-	0.04		28
29	0.15	X	-	-	-	-	-	-	rr	0.02	0.03	0.07		29
30	0.19	X	-	-	-	rr	-	0.06	-	-	0.13	-		30
31	0.14	X	-	X	-	X	-	-	X	0.04	X	0.02		31
TOTAL	4.47	3.88	3.18	2.19	3.21	2.68	1.16	0.66	1.29	2.08	1.56	4.82	31.18	
* Days with .01 in. or more.	22	23	19	13	14	10	7	8	15	12	8	20	171	
* Days with .04 in. or more.	18	17	14	11	9	8	3	5	13	7	6	14	125	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) M. S. Smith [P.T.O.]

Section



for the entry of Daily Observations

Station No. 406

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ... Horticultural College, Swanley

in the County of ... KENT

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....11.....in.

,, Ground ,, Sea Level 155.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	fr	-	-	-	0.01	0.08	0.01	-	0.05	fr	fr	0.08		1
2	0.06	0.01	-	0.00	0.05	-	fr	-	-	0.29	-	0.03		2
3	0.01	-	-	-	0.21	-	-	-	-	0.54	-	-		3
4	fr	-	-	-	-	fr	0.04	0.05	-	0.03	-	0.04		4
5	0.02	-	-	-	-	-	0.24	-	fr	0.15	-	0.01		5
6	0.02	-	-	-	-	-	0.14	-	0.01	-	-	fr		6
7	fr	-	-	-	-	fr	0.05	0.61	-	0.12	-	0.04		7
8	0.19	-	-	-	-	-	0.12	-	-	0.08	-	0.01		8
9	fr	fr	-	-	-	-	0.05	0.30	-	-	-	0.54		9
10	0.07	0.07	-	-	-	0.10	-	0.06	-	-	-	0.06		10
11	0.22	fr	-	-	-	fr	-	-	-	-	0.05	0.16		11
12	0.14	0.03	fr	-	-	-	-	0.01	-	0.11	0.05	fr		12
13	0.24	0.10	-	-	-	-	-	-	-	0.01	0.09	0.06		13
14	0.14	0.05	-	-	0.26	-	-	-	0.07	-	fr	0.01		14
15	0.03	0.14	-	-	-	-	0.15	-	-	0.31	fr	0.05		15
16	0.16	0.01	-	-	-	-	0.02	fr	-	0.01	0.01	0.25		16
17	-	0.11	-	-	0.13	-	0.01	-	fr	0.16	-	-		17
18	0.02	-	-	-	0.10	-	-	-	0.05	0.02	0.39	-		18
19	fr	-	-	-	-	-	-	-	0.04	-	0.14	0.04		19
20	-	-	-	-	0.06	-	-	-	0.06	-	0.45	0.01		20
21	0.02	-	-	fr	-	-	-	0.11	0.10	-	0.03	0.12		21
22	fr	-	-	-	-	fr	-	-	-	-	0.12	0.13		22
23	-	-	-	-	-	-	-	-	-	-	0.07	fr		23
24	-	-	0.06	-	-	-	-	-	0.16	-	0.03	0.05		24
25	0.07	fr	0.23	0.11	0.06	-	0.02	-	0.08	0.04	0.53	fr		25
26	0.15	0.16	0.07	-	-	-	-	0.03	0.21	0.29	-	0.20		26
27	0.05	0.02	0.01	-	0.10	0.08	0.12	-	0.69	fr	0.08	0.01		27
28	0.15	0.04	-	0.03	0.26	0.05	-	0.17	0.01	-	-	0.01		28
29	0.16	X	-	0.03	0.09	-	-	-	-	-	0.02	0.18		29
30	0.01	X	-	0.07	-	fr	-	-	0.05	0.05	0.19	-		30
31	0.13	X	-	X	0.05	X	-	-	X	0.07	X	0.08		31
TOTAL	2.06	0.74	0.47	0.34	1.38	0.31	0.97	1.34	1.58	2.28	2.25	2.17	15.89	✓
* Days with .01 in. or more.	21	11	4	5	12	4	12	8	13	16	15	23	144	✓
* Days with .04 in. or more.	14	7	3	3	11	4	8	6	11	12	11	16	106	✓
Year's Total														

† Spare column, no entries required.

(Signed) M. S. S. [P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 406

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Horticultural College, Swanley

in the County of Kent

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. 9 in.

Ground Sea Level 155 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	0.01	-	0.01	0.14	0.40	-	Tr	0.02	0.30	-	Tr	0.01		1	
2	0.01	-	-	Tr	0.03	-	0.01	0.21	0.14	-	0.01	Tr		2	
3	0.13	Tr	-	0.17	-	-	-	0.39	-	0.03	0.16	0.36		3	
4	0.08	-	0.13	0.09	-	-	0.01	1.40	0.05	0.52	0.05	0.02		4	
5	-	-	-	0.05	-	-	0.10	0.02	-	0.05	0.23	0.02		5	
6	0.25	-	-	Tr	0.02	-	0.03	0.01	-	-	0.30	Tr		6	
7	0.03	0.15	-	-	-	-	Tr	Tr	-	0.14	0.06	0.03		7	
8	-	0.13	0.10	-	-	-	Tr	0.43	-	0.33	0.19	0.21		8	
9	0.02	0.03	-	-	-	-	-	0.01	-	0.56	0.08	0.11		9	
10	0.13	-	-	-	-	0.23	-	0.04	0.05	Tr	0.02	-		10	
11	-	Tr	0.31	-	-	0.18	-	-	Tr	0.70	0.01	0.01		11	
12	-	-	-	-	-	Tr	-	-	-	-	Tr	-		12	
13	-	-	-	0.01	-	0.12	-	-	Tr	1.46	Tr	0.02		13	
14	0.31	-	Tr	0.03	0.21	-	-	-	-	0.56	0.49	0.02		14	
15	0.49	-	0.01	-	0.92	Tr	0.01	-	0.25	1.15	0.03	-		15	
16	0.29	-	0.15	0.01	0.27	0.06	-	-	0.09	Tr	0.38	Tr		16	
17	0.29	0.04	0.01	Tr	0.01	-	0.64	-	-	-	0.09	-		17	
18	0.24	Tr	0.01	-	0.30	0.12	0.17	-	-	0.18	0.29	-		18	
19	0.15	-	-	-	-	-	0.21	-	-	0.65	-	-		19	
20	0.14	-	-	-	-	0.12	0.63	Tr	0.02	-	-	0.08		20	
21	0.07	-	0.16	-	-	0.08	0.39	0.05	0.41	0.01	-	-		21	
22	0.08	0.18	0.16	-	-	0.03	0.05	-	-	-	0.02	-		22	
23	0.05	-	-	0.14	-	Tr	0.06	0.05	Tr	0.04	0.43	-		23	
24	0.11	0.26	0.15	0.17	-	Tr	0.06	-	-	0.08	-	-		24	
25	0.76	0.29	0.09	0.02	-	-	0.29	-	-	-	0.35	0.01		25	
26	0.15	-	-	0.03	-	-	0.02	-	Tr	0.10	0.14	0.02		26	
27	0.03	0.03	0.07	0.25	-	-	-	-	0.03	0.02	0.42	-		27	
28	0.01	0.36	0.11	0.04	-	-	-	-	-	0.30	0.05	0.06		28	
29	-	X	-	0.38	-	-	-	-	-	0.07	0.04	-		29	
30	-	X	-	0.63	-	0.03	-	-	-	Tr	0.15	0.03		30	
31	-	X	Tr	X	-	X	0.16	-	X	Tr	X	-		31	
TOTAL	3.83	1.47	1.47	2.16	2.16	0.97	2.84	2.63	1.34	6.95	3.99	1.01	Year's Total	30.82	✓
* Days with .01 in. or more.	23	9	14	15	8	9	16	11	9	19	23	15		171	✓
* Days with .04 in. or more.	17	7	10	10	5	7	11	7	7	16	18	5		120	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) M. S. Smith

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 406

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at ... Swanley Horticultural College ...in the County of ... Kent ...Diameter of Funnel of Gauge ... 5 ... in.Height of top of Gauge above Ground ... 11 ... in.,, Ground ,, Sea Level ... 155 ... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0.05	-	-	0.01	-	-	-	-	-	0.11	-		1
2	-	0.08	-	0.10	-	-	0.03	-	-	0.11	0.66	tr		2
3	-	0.12	-	0.11	-	-	0.03	-	-	0.13	<u>1.42</u>	0.03		3
4	-	0.09	-	0.02	-	-	-	-	-	0.09	0.09	0.07		4
5	-	0.02	-	-	tr	-	0.02	-	-	tr	0.46	0.08		5
6	0.18	0.03	-	-	0.04	-	0.17	-	-	0.13	0.14	-		6
7	0.33	0.14	-	-	tr	-	0.03	0.02	-	-	-	-		7
8	tr	tr	-	tr	-	-	-	-	0.04	0.31	0.02	<u>0.19</u>		8
9	-	-	-	-	-	<u>0.30</u>	0.01	-	tr	0.05	0.19	0.03		9
10	-	-	-	-	-	-	0.50	-	-	0.04	0.05	0.01		10
11	-	-	0.03	0.02	-	-	0.03	-	-	tr	0.73	-		11
12	-	0.03	0.03	-	-	-	0.03	-	0.08	-	-	-		12
13	-	0.02	0.89	0.01	-	tr	-	-	0.07	-	<u>1.22</u>	tr		13
14	-	-	0.33	0.14	-	-	-	-	tr	0.01	-	0.17		14
15	-	-	0.04	0.05	0.18	0.05	<u>1.17</u>	-	tr	0.01	0.45	0.01		15
16	0.03	0.03	0.16	0.06	-	0.16	0.41	-	0.05	<u>0.86</u>	0.49	0.03		16
17	-	-	0.30	-	-	-	tr	-	-	tr	0.12	tr		17
18	tr	<u>0.28</u>	0.13	0.25	-	-	0.32	-	-	0.20	0.20	0.16		18
19	-	0.19	0.07	-	-	-	0.06	-	<u>0.63</u>	-	0.02	0.02		19
20	-	0.02	0.01	tr	-	tr	0.12	<u>0.03</u>	0.02	0.01	0.09	-		20
21	0.04	tr	tr	-	<u>0.53</u>	-	0.03	-	<u>0.04</u>	0.06	0.09	-		21
22	0.02	-	0.03	-	0.36	0.13	-	-	<u>4</u>	0.01	0.01	-		22
23	-	0.04	0.02	0.21	tr	-	-	-	-	0.05	0.02	0.03		23
24	-	0.01	-	<u>0.33</u>	-	-	0.19	-	-	tr	-	0.04		24
25	-	-	0.53	-	-	-	0.05	-	-	0.03	-	-		25
26	<u>0.89</u>	0.05	<u>0.90</u>	-	0.40	0.03	-	-	-	-	-	0.01		26
27	0.33	<u>0.28</u>	-	-	tr	-	0.16	-	-	-	-	-		27
28	0.18	tr	-	0.01	0.11	-	tr	-	tr	-	-	-		28
29	0.04	0.01	0.05	-	0.16	0.02	-	-	tr	-	-	0.18		29
30	0.04	~~X~~	-	0.13	-	-	-	-	-	0.04	-	tr		30
31	0.14	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	0.49	~~X~~	0.04		31
TOTAL	2.22	1.49	3.52	1.44	1.79	0.69	<u>3.36</u>	0.05	0.93	2.63	6.58	1.10	Year's Total	25.80
* Days with .01 in. or more.	11	18	15	13	8	6	18	2	7	18	20	16		152
* Days with .04 in. or more.	9	10	10	9	7	4	10	-	6	13	16	8		102

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E. M. Pack [P.T.O.]

BROMLEY (BURNT ASH LANE)

Section



for the entry of
AIR MINISTRY

FORM 109

REGIS

Kept at ... 20. Burnt Ash

in the County of ... Kent

Diameter of Funnel of Gauge.....

Height of top of Gauge above Ground

„ Ground „ Sea

THE MORNING MEASURE

An observer who does not conform to the
year in the space on the right of this

Please read the Notes and

406/3

BROMLEY
BURNT ASH LANE

1938-39.

780109

Station No.

406/3

AINFALL ORGANIZATION

1938

PREVIOUS DAY

Start of the following

Jan. 1, following

10 inch

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.15	.05	—	.06	.06	.02	—	—	—	.08	.20		1
2	.03	—	—	—	.08	.14	—	—	.01	.01	.02	.04		2
3	.04	.01	—	.05	.04	—	.09	—	—	.25	—	.03		3
4	.01	—	—	—	.30	—	—	—	—	.45	.01	—		4
5	.05	—	—	—	—	—	.02	.02	—	—	—	.03		5
6	.02	—	—	—	—	—	.36	—	—	.21	—	.05		6
7	.02	—	—	—	—	—	.05	—	.04	—	—	—		7
8	—	—	—	—	—	—	.19	.68	.02	.15	—	.04		8
9	.12	—	—	—	—	—	.18	.01	—	.14	—	.01		9
10	.01	.01	—	—	—	—	.03	.23	—	.01	—	.64		10
11	.08	.05	—	—	—	.10	.01	.20	—	—	—	.05		11
12	.23	—	—	—	—	—	—	.44	—	✓	.08	.11		12
13	.22	.03	—	—	—	—	—	—	—	✓	.05	.01		13
14	.23	.13	—	—	—	—	—	—	—	—	.13	.04		14
15	.19	.02	—	—	.24	—	.01	—	.04	✓	.01	.01		15
16	—	.06	—	—	—	—	.18	—	—	—	—	.02		16
17	.23	.06	—	—	—	—	.01	.01	—	.60	.02	.30		17
18	—	.12	—	—	.16	—	—	—	—	(four days)	—	—		18
19	.03	—	—	—	.08	—	—	—	.05	—	.39	—		19
20	—	—	—	—	—	.18	—	.02	.02	—	.14	.02		20
21	—	—	—	—	.01	(two days)	—	—	.05	—	.39	.14		21
22	.03	—	—	—	—	—	—	.02	.11	—	.02	.1		22
23	—	—	—	—	—	✓	—	.03	—	—	.10	.21		23
24	—	—	—	.01	—	—	—	—	—	—	.10	.02		24
25	—	—	.10	—	.01	—	—	—	.92	—	.03	.03		25
26	.09	—	.24	.01	.12	—	.04	—	.05	.04	1.06	—		26
27	.16	.14	.08	—	—	—	—	.04	.30	.24	—	.25		27
28	.06	.04	.10	—	—	✓	.15	—	.65	.01	.14	—		28
29	.08	—	—	—	.24	.06	—	.26	—	—	.01	.01		29
30	.28	—	—	—	.10	—	—	.03	.09	—	.03	.22		30
31	.03	—	—	—	.06	.06	—	—	—	.10	—	.01		31
TOTAL	2.39	.75	.52	.16	1.45	.47	1.32	2.05	2.35	2.32	2.93	2.48	Year's Total	19.19
* Days with .01 in. or more.	22	12	8	8	13	6	13	13	13	18	19	24	48+	(?) 16
* Days with .04 in. or more.	14	8	8	2	10	4	8	6	10	12	11	13	26+	(?) 10

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

W. M. Smith

P.T.O.

W. M. SMITH ESQ.

Section

A

for the entry of Daily Observations

Station No.

406/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 109C

REGISTER OF RAINFALL IN 1938

Kept at 20 Burnt Ash Lane

in the County of Kent Bromley

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....3.....in.

,, Ground ,, Sea Level 200.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

.10 inch

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.15	.05	—	.06	.06	.02	—	—	—	.08	.20		1
2	.03	—	—	—	.08	.14	—	—	.01	.01	.02	.04		2
3	.04	.01	—	.08	.04	—	.09	—	—	.25	—	.03		3
4	.01	—	—	—	.30	—	—	—	—	.45	.01	—		4
5	.05	—	—	—	—	—	.02	.02	—	—	—	.03		5
6	.02	—	—	—	—	—	.36	—	—	.21	—	.05		6
7	.02	—	—	—	—	—	.05	—	.04	—	—	—		7
8	—	—	—	—	—	—	.19	.68	.02	.15	—	.04		8
9	.12	—	—	—	—	—	.18	.01	—	.14	—	.01		9
10	.01	.01	—	—	—	—	.03	.23	—	.01	—	.64		10
11	.08	.05	—	—	—	.10	.01	.20	—	—	—	.05		11
12	.23	—	—	—	—	—	—	.44	—	✓	.08	.11		12
13	.22	.03	—	—	—	—	—	↓	—	✓	.05	.01		13
14	.23	.13	—	—	—	—	—	—	—	—	.13	.04		14
15	.19	.02	—	—	.24	—	.01	—	.04	✓	.01	.01		15
16	—	.06	—	—	—	—	.18	—	—	—	—	.02		16
17	.23	.06	—	—	—	—	.01	.01	—	.60	.02	.30		17
18	—	.12	—	—	.16	—	—	—	—	(four days)	—	—		18
19	.03	—	—	—	.08	—	—	—	.05	—	.39	—		19
20	—	—	—	—	—	.15	—	.02	.02	—	.14	.02		20
21	—	—	—	—	.01	(two days)	—	—	.05	—	.39	.74		21
22	.03	—	—	—	—	—	—	.02	.11	—	.02	↓		22
23	—	—	—	—	—	✓	—	.03	—	—	.10	.21		23
24	—	—	—	.01	—	—	—	—	—	—	.10	.02		24
25	—	—	.10	—	.01	—	—	—	.92	—	.03	.03		25
26	.09	—	.24	.01	.12	—	.04	—	.05	.04	1.06	—		26
27	.16	.14	.08	—	—	—	—	.04	.30	.24	—	.25		27
28	.06	.04	.10	—	—	✓	.15	—	.65	.01	.14	—		28
29	.08	—	—	—	.24	.06	—	.26	—	—	.01	.01		29
30	.28	—	—	—	.10	—	—	.03	.09	—	.03	.22		30
31	.03	.03	—	.06	.06	.02	—	—	—	.10	.20	.01		31
TOTAL	2.39	.75	.52	.16	1.45	.47	1.32	2.05	2.35	2.32	2.93	2.48	Year's Total	19.19
* Days with .01 in. or more.	22	12	8	8	13	6	13	13	13	18	19	24	48+	(?) 16
* Days with .04 in. or more.	14	8	8	2	10	4	8	6	10	12	11	13	26+	(?) 10

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

W. M. Smith

[P.T.O.]

W. M. SMITH ESQ.

Section



for the entry of Daily Observations

Station No.

408/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at 20 Burnt Ash Lane, Bromley
in the County of Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft. 3.....in.

„ Ground „ Sea Level.....200.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	—	.24	—	.62	—	—	.19	—					1
2	.03	—	—	.19	.31	—	—	.01	.22					2
3	.01	—	—	.01	.03	—	.03	.22	.26					3
4	.12	—	—	.21	—	—	—	.52						4
5	.08	—	.13	.28	—	—	.02	1.30						5
6	—	—	—	.08	—	—	.10	.05						6
7	.21	—	—	.01	—	—	.14	—						7
8	.03	.13	—	—	—	—	—	.02						8
9	—	.03	.13	—	—	—	—	.34						9
10	.03	.09	—	—	—	—	—	.01						10
11	.16	—	—	—	—	.20	—	.04						11
12	—	—	.31	—	—	.21	—	—						12
13	—	—	.01	—	.01	.01	—	—						13
14	—	—	—	.03	—	—	.01	—						14
15	.44	—	.01	.06	.08	—	—	—	.95					15
16	.66	—	—	—	.83	.03	.03	—						16
17	.34	—	.08	.02	.44	.08	—	—						17
18	.42	.05	.02	.02	.11	.15	.44	—						18
19	.28	—	.02	—	.14	—	.06	—						19
20	.15	.01	.01	—	—	.06	.04	—						20
21	.10	—	—	—	—	.06	.60	.01						21
22	.11	—	.19	—	—	.04	.23	.03						22
23	.12	.14	.10	—	—	—	.10	—						23
24	.09	—	.03	.13	—	—	.03	.02						24
25	.05	.12	.04	.14	—	—	.11	.02						25
26	.86	.35	.05	.01	—	—	.02	.21						26
27	.04	—	.01	.04	—	—	.10	—						27
28	.02	.05	.10	.11	—	—	.01	—						28
29	.02	~~X~~	.10	.25	—	—	—	—						29
30	—	~~X~~	—	.28	—	.20	—	—						30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~		~~X~~			31
TOTAL	4.44	1.00	1.61	1.93	2.60	1.04	2.46	3.02	1.43				Year's Total	
* Days with .01 in. or more.	24	9	18	14	9	10	14	15	—					
* Days with .04 in. or more.	18	4	11	11	4	8	10	8	—					

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed) W. M. Smith [P.T.O.]

BROMLEY (PARK AVENUE

Section **A** for the entry of Dai
AIR MINISTRY.-

Form 1090

REGIST

Kept at ..Bromley Hill, ..Bro
in the County of Kent 15

Diameter of Funnel of Gauge.....5.....

Height of top of Gauge above Ground

„ Ground „ Sea Lev

THE MORNING MEASUREME

An observer who does not conform to the
year in the space on the right of this pa

406/4
BROMLEY PARK AVE

1938-40

780109

Station No. 406/4
NFALL ORGANIZATION

938

Acc
874585/39
OUS DAY

f the following

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	- ✓	-	.04	-	.13	.12	-	-	-	.09	-	-		1
2	✓	.01	-	.07	.05	-	.10	-	-	.23	-	.04		2
3	✓	.11	-	-	.28	-	-	-	-	.44	-	-		3
4	✓	-	-	-	-	-	.05	-	-	.07	-	.07		4
5	-	-	-	-	-	-	.40	-	-	.13	-	-		5
6	.05	-	-	-	-	-	-	-	.48	-	-	.01		6
7	-	-	-	-	-	-	.24	-	.03	.13	-	.04		7
8	.12	-	-	-	-	-	.21	-	-	.14	-	tr.		8
9	.06	tr.	-	-	-	-	.03	-	-	-	-	.66		9
10	.01	.03	-	-	-	.14	tr.	-	-	tr.	-	.04		10
11	.01	.02	-	-	-	-	-	-	-	-	-	.11		11
12	✓	.77	.02	-	-	-	-	-	-	.12	-	tr.		12
13	✓	✓	✓	-	-	-	-	-	-	.02	-	.07		13
14	.27	.24	-	-	.30	-	-	-	.03	-	-	.02		14
15	.21	✓	-	-	-	-	-	-	-	.33	-	.03		15
16	.19	.02	-	-	-	-	-	-	-	.01	-	.31		16
17	-	.10	-	-	.16	-	-	-	.03	.07	-	-		17
18	.03	-	-	-	.07	-	(.35)	-	.02	.02	-	-		18
19	-	-	-	-	-	-	-	-	.02	-	-	.028		19
20	-	-	-	-	.02	-	-	-	.04	-	-	.018		20
21	.03	-	-	-	-	-	-	-	.10	-	-	.148		21
22	tr.	-	-	-	-	-	-	-	-	-	-	.218		22
23	-	-	-	tr.	-	-	-	-	-	-	-	.108		23
24	✓	.08	-	.10	-	-	(.20)	-	.96	-	-	.038		24
25	✓	-	-	.24	-	.11	-	-	.02	(.40)	-	.288		25
26	✓	.21	.18	.10	-	-	-	-	.32	-	-	-		26
27	✓	.03	.06	-	-	-	-	-	.66	-	-	tr.		27
28	.06	-	-	-	.23	-	-	-	✓	-	-	.01		28
29	.25	-	-	-	.11	-	-	-	-	-	-	.21		29
30	✓	.17	✗	-	.01	-	-	-	-	-	-	tr.		30
31	✓	✗	-	✗	-	✗	-	-	✗	-	✗	.11		31
TOTAL	2.63	.65	.54	.07	1.47	(.46)	(1.38)	(2.00)	2.71	(2.20)	(2.80)	2.52	Year's Total	(19.43)
* Days with .01 in. or more.	83	11	5	1	11	(1)	(2)	(1)	13	(4)	?	22		
* Days with .04 in. or more.	17	5	5	1	9	(1)	(8)	?	7	(13)	?	18		

K. P. FRAMPTON S * SNOW

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

K. P. Frampton

[P.T.O.]

Section



for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No.

406/4

FORM 1095

REGISTER OF RAINFALL IN 1938

Kept at ..Bromley..Hill,..Bromley,.....

in the County of Kent.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1....ft.....in.

„ Ground „ Sea Level 200....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	- ✓	-	.04	-	.13	.12	-	-	-	.09	-	-		1
2	✓	.01	-	.07	.05	-	.10	-	-	.23	-	.04		2
3	.11	-	-	-	.28	-	-	-	-	.44	-	-		3
4	✓	-	-	-	-	-	.05	-	-	.07	-	.07		4
5	-	-	-	-	-	-	.40	-	-	.13	-	-		5
6	.05	-	-	-	-	-	-	-	.48	-	-	.01		6
7	-	-	-	-	-	-	.24	-	.03	.13	-	.04		7
8	.12	-	-	-	-	-	.21	-	-	.14	-	tr.		8
9	.06	tr.	-	-	-	-	.03	-	-	-	-	.66		9
10	.01	.03	-	-	-	.14	tr.	-	-	tr.	-	.04		10
11	.01	.02	-	-	-	-	-	-	-	-	-	.11		11
12	✓	.02	-	-	-	-	-	-	-	.12	-	tr.		12
13	✓	✓	-	-	-	-	-	-	-	.02	-	.07		13
14	.27	.24	-	-	.30	-	-	-	.03	-	-	.02		14
15	.21	✓	-	-	-	-	-	-	-	.33	-	.03		15
16	.19	.02	-	-	-	-	-	-	-	.01	-	.31		16
17	-	.10	-	-	.16	-	-	-	.03	.07	-	-		17
18	.03	-	-	-	.07	-	(.35)	-	.02	.02	-	-		18
19	-	-	-	-	-	-	-	-	.02	-	-	.02		19
20	-	-	-	-	.02	-	-	-	.04	-	-	.01		20
21	.03	-	-	-	-	-	-	-	.10	-	-	.14		21
22	tr.	-	-	-	-	-	-	-	-	-	-	.21		22
23	-	-	-	tr.	-	-	-	-	-	-	-	.10		23
24	.08	-	.10	-	-	(.20)	-	-	.96	-	-	.03		24
25	✓	-	.24	-	.11	-	-	-	.02	(.40)	-	.28		25
26	.21	.18	.10	-	-	-	-	-	.32	-	-	-		26
27	✓	.03	.06	-	-	-	-	-	.66	-	-	tr.		27
28	.06	-	-	-	.23	-	-	-	✓	-	-	.01		28
29	.25	-	-	-	.11	-	-	-	-	-	-	.21		29
30	.17	X	-	-	.01	-	-	-	-	-	-	tr.		30
31	✓	X	-	X	-	X	-	-	X	-	X	.11		31
TOTAL	2.63	.65	.54	.07	1.47	(.46)	(1.38)	(2.00)	2.71	(2.20)	(2.80)	2.52	Year's Total	
* Days with .01 in. or more.	23	11	5	1	11	11	11	12	13	11	11	22		
* Days with .04 in. or more.	17	5	5	1	9	11	11	12	7	13	11	15		

K. P. FRAMPTON S. SNOW

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

K. P. Frampton

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 406/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1696

REGISTER OF RAINFALL IN 1939.

Kept at ..Bromley Hill, Bromley.....

in the County of ..KENT.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft.....in.

„ Ground „ Sea Level ...200.....ft.

2/40 letter ref exposure
Apr 1938

874585/19

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	.01	.20	.29	-	tr.	-	.20	-	tr.	tr.		1
2	tr.	-	-	tr.	.02	-	.03	.36	.29	-	.02	-		2
3	.13	-	-	.19	-	-	-	.38	-	.01	.19	.42		3
4	.05	-	.12	.28	-	-	.03	1.31	-	.56	.05	.02		4
5	-	-	tr.	.08	tr.	-	.23	.04	-	.05	.22	.08		5
6	.21	-	-	tr.	-	-	.03	.01	-	-	.17	.01		6
7	.03	.13	-	-	-	-	-	-	-	.06	.01	.02		7
8	-	.10	.16	-	-	-	-	.38	-	.25	.15	.25		8
9	.02	.02	-	-	-	-	-	.01	-	.63	.09	.13		9
10	.16	-	-	-	-	.21	-	.05	.06	.01	.01	tr.		10
11	-	-	.29	-	-	.20	tr.	-	tr.	.66	tr.	.01		11
12	-	-	tr.	-	tr.	tr.	-	-	-	tr.	-	tr.		12
13	-	-	-	.02	-	-	.22	-	.01	1.50	-	.01		13
14	.42	-	.01	.04	.08	tr.	.01	-	.02	.31	.49	.01		14
15	.64	-	tr.	tr.	1.02	.03	.44	-	.50	1.29	.02	.01		15
16	.34	-	.07	.02	.36	.07	.01	-	.10	.05	.45	-		16
17	.38	.05	.02	.01	.02	-	.90	-	-	-	.04	-		17
18	.28	tr.	.01	-	.17	.43	.05	-	-	.15	.27	-		18
19	.15	-	-	-	-	-	.10	-	-	.52	tr.	-		19
20	.18	-	tr.	-	-	.04	.74	✓	-	-	-	.05		20
21	.05	-	.18	-	-	.07	.11	✓	.16	.01	-	-		21
22	.15	.16	.11	-	-	.12	.10	-	tr.	-	.03	-		22
23	.05	-	.02	.13	-	.01	.15	✓	-	.03	.54	-		23
24	.13s	.17	.02	.17	-	-	.06	-	-	.15	tr.	-		24
25	.68s	.35	.03	.01	-	-	.14	✓	-	-	.48	-		25
26	.03	tr.	tr.	.06	-	tr.	-	(C)	-	.11	.20	-		26
27	.03	.02	.07	.11	-	tr.	.01	-	.02	.07	.25	-		27
28	.01	.28	.06	.31	-	tr.	-	-	-	.07	.05	.10s		28
29	-	tr.	.30	-	tr.	-	-	-	-	.05	.04	-		29
30	-	✕	-	.56	-	.03	-	-	-	-	.21	.01		30
31	-	✕	-	✕	-	✕	-	-	✕	-	✕	-		31
TOTAL	4.13	1.28	1.18	2.49	1.96	1.21	3.36	2.82	1.36	6.54	3.98	1.13	31.44	Year's Total
* Days with .01 in. or more.	22	9	15	16	7	10	18	14	9	21	22	14	177	
* Days with .04 in. or more.	16	7	8	12	5	7	12	9	6	17	17	6	122	

* See Instruction 3 (f) on other side.

K P FRAMPTON
S - SNOW

† Spare column, no entries required

(Signed)

K P Frampton

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

406/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at ... BROMLEY till Aug. - KESTON Hereafter.

in the County of ... KENT

Diameter of Funnel of Gauge ... 5 in.

Height of top of Gauge above Ground ... 1 ft. ... in.

Ground Sea Level ... 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.01	-	-	tr.	-	-							1
2	-	.05S	-	.03	-	-	.04							2
3	-	.16	-	.07	-	-	.01							3
4	-	.11	-	.03	-	-	-							4
5	-	.01	-	-	-	-	.02							5
6	.16	.03	-	-	.03	-	-							6
7	.28	.10	-	-	.01	-	.20							7
8	.01	.01	-	.01	-	-	-							8
9	-	-	-	-	-	-	-							9
10	-	-	-	-	-	.18	.66							10
11	-	-	.03	.02	-	tr.	tr.							11
12	-	.02S	.05	-	-	-	.05							12
13	-	.01S	.01	.01	-	-	-							13
14	-	-	.17	.13	-	.09	-							14
15	-	-	.03	.04	.10	tr.	.75							15
16	.01S	.16S	.20	.25	-	.09	.51							16
17	-	-	.33	-	-	-	.03							17
18	tr.	.30	.16	.27	-	-	.34							18
19	-	.22	.03	.07	-	-	.02							19
20	-	.02	.01	.01	-	.01	.11							20
21	.02S	tr.	-	-	.52	-	.07							21
22	-	-	.02	.01	.24	.12	-							22
23	-	.03	-	.18	tr.	.01	-							23
24	-	-	-	.38	-	-	.17							24
25	-	-	.43	-	-	-	.04							25
26	.91	.04	.77	.01	-	.06	.04							26
27	.37S	.18	-	.19	.15	-	.10							27
28	.02S	tr.	-	tr.	-	-	-							28
29	.05S	.03	.04	-	.08	-	-							29
30	.05S	X	-	.27	.01	-	-							30
31	.04	X	-	X	-	X	#		X		X			31
TOTAL	1.92	1.49	3.08	1.98	1.14	.56	3.16						Year's Total	
* Days with .01 in. or more.	11	18	14	18	8	7	17							
* Days with .04 in. or more.	7	9	9	10	5	5	13							

† Spare column, no entries required.

(Signed)

K. P. Hampton

[P.T.O.]

* See Instruction 3 (f) on other side.

SOUTH FLEET HOOK PLACE

Section **A** for the entry of
AIR MINISTRY
FORM 1090. **REGIST**

Kept at Hook Place Farm
in the County of Kent

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASURE
An observer who does not conform to the
year in the space on the right of this

406/5
SOUTH FLEET
HOOK PLACE FARM
1932 - 40

Station No. 406/5
AINFALL ORGANIZATION.
1932 . Kent/5

S DAY.
of the following
Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.34		.05	.24		.05			1
2					.03								2
3					.22			.06					3
4					—	.17			.62		.02		4
5					.05	.10	.16		.02				5
6					.04								6
7					—		.01						7
8					.12				.05	.28			8
9					.95	—				.06			9
10					.07						.01	—	10
11					.01	.03				.34			11
12								.07					12
13					—					.17			13
14					.12					.30			14
15					.05								15
16					.08								16
17							.03			.02			17
18									.04	.12	.10		18
19					—								19
20					.13		.30	.01	.04	.46	.24		20
21					.25					.24	.02	.23	21
22					.12		.05		.33	.23	.25	.05	22
23					.38				.11	1.08	.09	.01	23
24							.17		.01	.32			24
25							.35	.11	.13		.04		25
26					—		.36			.02			26
27					.45		.05			.32	.05		27
28					.08			.25		.10			28
29					—				.05	.23		.01	29
30		X			.10	.45			.03	.08	.35	.08	30
31		X		X		X			X	—	X	.01	31
TOTAL					3.59	.75	1.53	.74	1.43	5.02	.87	.39	
* Days with .01 in. or more.					19	4	10	6	11	18	10	6	
* Days with .04 in. or more.					17	0	8	5	8	16	7	3	

Section



for the entry of Daily Observations.

Station No. 1149

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932 .

Kent 15

Kept at Hawk Place Farm Southfleet
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
Ground Sea Level 120 ft.

from Wansley 1262

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.34		.05	.24		.05			1
2					.03								2
3					.22			.06					3
4					—	.17			.62		.02		4
5					.05	.10	.16		.02				5
6					.04								6
7					—		.01						7
8					.12				.05	.28			8
9					.95	—				.06			9
10					.07						.01	—	10
11					.01	.03				.34			11
12								.07					12
13					—					.17			13
14					.12					.30		—	14
15					.05								15
16					.08								16
17							.03			.02			17
18									.01	.12	.10		18
19					—								19
20					.13		.30	.01	.04	.46	.24		20
21					.25					.21	.02	.23	21
22					.12		.05		.33	.23	.25	.05	22
23					.38				.11	1.08	.09	.01	23
24							.17		.01	.32			24
25							.35	.11	.13		.04		25
26					—		.36			.02			26
27					.15		.05			.32	.05		27
28					.08			.25		.10			28
29					—				.05	.13		.01	29
30		X			.10	.15			.03	.08	.05	.08	30
31		X		X		X			X	—	X	.01	31 inch
TOTAL					3.59	.75	1.53	.74	1.13	5.02	.87	.39	YEAR'S TOTAL
*Days with .01 in. or more.					19	4	10	6	11	18	10	6	82
*Days with .04 in. or more.					17	3	8	5	8	16	7	3	67

40-9999

*See Instruction 2 (f) on other side,

(Signed) J. Barker

J. BARKER ESQ

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 406/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at ~~(Hask Place Farm)~~ Southfleet
in the County of KentDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 in 8 in.
Ground Sea Level 10.0 ft.

Comp. 1932

Sent 1/5

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.13							.03	.02			1
2	.01		.27		.13									2
3	.10		.19											3
4	.11	.26	—											4
5	.21		.15		.27					.09				5
6		.10	.11		.24						.13			6
7	.29	.03	.11		.11					.16		.05		7
8	.14	.01			—		.33			.01				8
9				—	.07		.01				.13			9
10		.60			.01	—				.11				10
11	.07				—	.04	.15	.05	.09		.03			11
12				.05	.01	.18			.56					12
13	.05				.13	.13	.27	—	.48	—	.14			13
14	—		—		.01			.01		.26	.12			14
15	.13						.32	.08		—	—			15
16	.07		.64				.05			.02	} .19			16
17			.36			.14	—		.08					17
18			.02	—		—				—				18
19		ns. 10	.18	.03		.06		.01	.03			.04		19
20		ns. 02	.02			.13	.63		.16	—	.03			20
21		—		.08		.11			.38					21
22		.18				.02		.05		.05				22
23				.08	.32	—		.12	.24					23
24		ns. 24		.18	.08	.42			.17	.02	.03			24
25		.07		.18	.03	.01			—		.03	.05		25
26		.55		.02					.52	.02	.13	.16		26
27				—					.01	.22		.11		27
28		—			.07					.33		.11		28
29				—	.11		.43			.03				29
30	.11	X	.13						.03	.09		.15		30
31	.01	X		X		X		.10	X	.01	X			31
TOTAL	1.30	2.16	2.31	.62	1.59	1.24	2.19	.42	2.75	1.45	.95	.67	17.65	
*Days with ".01 in. or more.	12	12	12	7	14	10	8	7	10	15	11	7	126	
*Days with ".04 in. or more.	10	8	10	5	10	7	7	5	9	8	6	7	102	

40-9999

M.S. = Melted snow.

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) O. Barker.

X J. BARKER ESQ X

17.65

P.T.O.

REGISTER OF RAINFALL IN 1934.

Kept at Hook Place Farm, Southfleet
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02							.12		.03	.26	.23	1
2	.03	.01						—	.73	.43		—	2
3			.13	—						.59		.17	3
4	.13	.05		.01	.04					.03	.07	.40	4
5	.01		.03					.02		.02	.02	.25	5
6			.31		.21	.18		.03		.13	.02	.34	6
7	.03			—				.08		.09		.11	7
8				.09	.12				—	—	.26	.03	8
9											.82	.26	9
10		.03	.31	.14				.08		.07	.10	—	10
11	.53		.33	.09							.01	.09	11
12	.10		.06				.08				—	.03	12
13	.42		.03	—			.43	.24			.03	.07	13
14	.07		.38	.03	.02			.24			.13	.13	14
15	.03		.02	.04	.03				.04		.07	.53	15
16	.08		.18	.03	.06					.05		.01	16
17	.01		.06	.26	—					.07		.20	17
18	.05		.21	.27			.07					.27	18
19			.18	—		—			.10			.12	19
20						.06	.03		—	—		—	20
21		.02		.13		.04					.03		21
22		—					.05	.06	.13			.01	22
23				.33		.84						.15	23
24		.03	.08	.06		.10	.65		.05				24
25	.02	.03		.08		.01						.22	25
26	.05			.23		.10			.02			.07	26
27	.07			.03		.04						.13	27
28		.29		.12		.10		.45		—	.02	.21	28
29							.02	.02	.10	.01	—	.04	29
30	.16	X										.09	30
31		X		X		X			X		X	.08	31
TOTAL	1.82	.46	2.26	2.01	.48	1.46	1.33	1.32	1.17	1.53	2.44	4.51	YEAR'S TOTAL 20.80
*Days with "or in. or more.	17	7	14	16	6	9	7	10	27	11	13	26	143
*Days with ".04 in. or more.	10	2	10	12	4	8	5	7	6	7	7	22	100

Section

A

for the entry of Daily Observations.

Station No. 40615

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hook Place Farm, Southfleet.

in the County of Kent

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21	.05	.03	—		.09	.11		.35 35	.07	.03		1
2	.20			.07		—			.04	.90			2
3	—	.03	.17	.03					.01		.22		3
4		.05		.20		.11			.15	.12	.01	.10	4
5		.36	.01	.09		.36			.46	.01			5
6		.06	.05	.18		.24				—	.02		6
7	.06	.08		.19		.13					.78	.12	7
8		.01		.41		—	.06	.06		.16	.35	.09	8
9				.11		.37				.53	.07	.05	9
10	.01			.03		.05				.05	.39		10
11	.23			.07							.28	.02	11
12	.07			—		.08	.12	.12			.68		12
13	.06	.11		.06	—	.02					.04		13
14				.13	.20	.07					—	.08	14
15		.11		.30	.02	.11			.18		.13	.05	15
16	.01	.05		.07	—	.30			.21	—	.80		16
17				.18	.10	.14			.02		.66		17
18			.05		.13	.07	.22		.25	.04	.02		18
19					.02	.03	.06		—		.07	.05	19
20	—	.35		—		.04	.24				.08		20
21		.33							—		.05		21
22		.15					.24	.24	.40	.04			22
23			.07					.10	.01	.06			23
24	.05	.55			.61	.29		.62	.27	.03		.26	24
25	.15	.27		.35	.18					—	.02	.20	25
26	.13			—				.15		.03		.40	26
27	.03	.54					—		.07	.04	.04	.14	27
28									.02			.10	28
29									.22	—		.23	29
30	.05	X		.17	.06			(.50)	.02	.19	.31	.32	30
31		X		X	—	X			X	.17	X	.41	31
TOTAL	1.26	3.10	.38	2.64	1.26	2.48	.60	1.69	2.68	2.44	50.5	2.61	26.19
* Days with .01 in. or more.	13	16	6	17	8	17	4	67	16	15	21	16	156
* Days with .04 in. or more.	10	14	4	15	6	15	4	67	11	12	16	15	128

40-9999.

* See Instruction 2 (f) on other side.

m.s. = melted snow.

† Spare column, no entries required.

(Signed) G. Barker.

[r.o.]

Section

A

for the entry of Daily Observations.

Station No. 40615

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hoah Place Farm, Southfleet.

in the County of Kent.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.20	.04	.08		.20	.13					.13		1
2	—					.14	.22	.10						2
3			.01	.66	—	.06	.05	—	.05		.24			3
4	—		.07		.02	.12			.22					4
5	.28		.04						.31	.09		.09		5
6	.12			—		—		.03	.07	.06	.83			6
7	.35		.02			.11				.07	.20			7
8	.20		.03				.14		.01		.25	.11		8
9	.51		.01				.32	.04						9
10	.06	.01	—				.40	.33	.15					10
11				.08				—			.76	.09		11
12		—		.23		.11	.10		.15		.30			12
13		.01	—			.22						.51		13
14		.02					.41			.04	.11	.40		14
15		.01				.05	.01		.04			.05		15
16	.16	.03			.04				.02			.05		16
17	.13	.54				.06					.57	.15		17
18	.10	.03				.04	.08			—				18
19	.25	.02	—				.14				.15			19
20	.22	.03		.33		.20	.03		.72					20
21	.16			.28		.34	.02							21
22		.32	.05			.04	.06					.25		22
23	.06	.08		.04	.13		.12			.06				23
24		.05								.38	—			24
25			.13	.17		.16	.10		.11	.01				25
26		.07	.35				.02		.05	.11	—			26
27	.21								.23	.04				27
28	.71		.03						.04		.03	.06		28
29	.06	.11	.06			.45	.10				.10			29
30	.05	X	.13		.05	.11				.08		—		30
31	.21	X		X		X	.08		X	.66	X			31 "d"
TOTAL	3.98	1.53	.97	1.87	.24	2.47	2.53	.50	2.17	1.60	3.54	1.89	23.29	Year's Total
* Days with .01 in. or more.	19	15	13	.8	4	16	19 ²⁰	4	14	11	14 ¹²	11	145	147
* Days with .04 in. or more.	19	6	8	8	3	16	15 ¹⁶	3	12	10	10 ¹¹	11	121	123

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) O. Barker [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 40615

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Hook Place Farm Southfleet.

in the County of Kent.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.66										.99	.25		1
2		.03	.04	.41					.09			.88		2
3		.22										.34		3
4	.07	.55						.06				.37		4
5	.14	.13	.36				.13							5
6			.54		.13									6
7		.68	.08						.05					7
8					.05	.09					.24	.65		8
9		.06		.25	.12				.24			.34		9
10			.32	.20	.23	.49		.01				.52		10
11			.38		.24							.07		11
12	.13	.25	.05		.42	.47		.12	.11					12
13	.12	.02	.40		.03			—	.08			.63		13
14	.02	—	.13		.08			.60	.15					14
15	.14	.04		.10		.13	.85		.08					15
16		.07	.42	.25		.14		.21	.05					16
17		.10	.11	.26					.14		.14			17
18	.79	.04			.35	.84					.20			18
19	.07		.07	.08	.17	.20			.18					19
20	.51		.10	.39	.80	.09			.11					20
21	.32	.44		.04				.06						21
22	.43	.19			.10	.67 .66				.61	.24			22
23	.13									.47	.05			23
24	.62	.35								.21				24
25	.12	.34	.23						.18	.17				25
26		.70	.10							.25				26
27		.06		.24						.31				27
28										—				28
29	.16									.09	.05	.04		29
30	.22	⊗								—	.14			30
31	.19	⊗	⊗	⊗	⊗	⊗			⊗	.09	⊗			31
TOTAL	4.84	4.27	3.33	2.22	2.72	3.12	.98	1.06	1.46	1.89	2.05	4.26	32.20	32.20
* Days with .01 in. or more.	18	18	15	10	12	9	2	6	12	7	8	11	128	128
* Days with .04 in. or more.	17	17	15	10	4	9	2	5	12	7	8	11	124	124
Year's Total														32.20

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) O. Barker. [P.T.O.]

Section **A** for the entry of Daily Observations
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. 406/5

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hook Place Farm, Southfleet
 in the County of Kent

Diameter of Funnel of Gauge.....5.....in.
 Height of top of Gauge above Ground.....1.....ft.....in.
 „ Ground „ Sea Level.....100.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07								.11			.01		1
2	.03				.05					.32				2
3					.35					.66				3
4	.02						.10	.04	—	—		.07		4
5							.13		—	.19		.04		5
6	—						.21							6
7						.01		.30		.14		.04		7
8	.11						.18		.04	.10		—		8
9	.08						.04	.25				.45		9
10	.09	.04				.02		.23				.14		10
11	.20										.08	.08		11
12	.16	.03						.04		.06		.12		12
13	.25									.09	.18			13
14	.13				.21				.12		.02	.05		14
15	.03	.23					.17			.23		—		15
16	.20	.03					.06					.22		16
17	—	.09			.19		.05			.06				17
18					.10				.02	.02	.41			18
19											.14			19
20									.10		.32	.15ms		20
21									.11		.03	.15ms		21
22								.02			.10	.10ms		22
23				.06							.11			23
24				.14					.06		.09	.10ms		24
25	.11		.41		.15		.02	—	.14	.04	.76	.05ms		25
26	.14	.17	.08					.05	.20	.35				26
27	.07	.03			.13	.13	.19		1.73		.14			27
28	.23	.04		.04	.22			.10	.07					28
29	.23	X		.03	.11							.25		29
30		X		.11		.05			.06	.02	.23			30
31	.16	X		X	.06	X			X	.09	X			31 "d"
TOTAL	2.31	.66	.49	.38	1.57	.21	1.15	1.03	2.76	2.37	2.61	2.02	17.56	✓
* Days with .01 in. or more.	18	8	2	5	10	4	10	8	12	14	13	16	120	✓
* Days with .04 in. or more.	15	5	2	4	10	2	9	7	11	12	11	15	103	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Mary Barber [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1406/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Hock Place Farm, Southfleet,
in the County of Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft.....in.

,, Ground ,, Sea Level 100.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.14			.16	.33		—		.24					1
2				—	—		—	.16	.07	—				2
3	.13			.20				.45		.05	.22	.38		3
4			.14	.09				1.11		.38	.26	—	✓	4
5				.11			.10	.65		.27	✓	.04		5
6	.30			.04				—		.08	.22			6
7	.25	.13					—	—		.30	.08	.03		7
8		.02	.10					.28		.05	.15	.17		8
9		.09								.58	.12	.14		9
10	.11		.28			.32		.05	.04	—				10
11						.32				.71	.05			11
12						—						.04		12
13			—			.04			.05	1.02				13
14	.41			.02	.15		.02		—	.85	.49	.06		14
15	.50			.29	.94				.10	.58				15
16	.22		.24			.18			.17		.40			16
17	.21	.04	.03		.05		.45				.07			17
18	.24		.02			.06	.03			.05	.30			18
19	.18	—	—				.11		.02	.70				19
20	.12						.24		.07					20
21	.09		.14			.09	.54	.19	.26					21
22	.05	.21	.12			—	—							22
23	.04		.11	.04						.06	.44			23
24	.93	.06	.08	.09			.32	.12	.12	.10	.05			24
25	.23	.26	.08								.35			25
26						—	.31		.03	.08	.10			26
27	.04		.06	.15		—			—	.02	.45			27
28		.52	.10	—						.13	.06			28
29		X		.37							.13			29
30		X		.49						.08				30
31		X		X		X	.21	.10	X		X			31
TOTAL	4.19	1.33	1.50	2.05	1.47	1.01	2.33	3.11	1.17	6.09	3.94	.86	29.05	
* Days with .01 in. or more.	18	8	13	12	4	6	10	9	11	19	18	7	135	"d"
* Days with .04 in. or more.	18	7	11	11	4	6	8	9	9	18	18	6	125	

† Spare column, no entries required.

(Signed) J. J. Barker

* See Instruction 3 (f) on other side.

P.T.O.

Section



for the entry of Daily Observations

Station No. 406/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Hook Place Farm, Southfleet
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Ground Sea Level 100 ft.

Cus Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.35	.05			.23						.22			1
2		.10		.21							.66			2
3		.15		.28						.25	.27			3
4				.4						.11	.16			4
5		.06									.40	.23		5
6					.04		.28				.24			6
7	.30	.19					.22					.04		7
8									.05	.34		.16		8
9											.21			9
10							.42			.22	.07			10
11			.03				.10				.62			11
12			.06											12
13		.04	.70				.10		.94		1.32			13
14			.33	.16								.21		14
15			.07	.05	.15	.15	1.67		.04	.03	.19			15
16		.09	.20				.51			.65	.74			16
17			.23						.06		.08			17
18		.22	.17	.36			.83		.03	.21	.13	.20		18
19		.22	.08						.59					19
20		.02		.01			.04				.11			20
21	.15				.11		.09			.11	.16			21
22	.15		.04		.45	.16				.05				22
23		.03	.03				.18			.05				23
24				.43										24
25			.29											25
26	.78	.08	1.41		.52		.08							26
27		.26					.21							27
28														28
29			.03									.13		29
30	.50	X		.15		.03				.06				30
31	.05	X		X		X			X	.35	X			31
TOTAL	2.13	1.51	3.34	1.54	1.30	.34	4.23		1.01	2.43	6.58	.97	Year's Total	25.45
* Days with .01 in. or more.	7	13	14	9	6	3	13		6	12	16	6	105	
* Days with .04 in. or more.	6	11	11	8	5	2	13		5	11	16	6	14	

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) J. Barker

Section **A** for the entry of
AIR MINISTR
FORM 1090

REGIS

Kept at *Wilmington*
in the County of *Ken*

Diameter of Funnel of Gauge.....

Height of top of Gauge above Gro

„ Ground „ Sea

THE MORNING MEASURE

An observer who does not conform t
year in the space on the right of th

Ple

406/9

WILLMINGTON

1940 ONLY.

780109

Station No. 406/9

RAINFALL ORGANIZATION

19340

PREVIOUS DAY

st of the following

af

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.12	—		1
2											.70	—		2
3											1.50	.04		3
4											1.07	.08		4
5											.06	.08		5
6											.15	—		6
7											—	—		7
8											.03	.21		8
9											.20	.05		9
10											.06	—		10
11											.80	—		11
12											.02	—		12
13											1.29	—		13
14											—	.05		14
15											.47	.02		15
16											.50	.03		16
17											.12	—		17
18											.24	1.08		18
19											.07	.04		19
20											.08	—		20
21											.12	—		21
22											.02	—		22
23											.02	.03		23
24										69	.01	.04		24
25											—	—		25
26											—	—		26
27											—	—		27
28											—	—		28
29											—	.22		29
30		X									—	.01		30
31		X		X		X			X		X	.04		31
TOTAL											7.65	2.02	Year's Total	
* Days with .01 in. or more.											22	15		
* Days with .04 in. or more.											17	11		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

W. Coahett Jr

[P.T.O.]

Section **A** for the entry of Daily ObservationsStation No. 406/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934Kept at Wilmington (Glasshouse Demonstration Str.)
in the County of Kent 5

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											12	—		1
2											70	—		2
3											1.50	.04		3
4											1.07	.08		4
5											.06	.08		5
6											.15	—		6
7											—	—		7
8											.03	.21		8
9											.20	.05		9
10											.06	—		10
11											.80	—		11
12											.02	—		12
13											1.29	—		13
14											—	.05		14
15											.47	.02		15
16											.50	.03		16
17											.12	—		17
18											.24	1.08		18
19											.04	.04		19
20											.08	—		20
21											.12	—		21
22											.02	—		22
23											.02	.03		23
24										69	.01	.04		24
25											—	—		25
26											—	—		26
27											—	—		27
28											—	—		28
29											—	.22		29
30		X									—	.01		30
31		X		X		X			X		X	.04		31
TOTAL											7.65	2.02	Year's Total	
* Days with .01 in. or more.											22	15		
* Days with .04 in. or more.											17	11		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

W. Coahett Esq

[P.T.O.]

Section
FORM 1090.



for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL

REGISTER OF

Kept at Wilmington

in the County of KEN

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft.

Ground Sea Level

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule should state the year in the space on the right of this paragraph.

Please read

408
COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.
1931 .

408 - 291033

WILMINGTON

IS DAY.

of the following

Jan. 1, following

1931 - 1940

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03	.02	.46									1
2		.07		.16	.02					.03		.01	2
3	.24	.01	.02	.30	1.26						.02	.16	3
4				.01				.01			.03		4
5				.23	.09	.53	.02		.05			.10	5
6		.09		.03		.03				.22	.56		6
7					.07	.03				.01	.10		7
8	.02	.03				.36		.20		.01	.02	.01	8
9		.01						.01			.40	.01	9
10		.12	.02					.17			.43		10
11	.06	.23						.03			.26		11
12	.02	.07				.04	.20	.41					12
13		.01					.10	.30					13
14		.10				.03	.45	.62					14
15	.07	.02		.23	.15		.35	.30			.01		15
16	.01	.02		.13	.31	.01		.06					16
17		.02		.40	.04		.44	.02	.03	.03			17
18		.10		.17		.14		.58			.48		18
19	.04			.46		.20	.03	.33	.09				19
20		.02		.02				.20					20
21	.02				.48								21
22	.12		.11		.18			.02			.02		22
23	.23	.01	.01			.04		.01			.05		23
24			.01	.73				.04	.02				24
25	.05			.25			.30	.01					25
26		.04		.27			.50				.23		26
27	.07	.26		.02	.18		.43				.02		27
28	.05									.01		.14	28
29	.10			.02	.05		.06			.25		.06	29
30	.03	X			.01								30
31	.10	X		X		X		.02	X		X		31
TOTAL	1.23	1.26	.19	3.89	2.84	1.37	2.32	3.10	1.64	.56	2.63	.50	YEAR'S TOTAL
*Days with .01 in. or more.	16	19	6	17	12	9	10	17	14	7	14	7	148
*Days with .04 in. or more.	11	9	1	12	10	5	8	13	7	2	8	4	90

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P. H. Davis

P.T.O.

Section



for the entry of Daily Observations

408
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Wilmington

in the County of KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level.....ft.

*May 3 day in rain
66.88 in. 883 881/28.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03	.02	.46				.05	.05				1
2		.07		.16	.02			.03	.29	.03		.02	2
3	.24	.01	.02	.30	1.26			.17	.32		.02	.16	3
4				.01					.01		.03		4
5				.23	.09	.53	.02		.05			.10	5
6		.09		.03		.03				.22	.56		6
7					.07	.03				.01	.10		7
8	.02	.03				.36		.20		.01	.02	.01	8
9		.01							.01		.40	.01	9
10		.12	.02					.17			.43		10
11	.06	.23							.03		.26		11
12	.02	.07					.04	.20	.41				12
13		.01						.10	.30				13
14		.10				.03	.45	.62					14
15	.07	.02		.23	.15		.35	.30			.01		15
16	.01	.02		.13	.31	.01		.06					16
17		.02		.40	.04		.14	.02	.03	.03			17
18		.10		.17		.14		.58			.48		18
19	.04			.46		.20	.03	.33	.09				19
20		.02		.02				.20					20
21	.02				.48								21
22	.17		.11		.18				.02		.02		22
23	.13	.01	.01			.04			.01		.05		23
24			.01	.73				.04	.02				24
25	.05			.25			.30	.01					25
26		.04		.27			.50				.23		26
27	.07	.26		.02	.18		.43				.02		27
28	.05									.01		.14	28
29	.10			.02	.05		.06			.25		.06	29
30	.03	X			.01								30
31	.10	X		X		X		.02	X		X		31
TOTAL	1.23	1.26	.19	3.89	2.84	1.37	2.32	3.10	1.64	.56	2.63	.50	YEAR'S TOTAL
*Days with .01 in. or more.	16	19	6	17	12	9	10	17	14	7	14	7	148
*Days with .04 in. or more.	11	9	1	12	10	5	8	13	7	2	8	4	90

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P. H. Davis

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Wilmington
in the County of KENT

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02			.02	.40			.39		.05		.03	1
2				.07	.02			.19	.21		.01	.10	2
3	.01			.06	.21			.02	.46				3
4						.19					.01		4
5	.06		.01		.05	.08	.27		.02				5
6	.28			.12	.01				.005				6
7			.12	.07	.01		.04		.13				7
8	.24		.07	.01	.28				.05	.48			8
9	.60		.03	.07	.39					.04			9
10	.12	.03		.14	.05				.01	.05			10
11				.08	.02					.25		.03	11
12	.11	.04		.01						.50	.02		12
13	.06			.04	.01					.36	.01	.01	13
14				.09	.09					.06		.01	14
15	.07			.05	.03					.12			15
16				.22	.14								16
17				.03			.16			.02	.01		17
18									.05		.08		18
19					.01					.11	.02		19
20				.15	.12		.01		.03	.60	.10		20
21					.36					.21	.01	.03	21
22	.01	.08	.32	.07	.09		.05		.25	.20	.25		22
23		.07	.20	.05	.06				.10	1.04	.04	.05	23
24		.03					.27		.05	.03	.04		24
25							.23		.02	.31	.01		25
26			.02	.03	.03		.15	.13					26
27			.20	.05	.41	.02	.05			.41	.06		27
28			.02		.04		.09		.01	.13			28
29			.28	.04	.02			.21	.04	.35		.02	29
30		X	.04	.08	.06	.61			.01	.04	.02	.13	30
31		X	.10	X		X			X		X	.02	31
TOTAL	1.58	.25	1.41	1.55	2.91	.90	1.32	.94	1.445	5.36	.69	.43	18.785
*Days with "or in. or more.	11	5	12	22	24	4	10	5	15	21	15	10	154
*Days with ".04 in. or more.	8	3	8	17	15	3	9	4	9	19	6	3	104

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

408

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at WILMINGTON, DARTFORD

in the County of KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	.10	.09							.03	.01			1
2			.23		.06						.01			2
3	.03	.13	.11											3
4	.15				.15									4
5	.11		.21		.22									5
6		.12	.04		.35					.08	.10			6
7	.28	.02	.09		.04					.12		.04		7
8	.10						.25							8
9					.06		.09			.01	.14			9
10		.41			.01	.10	.01			.07				10
11	.04				.01	.04	.25	.07	.09		.02			11
12				.01	.02	.12	.01		.72					12
13	.06				.09	.14	.33		.24	.01	.14			13
14								.01		.13	.17			14
15	.10		.05				.25	.18		.02				15
16	.05		.55			.20	.08		.01	.01	.05			16
17			.29			.02	.01	.02	.07		.02			17
18	.01		.08			.10					.01			18
19			.10	.05		.17			.14					19
20			.04	.07		.10	.33				.01			20
21		.02				.02		.02	.36			.03		21
22		.07				.56		.13	.01	.09	.01			22
23				.07	.28				.18					23
24		.27		.16	.09	.27			.26		.01			24
25		.13		.15	.02					.01	.01			25
26		.34		.02		.01			.43		.05	.07		26
27					.08				.01	.26		.14		27
28					.12		.14			.42		.10		28
29				.01			.34			.08		.04		29
30	.14	X	.15						.03	.05				30
31	.05	X		X		X		.10	X	.01	X	.14		31
TOTAL	1.30	1.61	2.03	.55	1.60	1.85	2.09	.53	2.55	1.40	.76	.56	16.83	
*Days with ".01 in. or more.	13	10	13	8	15	13	12	7	13	16	15	7	142	
*Days with ".04 in. or more.	11	8	13	5	11	10	9	4	9	9	6	6	101	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. St. Davies

[P.T.O.]

Section **A** for the entry of Daily Observations.

Station No. 408

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wilmingtonin the County of KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01							.10		.04	.05	.28		1
2	.05	.04	.16						.50	.31		.17		2
3	.01							.06		.37		.01		3
4	.12		.02		.01					.14	.07	.36		4
5					.05					.03	.03	.30		5
6	.01		.31		.17	.04		.09		.12	.02	.28		6
7	.03				.02	.03				.14		.10		7
8		.02		.02	.09			.06	.07		.18	.01		8
9											.63	.40		9
10			.27	.10				.01		.05	.46			10
11	.45		.31	.04				.01			.01	.07		11
12	.07		.05				.05	.36				.01		12
13	.37		.13	.01			.52	.18			.02			13
14	.07		.27	.01	.03					.02	.45	.26		14
15	.04		.09		.05						.06	.46		15
16	.07		.16	.13	.10					.04				16
17	.01		.01	.03						.06		.15		17
18	.18			.18			.16					.19		18
19			.18	.15		.01			.08			.06		19
20			.16				.01		.01		.01			20
21			.01	.16		.03								21
22							.18	.34	.14			.04		22
23				.28		.68						.16		23
24			.01	.10		.17	.35		.06			.01		24
25	.04	.01		.11	.02					.01		.25		25
26	.08			.10		.11			.01			.07		26
27	.02			.15		.06						.14		27
28		.10		.05		.19		.47			.04	.16		28
29									.07			.04		29
30	.14	X										.17		30
31	.03	X		X		X			X	.03	X	.10		31
TOTAL	1.80	.17	2.14	1.62	.54	1.32	1.27	1.68	.94	1.36	2.03	4.25	19.12	
* Days with .01 in. or more.	19	4	15	16	9	9	6	10	8	13	13	26	148	
* Days with .04 in. or more.	12	2	11	12	5	6	5	8	6	9	8	22	106	

FORM 1090.
REGISTER OF RAINFALL IN 1935.
Kept at WILMINGTON,
in the County of KENT.
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

METROPOLITAN WATER BOARD,
KENT DISTRICT,

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.14	.07		.02		.11	.17		.13	.06	.02	.01	I
2	.03		.01	.02					.16	.12	.08		2
3		.07	.22	.07		.01			.06	.73	.15		3
4		.02		.18		.30			.11	.11		.08	4
5		.40	.05	.10		.17			.48				5
6	.01	.06		.24		.22					.04	.02	6
7	.02	.03		.18		.12					.72	.10	7
8			.02 ^{show}	.34				.02		.15	.29	.10	8
9				.17		.73				.75	.09		9
10	.02	.01		.01		.01					.05	.04	10
11	.26			.07		.04					.25	.01	11
12		.01				.10		.60			.74		12
13	.07	.10		.05	.10	.01					.04		13
14				.07	.22	.06					.01	.06	14
15		.14		.23	.01	.01			.16		.11	.06	15
16		.08		.14		.53			.23	.02	.65	.01	16
17			.06	.01	.02	.12			.04		.67		17
18				.13	.02	.07	.23		.24	.08	.03	.01	18
19				.01	.14	.01	.06				.08		19
20		.33		.03	.09	.04	.10		.04		.07		20
21	.01	.30							.03	.07	.04		21
22		.22						.26	.49				22
23			.06					.15	.05			.09	23
24	.04	.43			.68			.33	.27	.01		.20	24
25	.15	.07		.33	.02	.40		.09	.10			.14	25
26	.37	.09							.01	.01		.30	26
27		.38					.01		.04		.04	.14	27
28		.01			.01				.03	.05		.08	28
29	.01								.19			.19	29
30	.07	X		.08	.09			.69	.02	.06	.27	.46	30
31		X		X	.01	X			X	.21	X	.26	31
TOTAL	1.19	2.82	.42	2.48	1.41	3.08	.57	2.14	2.88	2.43	4.44	2.36	YEAR'S TOTAL 26.22
*Days with or in. or more.	13	19	6	21	12	19	5	7	20	14	21	20	177
*Days with or in. or more.	7	14	4	15	6	14	4	6	16	11	17	15	129

Section



for the entry of Daily Observations.

Station No.

408

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ... WILMINGTON

in the County of ... KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	.18	.03	.08		.12	.20	.01			.02	.12		1
2				.01		.32	.03	.08			.06			2
3				.39		.03		.02	.04		.21			3
4			.10		.005	.09			.34			.05		4
5	.23		.04						.31		.06	.06		5
6	.25					.03		.01	.06	.05	.44	.01		6
7	.29		.02			.10		.01	.03	.02	.22	.01		7
8	.19		.06							.01	.26	.26		8
9	.47		.02				.52		.17	.01				9
10	.09						.28	.13	.04					10
11				.03			.06				.53			11
12				.10		.27	.09		.06		.23	.06		12
13						.08					.01	.33		13
14		.05				.06	.37		.01	.04	.20	.41		14
15		.05				.02			.05			.06		15
16	.31	.03			.12		.01		.03		.37	.01		16
17	.17	.42			.05	.06				.01	.15	.11		17
18		.03				.05	.07			.02	.10	.07		18
19	.22	.01				.06	.11	.08						19
20	.22	.02		.37		.05	.04		.67					20
21				.25	.01	.28			.01					21
22	.17	.37			.15	.05	.11					.11		22
23	.01	.03					.08			.05				23
24	.10	.06		.03					.01	.59		.01		24
25	.12		.22	.22		.37	.09		.24	.06	.04	.02		25
26		.06	.23	.02		.01	.01		.04	.15		.01		26
27	.16		.01						.44	.05				27
28	.63		.01			.24			.03			.02		28
29	.06	.09	.08			.14	.11			.02				29
30	.05	X			.20	.08	.01			.18	.08			30
31	.32	X	.14	X	.08	X	.06		X	.65	X	.10		31
TOTAL	4.22	1.40	.96 +.01	1.50	.62 .615	2.51	2.25	.34	2.28	1.91	2.98	1.83	Year's Total 22.845	
* Days with .01 in. or more.	20	13	13	10	6	21	18	7	18	15	16	19	176	
* Days with .04 in. or more.	19	8	8	6	5	17	14	3	12	9	14	12	127	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

METROPOLITAN WATER BOARD.

KENT DISTRICT.

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at **Wilmington**
in the County of **Kent**
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.38	.06		.05							.61	.40		1
2		.09	.02	.31					.16	.01		1.10		2
3		.07	.01									.30		3
4	.05	.37						.06				.35		4
5	.20	.25	.35				.16							5
6	.02		.72		.12					.04				6
7		.82	.16	.04					.05	.02				7
8			.03		.14	.05					.25	.61		8
9		.04		.35	.12				.24			.16		9
10			.30	.11	.39	.49	.07					.49		10
11			.27		.17		.02					.04		11
12	.10	.25	.02	.02	.40	.23	.01	.05	.06			.06		12
13	.15	.01	.38		.01	.38		.06	.39			.50		13
14	.02	.02	.20	.01	.08			.10	.06					14
15	.10	.05		.14			1.22		.07			.02		15
16	.01	.13	.37	.31		.03		.21	.12					16
17	.19	.02	.03	.20					.31		.13			17
18	.38	.03			.68	.85			.12		.24			18
19	.04	.06	.01	.07	.02	.25	.01		.02			.14		19
20	.50		.09	.30	.85	.08	.02		.01					20
21	.28	.56	.05	.05			.03	.08				.01		21
22	.38	.05	.01		.02	.46				.45	.23	.01		22
23	.16									.44				23
24	.55	.45			.02				.10	.21				24
25	.08	.36	.18						.04	.23		.01		25
26	.01	.15	.08		.02					.02				26
27		.05		.23					.07	.27				27
28		.05								.02		.03		28
29	.19	X								.02	.02	.06		29
30	.16	X						.03			.16			30
31	.15	X		X		X			X	.06	X			31
TOTAL	4.10	3.94	3.28	2.19	3.04	2.82	1.54	.59	1.82	1.79	1.64	4.29	31.04	✓
* Days with .01 in. or more.	22	22	19	14	14	9	8	7	15	12	7	17	166	✓
* Days with .04 in. or more.	18	18	12	12	9	8	3	6	13	7	6	12	124	✓

Section



for the entry of Daily Observations

Station No.

408

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Wilmingtonin the County of Kent

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02				.02	.10			.06			.09		1
2	.03			.07	.16		.10			.31		.03		2
3	.01				.20					.56				3
4	.01					.01	.02	.04		.05		.04		4
5							.20		.01	.14		.01		5
6	.01						.09							6
7						.01	.04	.39		.16		.04		7
8	.15						.09			.11				8
9							.05	.46				.52		9
10	.09	.04				.09		.06				.10		10
11	.22	.01									.06	.15		11
12	.16	.04						.02		.10	.03			12
13	.26	snow .12								.02	.08	.03		13
14	.13	snow .08			.19				.16			.01		14
15	.03	snow .13					.18			.38		.03		15
16	.18	snow .01			.01		.03			.01	.02	.27		16
17		sleet & rain .11			.18		.04			.16				17
18	.03				.10		.01		.03	.02	.34			18
19									.05		.16	snow .07		19
20					.07				.07		.42	snow .01		20
21	.02							.04	.06		.01	snow .14		21
22						.02		.01			.12	snow .19		22
23									.04		.09			23
24			.05		.04				.22		.03	snow .05		24
25	.09		.24	.08	.12		.03		.08	.04	.58			25
26	.16	.14	.08	.01				.19	.31			snow .25		26
27	.06	.02		.17	.11	.13	.01	storm .95	.01	.10				27
28	.26	.03		.01	.21	.03		.14	.06			.01		28
29	.20			.02	.09						.02	.23		29
30	.01	X		.08	.07	.01			.04	.04	.17			30
31	.12	X		X	.05	X			X	2.42	X	.10		31
TOTAL	2.25	.73	.37	.27	1.68	.38	1.01	1.17	2.02	2.50	2.23	2.37	Year's Total	16.98
* Days with .01 in. or more.	22	11	3	6	15	8	13	9	14	17	15	21		154
* Days with .04 in. or more.	13	7	3	3	13	3	9	6	12	13	10	14		106

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 408

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at WILMINGTON

in the County of KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01		.01	.17	.38		.02	.08	.30			.01		1
2	.02			.01	.02			.33	.12		.01			2
3	.12			.18				.34 storm		.03	.17	.37		3
4	.06		.11	.10				1.31	.04	.52	.02	.02		4
5				.10			.13	.01		.04	.23	.02		5
6	.33						.03	.02			.25			6
7	.04	.16								.17	.02	.02		7
8		.07	.10					.19		.53	.21	.21		8
9	.02	.02						.02		.50	.07	.12		9
10	.12					.30		.05	.06		.01			10
11			.27		.02	.29				.74		.01		11
12									.01					12
13				.01		.12			.01	1.74		.01		13
14	.32		.01	.03	.18					.30	.50	.03		14
15	.47				.95	.01			.36	.81	.04			15
16	.23		.09	.01	.19	.08			.13		.34			16
17	.28	.04	.02	.02	.01		.56 storm				.06			17
18	.18				.08	.25	.12			.27	.31			18
19	.18		.01				.11			.56				19
20	.13					.03	.60 storm		.03			.09		20
21	.08		.15			.11	.20	.23	.23	.02				21
22	.05	.15	.17			.01	.02				.03			22
23	.06			.21			.13	.06		.05	.49			23
24	.10	.06	.07	.04			.64 storm			.09				24
25	.86 snow	.29	.06	.02			.05				.40			25
26	.11			.06		.01	.01			.13	.17	.02		26
27	.05	.03	.05	.25					.04	.03	.28			27
28	.02	.33	.09	.07						.02	.06	.07 snow		28
29				.36						.12	.05			29
30		X		.54			.12				.15			30
31		X		X		X			X		X			31
TOTAL	3.83	1.15	1.21	2.18	1.83	1.21	2.74	2.64	1.33	6.67	3.87	1.00	Year's Total 29.66	✓
* Days with .01 in. or more.	23	9	14	17	8	10	14	11	11	19	22	13	171	✓
* Days with .04 in. or more.	19	7	10	11	5	6	10	8	8	15	17	5	121	✓

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

408

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at ...WILMINGTON...

in the County of ...KENT...

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		03			02						11			1
2		11		13			03			11	44			2
3				12			19			10	138	03		3
4		21		04			03			10	06	11		4
5										02	48	12		5
6	14	04			03		19			13	17			6
7	30	13					08	08				02		7
8				01					03	27	02	20		8
9						39				10	17	03		9
10			03				55	01		01	05	01		10
11			05	02			01				77			11
12		Snow 03	03				04		15		01			12
13		Snow 01	96	01			02		09		126			13
14			16	11								17		14
15				06	29	08	123				47	01		15
16	05	Snow 08	30	09		14	53		06	40	54	03		16
17			28				03				11			17
18		Snow 34	05	37			30		01	18	21	15		18
19		Snow 16	04	01			05		67		11	02		19
20						01	20	03		02	04	01		20
21	04				44		12			02	13			21
22	04		03		22	14			04	03				22
23		05	02	22	03							04		23
24				28			20			02	01	04		24
25			44				08							25
26	93	04	61		44	09	04							26
27	35	25		02			59							27
28	21	01			10									28
29	04		05		03	03						17		29
30	14	X		12						05		01		30
31	08	X		X		X			X	54	X	02		31
TOTAL	238	149	338	161	190	88	451	12	105	240	684	119	2473	Year's Total
* Days with .01 in. or more.	11	14	14	15	9	7	20	3	7	16	20	18	154	
* Days with .04 in. or more.	11	10	10	10	5	5	15	1	5	10	14	8	107	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

I. B. Jackson

[P.T.O.]

Kept at Southfleet.
in the County of KE
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft
Ground ,, Sea Level

407 — 291802

SOUTHFLEET

THE MORNING MEASUREMENT

An observer who does not conform to this rule shall state the year in the space on the right of this paragraph

Please read

1931 - 1940

US DAY.

First of the following

Jan. 1, following

leaf.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.15	.01	.41									1
2	.24	.09		.29									2
3	.05	.01	.01	.22									3
4				.01	.01			.04	.01		.02		4
5				.24	.03	.42			.06			.09	5
6		.10		.02						.18	.78		6
7					.07	.02		.10		.01	.13	.01	7
8	.02	.03				.32	.01	.09			.01		8
9		.02		.01							.33	.01	9
10	.01	.12	.01				.02	.16			.42		10
11	.06	.30							.04		.23		11
12	.03	.04					.08	.17	.38				12
13		.01					.01	.03					13
14		.10					.29	.48			.01		14
15	.04	.20		.30	.15		.12	.38			.03		15
16	.01	.05		.13	.42			.40			.01		16
17		.06		.25	.03		.16	.03	.06				17
18	.01	.10	.01	.17		.14	.02	.68			.40		18
19	.03			.41		.07	.06	.27	.09				19
20	.02	.03		.02				.16					20
21	.01				.45			.03	.06				21
22	.13		.20						.05		.02		22
23	.37		.01		.25	.04			.07		.04	.02	23
24			.03	.74	.03	.01		.03	.03				24
25	.06			.33			.37		.01				25
26		.04		.31			.73				.21		26
27	.07	.26		.03	.12		.81						27
28	.04	.04		.08						.01		.06	28
29	.10			.01	.07		.08			.23		.02	29
30	.06	X			.03		.01	.01					30
31	.11	X		X		X			X		X		31
TOTAL	1.47	1.75	.28	3.98	2.76	1.04	2.77	3.25	1.60	.44	2.65	.35	YEAR'S TOTAL
*Days with .01 in. or more.	20	19	7	19	14	8	14	19	14	5	15	7	161
*Days with .04 in. or more.	12	14	1	13	9	5	9	13	10	8	3		99

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Obs

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

407
COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Southfleet

in the County of KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.15	.01	.41		.02		.07	.02				1
2	.24	.09		.29	.04			.02	.28	.01			2
3	.05	.01	.01	.22	1.06			.10	.43		.01	.14	3
4				.01	.01			.04	.01		.02		4
5				.24	.03	.42			.06			.09	5
6		.10		.02						.18	.78		6
7					.07	.02		.10		.01	.13	.01	7
8	.02	.03				.32	.01	.09			.01		8
9		.02		.01							.33	.01	9
10	.01	.12	.01					.02	.16		.42		10
11	.06	.30							.04		.23		11
12	.03	.04					.08	.17	.38				12
13		.01					.01	.03					13
14		.10					.29	.48			.01		14
15	.04	.20		.30	.15		.12	.38			.03		15
16	.01	.05		.13	.42			.40			.01		16
17		.06		.25	.03		.16	.03	.06				17
18	.01	.10	.01	.17		.14	.02	.68			.40		18
19	.03			.41		.07	.06	.27	.09				19
20	.02	.03		.02				.16					20
21	.01				.45			.03	.06				21
22	.13		.20						.05		.02		22
23	.37		.01		.25	.04			.07		.04	.02	23
24			.03	.74	.03	.01		.03	.03				24
25	.06			.33			.37		.01				25
26		.04		.31			.73				.21		26
27	.07	.26		.03	.12		.81						27
28	.04	.04		.08						.01		.06	28
29	.10			.01	.07		.08			.23		.02	29
30	.06	X			.03		.01	.01					30
31	.11	X		X		X			X		X		31
TOTAL	1.47	1.75	.28	3.98	2.76	1.04	2.77	3.25	1.60	.44	2.65	.35	YEAR'S TOTAL 22.34
*Days with .01 in. or more.	20	19	7	19	14	8	14	19	14	5	15	7	161
*Days with .04 in. or more.	12	14	1	13	9	5	9	13	10		8	3	99

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P. H. Davis

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **407**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at **Southfleet**in the County of **KENT**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		⁰¹ 005		01	38		01	24	⁰¹ 005		01	03	1
2	⁰¹ 005			02	02			11	19	⁰¹ 005		06	2
3				01	20			⁰¹ 005	44			07	3
4						15							4
5	05	01	01		02	07	17		02				5
6	25		02	02									6
7			10	10	01		⁰¹ 005		02	⁰¹ 005		⁰¹ 005	7
8			09	08	21				26				8
9	21		⁰¹ 005	09	67				03	04			9
10	62		01	15	05				⁰¹ 005	03			10
11	03	⁰¹ 005		05	⁰¹ 005	02		04		20	02		11
12	09						03		⁰¹ 005	23			12
13	06			03	01				01	36		03	13
14	10	06		02	11					03		⁰¹ 005	14
15	⁰¹ 005			07	07					11	⁰¹ 005	⁰¹ 005	15
16	11			21	06								16
17				04			05			02			17
18									02		07		18
19		⁰¹ 005							02	11	02		19
20				16	13		06	01	02	52	14		20
21	01		01	02	25					16		02	21
22	⁰¹ 005		31		07		03		42	25	22		22
23		04	⁰¹ 005	04	47				08	109	09	04	23
24	⁰¹ 005	06					23		08	04	02		24
25		⁰¹ 005					27		02	30	01	⁰¹ 005	25
26			02	01	03		32	19	⁰¹ 005	01	01		26
27			15	06	39	01	07		005	33	04		27
28			01	⁰¹ 005	07		05			15			28
29			27	01	01			28	05	39	⁰¹ 005	⁰¹ 005	29
30		X	04	⁰¹ 005	⁰¹ 005	54		01	02	07	01	08	30
31		X	12	X		X	01	⁰¹ 005	X		X	02	31
TOTAL	1.57 1.55	21 19	1.18 1.17	128 1.27	3.25 3.24	.79	131 1.305	89 88	1.48 1.46	4.72 4.71	63 67	.40 37.5	YEAR'S TOTAL 17.61
*Days with 01 in. or more.	10	4	13	20	20	6	12	7	15	21	12	8	147
*Days with 04 in. or more.	8	3	7	12	14	3	8	5	6	17	5	4	92

COPY FOR OFFICIAL USE.

Station No. _____

407

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at SOUTHFLEET,
in the County of KENT.

Diameter of Funnel of Gauge.....in.
 Height of top of Gauge above Ground.....ft.....in.
 „ „ Ground „ „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

D M

† Spare column, no entries required

(Signed)

3. St. Davies

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

407

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Southfleet
in the County of KENTDiameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	⁰¹ ~~.005~~							.11		.03	.01	.24		1
2	.02	.02	.15					Trace	.74	.38	⁰¹ ~~.005~~	.22		2
3	⁰¹ ~~.005~~	.01						Trace		.60		⁰¹ ~~.005~~		3
4	.12		.01		⁰¹ ~~.005~~					.01	.08	.35		4
5					.02			.01		.05	.02	.25		5
6			.30		.20	.18		.11		.25	.01	.28		6
7	.03		⁰¹ ~~.005~~							.09		.11		7
8		.02		.08	.13			.06	.03	Trace	.22	.02		8
9											.80	.22		9
10	⁰¹ ~~.005~~	⁰¹ ~~.005~~	.35	.14				⁰¹ ~~.005~~		.08	.39	⁰¹ ~~.005~~		10
11	.48		.30	.06				.02			.02	.09		11
12	.07	.01	.05				.07	.39			Trace	.07		12
13	.42		.02	.01			.34	.37		Trace	.02	.01		13
14	.03		.39	.01	⁰¹ ~~.005~~			⁰¹ ~~.005~~		.01	.38	.30		14
15	.03		.04		.04				.03	Trace	.05	.42		15
16	.06	⁰¹ ~~.005~~	.17	.17	.04					.02	⁰¹ ~~.005~~	.01		16
17	.01		.03	.07						.05		.19		17
18	.02			.24			.09				.01	.19		18
19			.23	.11		⁰¹ ~~.005~~				.08	⁰¹ ~~.005~~	.08		19
20			.22	⁰¹ ~~.005~~			.01		.01	Trace		⁰¹ ~~.005~~		20
21			⁰¹ ~~.005~~	.17		.05				.01				21
22							.13	.16	.15			.01		22
23				.29		.84						.19		23
24		⁰¹ ~~.005~~	⁰¹ ~~.005~~	.06		.10	.70		.08					24
25		⁰¹ ~~.005~~		.12		⁰¹ ~~.005~~						.22		25
26	.01			.15		.10			.01		⁰¹ ~~.005~~	.10		26
27	.10			.06		.03						.16		27
28	⁰¹ ~~.005~~	.26		.18		.14		.46			.02	.13		28
29				Tr		⁰¹ ~~.005~~		.01	.10		⁰¹ ~~.005~~	.06		29
30	.14	X										.12		30
31	.01	X		X		X			X	.19	X	.06		31
TOTAL	1.59 +57	.36 -34	2.29 2.275	1.43 1.425	.45 .44	1.44 1.455	1.34	1.42 +77	1.23	1.77	2.08 2.055	4.13 4.115	Year's Total. 20.225	
* Days with .01 in. or more.	15	5	13	16	5	7	6	10	9	13	13	26	138	
* Days with .04 in. or more.	7	1	10	14	4	6	5	7	5	8	6	22	95	

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at SOUTHFLEET
in the County of KENT

METROPOLITAN WATER BOARD,
KENT DISTRICT.

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29	.05	.01	.04		.10	.12		.37	.12	.03	.01	1
2	.14		.01 .005	.07		Trace			.05	.14	.08		2
3	.01 .005	.05	.15	.05		Trace			.06	.79		.01 .005	3
4		.01	.01 .005	.22		.26			.12	.13	.15	.11	4
5		.35	.05	.10		.27	.01		.44	.01 .005	.01	TRACE	5
6	.01 .005	.02	.01	.19		.25				TRACE	.02	TRACE	6
7	.02	.02 Snow		.18		.07					.73	.11	7
8		.02		.37				.05		.16	.31	.11	8
9				.13		.50				.72	.04	.01	9
10	.01	.01		.01 .005		.03				.01 .005	.30	.02	10
11	Rain or snow .27	Trace		.07		.01 .005					.30	.01	11
12		.01 .005				.07		.21			.75		12
13	.04 .01	.09		.06	.08	.01 .005					.05		13
14	.005	Trace	.01	.04	.12	.06					.01 .005	.06	14
15		.12	.01 .005	.25	.01	.10			.14		.24	.06	15
16		.08		.06		.32			.20	.03	.63	.02	16
17		.01 .005	.04		.01 .005	.30		.01 .005	.03		.70		17
18				.16	.08	.06	.21		.27	.05	.01		18
19					.13	.02	.04		.01 .005		.08	.02	19
20		.31		.01	.02	.04	.15		.03		.07		20
21	.01 .005	.31							.03	.07	.05		21
22		.12	.01					.24	.54		TRACE		22
23	.01 .005		.03					.15	.06			.09	23
24	.03	.34			.66			.41	.22	.02		.16	24
25	.19	.15		.29	.02	.46		Trace			.01	.20	25
26	.05 Snow	.10 Snow						.15	.01 .005	.02		.33	26
27		.39							.09	TRACE	.03	.13	27
28		.01						.01	.03	.04	TRACE	.13	28
29								.01 .005	.21			.18	29
30	.07	X	Trace	.19	.07			.72	.01	.12	.28	.34	30
31	.01 .005	X		X	.01	X			X	.18	X	.30	31
TOTAL	1.17 + .14	2.77 2.76	.34 .325	2.45 2.445	1.21 1.205	2.93 2.92	.53	1.96 + .95	2.92 2.91	2.61 2.60	4.88 4.875	2.41 2.405	YEAR'S TOTAL 26.065
* Days with or in. or more.	10	19	8	17	10	16	5	8	18	12	22	20	167
* Days with .04 in. or more.	7	13	3	16	6	14	4	7	13	11	16	14	124

40-9999

*See Instruction 2 (f) on other side.

(Signed) P. H. Davis [P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **407**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **SOUTH FLEET**in the County of **KENT**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.14	.04	.07		.27	.24	.01			.05	.11		1
2	.005	.01	.005	Trace		.20	.01	.08			.05			2
3	Trace			.45	.02	.01		Trace	.02		.22			3
4			.09	.005		.10	Trace		.21		Trace	.06		4
5	.23		.01						.25	.08	.08	.05		5
6	.16			Trace	.15	.04		Trace	.06	.06	.52			6
7	.31		.01			.06		.01	.02	.02	.29	.005		7
8	.16		.03	.005						.02	.25	.21		8
9	.50		.01		Trace		.09	.04	.09	.03	.005	.06		9
10	.09			Trace		.04	.35	.36	.08	Trace				10
11				.08			.29	.005			.66			11
12				.16		.23	.10	Trace			.24	.07		12
13				.005		.05	.005				.01	.38		13
14		.06				.05	.40		.02	.02	.16	.33		14
15		.06				.01	Trace		.07		Trace	.08		15
16	.30 snow fall	.03			.02				.03		.36	.01		16
17	.16	.55				.06				.01	.19	.14		17
18		.02		.005		.05	.09			.01	.12	.09		18
19	.27	.005					.22	.09		.01	.005			19
20	.21	.02		.33		.53	.03		.88					20
21		.01		.22	.01	.47	.01		.01					21
22	.18	.29	.04	Trace	.20	.02	.10		Trace		.01	.10		22
23	.01	.05		.02			.07			.03		.005		23
24	.07	.005					Trace		.01	.44	.05			24
25	.11	.04	.21	.18		.21	.13		.15	.08		.02		25
26			.22	.005			.03		.02	.11		.01		26
27	.14		.02	Trace					.24	.03				27
28	.65		.01			.59	.005		.06			.02		28
29	.05	.10	.04			.10	.10			.01	.10			29
30	.05	X	Trace		.06	.15	.01			.15				30
31	.33	X	.14	X	.01	X	.08		X	.52	X	.10		31
TOTAL	4.19	1.40	.88	1.56	.47	3.24	2.37	.60	2.22	1.63	3.38	1.86	Year's Total	
	4.185	1.39	.875	1.535			2.36	.595			3.37	1.85	2372	
* Days with .01 in. or more.	20	13	13	8	7	20	18	6	17	17	17	17	173	
* Days with .04 in. or more.	19	8	7	7	3	17	13	4	10	7	15	13	123	

40-9999.

† Spare column, no entries required.

METROPOLITAN WATER BOARD,
KENT DISTRICT:

(Signed)

J. H. Davies

[P.T.O.]

Section **A**

for the entry of Daily Observations.

Station No. **407**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at **Southfleet**

in the County of **Kent**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.05	~~.005~~ ^{.01}	.07							.88	.31		1
2	.50	.10	.02	.40					.06		.02	.80		2
3	Trace	.04	.01									.35		3
4		.40						.05				.34		4
5	.05	.20	^{snow} .35				.13				^{.01} ~~.005~~	.02		5
6	.16	^{.01} ~~.005~~	.66		.10		^{.01} ~~.005~~			.05				6
7	.02	.82	.11	.03					.03	.02		^{.01} ~~.005~~		7
8		^{.01} ~~.005~~	.07		.12	.09					.25	.77		8
9		.04		.37	.11		.01		.21			.21		9
10			.38	.10	.35	.63	.04					.51		10
11	^{.01} ~~.005~~		.30		.15		.02					.06		11
12	.08	.22	.05	.02	.43	.18	.01	.11	.11			.07		12
13	.12	^{.01} ~~.005~~	.40	.01	.01	.39		.03	.13			.48		13
14	.02	.01	.16		.08			.28	.17					14
15	.14	.05	Trace	.10	^{.01} ~~.005~~	.18	.65		.06			^{.01} ~~.005~~		15
16	.01	.07	.39	.22		.02		.20	.06			.02		16
17	.25	.03	.09	.17					.12		.15			17
18	.50	.03	.02	^{.01} ~~.005~~	.54	.75			.07		.23	.02		18
19	.07	.05		.08	.05	.20			.07					19
20	.50	.01	.08	.28	.90	.09		.03	.09	^{.01} ~~.005~~		.04		20
21	.30	.54	.04	.03			.02					.02		21
22	.41	.03	^{.01} ~~.005~~		^{.01} ~~.005~~	.57	.02			.49	.30	.01		22
23	.14	^{.01} ~~.005~~								.47	.05	^{.01} ~~.005~~		23
24	.61	.40							.07	.23				24
25	.11	.30	.16						.12	.22		^{.01} ~~.005~~		25
26	^{.01} ~~.005~~	.15	^{snow} .09		.08				^{.01} ~~.005~~	.03				26
27		.14		.29					.02	.24				27
28	.01 snow	.03								.02		.02		28
29	.17 snow	X				.01			.05	.04	.07			29
30	.21	X						^{.01} ~~.005~~	.01	.16				30
31	.19	X	Trace	X		X			X	.09	X	.01		31
TOTAL	4.59 ~~4.58~~	3.75 ~~3.73~~	3.40 ~~3.39~~	2.18 ~~2.175~~	2.94 ~~2.93~~	3.11	.905	.705	1.40 ~~1.395~~	1.93 ~~1.925~~	2.09 ~~2.085~~	4.17 ~~4.15~~	Year's Total 31.08	✓
* Days with .01 in. or more.	22	22	18	14	12	11	8	6	15	12	9	19	168	✓
* Days with .04 in. or more.	18	16	15	10	11	9	3	4	13	8	8	12	127	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) **Sea Park** [P.T.O.]

Section



for the entry of Daily Observations

Station No.

407

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Southfleetin the County of Kent

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level.....ft.

Rainday Total Cor. for Anl^e 20.2.39.
SMV.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02				.02	.20				.01	~~.01~~ 01 ~~.005~~	.07		1
2	.01			.07	.18		.05		.08	.27		.02		2
3	.01				.22					.73		.03		3
4	.01					.01	.07	.05	.01	.03				4
5							.32			.15		Trace		5
6	.01						.15	.05						6
7						.01	.05	.39	.01	.12		.04		7
8	.10						.07		~~.01~~ 01 ~~.005~~	.08		.07		8
9	.06						.05	.51		Trace		.46		9
10	.11	.03				.13	Trace	.06		Trace		.11		10
11	.20	.01									.04	.14		11
12	.15	.03						.05		.11	.08	~~.01~~ 01 ~~.005~~		12
13	.28	.01								.02	.04	.02		13
14	.11	.11			.19				.11		~~.01~~ 01 ~~.005~~	.01		14
15	.02	.20					.19		Trace	.27	.01	.01		15
16	.19	.01			~~.01~~ 01 ~~.005~~		.02			.01	.02	.26		16
17		.12			.20		.01			.03	~~.01~~ 01 ~~.005~~			17
18	.02				.10				~~.01~~ 01 ~~.005~~	.03	.34			18
19					.01				.02		.12	.05		19
20		Trace			.08				.08	Trace	.37	.02		20
21	.01					~~.01~~ 01 ~~.005~~		.03	.12		~~.01~~ 01 ~~.005~~	Snow .32		21
22	~~.005~~							.01			.12	Snow .20		22
23				.02	Trace				Trace		.06	Trace		23
24			.02						.08		.06	Snow .03		24
25	.09	~~.065~~	.32	.11	.10		.03	.04	.15	.05	.56			25
26	.14	.15	.08				.17	.03	.19	.32		Snow .23		26
27	.07	.03			.17	.10			<u>1.81</u>	.01	.10	~~.01~~ 01 ~~.005~~		27
28	.25	.04		.09	.20	.04			.09			~~.01~~ 01 ~~.005~~		28
29	.21			.02	.10						.03	.23		29
30	.01	~~X~~		.06	.13				.04	.04	.19	Trace		30
31	.15	~~X~~		~~X~~	.03	~~X~~			~~X~~	.09	~~X~~	.11		31
TOTAL	2.24 2.235	.75 .745	.42	.37	1.74 1.735	.50 .495	1.18	1.22	2.81 2.80	2.37	2.18 2.16	2.46 2.445	Year's Total 18.175	✓
* Days with .01 in. or more.	23	11	3	6	14	6	12	10	13	18	15	20	156	✓
* Days with .04 in. or more.	14	5	2	4	11	4	9	7	10	11	12	13	102	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

E. A. Park

P.T.O.

Section **A** for the entry of Daily Observations

Station No. **407**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at **SOUTHFLEET**
 in the County of **KENT**
 Diameter of Funnel of Gauge.....in.
 Height of top of Gauge above Ground.....ft.....in.
 „ Ground „ Sea Level.....ft.....in.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01			.16	.36			.005	.28			Trace		1
2	.04		.02	.04	.005			.26	.10		.005			2
3	.14	.005		.18				.35			.17	.36		3
4	.08	.005	.10	.06			.02	1.44	Trace	.53	.04	.04		4
5			Trace	.11			.04	.01		.18	.22	.03		5
6	.35			.01			.09	.03			.31	.01		6
7	.07	.13						Trace		.27	.02	.05		7
8	.005	.10	.11					.38		.38	.25	.14		8
9	.01	.02						.02		.46	.06	.11		9
10	.11					.34		.07	.04	.01	.02	Trace		10
11			.28		.02	.37			.01	.76	.02	.02		11
12			.005			.005					.005	Trace		12
13						.03			.03	1.70		.02		13
14	.36			.03	.20		.005			.29	.48	.02		14
15	.43		.01		.96	.01	.005		.08	.78	.03	.005		15
16	.19		.18	Trace	.13	.12	.01		.18	.005	.30			16
17	.23	.02	.01	.04	.005		.72		.02		.04			17
18	.20		.02		.01	.15	.02		.005	.26	.30			18
19	.20	.005					.11			.58	.01	Trace		19
20	.16					.005	.86		.03			.13		20
21	.07		.16			.09	.12	.23	.25	.005				21
22	.03	.19	Trace			.01	.07		Trace		.06			22
23	.02	Trace	Trace	.17			.005				.43			23
24	.15	.04	.10	.13			.06			.13	.005			24
25	.96	.29	.07	.07			.36	.06		.005	.31	.02		25
26	.08		Trace	.03			.01		.01	.14	.15	.02		26
27	.07	.10	.04	.12					.03	.06	.32			27
28	.01	.40	.08	.01						.02	.07	SNOW		28
29			Trace	.35						.11	.04			29
30		X		.52										30
31		X		X		X	.20		X		X			31
TOTAL	3.975	1.32	1.39	2.03	1.69	1.14	2.72	2.86	1.07	6.69	3.68	1.07	Year's Total	
* Days with .01 in. or more.	23	9	14	16	6	8	14	10	12	17	22	13	164	
* Days with .04 in. or more.	18	7	10	12	4	5	10	7	6	15	17	7	118	

* See Instruction 3 (f) on other side.

† Spare column, no entries required
 (Signed) *L. B. Asham*

Section



for the entry of Daily Observations.

Station No.

407

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at ...SOUTH FLEET

in the County of ...KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.01			.08						.15			1
2		.09		.17			.02			.12	.73	.01		2
3		.16		.10			.11			.12	1.40	.03		3
4		.09		.07	Trace		.005			.12	.05	.08		4
5		.08			Trace						.50	.12		5
6	.14	.03			.02		.22			.15	.11			6
7	.34	.11			.005		.23	.15			Trace	.01		7
8		.005					.005		.005	.27	Trace	.17		8
9						.01				.08	.17	.03		9
10			.005				.58	.05		.02	.04	Trace		10
11			.06				.005				.76			11
12		Snow .02	.03				.06		.13		Trace			12
13		Snow .005	.86				.01		.05		1.34	.01		13
14			.25	.10							Trace	.18		14
15			.10	.06	.19	.08	1.40		.02	.02	.38	Trace		15
16	Snow .03	Snow .15	.28	.06	Trace	.14	.50		.09	.42	.52	.03		16
17			.30				.02			.005	.08	.005		17
18	.005	.35	.08	.40			.20		.03	.24	.14	.14		18
19		.16	.06	.02			.13		.63		.08	.03		19
20	Snow .005	.01	.005	.01		.005	.02	.03	.02	.07	.05	.01		20
21	Snow .03				.30		.04			.05	.13			21
22	.04	Trace			.34	.16				.07	.01	.005		22
23		.02	.05	.24	.005					.03		.03		23
24				.18			.17			.01	.005	.04		24
25			.46	.005			.08			.01				25
26	.90	.05	.53		.60	.03	.03							26
27	.41	.30	.005	.01			.23					.01	.005	27
28	.12	.005		.03	.05									28
29	.11	.005	.04	.005	.05	.01						.12		29
30	.17	X		.18						.04		.005		30
31	.12	X		X		X			X	.50	X	.03		31
TOTAL	2.43	1.67	3.43	1.65	1.65	.44	4.41		.98	2.65	6.68	1.69	Year's Total	
	2.62	1.65	3.45	1.64	1.64	.35	4.39	.23	.75	2.64	6.64	1.68	27.20	
* Days with .01 in. or more.	112	137	134	115	89	67	139	3	78	18	179	179	159	
* Days with .01 in. or more.	9	10	12	10	4	3	13	2	4	13	14	7	104	

40-9999.

† Spare column; no entries required.

* See Instruction 2 (f) on other side.

(Signed)

I. B. Jaskau

[P.T.O.]

X NEW ELTHAM X

Section **A** for the entry of
AIR MINISTRY
FORM 1090.

408/2

Station No. **408/2**
AINFALL ORGANIZATION.
1934

REGIS
Kept at **New Elm**
in the County of **Kent**

NEW ELTHAM

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea I

1934-40

11/Kent/5?

Cue H. sent 5/2/35. *Handwritten*

THE MORNING MEASUREMENT

An observer who does not conform to
year in the space on the right of the

AY.
1st of the following
af.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	---	---	---	---	---	---	---	11	---	05	01	31		1
2	02	---	12	---	---	---	---	---	56	30	---	22		2
3	---	05	---	17	---	---	---	03	---	33	---	---		3
4	12	---	05	---	02	---	---	---	---	26	10	34		4
5	---	---	03	---	02	---	---	---	---	10	03	32		5
6	---	---	34	---	20	14	---	09	---	15	03	41		6
7	03	---	---	---	---	01	---	---	---	16	---	11		7
8	---	01	---	---	10	---	---	07	07	---	19	01		8
9	---	---	---	---	---	---	---	---	08	---	72	28		9
10	---	03	10	13	---	---	---	03	---	05	11	---		10
11	40	---	24	03	---	---	10	02	---	---	01	07		11
12	08	01	04	---	---	---	---	37	---	---	---	02		12
13	30	---	23	---	---	---	30	01	---	---	03	24		13
14	04	---	28	01	02	---	---	---	---	01	60	24		14
15	03	---	20	---	17	---	---	---	06	03	09	74		15
16	10	01	13	07	02	---	---	---	---	05	01	---		16
17	01	---	---	---	---	---	---	---	---	08	---	13		17
18	28	---	---	13	---	---	06	---	---	---	01	31		18
19	---	---	26	14	---	---	---	---	12	---	01	18		19
20	---	---	17	---	---	01	04	---	01	---	01	01		20
21	---	---	01	16	---	05	---	---	---	---	---	02		21
22	---	---	---	---	---	---	08	20	19	---	---	10		22
23	---	---	---	30	---	44	---	01	---	---	---	10		23
24	---	01	03	12	---	10	62	---	08	---	---	---		24
25	08	02	---	06	04	02	---	---	---	05	---	22		25
26	---	---	---	40	---	11	---	---	---	---	---	01		26
27	---	01	---	35	---	03	---	---	---	---	---	12		27
28	---	05	---	08	---	40	01	58	---	---	03	11		28
29	---	---	---	---	---	---	---	07	08	---	---	04		29
30	18	x	---	---	---	---	---	02	---	---	---	14		30
31	01	x	---	x	---	x	---	---	x	15	x	09		31
TOTAL	1.68	20	2.31	2.15	59	1.31	1.41	1.61	1.25	1.77	2.99	4.89	22.16	Year's Total.
* Days with .01 in. or more.	14	9	15	14	8	10	7	13	9	14	16	27	1.56	
* Days with .04 in. or more.	9	2	12	12	4	6	6	7	8	12	6	22	1.06	

(Signed) **E. Dacey**

X NEW ELTHAM X

COPY FOR OFFICIAL USE.

408/2
Station No. 074099/3 27

Section **A** for the entry of Daily Observations. Station No. 074099/3 27
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at New Eltham (Gaul Road)
in the County of Kent

11/Kent/5?

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 1.57 ft.

from New Eltham 11.20
C 1934 Cuth. ant 5/2/35. Finch.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	---	---	---	---	---	---	---	11	---	05	01	31		1
2	02	---	12	---	---	---	---	---	56	30	---	22		2
3	---	05	---	17	---	---	---	03	---	33	---	---		3
4	12	---	05	---	02	---	---	---	---	26	10	34		4
5	---	---	03	---	02	---	---	---	---	10	03	32		5
6	---	---	34	---	20	14	---	09	---	15	03	41		6
7	03	---	---	---	---	01	---	---	---	16	---	11		7
8	---	01	---	---	10	---	---	07	07	---	19	01		8
9	---	---	---	---	---	---	---	---	08	---	72	28		9
10	---	03	10	13	---	---	---	03	---	05	11	---		10
11	40	---	24	03	---	---	10	02	---	---	01	07		11
12	08	01	04	---	---	---	---	37	---	---	---	02		12
13	30	---	23	---	---	---	30	01	---	---	03	24		13
14	04	---	28	01	02	---	---	---	---	01	60	24		14
15	03	---	20	---	17	---	---	---	06	03	09	74		15
16	10	01	13	07	02	---	---	---	---	05	01	---		16
17	01	---	---	---	---	---	---	---	---	08	---	13		17
18	28	---	---	13	---	---	06	---	---	---	01	31		18
19	---	---	26	14	---	---	---	---	12	---	01	18		19
20	---	---	17	---	---	01	04	---	01	---	01	01		20
21	---	---	01	16	---	05	---	---	---	---	---	02		21
22	---	---	---	---	---	---	08	20	19	---	---	10		22
23	---	---	---	30	---	44	---	01	---	---	---	10		23
24	---	01	03	12	---	10	62	---	08	---	---	---		24
25	08	02	---	06	04	02	---	---	---	05	---	22		25
26	---	---	---	40	---	11	---	---	---	---	---	01		26
27	---	01	---	35	---	03	---	---	---	---	---	12		27
28	---	05	---	08	---	40	01	58	---	---	03	11		28
29	---	---	---	---	---	---	---	07	08	---	---	04		29
30	18	x	---	---	---	---	---	02	---	---	---	14		30
31	01	x	---	x	---	x	---	---	x	15	x	09		31
TOTAL	1.68	20	2.31	2.15	59	1.31	1.41	1.61	1.25	1.77	2.99	4.89	22.16	Year's Total.
* Days with .01 in. or more.	14	9	15	14	8	10	7	13	9	14	16	27	1.56	
* Days with .04 in. or more.	9	2	12	12	4	6	6	7	8	12	6	22	1.06	

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.Station No. **408/2**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.Kept at **New Eltham**in the County of **Kent**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **1** ft. **57** in.,, Ground ,, Sea Level **1** ft. **57** ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	23	04	---	05	---	10	27	---	07	02	04	---		1
2	09	---	---	07	---	---	---	---	08	14	04	---		2
3	---	08	25	05	---	15	---	---	11	15	08	---		3
4	---	02	---	21	---	30	---	---	05	22	01	14		4
5	---	33	06	08	---	13	---	---	45	---	---	---		5
6	05	03	02	29	---	26	---	---	---	---	01	01		6
7	03	02	---	27	---	09	---	---	---	---	87	10		7
8	---	---	04	30	---	---	---	01	---	28	24	12		8
9	01	---	---	20	---	81	---	---	---	97	07	01		9
10	02	01	---	---	---	---	---	---	---	---	07	06		10
11	26	---	---	18	---	07	05	---	---	---	28	02		11
12	---	01	---	---	---	11	---	12	---	---	58	---		12
13	08	15	---	07	11	07	---	---	---	---	01	---		13
14	---	---	---	10	25	06	---	---	02	---	01	10		14
15	---	21	01	23	---	---	---	---	07	---	11	06		15
16	01	10	---	06	---	46	---	---	30	03	49	01		16
17	01	---	13	02	---	12	---	01	02	---	54	---		17
18	---	---	---	16	07	16	34	---	28	05	04	01		18
19	---	---	---	---	17	---	06	---	03	---	06	03		19
20	01	26	---	04	19	05	01	---	05	---	08	---		20
21	02	27	---	04	---	---	---	---	---	08	02	---		21
22	---	07	03	---	---	---	---	28	27	---	---	---		22
23	---	---	10	---	01	---	---	46	06	---	---	08		23
24	04	36	---	---	58	---	---	36	25	---	---	18		24
25	20	09	---	36	04	22	---	01	---	---	---	14		25
26	22	13	---	---	---	---	---	10	---	01	---	31		26
27	02	35	---	---	---	---	---	---	13	---	08	22		27
28	---	01	---	---	---	---	---	---	08	08	---	14		28
29	01	---	02	---	---	---	---	01	57	---	---	16		29
30	10	x	01	08	12	---	---	77	03	07	28	45		30
31	---	x	---	x	---	x	---	---	x	20	x	36		31
TOTAL	14	25	67	28	61	31	73	21	29	23	40	27	267.98	
* Days with .01 in. or more.	18	19	10	20	9	16	5	10	19	13	22	21	1.82	
* Days with .04 in. or more.	9	13	5	19	8	16	4	6	15	10	17	15	1.34	137.1

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) **G. E. Dacey** observer

Section

A

for the entry of Daily Observations

Station No.

4-08/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at New Elthamin the County of Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....7.....ft.....in.

,, Ground ,, Sea Level 7.59.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	16	10	06	11	---	10	08	01	---	---	02	16		1
2	05	01	01	---	---	30	---	09	---	---	07	---		2
3	02	---	---	25	---	14	01	04	06	---	25	---		3
4	---	---	10	---	01	10	---	---	40	01	---	04		4
5	16	---	03	---	---	---	---	---	19	01	07	05		5
6	26	---	---	---	---	08	---	01	05	02	36	02		6
7	22	---	02	---	---	15	---	02	04	01	15	04		7
8	18	---	08	---	---	---	---	---	---	01	30	26		8
9	43	---	03	---	---	---	50	---	34	---	---	---		9
10	05	---	---	---	01	---	41	28	10	---	---	---		10
11	---	---	---	05	---	---	10	01	---	---	76	---		11
12	---	---	---	04	---	23	11	---	10	---	40	08		12
13	---	---	---	02	---	14	---	---	---	---	01	25		13
14	---	04	---	---	---	05	42	---	05	03	25	88		14
15	02	06	---	---	---	03	---	---	03	---	---	05		15
16	38	05	---	---	13	---	03	---	05	---	38	03		16
17	20	53	---	---	05	07	---	---	---	01	14	17		17
18	09	06	---	---	---	08	11	---	---	02	14	09		18
19	22	05	---	01	---	56	13	07	---	02	---	---		19
20	11	07	---	46	---	---	03	---	1.11	---	---	---		20
21	---	03	---	23	01	31	---	---	03	---	---	---		21
22	17	40	05	02	10	03	12	---	---	---	01	10		22
23	01	---	---	04	---	01	06	---	---	08	---	---		23
24	10	08	---	---	---	---	---	---	07	56	---	---		24
25	16	---	18	19	---	27	27	---	08	11	04	03		25
26	---	08	22	11	---	01	05	---	04	16	---	01		26
27	14	01	---	02	---	---	---	---	17	12	---	---		27
28	56	---	03	---	---	10	18	01	01	---	---	04		28
29	07	14	08	---	---	06	10	---	---	01	10	---		29
30	07	---	---	---	02	15	02	---	---	27	---	01		30
31	40	---	18	---	02	---	08	---	---	73	---	12		31
TOTAL	4.23	1.71	1.07	1.55	35	2.97	2.81	5.4	2.92	2.18	3.45	2.43	Year's Total	26.21
* Days with .01 in. or more.	24	15	13	13	8	21	19	9	18	17	17	19	1.93	✓
* Days with .04 in. or more.	21	12	8	9	3	17	15	4	15	7	14	14	1.39	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) G. E. Dacey [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

408/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ... New Eltham in the County of ... Kent Diameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground....1.....ft.....in.,, Ground ,, Sea Level 1.57ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	44	03	---	08	---	---	---	---	---	---	76	27		1
2	---	10	04	46	---	---	---	---	12	01	01	96		2
3	---	08	---	---	---	---	---	---	---	---	---	24		3
4	07	41	---	---	---	---	---	---	---	---	---	38		4
5	25	22	35	---	---	---	14	---	---	---	01	---		5
6	03	---	12	---	17	---	---	---	---	04	01	---		6
7	---	76	09	05	---	---	---	---	03	03	---	03		7
8	---	02	01	---	11	06	---	---	---	---	19	51		8
9	---	03	---	24	19	01	---	---	24	---	---	13		9
10	03	---	41	20	78	32	21	06	---	---	---	37		10
11	---	---	26	---	10	---	02	---	---	---	---	02		11
12	12	28	05	---	52	28	---	09	07	---	---	11		12
13	12	03	27	---	---	23	---	16	08	---	---	55		13
14	02	02	14	01	---	---	---	24	08	---	---	02		14
15	10	07	---	13	---	---	30	---	06	---	---	02		15
16	01	14	30	27	---	03	---	23	09	---	---	02		16
17	18	01	10	19	---	01	---	---	22	---	10	---		17
18	27	02	---	01	40	81	---	---	08	01	16	04		18
19	06	10	03	06	03	18	---	---	03	01	---	12		19
20	37	02	12	18	80	17	---	---	02	01	---	---		20
21	27	65	07	06	01	---	04	---	---	---	---	01		21
22	37	05	02	---	01	06	04	---	---	60	26	03		22
23	30	---	---	---	---	---	---	---	---	78	02	---		23
24	58	50	01	---	03	---	---	---	12	25	---	01		24
25	07	29	15	---	01	---	---	---	07	22	---	03		25
26	02	12	08	---	12	---	---	---	---	02	---	---		26
27	01	08	01	28	---	---	---	---	03	34	---	---		27
28	01	10	---	02	---	---	---	---	---	02	---	03		28
29	23	---	---	---	---	---	---	---	---	06	04	08		29
30	14	---	---	---	---	---	---	40	---	---	18	---		30
31	18	---	---	---	---	---	---	---	---	10	---	---		31
TOTAL	425	413	363	224	328	216	75	118	134	250	174	398	Year's Total	3118
* Days with .01 in. or more.	25	24	20	15	14	11	6	6	15	15	11	22	184	
* Days with .04 in. or more.	18	16	15	12	9	8	5	6	11	8	7	12	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E. Dacey [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 408/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at New Elthamin the County of Kent

Diameter of Funnel of Gauge.....5.in.

Height of top of Gauge above Ground.....1.ft.....in.

,, Ground ,, Sea Level 7.57.ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	---	---	---	05	12	---	---	01	01	03	06		1
2	05	02	---	10	16	---	02	---	---	24	---	04		2
3	01	---	---	---	21	---	---	---	---	45	---	---		3
4	04	---	---	---	---	---	01	02	---	08	---	06		4
5	02	---	---	---	---	---	30	---	01	15	---	---		5
6	03	---	---	---	---	---	07	---	02	---	---	---		6
7	---	---	---	---	---	---	05	51	02	13	---	06		7
8	12	---	---	---	---	---	08	---	---	12	---	01		8
9	03	01	---	---	---	---	09	51	---	---	---	60		9
10	08	09	---	---	---	12	01	10	---	---	---	05		10
11	22	---	---	---	---	01	---	---	---	---	06	11		11
12	20	01	---	---	---	---	---	28	---	12	04	01		12
13	26	13	---	---	---	---	---	---	---	01	11	04		13
14	15	03	---	---	25	---	---	---	06	---	01	01		14
15	01	08	---	---	---	---	15	---	---	35	---	05		15
16	22	01	---	---	02	---	---	03	---	01	02	31		16
17	---	12	---	---	16	---	01	---	02	10	---	---		17
18	03	---	---	---	07	---	---	---	02	---	36	---		18
19	---	---	---	---	---	---	---	01	03	---	11	03		19
20	---	---	---	---	01	---	---	---	05	---	39	04		20
21	03	---	---	---	---	---	---	02	12	---	02	15		21
22	---	---	---	---	---	02	---	02	---	---	12	20		22
23	---	---	---	01	---	---	---	---	---	---	02	02		23
24	---	---	08	01	02	---	---	---	90	---	06	08		24
25	14	---	28	04	10	---	05	---	04	04	105	10		25
26	16	15	08	---	---	---	---	20	20	29	---	27		26
27	06	03	02	---	06	16	10	01	62	---	14	---		27
28	20	06	---	03	22	06	---	20	---	---	---	---		28
29	18	---	---	01	09	---	---	---	---	---	02	22		29
30	02	---	---	11	02	06	---	---	02	07	18	01		30
31	13	---	---	---	05	---	---	---	---	09	---	12		31
TOTAL	242	94	46	31	149	55	94	191	214	226	274	265	18.61	✓
* Days with .01 in. or more.	24	12	4	7	15	7	12	12	15	16	17	24	1.65	✓
* Days with .04 in. or more.	15	6	3	3	11	5	8	6	6	13	11	18	1.06	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) G. E. Dacey [P.T.O.]

Section



for the entry of Daily Observations

Station No. 408/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at New Eltham

in the County of Kent

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

,, Ground ,, Sea Level ...1.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	02	---	---	18	34	---	03	---	24	---	---	---		1
2	01	---	---	---	02	---	01	36	25	---	03	---		2
3	14	01	---	24	---	---	---	38	---	01	28	36		3
4	08	---	09	18	---	---	03	140	01	55	03	01		4
5	---	---	---	08	---	---	13	01	---	01	18	06		5
6	25	---	---	01	---	---	02	01	---	---	23	01		6
7	02	14	---	---	---	---	---	---	---	08	01	04		7
8	---	04	09	---	---	---	---	15	---	63	29	26		8
9	01	03	---	---	---	---	---	01	---	43	03	12		9
10	15	---	---	---	---	28	---	03	04	---	01	---		10
11	---	---	34	---	---	13	---	---	---	53	---	08		11
12	---	---	---	---	---	---	---	---	---	---	---	---		12
13	---	---	---	02	---	03	---	---	03	174	---	01		13
14	43	---	01	06	09	---	---	---	03	32	49	03		14
15	50	---	01	---	112	02	03	---	33	139	09	02		15
16	32	---	13	01	28	08	---	---	06	---	38	---		16
17	40	05	05	02	01	---	54	---	---	---	06	---		17
18	29	---	03	---	06	49	12	---	---	28	29	---		18
19	15	---	01	---	---	---	10	01	---	53	---	---		19
20	17	---	---	---	---	22	80	---	---	---	---	09		20
21	09	---	18	---	---	08	10	03	29	02	---	---		21
22	08	26	12	---	---	13	02	---	01	---	03	---		22
23	06	---	---	23	---	---	09	05	---	05	58	---		23
24	19	06	10	03	---	---	08	---	---	13	---	01		24
25	72	32	04	---	---	---	09	13	---	---	46	01		25
26	03	---	---	06	---	03	01	---	02	14	19	04		26
27	05	02	10	08	---	---	---	---	01	04	23	---		27
28	01	31	09	20	---	01	---	---	---	09	05	12		28
29	---	---	---	40	---	---	---	---	---	09	06	---		29
30	---	---	---	63	---	12	---	---	---	---	19	01		30
31	---	---	---	---	---	11	---	---	---	---	---	---		31
TOTAL	411	124	139	243	190	160	227	258	132	904	413	123	3122	Year's Total
* Days with .01 in. or more.	23	10	15	16	7	12	17	12	12	19	22	17	182	
* Days with .04 in. or more.	17	7	11	11	5	8	10	6	6	16	16	8	121	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

E. J. Jacey

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

408/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1000

REGISTER OF RAINFALL IN 1940

Kept at New Eltham
in the County of Kent

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground...1.5 ft. in.
" Ground " Sea Level...1.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	---	03	---	---	01	---	---	---	---	---	13	---		1
2	---	08	---	05	---	---	04	---	---	13	74	03		2
3	---	13	---	13	---	---	12	---	---	10	140	04		3
4	---	08	---	03	---	---	---	---	---	12	14	07		4
5	---	01	---	---	---	---	02	---	---	01	45	07		5
6	17	05	---	---	03	---	17	---	---	14	10	---		6
7	31	12	---	01	01	---	01	05	05	---	---	---		7
8	---	01	---	---	---	---	---	---	02	25	03	24		8
9	---	---	---	---	---	1.11	---	---	01	08	13	03		9
10	---	---	02	---	---	---	58	02	---	02	04	01		10
11	---	---	02	02	---	---	---	---	---	---	91	01		11
12	---	04	04	---	---	---	03	---	15	---	01	---		12
13	---	01	84	01	---	04	10	---	20	---	1.15	---		13
14	---	---	20	13	---	---	---	---	---	02	---	15		14
15	---	---	03	06	16	02	79	---	03	02	40	---		15
16	04	14	25	28	---	10	72	---	06	73	40	04		16
17	---	---	42	---	---	---	04	---	---	---	20	01		17
18	01	34	05	29	---	---	24	---	04	16	32	15		18
19	---	21	01	06	---	---	01	---	73	01	12	---		19
20	---	03	02	---	---	02	11	02	01	10	08	---		20
21	06	---	---	---	44	---	11	---	---	07	17	---		21
22	01	---	02	---	25	14	---	---	10	03	---	---		22
23	---	04	02	20	01	01	---	---	---	04	01	03		23
24	---	---	---	35	---	---	18	---	---	---	---	03		24
25	---	---	67	---	---	---	07	---	---	01	---	---		25
26	1.06	05	75	01	20	12	---	---	---	---	---	01		26
27	36	22	---	10	---	---	05	---	---	---	---	01		27
28	29	01	---	---	12	---	---	---	---	---	---	---		28
29	06	02	04	---	10	01	---	---	---	---	---	23		29
30	12	x	---	19	---	---	---	---	---	04	---	02		30
31	07	x	---	x	---	x	---	---	x	52	x	03		31
TOTAL	254	162	340	192	133	157	339	09	140	260	693	121	28 in	28.00
* Days with .01 in. or more.	12	19	16	16	10	9	18	3	11	20	20	19	209	173
* Days with .04 in. or more.	10	12	9	11	6	5	14	1	7	13	17	8	113	113

† Spare column, no entries required.

(Signed)

E Dacey

P.T.O.

* See Instruction 3 (f) on other side.

X GRAVESEND (TROSLEY)

Section

A

for the entry of Data
AIR MINISTRY.

Form 4090.

REGISTER

Kept at Gravesend Trosley Ave
in the County of Kent

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground 1
Ground Sea Level

THE MORNING MEASURE

An observer who does not conform to this
year in the space on the right of this page
Please

Station No. 408/5
FALL ORGANIZATION.

933.

408/5
GRAVESEND
TROSLEY AVE

1933-35

DAY.

the following

Jan. 1, following

760109

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7					.91									7
8	.76		.63							.26				8
9							.88							9
10														10
11		.83												11
12				.18										12
13						.28			.93					13
14						.11			.21					14
15										.29				15
16							.25				.74			16
17														17
18									.14					18
19			.73											19
20							.90							20
21									.60					21
22														22
23														23
24									.49					24
25														25
26				.65						.50				26
27									.63					27
28		.83		.13										28
29														29
30	.40	X				.70					.22			30
31		X	.18	X	.75	X	.37	.93	X	.27	X			31
TOTAL	1.16	1.66	1.52	.96	1.66	1.09	1.87	.23	3.0	1.32	.96	.52	16.07	
*Days with or in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

F. Pellingale

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

40815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Helman Trosky, 120, Spaulden
in the County of Hert

C. 1933

2407
1245.7

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Ground Sea Level 168 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7					.91									7
8	.76		.63							.26				8
9							.88							9
10														10
11		.83												11
12				.18										12
13						.28			.93					13
14						.11			.21					14
15										.29				15
16							.25				.74			16
17														17
18									.16					18
19			.73											19
20							.90							20
21									.60					21
22														22
23														23
24									.49					24
25														25
26				.65						.50				26
27									.63					27
28		.83		.13										28
29														29
30	.40	X				.70					.22			30
31		X	.18	X	.75	X	.37	.33	X	.27	X			31
TOTAL	1.16	1.66	1.54	.96	1.66	1.09	1.87	.33	9.0	1.32	.96	.52	16.07	
*Days with or in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

F. Pettengale

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

40815

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934.

Kept at Trosley Avenue, Gravesend
in the County of Kent

Observer asks us to add up return as he
quite rightly doubts his ability to do so.
An addition of .61 was made to March by comparison
with surrounding stations (thus giving his original total
of 2.20 inch. Observer was informed of our
amendment. 15/3/35. *Flinch*

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
Ground Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.	.	.	.	.	.	.	.	.	.	.		1
2	.	.	.12	.	.	.	.	.18	.	.05	.06	.25		2
3	.	.	.	.	.	.	.	.	.60	.40	.	.13		3
4	.	.06	.	.	.	.	.	.	.	.46	.	.10		4
5	.	.	.	.	.03	.	.	.	.	.03	.08	.25		5
6	.	.	.30	.	.16	.23	.	.	.	.	.	.23		6
7	.12	.	.	.	.	.	.	.12	.	.14	.04	.28		7
8	.	.	.	.	.12	.	.	.	.	.05	.	.09		8
9	.	.	.	.14	.	.	.	.06	.	.	.38	.		9
10	.	.	{ #	.	.	.	.	.	.	.	1.19	.20		10
11	.42	.	{ #	.	.	.	.	.	.	.07	.01	.		11
12	.	.	(.61)	.24	.	.	.	.03	.	.	.02	.09		12
13	.	.	{ #	.	.	.	.20	.37	.	.	.	.05		13
14	.	.	{ #	.	.	.	.35	.12	.	.	.08	.02		14
15	.42	.	{ #	.	.06	.	.	.	.	.05	.31	.48		15
16	.	.	{ #	.	.	.	.	.	.	.	.06	.33		16
17	.	.	.64	.	.	.	.	.	.	.02	.	.		17
18	.05	.	.	.15	.	.	.	.	.	.05	.	.19		18
19	.	.	.	.16	.	.	.11	.	.	.	.	.25		19
20	.	.	.43	.	.	.09	.	.	.09	.	.	.05		20
21	.	.	.10	.	.	.04	.03	.	.02	.01	.	.		21
22	.	.	.	.26	.	.	.	.	.	.	.	.		22
23	.	.	.	.	.	.	.11	.09	.12	.	.	.11		23
24	.	.	.	.26	.	.76	.	.	.	.	.	.03		24
25	.	.	.	.10	.	.06	.77	.	.11	.	.	.		25
26	.11	.04	.	.07	.	.	.	.	.	.	.	.21		26
27	.	.	.	.10	.	.10	.	.	.	.	.	.07		27
28	.01	.29	.	.04	.	.02	.	.	.	.	.	.23		28
29	.	.	.	.45	.	.15	.	.41	.	.	.05	.08		29
30	.14	X	.	.	.	.	.	.01	.15	.	.	.04		30
31	.	X	.	X	.	X	.	.	X	.09	X	.11		31
TOTAL	1.27	.89	~~1.29~~ (2.20)	1.97	~~1.65~~ .37	1.45	1.57	1.59	1.09	1.42	2.28	3.87	19.27	
* Days with .01 in. or more.	X	X	X	X	X	X	X	X	X	X	X	X		
* Days with .04 in. or more.	X	X	X	X	X	X	X	X	X	X	X	X		

Section

A

for the entry of Daily Observations.

Station No.

408/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Gravesend
in the County of KentDiameter of Funnel of Gauge 4 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level ft.W. J. G. J. G.
Can catch rain fall

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.08	—	—	—	—	—	—	—	—	—	.11	.16		1
2	.35	.04	—	—	—	.12	.11	—	1.29	.07	.06	—		2
3	.06	—	—	—	—	—	—	—	.90	.15	.02	—		3
4	—	—	.15	—	—	—	—	—	.10	.88	.15	—		4
5	—	—	—	.25	—	.35	—	—	.02	.11	—	.12		5
6	—	.39	—	—	—	.10	—	—	.47	.01	—	—		6
7	—	.02	—	.28	—	.25	—	—	—	—	.04	—		7
8	.03	—	.04	.15	—	.03	.02	—	—	—	.82	.10		8
9	—	—	—	.41	—	—	—	.04	—	—	.21	.09		9
10	—	—	—	.06	—	.23	—	—	—	.59	—	—		10
11	.03	—	—	—	—	.03	—	—	—	—	.16	.07		11
12	.19	—	—	—	—	—	—	—	—	—	.41	—		12
13	—	.11	—	—	—	.06	.19	—	—	—	.61	—		13
14	—	.07	—	.07	.07	.02	—	—	—	—	—	—		14
15	.07	—	—	.06	.11	.07	—	—	—	—	—	.09		15
16	—	.07	—	.25	—	—	—	—	.10	—	.29	—		16
17	—	—	—	.06	—	.29	—	—	.17	—	.59	—		17
18	—	—	.16	—	—	.11	.11	.01	.03	—	.47	—		18
19	—	—	—	.11	.12	.03	.17	—	.19	.05	.01	—		19
20	—	—	—	—	.12	.01	.05	—	.02	—	.08	—		20
21	—	.23	—	—	.04	.04	.08	—	—	—	.06	—		21
22	.03	.36	—	.02	—	—	—	—	.08	.08	.04	—		22
23	—	.04	—	—	—	—	—	.30	.38	—	—	—		23
24	—	—	.04	—	—	—	—	.20	.04	—	—	—		24
25	.12	—	—	—	.70	—	—	.41	.19	—	—	.40		25
26	.10	.67	—	.29	—	.62	—	—	—	—	—	.13		26
27	—	.25	—	—	—	—	—	.15	.05	—	—	.14		27
28	—	.22	—	—	—	—	—	—	.09	—	.04	.15		28
29	—	—	—	—	—	—	—	—	.04	.05	—	.11		29
30	—	X	—	—	—	—	—	—	—	.47	—	.14		30
31	.13	X	—	X	.10	X	—	.70	X	.12	X	.39		31 "d"
TOTAL	1.19	2.47	.89	2.01	1.26	2.36	.44	2.0	4.05	2.16	3.87	2.39	24.47	
* Days with .01 in. or more.	8	13	4	13	7	10	4	7	14	10	16	14	120	
* Days with .04 in. or more.	8	13	4	13	7	10	4	7	14	10	16	14	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

H. J. G. J. G.

P.T.O.

REGISTE

Kept at *West Hill House*
in the County of *Dorset*

Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground
Ground Sea Level

THE MORNING MEASUREM

An observer who does not conform to this re
year in the space on the right of this par
Pleas

409
COPY FOR OFFICIAL USE.
FALL ORGANIZATION.
31.

WEST HILL HSE

1931-33

DAY.
the following

Jan. 1, following

760109

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.03	.06	.56		.15	.01	.02					1
2	.21	.07		.17				.08	.32				2
3	.05			.33	1.32			.20	.30			.17	3
4									.03				4
5				.25	.15	.50			.07			.11	5
6		.08		.02						.23	.60		6
7		.04						.15		.02	.15		7
8		.02			.04	.15		.30					8
9		.02	.02								.48	.03	9
10		.14	.02					.17			.34		10
11	.10	.23									.25		11
12	.02							.20	.48				12
13	.02	.06					.03	.05					13
14		.06				.02	.48	.66					14
15	.07	.02		.22	.15		.34	.28					15
16				.15	.29			.23					16
17		.07		.40	.15		.15	.02					17
18		.10		.18		.23	.02	.61			.38		18
19	.05			.47		.23	.10	.33	.09				19
20		.02		.02			.02	.17					20
21					.50			.03					21
22	.15		.10						.07		.04		22
23	.19				.28				.02		.06		23
24				.75	.02	.05		trace					24
25	.05			.15			.35						25
26		.06		.15			.52		.04		.25		26
27	.09	.28		.02	.16		.67				.03		27
28	.05	.05		.09									28
29	.08			.05			.05			.30		.24	29
30		x						.03					30
31	.13	x		x		x			x		x		31
TOTAL	1.28	1.35	.20	3.98	3.06	1.33	2.74	3.53	1.42	.55	2.58	.55	31.22.57
*Days with "or in. or more.	3	5	2	3	10	8	12	14	9	8	10	4	28
*Days with ".04 in. or more.	12	12	2	14	9	6	8	13	7	2	9	3	94

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. Taylor

[P.T.O.]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1937.

Kept at West Hill House
in the County of Danford. Kent.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
Ground Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.03	.06	.56		.15	.01	.02					1
2	.21	.07		.17				.08	.32				2
3	.05			.33	1.32			.20	.30			.17	3
4									.03				4
5				.25	.15	.50			.07			.11	5
6		.08		.02						.23	.60		6
7		.04				(.15)		.15		.02	.15		7
8		.02			.04			.30					8
9		.02	.02								.48	.03	9
10		.14	.02					.17			.34		10
11	.10	.23									.25		11
12	.02							.20	.48				12
13	.02	.06					.03	.05					13
14		.06				.02	.48	.66					14
15	.07	.02		.22	.15		.34	.28					15
16				.15	.29			.23					16
17		.07		.40	.15		.15	.02					17
18		.10		.18		.23	.02	.61			.38		18
19	.05			.44		.23	.10	.33	.09				19
20		.02		.02			.02	.17					20
21					.50			.03					21
22	.15		.10						.07		.04		22
23	.19				.28				.02		.06		23
24				.75	.02	.05		trace					24
25	.05			.15			.35						25
26		.06		.15			.52		.04		.25		26
27	.09	.28		.02	.16		.67				.03		27
28	.05	.05		.09									28
29	.08			.05			.05			.30		.24	29
30		x						.03					30
31	.13	x		x		x			x		x		31
TOTAL	1.28	1.35	2.0	3.98	3.06	1.33	2.74	3.53	1.42	.55	2.58	.55	31.22.57
*Days with .01 in. or more.	15	7	4	17	10	8	12	14	22	8	10	4	22.07
*Days with .04 in. or more.	12	12	2	14	9	6	8	13	7	2	9	3	28

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. Bayliss

P.T.O.

Section **A**

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at West Hill House, Gardens, Dartford.
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
Ground Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	—	—	.45	—	—	.51	.02	.06	.02	—	1
2	.01	—	—	.10	.05	—	—	.09	.21	—	—	.11	2
3	—	—	—	.05	—	—	—	—	.50	—	—	—	3
4	—	—	—	—	—	.19	—	—	—	—	.02	—	4
5	.05	—	—	—	.07	—	.30	—	.01	—	—	—	5
6	.39	—	—	.15	.03	—	—	—	.04	—	—	—	6
7	.02	—	.15	.07	.02	—	.10	—	.10	—	—	—	7
8	—	—	.03	—	.22	—	—	—	.05	.52	—	—	8
9	.23	—	.01	.09	.42	—	—	—	.03	.05	—	—	9
10	.44	.11	—	.05	.14	—	—	—	—	.06	—	—	10
11	.04	.02	—	.25	.01	—	—	—	—	.26	—	.03	11
12	.07	.03	—	.03	—	—	—	—	—	.57	—	—	12
13	.04	—	—	—	.02	—	—	—	.02	.37	—	—	13
14	.05	.03	—	.07	.09	—	—	—	—	.05	—	—	14
15	—	—	—	.08	.09	—	—	—	—	.07	—	.02	15
16	.08	—	—	.20	.18	—	—	—	—	—	.05	—	16
17	—	—	—	.05	—	—	.15	—	—	—	—	—	17
18	—	—	—	—	—	—	—	—	.05	—	.07	—	18
19	—	—	—	—	.03	—	—	—	—	.14	.04	—	19
20	—	—	—	.15	.03	—	—	—	—	.64	.12	—	20
21	—	—	—	—	.30	—	—	.03	—	.24	—	.03	21
22	—	.03	.32	—	.15	—	.07	—	.32	.22	.22	—	22
23	—	.08	.13	.17	.09	—	—	—	.12	1.13	.18	.03	23
24	—	.04	—	—	—	—	.42	—	.04	.02	.05	—	24
25	—	—	—	—	—	—	.21	—	.03	.34	.02	—	25
26	—	—	.03	.07	—	—	.19	.12	—	—	—	—	26
27	—	—	.20	—	.45	—	.07	—	.01	.43	.07	—	27
28	—	—	.03	.06	.03	—	.07	—	—	.15	—	—	28
29	—	—	.22	.05	.03	—	—	.35	—	.25	—	.03	29
30	—	×	—	.08	.16	.58	—	—	.06	.05	—	.17	30
31	—	×	.18	×	—	×	—	—	×	—	×	.02	31
TOTAL	1.45	.34	1.30	1.47	3.06	.77	1.58	1.10	1.61	5.62	.86	.44	YEAR'S TOTAL 19.99
*Days with "or in. or more.	812	710	710	818	822	2	9	5X	816	820	811	88	8140
*Days with ".04 in. or more.	9	3	6	17	14	2	9	4	10	19	8	2	103

40-9999

*See Instruction 2 (f) on other side.

(Signed)

John Taylor

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

409

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *West Hill House, Dartford*in the County of *Kent*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *3* in.Ground Sea Level *100* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.12	.10	—	—	—	—	—	—	.02	—	—		1
2	.11	—	.11	—	.05	—	—	—	—	—	—	—		2
3	.03	.15	.04	—	—	—	—	—	—	—	—	—		3
4	.15	—	—	—	—	—	—	—	—	—	—	—		4
5	.04	—	.21	—	.33	—	—	—	—	—	—	—		5
6	.01	.09	.02	—	.08	—	—	—	—	.09	.11	—		6
7	.30	—	.10	—	.38	—	—	—	—	.13	—	—		7
8	.09	.03	—	—	—	—	.25	—	—	.01	—	—		8
9	—	—	—	—	.08	—	.04	—	—	.02	.12	—		9
10	—	.42	—	—	—	.10	.05	—	—	.08	.01	—		10
11	—	—	—	—	—	.03	.10	.10	.05	—	—	—		11
12	—	—	—	trace	—	.10	—	—	.46	—	.03	—		12
13	.11	—	—	—	.14	.10	.32	—	.25	—	.12	—		13
14	—	—	—	—	—	—	—	.03	—	.10	.22	—		14
15	.12	—	.02	—	—	—	.20	.20	—	.02	—	—		15
16	—	—	.54	—	—	.20	.10	—	.02	.03	.05	—		16
17	—	—	.21	—	—	—	—	—	—	—	—	—		17
18	—	—	—	—	—	.10	—	—	—	—	.02	—		18
19	—	.05	.20	.04	—	.29	—	—	.11	—	—	—		19
20	—	—	.10	.06	—	.14	.38	—	—	—	—	—		20
21	—	.12	—	—	—	.03	—	.02	.40	—	—	—		21
22	—	—	—	—	—	.50	—	.20	—	.11	.02	—		22
23	—	.02	—	.05	.38	—	—	—	.24	—	—	—		23
24	—	.40	—	.13	.10	.35	—	—	.23	—	—	—		24
25	—	—	—	.04	.03	—	—	—	—	—	—	.08		25
26	—	.35	—	.03	.10	—	—	—	.42	.05	.04	.13		26
27	—	—	—	—	.08	—	—	—	—	.25	—	.10		27
28	—	—	—	—	.19	—	.14	—	.02	.45	—	.03		28
29	—	—	—	—	—	—	.24	—	—	.11	—	.02		29
30	.19	×	.22	—	—	—	—	—	.03	.02	—	.15		30
31	.06	×	—	×	—	×	—	.10	×	.01	×	—		31
TOTAL	1.24	1.75	1.93	.41	1.94	1.94	1.88	.65	2.53	1.50	.74	.51	Year's Total	17.02
*Days with or in. or more.	21	21	22	16	12	21	10	26	31	16	10	26	26	121
*Days with .04 in. or more.	9	8	10	5	11	9	10	4	8	9	6	4	93	

40-9999


*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. Taylor

[P.T.O.]



Section A for the entry of Daily
AIR MINISTRY.—ME

FORM 1090.

REGISTER

Kept at 33 Lower Road
in the County of Kent

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
Ground Sea Level

THE MORNING MEASUREME

An observer who does not conform to this rule
year in the space on the right of this para

Please

410
COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

410
DARTFORD

TOWER RD

1931-1937

Y.
following

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.02	TR	.46	—	.10	—	.02	.01	—	—	.01	1
2	.14	.07	—	.21	—	—	TR	.05	.29	.02	—	—	2
3	.06	TR	.02	.36	1.28	—	—	.19	.30	—	—	.14	3
4	—	—	—	—	—	—	—	.01	.02	—	.03	—	4
5	—	—	—	.25	.14	.50	.03	—	.06	—	—	.08	5
6	—	.09	—	.02	—	—	TR	—	—	.20	.52	—	6
7	.02	—	—	—	.02	.09	TR	.05	—	—	.14	—	7
8	—	.02	—	—	.04	.13	—	.30	—	.01	.02	—	8
9	—	TR	.02	—	—	.13	—	—	.01	—	.40	.01	9
10	.01	.16	TR	—	—	TR	—	.16	—	—	.39	.01	10
11	.06	.21	—	—	—	—	—	—	.03	—	.22	—	11
12	.01	—	—	.01	—	—	TR	.20	.42	—	—	—	12
13	—	.06	—	—	—	—	.05	.07	—	.01	—	—	13
14	.03	.09	—	—	—	.01	.46	.61	—	—	—	—	14
15	—	TR	—	.20	.14	—	.37	.21	—	—	.01	.08	15
16	.05	.04	—	.12	.27	—	—	.18	—	—	—	—	16
17	—	.02	—	.41	.07	TR	.14	.02	.08	TR	—	—	17
18	—	.08	TR	.15	TR	.19	.01	.19	—	TR	.35	—	18
19	.05	—	—	.44	—	.36	.13	.76	.07	—	.02	—	19
20	TR	TR	—	.04	—	—	.01	.15	—	—	—	—	20
21	.01	.02	—	—	.48	—	—	.02	TR	—	—	—	21
22	.02	TR	.10	—	—	—	—	—	.01	—	.02	—	22
23	.24	TR	TR	—	.18	.01	—	TR	.03	—	.05	—	23
24	—	—	.01	.55	.01	.05	—	.01	.03	—	—	—	24
25	.05	—	—	.33	.01	—	.32	—	—	—	—	—	25
26	—	.06	—	.27	—	—	.47	—	.01	—	.22	—	26
27	.07	.29	—	.04	—	—	.63	—	—	—	.02	—	27
28	.05	.09	—	.06	.06	—	—	—	—	—	—	.09	28
29	.10	X	—	.04	.12	—	.05	—	—	.25	—	.05	29
30	.05	X	—	—	.01	—	TR	.02	—	—	TR	—	30
31	.09	X	—	X	—	X	—	TR	X	—	X	—	31
TOTAL	1.16	1.32	.15	3.96	2.83	1.57	2.67	3.22	1.37	.49	2.41	.47	YEAR'S TOTAL 21.62
*Days with or in. or more.	18	15	4	18	14	10	12	19	14	5	14	8	151
*Days with .04 in. or more.	12	11	1	16	10	8	9	13	6	2	8	5	101

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at *33 Lower Road Dargford*
in the County of *Kent*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *6* ft. *6* in.
Ground Sea Level *125* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.02	TR	.46	—	.10	—	.02	.01	—	—	.01	1
2	.19	.07	—	.21	—	—	TR	.05	.29	.02	—	—	2
3	.06	TR	.02	.36	1.28	—	—	.19	.30	—	—	.14	3
4	—	—	—	—	—	—	—	.01	.02	—	.03	—	4
5	—	—	—	.25	.14	.50	.03	—	.06	—	—	.08	5
6	—	.09	—	.02	—	—	TR	—	—	.20	.52	—	6
7	.02	—	—	—	.02	.09	TR	.05	—	—	.14	—	7
8	—	.02	—	—	.04	.13	—	.30	—	.01	.02	—	8
9	—	TR	.02	—	—	.13	—	—	.01	—	.40	.01	9
10	.01	.16	TR	—	—	TR	—	.16	—	—	.39	.01	10
11	.06	.21	—	—	—	—	—	—	.03	—	.22	—	11
12	.01	—	—	.01	—	—	TR	.20	.42	—	—	—	12
13	—	.06	—	—	—	—	.05	.07	—	.04	—	—	13
14	.03	.09	—	—	—	.01	.46	.61	—	—	—	—	14
15	—	TR	—	.20	.14	—	.37	.21	—	—	.01	.08	15
16	.05	.04	—	.12	.27	—	—	.18	—	—	—	—	16
17	—	.02	—	.41	.07	TR	.14	.02	.08	TR	—	—	17
18	—	.08	TR	.15	TR	.19	.01	.19	—	TR	.35	—	18
19	.05	—	—	.44	—	.36	.13	.76	.07	—	.02	—	19
20	TR	TR	—	.04	—	—	.01	.15	—	—	—	—	20
21	.01	.02	—	—	.48	—	—	.02	TR	—	—	—	21
22	.02	TR	.10	—	—	—	—	—	.01	—	.02	—	22
23	.24	TR	TR	—	.18	.01	—	TR	.03	—	.05	—	23
24	—	—	.01	.55	.01	.05	—	.01	.03	—	—	—	24
25	.05	—	—	.33	.01	—	.32	—	—	—	—	—	25
26	—	.06	—	.27	—	—	.47	—	.01	—	.22	—	26
27	.07	.29	—	.04	—	—	.63	—	—	—	.02	—	27
28	.05	.09	—	.06	.06	—	—	—	—	—	—	.09	28
29	.10	X	—	.04	.12	—	.05	—	—	.25	—	.05	29
30	.05	X	—	—	.01	—	TR	.02	—	—	TR	—	30
31	.09	X	—	X	—	X	—	TR	X	—	X	—	31
TOTAL	1.16	1.32	.15	3.96	2.83	1.57	2.67	3.22	1.37	.49	2.41	.47	YEAR'S TOTAL
*Days with "or in. or more.	18	15	4	18	14	10	12	19	14	5	14	8	151
*Days with ".04 in. or more.	12	11	1	16	10	8	9	13	6	2	8	5	104

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section



for the entry of Daily Observations.

Station No.

410

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 33 Lower Road Dartford
in the County of Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 ft.
Ground Sea Level 12.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	TR	—	.03	.40	—	.15	.44	.02	.02	.01	.02	1
2	.01	—	—	.07	.02	—	—	.21	TR	—	—	.09	2
3	—	—	—	.06	.21	—	—	TR	.60	—	—	—	3
4	—	—	—	—	—	.19	—	—	—	—	—	—	4
5	.06	TR	.02	TR	.05	.07	.29	—	.04	—	—	—	5
6	.30	—	.01	.14	.01	—	—	—	.01	—	.02	—	6
7	.01	—	.02	.08	.01	—	.10	—	.12	—	—	—	7
8	—	—	.17	—	.03	—	—	—	.05	.52	—	—	8
9	.15	.02	—	.01	.67	—	—	—	—	.04	—	—	9
10	.47	.06	.01	.23	.06	—	—	—	—	.01	.02	—	10
11	.03	.02	—	.08	.02	—	TR.	—	TR.	.25	—	.02	11
12	.03	.04	—	.01	TR.	—	—	.01	—	.56	TR.	—	12
13	.07	—	—	.04	.01	—	—	—	.02	.12	—	.01	13
14	.05	.02	—	.10	.07	—	—	—	—	.28	.01	TR.	14
15	—	—	—	.05	.03	—	TR.	—	—	.12	.01	TR.	15
16	.06	—	—	.21	.16	—	—	—	—	.65	—	—	16
17	—	—	—	.03	—	—	.04	—	—	.02	.01	—	17
18	—	—	—	—	—	—	.08	—	.05	—	.07	—	18
19	—	—	—	—	TR.	.03	—	—	—	.11	.04	—	19
20	—	—	—	.13	.08	—	.01	.01	.03	.61	.12	—	20
21	—	—	—	.10	.28	—	—	.03	—	.22	—	.01	21
22	.01	.01	.32	—	.14	—	—	—	.20	.20	.22	.02	22
23	—	.07	.19	.05	.08	—	—	—	.19	1.12	.09	.04	23
24	—	.06	—	—	—	—	.35	TR.	TR.	.02	.04	TR.	24
25	—	—	—	—	—	—	.31	—	.06	.31	.01	TR.	25
26	—	—	.02	.05	TR.	—	.16	.12	—	.05	TR.	—	26
27	—	—	.17	.04	.46	.02	.05	—	—	.41	.07	—	27
28	—	—	.02	.01	.03	—	.07	.02	.01	.14	—	—	28
29	—	—	.19	.05	.01	—	—	.24	.04	.23	—	.01	29
30	—	X	.04	.05	.07	.42	—	—	.01	.04	.01	.16	30
31	—	X	.17	X	—	X	TR.	—	X	.01	X	.02	31
TOTAL	1.27	.28	1.35	1.62	2.90	.73	1.62	1.08	1.45	6.09	.75	.40	YEAR'S TOTAL 19.54
*Days with ".01 in. or more.	13	8	13	22	22	5	11	8	15	24	15	10	166
*Days with ".04 in. or more.	7	4	7	17	13	3	10	4	9	20	7	3	104

40-9999

*See Instruction 2 (f) on other side.

(Signed)

C.O. Kent

[P.T.O.]

Section

A

for the entry of Daily Observations.

410
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at 33 Lower Road DARTFORD
in the County of Kent

STATION NO.

410

Diameter of Funnel of Gauge ✓ in.
Height of top of Gauge above Ground 6 in.
,, Ground ,, Sea Level 12✓ ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	TR	14	10	—	—	—	—	—	—	01	—	—	I
2	07	—	19	—	05	—	—	—	—	—	—	—	2
3	01	14	07	—	—	—	—	—	—	—	01	—	3
4	05	TR	01	—	—	—	—	—	—	—	—	—	4
5	19	—	10	—	33	—	—	—	—	—	—	—	5
6	—	09	09	—	20	—	—	—	—	08	10	—	6
7	27	02	16	—	22	—	—	—	—	12	—	04	7
8	09	01	—	—	—	—	24	—	—	01	—	—	8
9	—	—	—	—	06	—	01	—	—	01	12	—	9
10	—	42	—	—	01	09	08	—	—	05	—	—	10
11	04	—	01	—	01	05	11	10	07	TR	03	—	11
12	—	—	—	01	—	10	—	—	86	—	—	—	12
13	06	—	—	—	09	07	29	—	11	—	12	—	13
14	—	—	—	—	03	—	01	01	—	10	09	01	14
15	10	—	TR	—	—	—	19	21	—	02	10	—	15
16	03	TR	45	—	—	17	07	—	05	02	01	—	16
17	01	TR	29	—	—	01	—	02	04	—	05	—	17
18	01	TR	TR	TR	—	14	—	—	—	—	TR	—	18
19	—	TR	17	04	—	22	—	—	TR	—	01	03	19
20	—	04	04	08	—	10	21	—	11	—	01	—	20
21	—	08	01	TR	—	02	—	04	38	TR	—	—	21
22	—	—	—	—	—	44	—	14	—	11	01	—	22
23	—	TR	—	06	36	01	—	—	22	—	—	—	23
24	—	27	—	18	09	37	—	—	20	—	02	—	24
25	—	12	—	17	02	—	—	—	01	01	—	06	25
26	—	34	—	02	—	01	—	—	38	TR	03	15	26
27	—	TR	—	—	07	—	—	—	—	27	—	08	27
28	—	TR	—	—	12	—	—	—	—	44	—	04	28
29	—	X	—	TR	—	—	38	—	—	02	—	—	29
30	13	X	12	—	—	—	—	—	03	11	—	15	30
31	—	X	—	X	—	X	—	09	X	—	X	—	31
TOTAL	1.06	1.67	1.79	.56	1.69	1.80	1.59	.62	2.46	1.38	.71	.56	15.89
*Days with or in. or more.	13	11	14	7	14	14	10	7	12	15	14	8	139
*Days with .04 in. or more.	9	9	11	5	10	10	8	5	10	8	6	6	97

40-9999

*See Instruction 2 (f) on other side.

(Signed)

C O Kent

[P.T.O.]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. **410**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at **33 Towel Road Dargford**
in the County of **Kent**.

Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **6** ft.
" Ground " Sea Level **12.5** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	.02	—	—	—	—	.08	—	.04	.06	.27		1
2	.04	—	.17	—	—	—	—	—	.48	.32	—	.18		2
3	—	.04	—	.01	—	—	—	.02	.01	.40	—	—		3
4	.12	.01	.03	—	—	—	—	—	—	.23	.07	.35		4
5	.01	—	.02	—	.03	—	—	TR	—	.01	.02	.28		5
6	—	—	.30	—	.18	.06	—	TR	—	.12	.02	.36		6
7	.03	—	—	—	—	—	—	.10	—	.13	—	.08		7
8	—	.02	—	—	.11	.03	—	.05	.10	—	.14	.02		8
9	.01	—	—	—	—	—	—	—	TR	—	.63	.36		9
10	—	.02	.23	.08	—	—	—	.03	TR	.05	.60	.01		10
11	.27	—	.37	.06	—	—	—	.01	—	—	.01	.04		11
12	.09	.01	.06	—	—	—	.06	.50	—	—	—	.05		12
13	.31	—	.14	TR	—	—	.53	.13	—	—	.02	.03		13
14	.05	—	.25	—	.02	—	—	—	—	—	.39	.23		14
15	.04	—	.13	—	.02	TR	—	—	.03	.01	.07	.37		15
16	.07	—	.14	.12	.17	—	—	—	—	.04	—	.03		16
17	.01	.01	.01	—	—	—	—	—	—	.07	.01	.12		17
18	.10	—	—	.18	—	—	.08	—	—	—	—	.20		18
19	—	—	.15	.15	—	.04	—	—	.09	—	.01	.09		19
20	—	—	.22	—	—	—	—	—	.03	—	—	—		20
21	—	—	.01	.17	—	.04	—	—	—	—	—	.01		21
22	—	—	TR	—	—	—	TR	.30	.13	—	—	.02		22
23	—	—	—	.30	—	.62	.05	—	—	—	—	.21		23
24	—	.01	.03	.10	—	.13	.23	—	.06	—	.01	—		24
25	.04	—	—	.05	.07	.03	—	—	—	.01	—	.21		25
26	.06	—	—	.17	—	.03	—	—	.01	—	—	.03		26
27	TR	—	—	.18	—	.15	—	—	—	—	—	.05		27
28	—	.06	—	.05	—	.28	TR	.48	—	—	.05	.19		28
29	—	X	—	—	—	—	—	TR	.07	—	.01	.04		29
30	.13	X	—	—	—	—	—	—	—	—	—	.05		30
31	.01	X	—	X	—	X	TR	—	X	—	X	.15		31
TOTAL	1.40	.18	2.28	1.62	.60	1.41	.95	1.70	1.01	1.43	2.12	4.01	18.71	
*Days with ".01 in. or more.	18	8	17	13	7	10	5	10	10	12	16	28	154	
*Days with ".04 in. or more.	12	2	11	12	4	7	5	7	6	9	8	21	104	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

G.O. Hunt

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 410

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 33 Tower Rd. Dorking
in the County of Kent.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 in.
Ground Sea Level 125 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28	.07	.01	.02	.02	.13	.18	—	.13	.04	.08	.01		1
2	.16	.08	.01	—	—	—	—	—	.06	.10	.01	—		2
3	TR	.08	.20	.06	—	.05	—	—	.03	.70	.14	—		3
4	—	—	—	.16	—	.08	—	—	.12	.07	TR	.06		4
5	—	.30	—	.11	—	.38	TR	—	.45	.02	TR	—		5
6	.03	.13	.05	.25	—	.12	—	—	—	—	.02	.01		6
7	.04	.02	—	.20	—	.11	—	—	—	TR	.69	.11		7
8	—	—	—	.38	—	.12	—	.01	—	.19	.28	.13		8
9	—	—	—	.11	—	.25	—	—	—	.13	.11	—		9
10	—	.01	—	.04	—	TR	—	—	—	.12	.04	.04		10
11	.20	—	—	.14	—	.02	—	—	—	—	.23	.02		11
12	.10	.01	—	—	—	.12	—	.33	—	—	.68	—		12
13	.05	.11	.01	.05	—	.02	—	—	—	—	.10	—		13
14	—	—	—	.20	.26	.08	—	—	—	—	.01	.07		14
15	—	.13	—	.26	.05	.01	—	—	.17	—	.09	.05		15
16	—	—	—	.14	—	.48	—	—	—	—	.61	.01		16
17	.01	—	.04	.01	—	.12	—	—	.04	—	.66	—		17
18	—	.10	—	.13	.01	.06	.16	—	.23	.07	.03	—		18
19	—	—	—	.01	.17	.01	.05	—	.01	—	.10	.02		19
20	—	.22	—	.03	.11	.04	.04	—	.04	—	.06	—		20
21	.01	.23	—	TR	—	—	—	—	.03	.06	.04	—		21
22	—	.11	TR	—	—	—	—	.22	.50	—	—	—		22
23	—	—	.06	—	—	—	—	.12	.01	—	—	—		23
24	.04	.37	—	—	.37	—	—	.34	.29	.01	—	.27		24
25	.21	.10	—	.33	.22	.23	—	TR	—	—	.01	.13		25
26	.08	—	—	—	—	—	—	.10	.01	.01	—	.24		26
27	.01	.40	—	—	—	—	—	TR	.05	—	.04	.18		27
28	—	.01	—	—	—	—	—	—	.03	.05	—	.08		28
29	—	X	—	—	—	—	—	—	.21	—	—	.12		29
30	.04	X	—	.05	.06	—	—	.68	.05	.05	.26	.33		30
31	—	X	—	X	.02	X	—	—	X	.17	X	.26		31
TOTAL	1.26	2.40	.38	2.66	1.27	2.43	.43	1.80	2.46	2.19	4.29	2.14	Year's Total. 23.71	
* Days with .01 in. or more.	16	19	7	20	10	19	4	7	19	15	22	19	175	
* Days with .04 in. or more.	10	13	4	16	7	15	4	6	13	12	17	14	131	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

C. O. Kent

[P.T.C.]

Section



for the entry of Daily Observations

Station No. 410

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at 33 Tower Rd DARTFORD KENT

in the County of

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....6.....in.

,, Ground ,, Sea Level 12.5.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	.24	.02	.11	—	.11	.11	.08	—	—	.02	.11		1
2	.01	—	.01	.01	—	.36	.10	.01	—	—	—	.06		2
3	—	—	—	.36	.02	.13	.01	—	.01	—	.28	—		3
4	TR	—	.08	—	—	.08	—	.02	.46	—	TR	.01		4
5	.08	—	.05	—	—	—	—	—	.29	.03	.05	.11		5
6	.32	—	—	—	—	.03	—	.01	.05	.01	.24	—		6
7	.28	—	.02	—	—	.09	—	—	TR	—	.42	.01		7
8	.17	—	.05	—	—	—	—	—	.03	.02	.22	.26		8
9	.31	—	.02	—	—	—	.43	TR	.12	.01	.05	—		9
10	.05	—	—	—	—	TR	.25	.12	.15	—	—	—		10
11	—	—	—	.06	—	—	.07	.01	—	—	.46	—		11
12	—	—	—	.12	—	.05	.10	.02	.10	—	.25	.06		12
13	—	—	—	—	—	.32	—	—	—	—	—	.20		13
14	—	.05	—	—	—	.05	.33	—	.02	.03	.22	.43		14
15	—	.05	—	—	—	.01	.02	—	.06	—	.01	.02		15
16	.30	.03	—	.02	.02	—	—	—	.03	—	.37	.02		16
17	.13	.47	—	.04	.04	.07	.01	—	—	.02	.17	.12		17
18	.08	.01	—	—	—	—	.08	—	—	TR	.08	.08		18
19	.16	.05	—	—	—	.04	.10	.09	—	.02	—	.01		19
20	.18	.05	—	.41	—	.03	.05	—	.60	—	—	—		20
21	—	—	—	.31	TR	.26	—	—	.02	—	—	—		21
22	.12	.37	.05	.18	.04	.07	—	—	—	—	.01	.09		22
23	TR	.03	TR	.04	.01	—	.13	—	—	.05	—	—		23
24	.10	.05	—	—	—	—	—	—	.01	.57	—	—		24
25	.13	.01	.11	.22	—	.23	.15	—	.19	.04	.04	.02		25
26	TR	.05	.34	.02	—	.10	.03	—	.05	.19	—	.01		26
27	.07	—	TR	.01	—	—	—	—	.16	.05	—	—		27
28	.70	—	.01	—	—	.20	—	—	.02	—	TR	.02		28
29	.06	.08	.08	—	—	.17	.09	—	—	.02	.08	—		29
30	.04	×	—	.02	.02	.08	—	—	—	.09	—	—		30
31	.27	×	.13	×	.02	×	.09	—	×	.58	×	.05		31
TOTAL	3.71	1.51	.97	1.57	.31	2.45	2.20	.36	2.36	1.72	2.97	1.68	21.81	
* Days with .01 in. or more.	21	14	13	11	7	20	19	8	18	15	17	19	182	
* Days with .04 in. or more.	20	10	8	8	2	17	15	3	11	7	14	11	126	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) C. O. Hunt [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 410

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at 33 Tower Rd. Sandford

in the County of Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft. 6.....in.

,, Ground ,, Sea Level 12.5.....ft.

values entered on 10yr sheet.

6-7-38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.50	—	—	.01										1
2	—	.11	.03	.38										2
3	—	.05	.01	—										3
4	.04	.36	—	—										4
5	.16	.28	.31	—										5
6	.05	TR	.55	—										6
7	TR	.75	.14	.03										7
8	—	.02	.02	—										8
9	—	.06	—	.36										9
10	—	—	.23	.11										10
11	—	—	.39	.01										11
12	.09	.24	.03	.01										12
13	.14	.03	.34	.01										13
14	.02	—	.20	.14										14
15	.05	.06	.01	1.06										15
16	.06	.13	.40											16
17	.20	.02	.04											17
18	.36	.03	—											18
19	.03	.07	.02											19
20	.48	.01	.07											20
21	.22	.43	.03											21
22	.35	.15	.02											22
23	.23	TR	—											23
24	.52	.36	TR											24
25	.07	.42	.16											25
26	.01	.16	.07											26
27	TR	.05	—											27
28	.01	.05	—											28
29	.17	X	—											29
30	.15	X	—											30
31	.15	X	—	X		X			X		X			31
TOTAL	4.06	3.84	3.07										Year's Total	
* Days with .01 in. or more.	23	22	20											
* Days with .04 in. or more.	19	17	12											

† Spare column, no entries required.

(Signed)

C. O. Kent

[P.T.O.]

* See Instruction 3 (f) on other side.

Kept at *City London Men*
in the County of *Stone N*

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea Le

THE MORNING MEASURE

An observer who does not conform to the
year in the space on the right of this

COPY FOR OFFICIAL USE.
AINFALL ORGANIZATION.
193 / .

411
**CITY LONDON MENTAL
HOSPITAL
DARTFORD**

1931-40

780109

S DAY.

of the following

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.06	.01	.48	-	.03	-	-	Tn	-	-	-	1
2	.22	-	-	.16	-	-	-	.06	.27	.02	-	-	2
3	.04	.08	-	.30	1.24	-	-	.18	.38	-	.03	.14	3
4	-	.01	-	Tn	Tn	-	-	.01	Tn	Tn	.02	-	4
5	-	-	-	.22	.07	.55	.01	Tn	.07	-	Tn	.08	5
6	-	.08	-	.02	-	Tn	Tn	Tn	-	.20	.48	-	6
7	.01	.01	-	Tn	.04	.06	Tn	.10	-	Tn	.08	.01	7
8	Tn	.02	-	-	.01	.29	Tn	.11	-	Tn	.02	Tn	8
9	.01	-	.01	-	-	.01	-	-	-	-	.34	.01	9
10	Tn	-	Tn	-	-	Tn	-	.17	Tn	-	.39	-	10
11	.06	.19	-	-	-	-	-	-	.04	-	.22	-	11
12	.02	.05	-	Tn	-	-	.01	.27	.38	-	Tn	-	12
13	.01	Tn	-	-	-	-	.04	.05	-	.01	Tn	-	13
14	Tn	.09	-	-	-	.02	.39	.53	-	-	-	-	14
15	.04	.01	-	.18	.15	-	.28	.28	-	-	.02	.07	15
16	.01	.04	-	.13	.27	.02	Tn	.10	Tn	-	-	-	16
17	-	.03	-	.37	.04	-	.14	.02	.07	Tn	-	-	17
18	.01	.08	Tn	.18	-	.19	.01	.48	-	-	.26	-	18
19	.03	Tn	-	.51	-	.16	.05	.37	.06	-	-	-	19
20	.01	.02	-	.02	-	-	.01	.17	-	-	.01	Tn	20
21	.01	-	-	-	.45	-	-	.03	-	-	-	-	21
22	.10	-	.11	-	Tn	-	-	-	.03	-	.02	-	22
23	.19	-	.01	-	.22	.01	-	-	.01	-	.05	.01	23
24	-	-	-	.45	.01	.04	Tn	Tn	.03	-	Tn	-	24
25	.06	-	-	.37	-	-	.30	-	Tn	-	Tn	Tn	25
26	-	.05	-	.26	-	-	.52	-	.01	-	.19	-	26
27	.07	.26	-	.03	.12	-	.70	-	-	-	.02	-	27
28	.04	.11	-	.06	-	-	Tn	-	-	-	Tn	.08	28
29	.08	-	-	Tn	.04	-	.06	-	-	.21	.01	.02	29
30	.04	X	-	-	.01	-	Tn	.01	-	-	-	-	30
31	.09	X	-	X	-	X	-	-	X	-	X	-	31
TOTAL	1.16	1.19	.14	3.74	2.67	1.38	2.47	2.94	1.35	.44	2.26	.42	YEAR'S TOTAL 20.16
*Days with "or in. or more.	22	17	4	16	13	11	13	17	11	4	16	8	162
*Days with "or in. or more.	12	11	1	13	10	6	8	13	7	2	8	4	95

40-9999

*See Instruction 2 (f) on other side.

(Signed)

James Hower

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at *611, London Mental Hospital*
in the County of *Stone N. Danforth Kent.*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.06	.01	.48	—	.03	—	—	<i>Tn</i>	—	—	—	1
2	.22	—	—	.16	—	—	—	.06	.27	.02	—	—	2
3	.04	.08	—	.30	1.24	—	—	.18	.38	—	.03	.14	3
4	—	.01	—	<i>Tn</i>	<i>Tn</i>	—	—	.01	<i>Tn</i>	<i>Tn</i>	.02	—	4
5	—	—	—	.22	.07	.55	.01	<i>Tn</i>	.07	—	<i>Tn</i>	.08	5
6	—	.08	—	.02	—	<i>Tn</i>	<i>Tn</i>	<i>Tn</i>	—	.20	.48	—	6
7	.01	.01	—	<i>Tn</i>	.04	.00	<i>Tn</i>	.10	—	<i>Tn</i>	.08	.01	7
8	<i>Tn</i>	.02	—	—	.01	.29	<i>Tn</i>	.11	—	<i>Tn</i>	.02	<i>Tn</i>	8
9	.01	—	.01	—	—	.01	—	—	—	—	.34	.01	9
10	<i>Tn</i>	—	<i>Tn</i>	—	—	<i>Tn</i>	—	.19	<i>Tn</i>	—	.39	—	10
11	.06	.19	—	—	—	—	—	—	.04	—	.22	—	11
12	.02	.05	—	<i>Tn</i>	—	—	.01	.27	.35	—	<i>Tn</i>	—	12
13	.01	<i>Tn</i>	—	—	—	—	.04	.05	—	.01	<i>Tn</i>	—	13
14	<i>Tn</i>	.09	—	—	—	.02	.39	.53	—	—	—	—	14
15	.04	.01	—	.18	.15	—	.28	.28	—	—	.02	.07	15
16	.01	.04	—	.13	.27	.02	<i>Tn</i>	.10	<i>Tn</i>	—	—	—	16
17	—	.03	—	.37	.04	—	.14	.02	.07	<i>Tn</i>	—	—	17
18	.01	.08	<i>Tn</i>	.18	—	.19	.01	.48	—	—	.26	—	18
19	.03	<i>Tn</i>	—	.51	—	.16	.05	.37	.06	—	—	—	19
20	.01	.02	—	.02	—	—	.01	.47	—	—	.01	<i>Tn</i>	20
21	.01	—	—	—	.45	—	—	.03	—	—	—	—	21
22	.10	—	.11	—	<i>Tn</i>	—	—	—	.03	—	.02	—	22
23	.19	—	.01	—	.22	.01	—	—	.01	—	.05	.01	23
24	—	—	—	.45	.01	.04	<i>Tn</i>	<i>Tn</i>	.03	—	<i>Tn</i>	—	24
25	.06	—	—	.37	—	—	.30	—	<i>Tn</i>	—	<i>Tn</i>	<i>Tn</i>	25
26	—	.05	—	.26	—	—	.52	—	.01	—	.19	—	26
27	.07	.26	—	.03	.12	—	.70	—	—	—	.02	—	27
28	.04	.11	—	.06	—	—	<i>Tn</i>	—	—	—	<i>Tn</i>	.08	28
29	.08	—	—	<i>Tn</i>	.04	—	.06	—	—	.21	.01	.03	29
30	.04	X	—	—	.01	—	<i>Tn</i>	.01	—	—	—	—	30
31	.09	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	1.16	1.19	.14	3.74	2.67	1.38	2.47	2.94	1.55	.44	2.26	.42	YEAR'S TOTAL 20.16
*Days with ".01 in. or more.	22	17	4	16	13	11	13	17	11	4	16	8	162
*Days with ".04 in. or more.	12	11	1	13	10	6	8	13	7	2	8	4	95

Section **A**

for the entry of Daily Observations.

Station No. 411

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *City London Central Hospital*
in the County of *Kent*Diameter of Funnel of Gauge.....17 in.
Height of top of Gauge above Ground.....1 ft.....1 in.
,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	15	-	.02	38	-	15	.49	.01	.04	15	.02	1
2	15	-	-	.07	.01	-	-	.24	.04	15	15	.09	2
3	-	-	-	.06	.17	-	-	15	.58	15	-	15	3
4	-	15	-	-	15	.17	-	-	-	-	.01	-	4
5	.05	-	.01	15	.05	.12	.25	-	.04	-	-	-	5
6	.29	-	.01	.14	-	-	15	-	15	-	-	-	6
7	.01	-	.11	.05	-	-	.05	-	.14	-	-	-	7
8	15	-	.06	.01	.23	-	-	-	.04	.36	-	-	8
9	.30	15	.04	.06	.45	-	-	-	-	.05	-	-	9
10	.55	-	15	.14	.05	-	-	-	15	.04	-	-	10
11	.03	.025	15	.06	.01	-	.01	.03	15	.19	.01	.02	11
12	.07	.028	-	.02	-	-	15	15	-	.47	-	-	12
13	.09	-	-	.03	15	-	-	-	.02	.35	.01	15	13
14	.06	15	-	.06	.11	-	-	-	-	.07	15	15	14
15	15	-	-	.05	.03	-	-	-	-	.11	.01	15	15
16	.05	-	-	.18	.15	-	-	-	-	-	-	-	16
17	-	-	-	.04	-	-	.10	-	-	15	15	-	17
18	-	-	-	-	-	-	.07	-	.05	-	.07	-	18
19	-	-	-	-	15	-	-	-	.01	.10	.03	-	19
20	-	-	-	.12	.17	-	15	-	.02	.73	.12	-	20
21	15	-	-	.07	.33	-	-	15	-	.20	15	.03	21
22	15	.01	.32	15	.16	-	.06	-	.24	.19	.23	-	22
23	-	-	.07	.04	.11	-	-	-	.11	1.07	.08	.04	23
24	-	.07	-	-	-	-	.24	-	15	.02	.03	15	24
25	-	15	-	-	-	-	.23	-	.04	.32	15	-	25
26	-	-	.01	.04	.01	-	.17	.12	-	.01	-	-	26
27	-	-	.14	.04	.40	.02	.05	-	-	.43	.05	-	27
28	-	-	.01	15	.03	-	.07	-	.01	.16	-	-	28
29	-	-	.25	.02	.02	-	-	.25	.03	.31	-	.02	29
30	-	X	-	.03	.16	.62	-	15	.01	.05	.01	.12	30
31	-	X	.11	X	-	X	15	-	X	-	X	.02	31
TOTAL	1.43	.12	1.14	1.35	3.03	.93	1.30	1.13	1.39	5.26	.66	.36	YEAR'S TOTAL 18.10
*Days with ".01 in. or more.	11	4	12	22	20	4	11	5	16	21	12	8	146
*Days with ".04 in. or more.	8	1	7	16	14	3	10	4	9	19	5	3	99

Section

A

for the entry of Daily Observations.

Station No. 411

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933.

Kept at *City of London Mental Hospital*
STONE. DARTFORD.
in the County of *KEYT.*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *2* in.
Ground Sea Level *115* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>tr</i>	<i>.09</i>	<i>.09</i>	—	—	—	—	—	—	<i>.03</i>	<i>.01</i>	—		1
2	<i>.13</i>	<i>tr</i>	<i>.22</i>	—	<i>.14</i>	—	—	—	—	<i>tr</i>	<i>tr</i>	—		2
3	<i>.04</i>	<i>.14</i>	<i>.06</i>	—	<i>.01</i>	—	—	—	—	—	<i>.01</i>	—		3
4	<i>.13</i>	<i>tr</i>	<i>tr</i>	—	<i>.02</i>	—	—	—	—	—	<i>tr</i>	—		4
5	<i>.11</i>	—	<i>.17</i>	—	<i>.25</i>	—	—	—	—	—	—	—		5
6	—	<i>.08</i>	<i>.04</i>	—	<i>.30</i>	—	—	—	—	<i>.08</i>	<i>.17</i>	—		6
7	<i>.28</i>	<i>.02</i>	<i>.09</i>	—	<i>.09</i>	—	—	—	—	<i>.13</i>	<i>tr</i>	<i>.04</i>		7
8	<i>.10</i>	<i>tr</i>	—	—	<i>tr</i>	—	—	—	—	<i>tr</i>	—	—		8
9	—	—	—	—	<i>.06</i>	—	<i>.25</i>	—	—	<i>tr</i>	<i>.11</i>	—		9
10	<i>tr</i>	<i>.24</i>	—	—	<i>.01</i>	<i>.08</i>	<i>.07</i>	—	—	<i>.05</i>	—	—		10
11	<i>.03</i>	—	—	—	<i>.01</i>	<i>.04</i>	<i>.03</i>	<i>.06</i>	<i>.12</i>	—	<i>tr</i>	—		11
12	—	—	—	<i>.03</i>	—	<i>.16</i>	<i>.18</i>	—	—	—	<i>.02</i>	—		12
13	<i>.05</i>	—	—	—	<i>.11</i>	<i>.04</i>	<i>.02</i>	—	<i>.90</i>	<i>tr</i>	<i>.13</i>	—		13
14	<i>tr</i>	—	—	—	<i>tr</i>	—	<i>.01</i>	<i>.02</i>	<i>.03</i>	—	<i>.16</i>	<i>tr</i>		14
15	<i>.06</i>	—	<i>.04</i>	—	—	—	<i>.28</i>	<i>.20</i>	—	<i>.12</i>	<i>tr</i>	—		15
16	<i>.05</i>	<i>tr</i>	<i>.47</i>	—	—	<i>.15</i>	<i>.09</i>	<i>tr</i>	—	<i>.03</i>	<i>.04</i>	—		16
17	—	<i>tr</i>	<i>.32</i>	—	—	<i>tr</i>	<i>tr</i>	<i>tr</i>	<i>.08</i>	—	<i>.01</i>	—		17
18	<i>.01</i>	—	<i>.08</i>	—	—	<i>.13</i>	—	—	—	—	<i>tr</i>	—		18
19	—	SNOW <i>.02</i>	<i>.08</i>	SNOW <i>.04</i>	—	<i>.15</i>	—	—	<i>.13</i>	—	<i>.01</i>	<i>tr</i>		19
20	<i>tr</i>	SNOW <i>.01</i>	<i>.07</i>	<i>.05</i>	—	<i>.09</i>	<i>.28</i>	—	<i>tr</i>	—	<i>.01</i>	—		20
21	—	SNOW <i>.07</i>	—	—	—	<i>.01</i>	—	<i>.05</i>	<i>.37</i>	—	—	—	—	21
22	—	—	—	—	—	<i>1.43</i>	—	<i>.13</i>	<i>.09</i>	<i>.05</i>	<i>tr</i>	—		22
23	—	<i>tr</i>	—	<i>.09</i>	<i>.43</i>	—	—	—	<i>.25</i>	—	—	—		23
24	—	SNOW <i>.21</i>	—	<i>.13</i>	<i>.09</i>	<i>.24</i>	—	—	<i>.46</i>	<i>tr</i>	<i>.02</i>	—		24
25	—	<i>.16</i>	—	<i>.11</i>	<i>.01</i>	—	—	—	<i>tr</i>	—	<i>tr</i>	<i>.08</i>		25
26	—	<i>.26</i>	—	<i>.01</i>	—	<i>.02</i>	—	—	<i>.49</i>	<i>.02</i>	<i>.04</i>	<i>.20</i>		26
27	—	<i>tr</i>	—	—	<i>.05</i>	—	<i>tr</i>	—	<i>tr</i>	<i>.24</i>	—	<i>.04</i>		27
28	—	—	—	—	<i>.14</i>	—	—	—	<i>tr</i>	<i>.30</i>	<i>tr</i>	<i>.04</i>		28
29	<i>.01</i>	X	—	—	—	—	<i>.02</i>	—	—	<i>.18</i>	—	<i>tr</i>		29
30	<i>.13</i>	X	<i>.10</i>	—	—	—	<i>.35</i>	—	<i>.01</i>	<i>.07</i>	—	<i>.14</i>		30
31	<i>.04</i>	X	<i>tr</i>	X	—	X	—	<i>.08</i>	X	—	X	—		31
TOTAL	<i>1.17</i>	<i>1.30</i>	<i>1.83</i>	<i>.46</i>	<i>1.72</i>	<i>2.54</i>	<i>1.58</i>	<i>.54</i>	<i>2.93</i>	<i>1.30</i>	<i>.68</i>	<i>.54</i>	<i>16.59</i>	Year's Total
*Days with .01 in. or more.	<i>14</i>	<i>11</i>	<i>13</i>	<i>7</i>	<i>15</i>	<i>12</i>	<i>11</i>	<i>6</i>	<i>11</i>	<i>12</i>	<i>13</i>	<i>6</i>	<i>131</i>	
*Days with .04 in. or more.	<i>10</i>	<i>8</i>	<i>13</i>	<i>6</i>	<i>10</i>	<i>10</i>	<i>7</i>	<i>5</i>	<i>9</i>	<i>9</i>	<i>6</i>	<i>6</i>	<i>99</i>	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

W. J. Fletcher

[P.T.O.]

Section



for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

411

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at CITY OF LONDON MENTAL HOSPITAL.

in the County of KENT. (Dartford)

FILE NO 749134/27

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	tr	-	-	-	-	-	.07	-	.04	-	.37		1
2	.03	-	.15	-	.10	-	-	-	-	.32	-	.17		2
3	.01	.12	-	-	-	-	-	.02	.48	.46	-	tr		3
4	.10	-	.04	-	-	-	-	-	-	.02	.08	.35		4
5	-	tr	.01	-	.05	-	-	tr	-	tr	.04	.30		5
6	.01	-	.30	-	.19	.10	-	.08	-	.12	.02	.28		6
7	.03	tr	-	-	-	-	-	.04	-	.12	-	.10		7
8	-	-	-	-	.11	-	-	.05	.05	-	.18	.01		8
9	tr	.12	-	tr	-	.01	-	-	.02	-	.59	.26		9
10	tr	-	.21	.09	-	-	-	.01	-	.06	.41	tr		10
11	.36	-	.31	.04	-	-	-	.02	-	-	.03	.08		11
12	.06	-	.05	-	-	-	.07	.41	-	-	tr	.02		12
13	.29	-	.15	.03	-	-	.39	-	-	tr	.02	.01		13
14	.06	-	.22	-	.01	tr	-	.22	-	tr	.30	.24		14
15	.02	-	.09	-	.01	-	-	-	-	-	.05	.40		15
16	.07	-	.15	.11	.18	-	-	-	-	.05	tr	-		16
17	tr	-	.02	-	-	-	-	-	-	.07	-	.14		17
18	.07	-	-	.16	-	-	-	-	-	tr	-	.19		18
19	-	-	.17	.16	tr	.02	-	tr	.09	-	-	-		19
20	-	-	.17	tr	-	.02	tr	-	-	-	tr	.07		20
21	-	-	.02	.16	-	.04	-	.27	.02	.01	-	tr		21
22	-	-	tr	-	-	-	.08	-	.13	-	-	.07		22
23	-	-	-	.28	-	.71	-	-	tr	-	-	.16		23
24	-	.01	.01	.08	tr	.12	.44	-	-	-	-	-		24
25	.02	tr	-	.13	-	-	tr	-	-	.01	-	.20		25
26	.09	-	-	.09	-	.11	-	-	-	tr	-	.04		26
27	.01	tr	-	.15	-	.09	-	-	-	tr	-	.12		27
28	tr	.18	-	.27	-	-	tr	.50	-	tr	-	.16		28
29	.12	X	-	tr	-	-	-	tr	.08	-	tr	.05		29
30	.01	X	-	-	-	-	-	-	-	-	-	.15		30
31	-	X	-	X	-	X	tr	-	X	.12	X	.06		31
TOTAL	1.37	.43	2.07	1.75	.65	1.22	.98	1.69	.87	1.40	1.72	4.00	Year's Total.	
* Days with .01 in. or more.	18	4	16	13	7	9	4	11	7	12	10	25	136	
* Days with .04 in. or more.	8	3	12	12	5	6	4	8	5	9	7	22	101	

40-9999

† Spare column, no entries required

* See Instruction 2 (f) on other side.

(Signed)

R. W. Fletcher. [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 411

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at THE CITY OF LONDON MENTAL
HOSPITAL, STONE, near Dartford,
in the County of KENT.

FILE NUMBER:- 749134/27

Circ F. sent. 10/6/36. A.M.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
Ground Sea Level 115 ft.

Observer agrees to correction
of annual total. C.H.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28	.11	.01	-	-	.10	.28	-	.08	.04	.02	tr		1
2	.12	tr	.02	.03	-	.04	-	-	.13	.10	.08	-		2
3	-	.07	.18	.06	-	.02	-	-	.03	.65	.15	.01		3
4	-	.02	tr	.17	-	.19	-	-	.11	.07	tr	.06		4
5	-	.35	.05	.08	-	.27	-	tr	.47	tr	.01	-		5
6	.01	.07	.01	.25	-	.14	-	-	tr	tr	.04	.01		6
7	-	SNOW .02	-	.16	-	.12	-	-	-	tr	.71	.10		7
8	.04	tr	.01	.37	-	.07	-	-	-	.12	.25	.11		8
9	-	tr	-	.16	-	.52	-	-	-	.68	.09	-		9
10	.01	.01	-	.01	-	.01	-	-	-	-	.04	.02		10
11	.02	-	-	.10	-	.04	tr	-	-	-	.25	-		11
12	SNOW .24	tr	-	-	-	.09	-	.42	tr	-	.72	-		12
13	.05	.11	-	.06	.07	tr	-	-	tr	-	.02	-		13
14	tr	-	-	.18	.24	.08	-	-	-	tr	.02	.05		14
15	tr	.01	-	.20	tr	.01	-	-	.13	-	.11	.05		15
16	tr	.23	-	.12	-	.33	-	-	.18	-	.65	.02		16
17	-	-	.03	.01	tr	.11	-	-	.03	.01	.63	-		17
18	-	-	-	.13	.08	.06	.13	-	.26	.05	.02	-		18
19	-	tr	-	.01	.16	.01	-	-	.01	-	.08	-		19
20	-	.37	-	.02	.10	.04	.05	-	.03	-	.06	-		20
21	.01	-	-	tr	-	-	.12	-	.06	.05	.05	-		21
22	-	.23	tr	-	-	-	-	.28	.45	-	tr	-		22
23	tr	tr	.05	-	-	-	-	.08	tr	-	-	.03		23
24	-	.37	-	-	.57	-	-	.36	.35	-	-	.24		24
25	.04	.09	-	.35	.04	.35	-	tr	-	-	.04	.11		25
26	SNOW .26	.07	-	-	-	-	-	.10	tr	.01	-	.26		26
27	tr	.39	-	-	-	-	-	-	.04	tr	-	.11		27
28	.01	.01	-	-	-	-	-	-	.03	.04	-	.09		28
29	tr	X	-	-	-	-	-	-	.21	.01	-	.16		29
30	-	X	-	.11	.10	-	-	.73	.03	.04	.27	.39		30
31	-	X	-	X	-	X	-	tr	X	.19	X	.24	24.12	31
TOTAL	1.09	2.53	0.36	2.58	1.36	2.60	0.58	1.97	2.63	2.06	4.31	2.05	Year's Total. 23.49	
* Days with .01 in. or more.	12	17	8	20	8	20	4	6	18	14	22	18	167	
* Days with .04 in. or more.	6	12	3	15	8	16	4	6	12	11	17	13	123	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

A. Fletcher [P.T.O.]

Section



for the entry of Daily Observations.

Station No. 411

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at CITY OF LONDON MENTAL HOSPITAL.

in the County of DARTFORD KENT.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft.....2.....in.

,, Ground ,, Sea Level 115.....ft.

FILE NUMBER 749134/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	.15	.03	.10	-	.11	.21	.02						1
2	-	.01	-	.01	-	.21	.05	.07	-	-	.03	.16		2
3	-	tr	-	.36	.01	.07	.01	.01	.02	-	.06	-		3
4	tr	-	.08	-	-	-	-	-	.37	.01	.23	.04		4
5	.22	-	.02	-	-	-	-	.01	.18	.02	.08	.05		5
6	.21	-	-	-	-	.04	-	.01	.04	tr	.42	tr		6
7	.28	-	.02	-	-	.10	-	-	.03	-	.20	tr		7
8	.20	-	.07	-	-	-	tr	-	tr	-	.29	.24		8
9	.42	-	.01	-	-	tr	.47	-	.10	.02	.01	-		9
10	.07	-	tr	tr	-	-	.33	.15	.12	-	tr	-		10
11	-	-	-	.05	-	-	.06	.01	-	-	.48	tr		11
12	-	-	-	.12	-	.15	.10	-	.07	tr	.27	.01		12
13	-	-	-	-	-	.17	-	-	-	.03	.02	.36		13
14	-	-	-	-	-	.06	.36	-	.01	tr	.21	.45		14
15	-	.06	-	-	-	.02	tr	-	tr	-	.01	.07		15
16	Snow .26	.01	-	tr	.01	-	tr	-	.08	-	.36	.02		16
17	Snow .17	.40	-	-	.08	.06	tr	-	-	tr	.19	.11		17
18	Snow .08	-	-	-	-	.05	.10	.08	-	.02	.10	.01		18
19	.15	.01	-	tr	-	-	.03	-	-	-	tr	tr		19
20	.20	.02	-	.38	-	.09	.10	-	.74	-	-	-		20
21	-	.03	-	.21	.09	.30	tr	-	.02	-	-	-		21
22	.15	.36	.02	-	.10	.03	.13	-	-	-	-	.16		22
23	tr	.03	-	.04	-	-	.08	-	-	.06	-	-		23
24	.11	.05	-	tr	-	-	tr	-	.01	.50	-	-		24
25	.11	tr	.20	.20	-	.24	.10	-	.21	.08	.04	.03		25
26	tr	.06	.30	.01	-	-	-	-	.02	.17	-	-		26
27	.12	-	-	-	-	-	-	-	.22	.03	-	-		27
28	.56	tr	.02	-	-	.77	.02	-	.02	-	-	tr		28
29	.06	.08	.06	-	-	.10	.10	-	-	.01	.10	-		29
30	.06	~~X~~	-	-	.03	-	-	-	-	.16	tr	.02		30
31	.35	~~X~~	.14	~~X~~	tr	~~X~~	.10	-	~~X~~	.49	~~X~~	.09		31
TOTAL	3.94	1.27	0.97	1.48	0.32	2.57	2.35	0.36	2.26	1.60	3.10	1.82	Year's Total 22.04	✓
* Days with .01 in. or more.	20	13	12	10	6	17	17	8	17	13	18	15	166	✓
* Days with .04 in. or more.	20	7	6	8	3	15	14	3	10	6	14	10	116	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed) *R. H. M. M. M.* [P.T.O.]

Section



for the entry of Daily Observations

Station No. 2411

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at City of London Mental Hospital.

in the County of Kent.

Diameter of Funnel of Gauge...5...in.

Height of top of Gauge above Ground...1...ft...2...in.

,, Ground ,, Sea Level...115...ft.

File number 749134/ 27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.45	.06	tr	.06	-	-	-	-	-	-	.60	.37		1
2	-	.08	.03	.35	-	-	-	-	-	-	.01	1.17		2
3	-	.07	tr	-	-	-	-	-	.14	-	-	.32		3
4	.05	.37	-	-	tr	-	-	.03	-	-	tr	.37		4
5	.02	.25	.21	-	-	-	.18	-	-	-	-	.05		5
6	-	-	.61	-	.10	-	.01	-	-	.01	-	-		6
7	-	.79	.11	.04	-	-	-	-	.05	.03	-	.04		7
8	-	tr	.01	-	.10	.05	tr	-	-	-	.29	.48		8
9	-	.04	-	.36	.12	tr	-	-	.25	-	-	.24		9
10	-	-	.33	.10	.17	.55	.07	tr	-	-	-	.29		10
11	-	-	-	tr	.27	.01	.01	-	tr	-	-	.05		11
12	.10	.24	.03	.01	.44	.18	.01	-	.08	-	-	.45		12
13	.08	.01	.31	-	.02	.37	-	.12	.35	-	-	.02		13
14	.01	.02	.15	tr	.09	-	-	.13	.05	-	-	.02		14
15	.09	.05	-	.13	tr	.09	1.19	-	.08	-	-	.03		15
16	tr	.12	.33	.29	-	.05	-	.22	.08	-	-	.02		16
17	.16	.03	.03	.20	tr	.01	-	-	.32	-	.09	.01		17
18	.36	.06	.03	tr	.59	.68	-	-	.16	-	.20	.04		18
19	.05	-	tr	.09	.03	.24	tr	-	.04	-	tr	.09		19
20	.44	.01	.06	.35	.89	.06	-	-	.06	-	-	-		20
21	.24	.55	.03	.05	.01	-	.02	.09	-	-	-	-		21
22	.38	.05	tr	-	-	.58	.02	-	-	.45	.21	.03		22
23	.13	tr	-	-	-	-	-	-	-	.40	-	-		23
24	.47	.42	-	-	.01	-	-	-	.14	.18	-	tr		24
25	.07	.30	.15	-	-	-	-	-	.08	.20	-	tr		25
26	.01	.14	.09	-	tr	-	-	-	.06	.02	-	-		26
27	-	.06	-	.25	-	-	-	-	-	.25	-	-		27
28	.01	.02	-	.01	-	-	-	-	-	.03	-	.04		28
29	Show .04	×	-	-	-	.03	-	-	-	.03	.03	.05		29
30	Show .16	×	-	-	-	-	-	.02	-	tr	.20	.02		30
31	.17	×	-	×	-	×	-	-	×	.12	×	.03		31
TOTAL	3.49	3.74	2.51	2.29	2.84	2.91	1.51	0.61	2.04	1.72	1.63	4.23	Year's Total 29.52	✓
* Days with .01 in. or more.	21	22	16	14	13	13	8	6	15	11	8	23	170	✓
* Days with .04 in. or more.	17	17	10	12	9	10	3	4	15	6	6	15	124	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 411.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938 (1938)

Kept at City London Mental Hospital.
in the County of DARTFORD. Kent.

File number. 749134/27.

Diameter of Funnel of Gauge.....5.....in. S
Height of top of Gauge above Ground...1.....ft...2.....in. S
,, Ground ,, Sea Level ...115.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	-	-	.03	.12	-	-	.06	tr.	.02	.02		1
2	tr	-	-	.08	.09	-	.16	-	-	.29	-	-		2
3	.05	-	-	-	.27	-	tr	-	-	.47	-	-		3
4	tr	-	-	-	-	-	.03	.03	tr	.05	-	.04.		4
5	.02	-	-	-	-	-	.22	-	tr	.13	-	.01		5
6	.02	-	-	-	-	-	.03	-	tr	tr	-	-		6
7	-	-	-	-	-	.02	.05	.33	tr	.15	-	.04		7
8	.12	-	-	-	-	tr	.08	-	-	.10	-	-		8
9	.02	tr	-	-	-	tr	.05	.50	-	tr	-	.49		9
10	.10	.04	-	-	-	.06	tr	.09	-	-	-	.10		10
11	.20	tr	-	-	-	-	-	.11	-	-	.05	.14		11
12	.15	.04	-	-	-	-	-	-	-	.10	.03	.01		12
13	.36	.05 snow	-	-	-	-	-	-	-	.02	.07	.02.		13
14	.10	.08 snow	-	-	.19	-	-	-	.11	-	-	.02		14
15	.02	.10 snow	-	-	tr	-	.20	-	-	.39	-	.02		15
16	.15	.04 snow	-	-	-	-	.02	-	-	.03	.03	.30		16
17	-	.09 snow	-	-	.21	-	.02	-	-	.14	-	-		17
18	.02	-	-	-	.09	-	-	.02	.04	.01	.33	-		18
19	-	-	-	-	.01	-	-	-	.05	-	.16	.05		19
20	-	tr	-	-	.05	-	-	-	-	-	.38	.05 snow		20
21	-	-	-	-	-	-	-	.02	.11	-	.01	.12 snow		21
22	tr	-	-	tr	-	.02	-	.01	-	-	.09	.19 snow		22
23	-	-	-	-	-	-	-	-	tr	-	.07	.02 snow		23
24	-	-	.03	tr	tr	-	-	-	.07	-	-	.04 snow		24
25	.14	-	.25	.06	.12	-	.01	tr	.12	.05	.55	.10 snow		25
26	.15	.15	.08	.01	-	-	-	tr	.18	.32	tr	.12 snow		26
27	.08	.02	-	-	.13	.11	.10	-	1.29	tr	.10	-		27
28	.25	.02	-	.05	.25	.01	-	.14	.09	-	-	.02		28
29	.23	X	-	.02	.08	.02	-	-	.01	-	.02	.22		29
30	.02	X	-	.09	.08	.01	-	-	.05	.06	.19	tr		30
31	.11	X	-	X	.04	X	-	-	X	.08	X	.11		31
TOTAL	2.32	0.63	0.36	0.31	1.64	0.37	0.97	1.25	2.18	2.39	2.10	2.25	Year's Total 16.77	✓
* Days with .01 in. or more.	21	10	3	6	14	8	12	9	12	16	15	23	149	✓
* Days with .04 in. or more.	14	8	2	4	12	2	7	5	10	13	10	15	102	✓

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

Kept at CITY OF LONDON MENTAL HOSPITAL
in the County of KENT. (DARTFORD)

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
Ground Sea Level 115 ft.

Station No. 411.
File number. 749134/ 27.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	TR	.15	.37	-	-	.09	-	-	TR	-	1
2	.01	-	.45	TR	.01	-	TR	.25	.01	-	.01	TR	2
3	.02	-	-	.18	-	-	TR	.50	.24	.01	.22	.35	3
4	.12	-	.09	.19	-	-	.01	1.21	-	.50	.03	.02	4
5	.07	-	TR	.09	TR	-	.11	.01	-	.11	.20	.02	5
6	.38	-	-	.01	-	-	.03	TR	-	TR	.20	.01	6
7	.06	.15	-	-	-	-	TR	.03	-	.24	.03	.02	7
8	TR	.05	.09	-	-	-	TR	.09	-	.38	.19	.19	8
9	.02	.03	-	-	-	-	-	.02	-	.68	.07	.11	9
10	.14	-	-	-	-	.34	-	.05	.06	.01	.01	TR	10
11	-	-	.27	-	-	.47	-	-	TR	.70	TR	-	11
12	-	-	-	-	.02	.02	-	-	.01	-	-	.01	12
13	-	-	TR	-	-	.01	TR	-	.02	1.50	-	.02	13
14	.30	-	.02	.02	.22	-	TR	-	.01	.39	.45	TR	14
15	.45	-	.01	.02	.91	.01	-	-	.40	.75	.04	.01	15
16	.21	-	.12	.01	.22	.09	-	-	.18	-	.32	-	16
17	.28	.02	.02	.03	.02	.28	.29	-	-	-	.06	TR	17
18	.16	-	.01	-	.06	TR	.08	-	-	.20	.31	-	18
19	.19	-	TR	-	-	-	.20	-	TR	.68	-	TR	19
20	.13	-	-	-	-	.10	.62	-	.02	-	-	.11	20
21	.08	-	.26	-	-	.01	.15	.06	.19	.01	-	-	21
22	.04	.14	.18	TR	-	TR	.02	.06	-	-	.03	-	22
23	.04	-	.01	.15	-	TR	.13	-	-	.03	.50	-	23
24	.10 SNOW	.08	.07	.11	-	-	.62	-	TR	.10	TR	-	24
25	.71 SNOW	.28	.06	.02	-	TR	.03	-	TR	.14	.37	-	25
26	.09	-	-	.19	-	-	.01	-	.01	-	.27	.03	26
27	.05	.03	.06	.18	-	-	-	-	.03	.05	.25	-	27
28	.02	.32	.09	.05	-	TR	-	-	-	.02	.06	.11	28
29	-	X	-	.32	-	.01	-	-	-	.12	.05	.10 SNOW	29
30	-	X	TR	.50	-	TR	-	-	-	TR	.07	-	30
31	-	X	-	X	-	X	.08	-	X	TR	X	-	31
TOTAL	3.67	1.10	1.36	2.22	1.83	1.34	2.38	2.37	1.18	6.62	3.74	1.11	YEAR'S TOTAL 28.92
*Days with "or in. or more.	23	9	15	17	8	10	14	11	12	20	22	14	175
*Days with ".04 in. or more.	19	6	10	11	5	5	9	8	5	15	17	6	116

Section **A**

for the entry of Daily Observations.

Station No. **411**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1940.

Kept at **CITY OF LONDON MENTAL HOSPITAL.**in the County of **KENT (Dartford.)**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **1** ft. **2** in.,, Ground ,, Sea Level **115** ft.

FILE NUMBER 749134/27.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.05	-	tr	-	-	-	-	-	-	~~.84~~ X	-	1
2	-	.09	-	.10	-	-	.03	-	-	.12	X	tr	2
3	-	.12	-	.11	-	-	.23	-	-	.10	1.29	.03	3
4	-	.06	-	.09	-	-	tr	-	-	.11	.10	.09	4
5	-	.02	-	-	tr	-	.05	-	-	.01	.42	.11	5
6	.10	.01	-	tr	.03	-	.20	-	-	.13	.19	-	6
7	.27	.10	-	-	-	-	.10	.11	-	-	-	.09	7
8	-	tr	-	tr	-	-	.01	-	.03	.26	.02	~~.20~~	8
9	-	-	-	-	-	-	-	.02	.02	.05	.13	.02	9
10	-	.03	-	-	-	.27	.65	-	-	.08	.05	-	10
11	-	-	.04	.02	-	-	.01	-	-	-	.79	.01	11
12	-	snow .04	.02	-	-	-	.05	-	.11	-	.01	-	12
13	-	tr	.97	-	-	-	-	-	-	tr	1.18	.01	13
14	-	-	.18	.13	-	-	-	tr	.18	.01	-	.15	14
15	-	-	.08	.06	.10	.04	1.37	-	tr	tr	.39	.01	15
16	-	snow .10	.19	-	-	.14	.40	-	.05	~~.73~~	.51	tr	16
17	snow .12	-	.34	-	-	-	.02	-	-	-	.05	.01	17
18	snow tr	.35	.14	.35	-	-	.35	-	-	.20	.13	.18	18
19	-	.14	.05	tr	-	-	.05	-	~~.74~~	-	.03	.04	19
20	-	.02	tr	.01	-	-	.38	.04	-	.01	.12	-	20
21	snow .12	-	tr	-	.19	-	.16	tr	-	.05	.09	-	21
22	snow .07	-	.03	-	.46	.14	-	-	.03	.01	.01	-	22
23	-	.05	.02	.19	.06	-	tr	-	-	.04	tr	.03	23
24	-	-	tr	.26	-	-	.21	-	-	-	tr	.01	24
25	-	tr	.51	tr	-	-	.09	-	-	-	-	tr	25
26	snow .92	.03	.79	-	~~.77~~	.03	.03	-	-	-	-	-	26
27	snow .29	.22	-	-	-	-	1.06	-	-	-	-	-	27
28	snow .12	tr	tr	.03	.09	-	-	-	-	-	-	-	28
29	snow .05	tr	-	-	.05	.02	-	-	-	-	-	.12	29
30	snow .28	X	.03	.12	-	-	-	-	-	.04	-	.01	30
31	.05	X	-	X	-	X	-	-	X	.50	X	.02	31
TOTAL	2.39	1.43	3.39	1.47	1.75	0.64	5.45	0.17	1.16	2.45	6.35	1.14	YEAR'S TOTAL 27.79
* Days with ".01 in. or more.	11	16	14	12	8	6	20	3	7	17	19 ~~20~~	18	15 ~~12~~
* Days with ".04 in. or more.	11	11	10	9	7	4	15	2	4	13	15 ~~16~~	8	10 ~~9~~ ~~10~~

REGIST

Kept at BEXLEYHEATH
in the County of KENT.

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASUREMI

An observer who does not conform to this
year in the space on the right of this p
Ple

Station No. 411/5
FALL ORGANIZATION.
1935 .

Sept. monthly estimated
mm

BEXLEYHEATH

1935-40

780109

of the following

Jan. r, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										-	.02	.01		1
2										.06	-	-		2
3										.79	.09	-		3
4										.21	trace	.07		4
5										-	-	-		5
6										(1.00)	-	.01	.01	6
7										-	.73	.09		7
8										.22	.2	.09		8
9										-	.98	.04	.01	9
10										-	-	.07	.03	10
11										-	-	.19	.02	11
12										-	-	.52	-	12
13										-	-	trace	-	13
14										.02	-	-	.07	14
15										.05	-	.09	.02	15
16										.12	.03	.51	-	16
17										.01	-	.51	trace	17
18										.20	.02	.03	-	18
19										.02	-	.07	.01	19
20										.03	-	.06	-	20
21										-	.05	.03	-	21
22										.21	-	-	-	22
23										.06	-	-	.07	23
24										.16	-	-	.19	24
25										-	-	-	.10	25
26										-	-	-	.21	26
27										.10	-	.04	.15	27
28										.06	.05	trace	.05	28
29										.46	-	trace	.07	29
30		X								.02	.05	.18	.31	30
31		X		X		X			X	.10	X	.21		31
TOTAL									(2.52)				Year's Total	
* Days with .01 in. or more.									1.52	2.56	3.39	1.79	9.26	imp
* Days with .04 in. or more.									14	11	18	20	63	
									9	9	14	13	45	

Section

A

for the entry of Daily Observations.

Station No. 411/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.Kept at BEXLEYHEATH (Danson Park)
in the County of KENT.Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 160.88 ft.Sept. partly estimated
mm**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									.02	.01				1
2									.06	-	-			2
3									.79	.09	-			3
4									.21	trace	.07			4
5									(1.00)	-	-			5
6									-	.01	.01			6
7									-	.73	.09			7
8									.22	.2	.09			8
9									-	.98	.04	.01		9
10									-	-	.07	.03		10
11									-	-	.19	.02		11
12									-	-	.52	-		12
13									-	-	trace	-		13
14									.02	-	-	.07		14
15									.05	-	.09	.02		15
16									.12	.03	.51	-		16
17									.01	-	.51	trace		17
18									.20	.02	.03	-		18
19									.02	-	.07	.01		19
20									.03	-	.06	-		20
21									-	.05	.03	-		21
22									.21	-	-	-		22
23									.06	-	-	.07		23
24									.16	-	-	.19		24
25									-	-	-	.10		25
26									-	-	-	.21		26
27									.10	-	.04	.15		27
28									.06	.05	trace	.05		28
29									.46	-	trace	.07		29
30		X							.02	.05	.18	.31		30
31		X		X		X			X	.10	X	.21		31
TOTAL									(2.52)				Year's Total.	
* Days with .01 in. or more.									1.52	2.56	3.39	1.79	9.26	imp
* Days with .04 in. or more.									14	11	18	20	63	
									9	9	14	13	45	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *X the Surveyor X*

[P.T.O.]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. **411/5**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936

Kept at **BEXLEYHEATH (Danson Park)** (+A) X
in the County of **KENT**.

Diameter of Funnel of Gauge.....**5** in.

Height of top of Gauge above Ground.....**1** ft.....**6** in.

Ground Sea Level ~~160.88~~ ft. **161** X

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.14	.13	.04	.10	-	.17	.10	.06	Trace	-	Trace	.16		1
2	.02	Trace	-	.01	-	.21	.01	.01	-	-	.06	Trace		2
3	Trace	Trace	-	.27	-	.08	.02	.06	.04	-	.20	-		3
4	Trace	-	.06	-	.01	.08	Trace	.01	.49	.01	Trace	.02		4
5	.13	Trace	.03	-	-	-	Trace	-	.28	.01	.05	.06		5
6	.18	-	-	-	-	.08	-	-	.03	Trace	.37	Trace		6
7	.22	-	.01	-	-	.03	-	Trace	.03	.01	.14	-		7
8	.11	-	.06	-	-	-	-	-	-	Trace	.23	.26		8
9	.25	-	.02	-	-	-	.55	-	.39	Trace	Trace	-		9
10	.01	-	-	-	.01	-	.42	.23	.07	-	Trace	-		10
11	-	-	-	.08	-	-	.14	-	-	-	.58	-		11
12	-	-	-	.10	-	.23	.10	.02	.09	Trace	.30	.04		12
13	-	-	-	.02	-	.04	Trace	-	-	Trace	Trace	.12		13
14	Trace	.03	-	-	-	.04	.41	-	.03	.07	.20	.50		14
15	Trace	.03	-	-	-	.01	Trace	-	.04	-	Trace	.01		15
16	.4	.04	-	-	.10	-	.01	-	.03	-	.33	.02		16
17	.11	.38	-	-	-	.03	Trace	-	-	.01	.16	.12		17
18	.04	.01	-	-	-	.03	.08	Trace	-	.01	.11	.06		18
19	.17	.03	-	-	-	.15	.14	.07	-	Trace	Trace	-		19
20	.09	.05	-	.38	Trace	-	.06	-	1.01	Trace	-	-		20
21	-	.02	-	.20	.02	.41	Trace	-	0.10	-	-	-		21
22	.14	.34	.04	Trace	.11	.07	.12	-	Trace	-	-	.07		22
23	-	Trace	-	.04	-	.05	Trace	-	Trace	.05	-	Trace		23
24	.14	.05	-	-	-	-	-	-	.02	.49	Trace	-		24
25	.12	-	.2	.18	-	.45	.14	-	.16	.12	.02	.02		25
26	-	.08	.21	.09	-	.01	.08	-	.03	.14	-	.01		26
27	.13	Trace	Trace	.03	-	-	-	-	.13	.04	-	-		27
28	.48	-	.07	-	-	.38	-	-	Trace	-	-	.02		28
29	.05	.09	.01	-	-	.06	.06	-	Trace	Trace	.06	Trace		29
30	.03	Trace	-	-	.03	.12	.01	-	-	.21	-	-		30
31	.34	Trace	.17	Trace	.01	Trace	.01	-	Trace	.64	Trace	.09		31
TOTAL	3.29	1.28	.92	1.50	.29	2.73	2.46	0.46	2.97	1.81	2.81	1.58	22.10	
* Days with .01 in. or more.	21	13	12	12	7	21	18	7	17	13	14	16	171	
* Days with .04 in. or more.	19	7	8	9	2	16	13	4	11	8	13	10	120	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) **X THE SURVEYOR X** [P.T.O.]

Section **A** for the entry of Daily Observations.

Station No. 411/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Bexleyheath

in the County of Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1..ft..6.....in.

,, Ground ,, Sea Level ...160.88.ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.35	.02	trace	.08	-	-	-	-	-	-	.79	.42		1
2	-	.05	.02	.41	-	-	-	-	.09	.02	trace	.79		2
3	-	.07	trace	-	.03	-	-	-	-	-	do.	.21		3
4	.06	.32	-	trace	-	-	-	-	-	-	do.	.39		4
5	.17	.23	.28	-	-	-	.13	-	-	-	do.	.01		5
6	.02	-	.65	-	.11	-	-	-	-	.04	do.	-		6
7	-	.78	.27	.03	.02	-	trace	-	.05	.02	do.	.03		7
8	-	trace	.01	trace	.12	.05	-	-	-	-	.22	.40		8
9	-	.04	-	.25	.21	trace	.01	-	.23	-	-	.09		9
10	.01	-	.34	.25	.70	.33	.05	.02	-	-	trace	.36		10
11	-	-	.28	-	.07	-	.01	-	-	trace	-	.02		11
12	.08	.26	.03	-	.54	.31	trace	.03	.04	-	-	.09		12
13	.14	.02	.33	trace	trace	.28	-	.05	.22	-	-	.42		13
14	.02	.02	.06	.01	.01	-	-	.10	.06	-	-	-		14
15	.08	.04	-	.11	-	-	.43	-	.12	-	-	.01		15
16	trace	.10	.22	.23	-	.02	-	.19	.10	-	-	trace		16
17	.13	.02	.05	.20	-	-	-	-	.01	-	.12	-		17
18	.20	.03	-	trace	.56	.66	-	-	.05	-	.19	.08		18
19	.03	.05	trace	.07	.03	.28	trace	-	.03	.01	-	.04		19
20	.25	trace	.10	.17	.74	.06	-	-	trace	-	-	-		20
21	.15	.58	.05	.04	.01	-	.03	trace	-	trace	-	-		21
22	.35	.04	trace	-	-	.04	.02	-	-	.74	.24	.01		22
23	.21	trace	trace	-	-	-	-	-	-	.42	.01	-		23
24	.47	.46	trace	-	.01	-	-	-	.10	.20	-	-		24
25	.07	.25	.16	-	-	-	-	-	.09	.19	-	.01		25
26	.01	.09	.06	-	.06	-	-	-	-	.01	-	trace		26
27	-	.07	-	.26	-	-	-	-	.04	.30	-	.02		27
28	trace	.05	-	.01	-	trace	-	-	-	.01	.03	.02		28
29	.05	x	-	-	-	trace	-	-	-	.02	.03	.06		29
30	.19	x	-	-	-	-	-	.11	-	Trace	.16	Trace		30
31	.17	x	-	x	-	x	-	-	x	.06	x	Trace		31
TOTAL	3.21	3.59	2.91	2.12	3.22	2.03	0.68	.50	1.23	2.04	1.76	3.46	26.75	
* Days with .01 in. or more.	22	22	15	14	15	9	7	6	14	13	8	19	164	5
* Days with .04 in. or more.	17	17	13	11	9	8	3	4	12	7	6	12	119	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column; no entries required.

(Signed) [Signature] [P.T.O.]

Section



for the entry of Daily Observations

Station No. 411/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bexleyheath

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

Ground Sea Level 160.88 ft.

written post in
82 1938 but better
note should be
written to ensure
later for comparison

Del Snow
w. 27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	Tr.	Tr.	.01	.04	.08	Tr.	-	.01	-	-	.04		1
2	.06	Tr.	-	.08	.11	-	.01	-	-	.19	-	.03		2
3	Tr.	-	-	-	.21	-	-	-	.01	.25	-	-		3
4	.03	-	-	-	-	-	.09	.02	-	.03	-	.03		4
5	Tr.	-	-	-	-	-	.27	-	Tr.	.11	-	-		5
6	.01	-	-	-	-	-	.05	Tr.	.03	-	-	-		6
7	Tr.	-	-	-	-	-	.06	.46	.01	.10	-	.04		7
8	.09	-	-	-	-	-	.06	-	-	.08	-	Tr.		8
9	.01	-	-	-	-	.07	.08	.36	-	Tr.	-	.36		9
10	.08	.04	-	-	-	.08	-	.10	-	-	-	.04		10
11	.19	-	-	-	-	.05	-	-	-	-	.05	.09		11
12	.14	.02	-	-	Tr.	-	-	.07	-	.08	Tr.	-		12
13	.26	.07	-	-	-	-	-	-	-	.01	.07	.02		13
14	.07	.02	-	-	.24	-	-	-	.16	-	-	.02		14
15	.02	.07	-	-	-	-	.13	-	-	.35	-	.04		15
16	.12	.04	-	-	.01	-	.03	-	-	Tr.	-	.35		16
17	-	.11	-	-	.12	-	.03	-	Tr.	.08	-	-		17
18	.01	-	-	-	.08	-	Tr.	-	Tr.	.04	.32	Tr.		18
19	-	.01	-	-	-	-	-	.01	.02	-	.11			19
20	-	-	-	-	.05	-	-	-	.05	-	.25			20
21	.01	-	-	-	-	-	-	.02	.10	-	.01			21
22	-	-	Tr.	-	-	.02	-	.01	-	-	.08			22
23	-	-	-	Tr.	Tr.	-	-	-	-	-	.02	.60		23
24	Tr.	-	.05	-	.01	-	-	-	.51	-	.02			24
25	.10	-	.21	.05	.12	-	.03	-	.04	.04	.78			25
26	.14	.09	.07	-	-	-	-	.11	.15	.29	-			26
27	.05	.02	-	-	.07	.11	.06	Tr.	-	-	.09	-		27
28	.24	.02	-	.09	.22	.03	-	.18	.03	-	-	-		28
29	.16	X	-	.01	.07	-	-	-	-	-	.01	-		29
30	.01	X	-	.10	.02	.03	-	-	-	.05	.13	-		30
31	.08	X	-	X	.03	X	-	-	X	.07	X	.09		31
TOTAL	1.89	.51	.33	.33	1.40	.47	.90	1.34	1.12	1.77	1.94	1.75	13.75	
* Days with .01 in. or more.	22	11	3	5	15	8	12	10	12	15	13	12	138	
* Days with .04 in. or more.	14	6	3	4	11	5	8	6	6	13	9	8	101	
Year's Total														13.75

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 411/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Bexleyheath*

in the County of *Kent*

Diameter of Funnel of Gauge.....*5*.....in.

Height of top of Gauge above Ground.....*1*.....ft.....*6*.....in.

„ Ground „ Sea Level *160.88*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	—	Trace	.15	.31	—	—	.01	~~X~~	—	—	—		1
2	.19	—	—	Trace	.01	—	.01	.28	~~X~~	—	.02	—		2
3	.12	—	—	.24	—	—	—	.77	~~X~~	—	.18	.30		3
4	.06	—	.08	.13	—	—	.03	1.81		.56	.04	—		4
5	—	—	Trace	.06	—	—	.13	Trace		.03	.08	.02		5
6	.31	—	—	—	—	—	.02	.01		—	.21	Trace		6
7	.02	.12	—	—	—	—	—	Trace	—	.04	Trace	.16		7
8	—	.02	.09	—	—	—	—	.11	—	.69	.24	.06		8
9	.01	.01	—	—	—	—	—	Trace	—	.25	.01	.09		9
10	.16	—	—	—	—	.32	—	.03	.06	Trace	—	—		10
11	—	—	.31	—	—	.38	—	—	—	.45	.01	.01		11
12	—	—	—	—	—	—	—	—	—	—	—	—		12
13	—	Trace	—	Trace	—	.04	Trace	—	.03	1.64	—	Trace		13
14	.28	—	Trace	.04	.15	—	Trace	—	—	.32	.35	.03		14
15	.38	—	.03	—	.98	.01	.02	—	.23	1.12	.03	—		15
16	.22	—	.08	Trace	.18	.08	Trace	—	.14	.01	.34	—		16
17	.33	.03	.03	.02	—	—	.11	—	Trace	—	.05	.01		17
18	.14	—	Trace	—	.08	.31	.14	—	—	.22	.26	—		18
19	.18	Trace	.02	—	—	—	.06	—	.01	.50	—	—		19
20	.19	—	—	—	—	.12	.43	—	—	—	—	.11		20
21	.02	—	.13	—	—	.01	.11	.02	.18	.02	—	—		21
22	.04	.12	.13	—	—	.01	.02	—	Trace	—	.03	—		22
23	.04	—	—	.19	—	Trace	.04	.06	—	.04	.50	—		23
24	~~.44~~	.04	.13	.06	—	—	.35	Trace	—	.10	—	—		24
25	~~.22~~	.04	—	—	—	—	.04	.01	—	—	~~.50~~	—		25
26	.05	Trace	—	.06	—	.01	Trace	—	—	.10	~~(.20)~~	.01		26
27	.04	.02	.09	.10	—	Trace	—	—	.02	.03	.25	—		27
28	Trace	.22	.06	.18	—	Trace	—	—	—	.04	.04	—		28
29	—	~~X~~	—	.39	—	—	—	—	—	.10	.08	—		29
30	—	~~X~~	—	.60	—	.15	—	—	—	—	.04	—		30
31	—	~~X~~	—	~~X~~	—	~~X~~	.06	—	~~X~~	—	~~X~~	—		31
TOTAL	3.56	.83	1.22	2.25	1.71	1.44	1.90	2.81	1.24	6.32	3.29	.80	27.30	
* Days with .01 in. or more.	~~2~~ 22	9	13	13	6	11	15	10	~~8~~ 10	19	28	10	155	
* Days with .04 in. or more.	~~1~~ 18	5	10	12	5	7	10	5	~~5~~ 7	15	~~15~~ 16	5	111	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

411/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934.

Kept at *Bexleyheath*in the County of *Kent*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1*.....ft. *6*.....in.,, Ground ,, Sea Level *160.88*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.28	<i>Tr.</i>	—	<i>Tr.</i>	—	—	—	—	—	in.	in.		1
2	—	—	—	.02	—	—	.03	—	—	.18	1.96	—		2
3	—	.28	—	.10	—	—	.20	—	—	.08	—	~~.14~~		3
4	—	—	—	.04	—	—	—	—	—	—	.14	~~.12~~		4
5	<i>Tr.</i>	—	—	—	.01	—	<i>Tr.</i>	—	—	—	.50	—		5
6	.45	.05	—	—	.02	—	.15	—	—	.46	—	—		6
7	—	.11	—	<i>Tr.</i>	.01	—	—	.01	.06	—	—	.21		7
8	—	.01	—	—	—	—	—	—	—	—	.03	—		8
9	—	—	—	—	—	1.04	—	—	.01	—	.15	.03		9
10	—	—	.03	—	—	.01	.60	.04	—	<i>Tr.</i>	—	.01		10
11	.02	—	—	.02	—	—	<i>Tr.</i>	—	—	—	.74	—		11
12	.01	.05	.03	—	—	—	.50	—	—	—	—	—		12
13	.01	.01	.95	—	—	—	.03	—	—	—	1.08	.02		13
14	—	—	.23	.11	—	—	—	—	.95	<i>Tr.</i>	—	—		14
15	—	—	.02	.04	.31	.02	.86	—	—	—	—	.15		15
16	—	.15	.61	.28	—	.10	.59	—	—	.83	.83	—		16
17	.03	.25	—	—	—	—	.05	—	—	—	—	—		17
18	—	—	.03	.28	—	—	.27	—	—	.19	.26	.13		18
19	.02	.18	.01	.04	—	—	.01	—	—	.08	.11	.01		19
20	—	<i>Tr.</i>	—	—	—	.01	.11	.02	—	—	—	—		20
21	—	—	—	—	.62	—	—	.02	.13	.05	.10	—		21
22	.04	—	.01	—	.19	—	—	—	—	.03	—	—		22
23	—	.02	.01	.48	—	.14	—	—	—	.04	—	.03		23
24	—	—	—	—	—	—	.21	—	—	—	—	.03		24
25	1.02	—	.64	—	—	—	.11	—	—	.01	—	—		25
26	—	.02	.60	—	.16	.24	.04	—	—	—	—	<i>Tr.</i>		26
27	—	.10	—	.02	—	—	.32	—	—	—	—	—		27
28	—	.08	—	—	.10	—	—	—	—	—	—	—		28
29	.94	.01	.02	—	.15	.01	—	—	—	—	—	.15		29
30	—	~~X~~	—	.11	—	—	—	—	—	.03	—	.01		30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.35	~~X~~	.02		31
TOTAL	2.54	1.60	3.19	1.54	1.57	1.63	4.08	.12	1.15	2.33	5.98	.94	Year's Total	26.65
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

CRAYFORD (DELL)

Section **A** for the entry of Dai
AIR MINISTRY.

Form 90

REGIST

Kept at *Crayford (De)*

in the County of *Kent*

Diameter of Funnel of Gauge.....5.....

Height of top of Gauge above Ground

„ Ground „ Sea Lev

THE MORNING MEASUREME

An observer who does not conform to the
year in the space on the right of this p

Please

411/6

CRAYFORD (DELL)

1938 - 39

Station No. *411/6*
NFALL ORGANIZATION

938

act of mag
why at 630 434/37

IOUS DAY
of the following

Jan. 1, following

78 01 09

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.08	—	—	.03	.01	T	.08		1
2						—	.13	—	—	.20	T	.02		2
3						—	—	—	.01	.36	.01	T		3
4						—	.06	.03	—	.07	—	.03		4
5						—	.29	T	T	.11	T	T		5
6						—	.02	—	.02	T	—	T		6
7						(.40) Trace	.04	.49	.01	.12	—	.03		7
8						Trace	.05	—	—	.10	—	T		8
9						—	.05	.43	—	T	—	.41		9
10						.19	Trace	.06	T	T	T	.06		10
11						—	T	T	T	—	T	.05	.13	11
12						—	—	T	.05	—	.08	.04	T	12
13						Trace	—	—	—	—	.02	.06	.03	13
14						.22	—	—	—	.14	T	T	.01	14
15						Trace	—	.14	—	—	.39	.01	.04	15
16						Trace	—	.03	T	—	T	.01	.35	16
17						.18	—	.03	—	—	.09	T	—	17
18						.08	T	T	—	.02	.01	.33	T	18
19						Trace	—	—	.01	.02	T	.11	T	19
20						.03	—	—	T	.07	T	.37	T	20
21						—	—	—	.03	.11	T	.02	T	21
22						—	.02	—	.02	T	T	.10	.13	22
23						Trace	—	—	—	.05	T	.04	.04	23
24						Trace	—	—	—	.21	T	.01	.10	24
25						.11	—	.03	—	.06	.04	.54	T	25
26						—	—	T	.03	.17	.35	—	.22	26
27						.18	.11	.09	—	.80	T	.09	T	27
28						.19	.03	—	.14	T	T	T	T	28
29						.08	—	—	T	—	T	.01	.22	29
30		X				.02	.01	—	T	.03	.05	.15	T	30
31		X		X		.02	X	—	T	X	.06	X	.10	31
TOTAL					(1.51)	.44	.96	1.29	1.75	2.06	1.95	1.99	—	Year's Total
* Days with .01 in. or more.						6	12	10	15	16	17	17	—	
* Days with .04 in. or more.						3	8	5	8	13	11	11	—	

ENGINEER & SURVEYOR

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

CRAYFORD (DELL)

Section

A

for the entry of Daily Observations

Station No.

411/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 90

REGISTER OF RAINFALL IN 1938

Kept at Crayford (Dell)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1.0 ft. 0 in.

Ground Sea Level 8.6 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.08	—	—	.03	.01	T	.08		1
2						—	.13	—	—	.20	T	.02		2
3						—	—	—	.01	.36	.01	T		3
4						—	.06	.03	T	.07	—	.03		4
5						—	.29	T	T	.11	T	T		5
6						—	.02	—	.02	T	—	T		6
7						(.40) Trace	.04	.49	.01	.12	—	.03		7
8						Trace	.05	—	—	.10	—	T		8
9						—	.05	.43	—	T	—	.41		9
10						.19	Trace	.06	T	T	T	.06		10
11						—	T	T	T	—	T	.05	.13	11
12						—	—	T	.05	—	.08	.04	T	12
13						Trace	—	—	—	—	.02	.06	.03	13
14						.22	—	—	—	.14	T	T	.01	14
15						Trace	—	.14	—	—	.39	.01	.04	15
16						Trace	—	.03	T	—	T	.01	.35	16
17						.18	—	.03	—	—	.09	T	—	17
18						.08	T	T	—	.02	.01	.33	T	18
19						Trace	—	—	.01	.02	T	.11	T	19
20						.03	—	—	T	.07	T	.37	T	20
21						—	—	—	.03	.11	T	.02	T	21
22						—	.02	—	.02	T	T	.10	.13	22
23						Trace	—	—	—	.05	T	.04	.04	23
24						Trace	—	—	—	.21	T	.01	.10	24
25						.11	—	.03	—	.06	.04	.54	T	25
26						—	—	T	.03	.17	.35	—	.22	26
27						.18	.11	.09	—	.80	T	.09	T	27
28						.19	.03	—	.14	T	T	T	T	28
29						.08	—	—	T	—	T	.01	.22	29
30		X				.02	.01	—	T	.03	.05	.15	T	30
31		X		X		.02	X	—	T	X	.06	X	.10	31
TOTAL					(1.51)	.44	.96	1.29	1.75	2.06	1.95	1.99	—	Year's Total
* Days with .01 in. or more.						6	12	10	15	16	17	17	—	
* Days with .04 in. or more.						3	8	5	8	13	11	11	—	

ENGINEER & SURVEYOR

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

REGISTER OF RAINFALL IN 1939

Kept at Crayford (Dell).
in the County of Kent.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 86 ft.

November-December 1938
630434/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	Tr	.16	.35	-	Tr	Tr	.37	-				1
2	.01	-	Tr	.01	-	-	Tr	.26	.17	Tr				2
3	.13	-	-	.16	-	-	-	.55	-	-				3
4	-	Tr	.09	.16	-	-	.02	1.64	-	.48				4
5	.08	Tr	-	.10	-	-	.16	.02	.01	.03				5
6	.38	Tr	-	-	-	-	.02	.02	Tr	-				6
7	.03	Tr	-	-	-	-	Tr	.02	Tr	.10				7
8	Tr	.14	.10	-	-	-	Tr	.05	Tr	.44				8
9	Tr	.02	-	-	-	-	-	.01	Tr	.70				9
10	.16	.02	-	-	-	.33	-	.03	.07	Tr				10
11	Tr	-	.26	-	-	.32	-	-	.03	.67				11
12	Tr	-	Tr	-	Tr	Tr	-	-	.01	Tr				12
13	Tr	Tr	Tr	Tr	-	.07	Tr	-	.01	1.43				13
14	.27	-	Tr	.16	.16	Tr	Tr	-	Tr	.38				14
15	.35	-	.02	Tr	.92	Tr	.02	-	.22	.73				15
16	.25	Tr	.11	.01	.20	.07	-	-	.23	Tr				16
17	.30	Tr	.03	.02	.03	-	.17	-	Tr	-				17
18	.20	.02	.01	-	.38	.19	.17	Tr	-	-				18
19	.19	-	-	-	-	-	.15	-	Tr	.02				19
20	.14	-	Tr	-	-	.02	.72	-	Tr	.17				20
21	.08	-	.14	-	Tr	.10	.35	.11	.22	-				21
22	.05	.17	.17	-	Tr	.01	.02	-	Tr	.01				22
23	.05	-	-	.15	-	Tr	.05	.06	Tr	-				23
24	.12	.13	.06	.12	-	-	.96	-	Tr	.03				24
25	.70	.28	.06	.02	-	-	.02	-	-	.10				25
26	.08	Tr	Tr	.02	-	.03	-	-	Tr	-				26
27	.05	.02	.05	.17	-	-	-	-	.03	.12				27
28	-	.31	.07	.11	-	Tr	-	-	-	.03				28
29	-	X	-	.34	-	Tr	Tr	-	Tr	.03				29
30	-	X	-	.51	-	-	-	-	-	.10				30
31	-	X	-	X	-	X	.05	Tr	X	Tr	X			31
TOTAL	3.64	1.11	1.17	2.22	2.04	1.14	2.88	2.77	1.37	5.57	(3.80)	(1.00)	Year's Total (28.71)	
* Days with .01 in. or more.	21	9	13	16	6	9	14	11	11	18	(20)	(12)	(160)	
* Days with .04 in. or more.	18	5	10	11	5	6	9	6	6	12	(17)	(8)	(113)	

REGISTE

Kept at *Crayford* (Manor)
in the County of *Kent*
Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground...
" Ground " Sea Level
THE MORNING MEASUREMENT

An observer who does not conform to this r
year in the space on the right of this para
Please re

411/8
CRAYFORD
MANOR WAY
1938-39

Station No. *411/8*
ALL ORGANIZATION

38

JS DAY
e following

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.13	—	—	—	.01	.01	.06		1
2						—	.16	—	—	.21	—	.03		2
3						—	—	—	—	.36	Trace	—		3
4						Trace	.12	.03	.03	.04	—	.04		4
5						—	.30	—	—	.12	—	Trace		5
6						—	.03	—	.03	—	—	—		6
7						—	.05	.44	.02	.12	—	.04		7
8						—	.08	—	—	.10	—	—		8
9						—	.06	.37	—	—	—	.42		9
10						.17	—	.06	—	—	—	.04		10
11						Trace	—	Trace	—	—	.04	.12		11
12						—	—	.05	—	.09	.04	—		12
13						—	—	—	—	.01	.06	.02		13
14						.28	Trace	—	.09	—	Trace	Trace		14
15						—	—	.14	—	—	.40	Trace	.05	15
16						—	—	.02	—	—	—	.01	.35	16
17						.27	—	.03	—	—	.12	—	—	17
18						—	—	—	.04	.05	.36	—	—	18
19						—	—	—	.01	.02	—	.12	.02	19
20						.03	—	Trace	.07	—	.36	—	—	20
21						—	—	.05	.11	—	.02	—	—	21
22						—	.01	—	.01	—	.10	.13	—	22
23						—	—	—	.01	—	.04	.01	—	23
24						—	—	—	.26	—	.02	.11	—	24
25						.13	—	.03	—	.05	.04	.78	—	25
26						—	—	—	.03	.16	.30	—	.33	26
27						.10	.13	.09	—	.74	.01	.12	—	27
28						.34	.05	—	.18	Trace	—	—	—	28
29						—	—	—	—	—	.01	.24	—	29
30		X				.02	.01	—	—	.03	.05	.18	—	30
31		X		X		.04	X	—	—	X	.07	X	.12	31
TOTAL						(1.61)	0.50	1.11	1.23	1.66	2.10	2.27	2.13	Year's Total
* Days with .01 in. or more.						6	12	10	14	17	16	17	—	
* Days with .04 in. or more.						4	8	6	8	14	11	13	—	

ENGINEER & SURVEYOR.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]



REGISTER OF RAINFALL IN 1938

Kept at Crayford (Manor Way)

in the County of Kent

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 83 ft.

my entries estimated from nearby stns.

630434/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.13	—	—	—	.01	.01	.06		1
2						—	.16	—	—	.21	—	.03		2
3						—	—	—	—	.36	Trace	—		3
4						Trace	.12	.03	.03	.04	—	.04		4
5						—	.30	—	—	.12	—	Trace		5
6						—	.03	—	.03	—	—	—		6
7						—	.05	.44	.02	.12	—	.04		7
8						—	.08	—	—	.10	—	—		8
9						—	.06	.37	—	—	—	.42		9
10						.17	—	.06	—	—	—	.04		10
11						Trace	—	Trace	—	—	.04	.12		11
12						—	—	.05	—	.09	.04	—		12
13						—	—	—	—	.01	.06	.02		13
14						.28	Trace	—	.09	—	Trace	Trace		14
15						—	.14	—	—	.40	Trace	.05		15
16						—	.02	—	—	—	.01	.35		16
17						.27	.03	—	—	.12	—	—		17
18						—	—	—	.04	.05	.36	—		18
19						—	—	.01	.02	—	.12	.02		19
20						.03	—	Trace	.07	—	.36	—		20
21						—	—	.05	.11	—	.02	—		21
22						—	.01	.01	—	—	.10	.13		22
23						—	—	—	.01	—	.04	.01		23
24						—	—	—	.26	—	.02	.11		24
25						.13	.03	—	.05	.04	.78	—		25
26						—	—	.03	.16	.30	—	.33		26
27						.10	.13	.09	—	.74	.01	.12	—	27
28						.34	.05	—	.18	Trace	—	—		28
29						—	—	—	—	—	.01	.24		29
30		X				.02	.01	—	—	.03	.05	.18	—	30
31		X	X	X		.04	X	—	—	X	.07	X	.12	31
TOTAL						(1.61)	0.50	1.11	1.23	1.66	2.10	2.27	2.13	Year's Total
* Days with .01 in. or more.						6	12	10	14	17	16	17	—	
* Days with .04 in. or more.						4	8	6	8	14	11	13	—	

ENGINEER & SURVEYOR.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Crayford (Manor Way)
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 82 ft.

Sept. estd. with up to 1928
630434/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr	-	Tr	.17	.32	-	-	.10	.42					1
2	.01	-	-	-	-	-	Tr	.25	.13					2
3	.13	Tr	-	.19	Tr	-	-	.74	-					3
4	.08	-	.08	.16	-	-	.02	1.95	Tr					4
5	Tr	Tr	-	.13	-	-	.16		-					5
6	.38	Tr	-	Tr	-	-	.04	.06						6
7	)	.14	-	-	-	-	-	.02						7
8	) .04	.02	.10	-	-	-	-							8
9	.02	.01	-	-	-	-	-	.08						9
10	.14	-	-	-	-	-	-	.04	X					10
11	-	-	.30	-	-	.74	-	-	X					11
12	-	-	-	-	-	-	-	-	✓					12
13	Tr	Tr	Tr	Tr	-	-	-	-	✓					13
14	.33	-	.01	.10	.16	.03	-	-						14
15	.39	-	.02	)	.85	.01	.07	-	X					15
16	.38	-	.13	)	.21	.09	-	-	X					16
17	.37	.03	.02	)	.04	.04	-	.07	-					17
18	.21	Tr	.01	-	.56	.22	.17	-						18
19	.20	-	-	-	-	-	.16	-						19
20	.14	-	-	-	-	.01	.83	-						20
21	)	-	.17	-	-	.07	.22	.03	X					21
22	) .12	.15	.16	-	-	.01	.01	-						22
23	.05	-	-	.15	-	-	.08	.06						23
24	.11	.11	.05	.13	-	-	.67	-						24
25	.66	.25	.04	.01	-	-	-	-						25
26	.04	.01	-	.01	-	.04	.02	-						26
27	.05	.01	.06	.13	-	-	-	-	✓					27
28	Tr	.30	.07	.11	-	Tr	-	-						28
29	-	X	-	-	-	-	-	-						29
30	-	X	-	.85	-	.04	-	-						30
31	-	X	-	X	-	X	.05	-	X		X			31
TOTAL	3.85	1.03	1.22	2.18	2.14	1.26	2.57	3.33	(1.30)				Year's Total	
* Days with .01 in. or more.	20	10	14	13	6	10	14	10	(10)					
* Days with .04 in. or more.	17	5	10	11	6	6	11	8	(7)					

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

REGISTER

Kept at *West Kent Main Sewers*
in the County of *Disposal Works Kent.*

Diameter of Funnel of Gauge *5"*
Height of top of Gauge above Ground *1'0"*
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule
year in the space on the right of this paragraph

Please

412
COPY FOR OFFICIAL USE.
LL ORGANIZATION.

412
DARTFORD
WEST KENT S.W.

1931-40

following

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.04	Trace	.58	—	.02	—	.06	.03	—	—	—	1
2	.20	.09	—	.19	.05	—	—	.02	.22	.07	—	.07	2
3	.03	.01	.07	.26	1.04	—	—	.16	.38	—	.07	.14	3
4	—	—	—	Trace	—	—	—	Trace	Trace	Trace	Trace	—	4
5	—	—	—	.22	.13	.58	.02	Trace	.04	—	Trace	.11	5
6	—	.09	Trace	.02	—	.04	—	—	—	.14	.43	—	6
7	.01	.07	—	—	.04	.04	—	.13	—	Trace	.08	Trace	7
8	Trace	Trace	—	—	.07	.24	—	.24	—	.02	.03	Trace	8
9	Trace	.07	Trace	—	—	—	—	Trace	—	—	.32	.07	9
10	Trace	.09	Trace	—	—	—	—	.15	—	—	.32	—	10
11	.09	.12	—	—	—	—	—	—	.04	—	.18	—	11
12	.07	.05	—	Trace	—	—	.03	.38	.35	—	—	—	12
13	.07	—	—	—	—	—	.02	.04	—	.02	—	—	13
14	Trace	Trace	.07	—	—	Trace	.44	.82	—	—	—	—	14
15	.04	.07	—	.14	.15	—	.14	.23	—	—	Trace	.06	15
16	Trace	.06	—	.12	.29	Trace	Trace	.11	.06	—	—	—	16
17	Trace	.03	—	.39	.04	—	.14	.02	.03	Trace	—	—	17
18	.07	.10	Trace	.15	—	.15	—	.53	—	—	.35	—	18
19	.03	—	—	.24	—	.34	.08	.26	.05	—	Trace	Trace	19
20	.07	.02	—	.03	—	—	Trace	.13	—	—	.07	.07	20
21	.07	—	—	—	.50	—	—	.02	—	—	Trace	—	21
22	.09	—	.11	—	—	—	—	—	.02	—	.03	—	22
23	.13	Trace	—	—	.22	.02	—	—	.07	—	.05	.07	23
24	—	Trace	—	.56	Trace	.02	Trace	—	.03	Trace	—	—	24
25	.05	—	—	.14	.07	—	.33	.02	Trace	—	.01	Trace	25
26	—	.06	—	.35	—	—	.55	—	Trace	—	.21	—	26
27	.09	.29	—	.02	.11	—	.54	—	—	—	.01	—	27
28	.03	Trace	—	.04	—	—	—	—	—	—	Trace	.10	28
29	.09	X	—	—	.03	—	.05	—	—	.22	Trace	.02	29
30	Trace	X	—	—	.07	—	—	.07	—	—	—	—	30
31	.10	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	1.06	1.31	.73	3.57	2.69	1.45	2.34	3.33	1.29	.44	2.04	.50	YEAR'S TOTAL 20.15
*Days with .01 in. or more.	18	18	3	16	14	9	11	18	12	5	14	9	147
*Days with .04 in. or more.	9	12	1	13	10	6	8	13	7	2	8	4	93

FORM 1099

REGISTER OF RAINFALL IN 1931

Kept at *West Kent Main Sewerage Board*
in the County of *Disposal Works Dartford*
Kent

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1.0* ft in.
Ground Sea Level *14.0* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	<i>.04</i>	<i>Trace</i>	<i>.38</i>	—	<i>.02</i>	—	<i>.06</i>	<i>.03</i>	—	—	—	1
2	<i>.20</i>	<i>.09</i>	—	<i>.19</i>	<i>.05</i>	—	—	<i>.02</i>	<i>.22</i>	<i>.01</i>	—	<i>.07</i>	2
3	<i>.03</i>	<i>.01</i>	<i>.01</i>	<i>.26</i>	<i>1.04</i>	—	—	<i>.16</i>	<i>.38</i>	—	<i>.01</i>	<i>.14</i>	3
4	—	—	—	<i>Trace</i>	—	—	—	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	—	4
5	—	—	—	<i>.22</i>	<i>.13</i>	<i>.58</i>	<i>.02</i>	<i>Trace</i>	<i>.04</i>	—	<i>Trace</i>	<i>.11</i>	5
6	—	<i>.09</i>	<i>Snow</i>	<i>.02</i>	—	<i>.04</i>	—	—	—	<i>.14</i>	<i>.43</i>	—	6
7	<i>.01</i>	<i>.01</i>	—	—	<i>.04</i>	<i>.04</i>	—	<i>.13</i>	—	<i>Trace</i>	<i>.08</i>	<i>Trace</i>	7
8	<i>Trace</i>	<i>Trace</i>	—	—	<i>.01</i>	<i>.24</i>	—	<i>.24</i>	—	<i>.02</i>	<i>.03</i>	<i>Trace</i>	8
9	<i>Trace</i>	<i>.01</i>	<i>Snow</i>	—	—	—	—	<i>Trace</i>	—	—	<i>.32</i>	<i>.01</i>	9
10	<i>Trace</i>	<i>.09</i>	<i>Trace</i>	—	—	—	—	<i>.15</i>	—	—	<i>.32</i>	—	10
11	<i>.09</i>	<i>.12</i>	—	—	—	—	—	—	<i>.04</i>	—	<i>.18</i>	—	11
12	<i>.01</i>	<i>.05</i>	—	<i>Trace</i>	—	—	<i>.03</i>	<i>.38</i>	<i>.35</i>	—	—	—	12
13	<i>.01</i>	—	—	—	—	—	<i>.02</i>	<i>.04</i>	—	<i>.02</i>	—	—	13
14	<i>Trace</i>	<i>Snow</i>	<i>.01</i>	—	—	<i>Trace</i>	<i>.44</i>	<i>.82</i>	—	—	—	—	14
15	<i>.04</i>	<i>.01</i>	—	<i>.14</i>	<i>.15</i>	—	<i>.14</i>	<i>.23</i>	—	—	<i>Trace</i>	<i>.06</i>	15
16	<i>Trace</i>	<i>.06</i>	—	<i>Sleet</i>	<i>.29</i>	<i>Trace</i>	<i>Trace</i>	<i>.11</i>	<i>.06</i>	—	—	—	16
17	<i>Trace</i>	<i>.03</i>	—	<i>.39</i>	<i>.04</i>	—	<i>.14</i>	<i>.02</i>	<i>.03</i>	<i>Trace</i>	—	—	17
18	<i>.01</i>	<i>.10</i>	<i>Trace</i>	<i>.15</i>	—	<i>.15</i>	—	<i>.53</i>	—	—	<i>.35</i>	—	18
19	<i>.03</i>	—	—	<i>.24</i>	—	<i>.34</i>	<i>.08</i>	<i>.26</i>	<i>.05</i>	—	<i>Trace</i>	<i>Trace</i>	19
20	<i>.01</i>	<i>.02</i>	—	<i>.03</i>	—	—	<i>Trace</i>	<i>.13</i>	—	—	<i>.01</i>	<i>.01</i>	20
21	<i>.01</i>	—	—	—	<i>.50</i>	—	—	<i>.02</i>	—	—	<i>Trace</i>	—	21
22	<i>.09</i>	—	<i>.11</i>	—	—	—	—	—	<i>.02</i>	—	<i>.03</i>	—	22
23	<i>.13</i>	<i>Trace</i>	—	—	<i>.22</i>	<i>.02</i>	—	—	<i>.01</i>	—	<i>.05</i>	<i>.01</i>	23
24	—	<i>Trace</i>	—	<i>.56</i>	<i>Trace</i>	<i>.02</i>	<i>Trace</i>	—	<i>.03</i>	<i>Trace</i>	—	—	24
25	<i>.05</i>	—	—	<i>.14</i>	<i>.01</i>	—	<i>.33</i>	<i>.02</i>	<i>Trace</i>	—	<i>.01</i>	<i>Trace</i>	25
26	—	<i>.06</i>	—	<i>.35</i>	—	—	<i>.55</i>	—	<i>Trace</i>	—	<i>.21</i>	—	26
27	<i>.09</i>	<i>.29</i>	—	<i>.02</i>	<i>.11</i>	—	<i>.54</i>	—	—	—	<i>.01</i>	—	27
28	<i>.03</i>	<i>Snow</i>	—	<i>.04</i>	—	—	—	—	—	—	<i>Trace</i>	<i>.10</i>	28
29	<i>.09</i>	<i>X</i>	—	—	<i>.03</i>	—	<i>.05</i>	—	—	<i>.22</i>	<i>Trace</i>	<i>.02</i>	29
30	<i>Trace</i>	<i>X</i>	—	—	<i>.01</i>	—	—	<i>.01</i>	—	—	—	—	30
31	<i>.10</i>	<i>X</i>	—	<i>X</i>	—	<i>X</i>	—	—	<i>X</i>	—	<i>X</i>	—	31
TOTAL	<i>1.06</i>	<i>1.31</i>	<i>.73</i>	<i>3.57</i>	<i>2.69</i>	<i>1.45</i>	<i>2.34</i>	<i>3.33</i>	<i>1.29</i>	<i>.44</i>	<i>2.04</i>	<i>.50</i>	YEAR'S TOTAL <i>20.15</i>
*Days with "or in. or more.	<i>18</i>	<i>18</i>	<i>3</i>	<i>16</i>	<i>14</i>	<i>9</i>	<i>11</i>	<i>18</i>	<i>12</i>	<i>5</i>	<i>14</i>	<i>9</i>	<i>147</i>
*Days with ".04 in. or more.	<i>9</i>	<i>12</i>	<i>1</i>	<i>13</i>	<i>10</i>	<i>6</i>	<i>8</i>	<i>13</i>	<i>7</i>	<i>2</i>	<i>8</i>	<i>4</i>	<i>93</i>

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Alfred ...
Engineer

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

412

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at West Kent Main Sewerage Board
Disposal Works, Dartford
 in the County of Kent

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1.0 ft. in.
 „ Ground „ Sea Level 14.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	Trace	—	.03	.11	—	Trace	.49	Trace	.04	.01	.05	1
2	Trace	—	—	.06	Trace	—	—	.07	.23	.07	Trace	.08	2
3	Trace	—	—	.05	.09	—	—	—	.43	Trace	—	Trace	3
4	—	Trace	—	—	.01	.17	—	—	—	—	.02	—	4
5	.05	—	.01	Trace	.05	.08	.27	—	.04	—	—	—	5
6	.32	—	Trace	.07	—	—	—	—	.01	—	—	—	6
7	.01	—	.10	.04	Trace	—	Trace	—	.11	Trace	—	—	7
8	—	—	.04	.01	.23	—	—	—	.04	.46	—	—	8
9	.12	Trace	Trace	.06	.62	—	—	—	—	.04	—	—	9
10	.30	Snow	Trace	.14	.06	—	—	—	Trace	.04	—	—	10
11	.02	Snow	—	.05	Trace	—	.02	—	—	.21	.01	.02	11
12	.03	Snow	Trace	.01	Trace	—	—	—	.07	.36	Trace	—	12
13	.03	Snow .06	—	.05	Trace	—	—	—	.01	.29	.01	.01	13
14	.03	Rain .02	—	.07	.11	—	—	—	—	.05	.01	.07	14
15	—	Trace	—	.07	.04	—	—	—	—	.10	Trace	Trace	15
16	.06	—	—	.16	.17	—	—	—	—	—	—	Trace	16
17	—	—	—	.02	—	—	.18	—	—	—	Trace	—	17
18	—	—	—	—	—	—	—	—	.05	—	.05	—	18
19	—	—	—	—	.02	—	—	—	.02	.11	.02	—	19
20	—	—	—	.11	.11	—	.05	Trace	.02	.63	.15	—	20
21	Trace	—	—	.06	.35	—	—	.03	—	.22	Trace	.03	21
22	Trace	.01	.34	—	.62	—	.12	—	.25	.20	.20	—	22
23	—	.04	.06	.06	.21	—	—	—	.11	1.09	.10	.04	23
24	—	.03	—	—	—	—	.30	—	.05	.01	.04	Trace	24
25	—	—	—	—	—	—	.26	—	.01	.28	.01	Trace	25
26	—	—	.07	.06	.02	—	.17	.15	—	Trace	—	—	26
27	—	—	.14	.04	.39	.02	.13	Trace	—	.35	.05	—	27
28	—	—	Trace	—	.05	—	.05	—	—	.17	Trace	—	28
29	—	—	.19	.02	.02	.01	—	.26	.04	.25	—	.07	29
30	—	×	—	.04	.07	.45	—	Trace	.07	.05	.02	.15	30
31	—	×	.12	×	—	×	—	—	×	—	×	.01	31
TOTAL	.70	.16	1.01	1.28	3.29	.73	1.55	1.00	1.44	5.06	.70	.40	YEAR'S TOTAL 18.32
*Days with .01 in. or more.	11	5	9	22	20	5	10	5	17	21	14	10	149
*Days with .04 in. or more.	5	2	7	17	15	3	9	4	10	19	6	4	107

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Albert J. ... P.T.O.
 Engineer

Section



for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

Station No.

412

Refer

R/A

29 DEC 1935

Kept at *Hest Kent Main Sewerage Board*
Stifford Works, King Road
in the County of *Warford Kent.*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *—* in.
Ground Sea Level *14.0* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>Trace</i>	<i>.10</i>	<i>.12</i>	—	—	—	—	—	—	<i>.01</i>	<i>.02</i>	—		1
2	<i>.03</i>	—	<i>.19</i>	—	<i>.22</i>	—	—	—	—	—	—	—		2
3	<i>.02</i>	<i>.12</i>	<i>.05</i>	—	—	—	—	—	—	—	<i>Trace</i>	—		3
4	<i>.15</i>	<i>Trace</i>	<i>.01</i>	—	<i>.18</i>	—	—	—	—	—	—	—		4
5	<i>.09</i>	<i>Trace</i>	<i>.16</i>	—	<i>.24</i>	—	—	—	—	—	—	—		5
6	—	<i>.09</i>	<i>.03</i>	—	<i>.39</i>	—	—	—	—	<i>.09</i>	<i>.11</i>	—		6
7	<i>.31</i>	<i>.02</i>	<i>.11</i>	—	<i>.06</i>	—	—	—	—	<i>.13</i>	—	<i>.02</i>		7
8	<i>.06</i>	<i>.01</i>	<i>Trace</i>	—	<i>Trace</i>	—	<i>.25</i>	—	—	—	—	—		8
9	—	—	—	—	<i>.08</i>	—	<i>.06</i>	—	—	<i>Trace</i>	<i>.11</i>	—		9
10	—	<i>.22</i>	—	—	<i>Trace</i>	<i>.06</i>	<i>.01</i>	—	—	<i>.04</i>	<i>Trace</i>	—		10
11	<i>.03</i>	—	<i>Trace</i>	—	<i>Trace</i>	<i>.03</i>	<i>.12</i>	<i>.09</i>	<i>.07</i>	—	<i>.02</i>	—		11
12	—	—	—	<i>.02</i>	<i>.03</i>	<i>.15</i>	—	—	<i>.76</i>	—	—	—		12
13	<i>.06</i>	—	—	—	<i>.08</i>	<i>.17</i>	<i>.22</i>	<i>Trace</i>	<i>.19</i>	<i>Trace</i>	<i>.13</i>	—		13
14	<i>Trace</i>	—	—	—	—	—	—	<i>.03</i>	—	<i>.08</i>	<i>.15</i>	<i>.01</i>		14
15	<i>.07</i>	—	<i>.03</i>	—	—	—	<i>.39</i>	<i>.13</i>	—	<i>.01</i>	<i>.01</i>	—		15
16	<i>.05</i>	—	<i>.28</i>	—	—	<i>.20</i>	<i>.09</i>	—	<i>Trace</i>	—	<i>.03</i>	—		16
17	—	<i>.01</i>	<i>.20</i>	—	—	<i>.01</i>	—	<i>.02</i>	<i>.09</i>	—	<i>.01</i>	—		17
18	<i>.01</i>	<i>Snow</i> <i>Trace</i>	<i>.12</i>	—	—	<i>.17</i>	—	—	—	—	<i>Trace</i>	—		18
19	—	<i>Snow</i> <i>Trace</i>	<i>.09</i>	—	—	<i>.14</i>	<i>.10</i>	—	<i>.10</i>	—	<i>.01</i>	<i>.04</i>		19
20	—	<i>.04</i>	<i>.07</i>	<i>.08</i>	—	<i>.10</i>	<i>.32</i>	—	<i>Trace</i>	—	<i>.01</i>	<i>Trace</i>		20
21	<i>Snow</i> <i>Trace</i>	<i>Snow</i>	—	—	—	<i>Trace</i>	—	<i>.09</i>	<i>.36</i>	<i>Trace</i>	—	<i>Trace</i>		21
22	—	—	—	—	—	<i>1.78</i>	—	<i>.16</i>	<i>.05</i>	<i>.05</i>	<i>Trace</i>	—		22
23	—	<i>Snow</i>	—	<i>.12</i>	<i>.50</i>	<i>Trace</i>	—	—	<i>.23</i>	—	<i>Trace</i>	—		23
24	<i>Trace</i>	<i>.13</i>	—	<i>.11</i>	<i>.11</i>	<i>.15</i>	—	—	<i>.39</i>	—	<i>.01</i>	—		24
25	—	<i>.11</i>	—	<i>.16</i>	<i>.01</i>	—	—	—	—	—	<i>Trace</i>	<i>.08</i>		25
26	—	<i>.22</i>	—	<i>.02</i>	<i>.00</i>	<i>.02</i>	—	—	<i>.46</i>	<i>.05</i>	<i>.03</i>	<i>.13</i>		26
27	—	<i>Trace</i>	—	—	<i>.10</i>	—	—	—	<i>.05</i>	<i>.22</i>	—	<i>.07</i>		27
28	—	<i>Trace</i>	—	—	<i>.35</i>	—	<i>.10</i>	—	<i>Trace</i>	<i>.38</i>	—	<i>.02</i>		28
29	<i>.01</i>	<i>X</i>	—	—	—	—	<i>.17</i>	—	—	<i>.09</i>	—	—		29
30	<i>.11</i>	<i>X</i>	<i>.09</i>	—	—	—	—	—	<i>.01</i>	<i>.05</i>	—	<i>.15</i>		30
31	<i>.04</i>	<i>X</i>	—	<i>X</i>	—	<i>X</i>	—	<i>.10</i>	<i>X</i>	—	<i>X</i>	—		31
TOTAL	<i>1.04</i>	<i>1.07</i>	<i>1.55</i>	<i>.51</i>	<i>2.35</i>	<i>2.98</i>	<i>1.83</i>	<i>.62</i>	<i>2.72</i>	<i>1.18</i>	<i>.65</i>	<i>.52</i>	Year's Total <i>17.02</i>	
*Days with *.01 in. or more.	<i>14</i>	<i>11</i>	<i>14</i>	<i>6</i>	<i>14</i>	<i>12</i>	<i>11</i>	<i>7</i>	<i>12</i>	<i>12</i>	<i>13</i>	<i>8</i>	<i>134</i>	
*Days with *.04 in. or more.	<i>9</i>	<i>8</i>	<i>11</i>	<i>4</i>	<i>11</i>	<i>9</i>	<i>10</i>	<i>5</i>	<i>10</i>	<i>10</i>	<i>4</i>	<i>5</i>	<i>96</i>	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Academy

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **412**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at *West Kent Main Sewerage Board*
Long Reach Dartford
in the County of *Kent*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *—* in.
Ground Sea Level *14.0* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	—	—	—	—	—	—	.08	—	.04	Trace	.34		1
2	.04	—	.14	—	.05	—	—	—	.48	.29	—	.17		2
3	Trace	.04	—	—	—	—	—	Trace	—	.38	—	Trace		3
4	.12	.01	.04	—	Trace	—	—	—	—	.37	.07	.31		4
5	—	—	.02	—	.02	—	—	—	—	—	.02	.32		5
6	Trace	—	.29	Trace	.17	.06	—	.12	—	.13	Trace	.29		6
7	.04	.01	—	Trace	—	.05	—	Trace	—	.07	—	.07		7
8	—	Trace	—	Trace	.09	—	—	.06	.08	—	.21	.03		8
9	.01	—	—	.01	Trace	—	—	—	—	—	.50	.30		9
10	—	Trace	.17	.07	—	—	—	.04	—	.05	.42	Trace		10
11	.28	—	.40	.03	—	—	Trace	.01	—	—	Trace	.06		11
12	.06	.01	.07	—	—	—	.06	.37	—	—	—	.02		12
13	.25	—	.15	Trace	—	—	.19	.28	—	—	.01	Trace		13
14	.04	—	.19	Trace	.01	—	—	—	—	.04	.25	.24		14
15	.03	—	.16	—	.13	—	—	—	.01	—	.06	.34		15
16	.06	Trace	.11	.15	.03	—	—	—	—	.04	Trace	—		16
17	.01	—	Trace	.02	Trace	—	—	—	—	.06	—	.13		17
18	.15	—	—	.14	—	—	.07	—	—	—	—	.21		18
19	—	—	.17	.14	Trace	.03	—	—	.11	—	Trace	.06		19
20	—	—	.19	—	—	—	.01	—	.01	—	—	—		20
21	—	—	.02	.16	—	.04	—	—	—	—	—	.01		21
22	—	—	—	—	—	—	.04	.27	.16	—	—	.10		22
23	—	—	—	.31	—	.73	—	—	—	—	—	.16		23
24	—	Trace	.01	.10	—	.15	.98	—	.11	—	Trace	Trace		24
25	.03	.01	—	.07	—	—	—	—	—	Trace	—	.18		25
26	.05	—	—	.12	—	.11	—	—	Trace	—	Trace	.02		26
27	.02	.01	—	.28	—	.09	—	—	—	—	—	.10		27
28	—	.13	—	.21	—	.31	—	.54	—	—	.05	.11		28
29	—	X	Trace	—	—	—	—	.09	.06	—	.01	.14		29
30	.11	X	—	—	—	—	—	—	—	—	—	.15		30
31	.02	X	—	X	—	X	—	—	X	.10	X	.08		31
TOTAL	1.33	.22	2.13	1.81	.50	1.55	1.35	1.86	1.02	1.57	1.60	3.93	Year's Total	18.87
* Days with .01 in. or more.	18	7	15	14	7	9	6	10	8	11	10	25		140
* Days with .04 in. or more.	11	2	12	11	4	7	5	9	6	11	7	21		106

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

412

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *West Kent Main Sewerage Board's Works*
in the County of *Long Reach Dartford*
Kent

Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *—* in.,, Ground ,, Sea Level *14.0* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.29	.07	Trace	Trace	—	.12	.36	—	.18	.03	.02	—		1
2	.11	—	.06	.04	—	—	—	—	.06	.07	.06	—		2
3	—	.07	.19	.10	—	.06	—	.01	.06	.60	.16	Trace		3
4	—	.01	—	.17	—	.26	—	—	.11	.05	Trace	.06		4
5	—	.31	.05	.09	—	.25	—	—	.40	—	Trace	—		5
6	.04	.02	.01	.27	—	.12	—	—	—	—	.02	—		6
7	.05	.01	—	.21	—	.07	—	—	—	—	.66	.11		7
8	—	—	.02	.29	—	Trace	—	Trace	—	.18	.26	.15		8
9	Trace	—	—	.12	—	.70	—	—	—	.80	.07	—		9
10	.01	Trace	—	Trace	—	.01	—	—	—	—	.04	.02		10
11	.24	—	—	.18	—	.02	Trace	—	—	—	.16	Trace		11
12	.16	.01	—	—	—	.10	—	.57	—	—	.66	—		12
13	.05	.10	—	.06	.10	.01	—	—	—	—	.02	—		13
14	Trace	—	—	.52	.26	.07	—	—	—	Trace	.01	.08		14
15	—	.12	—	.18	.01	.01	—	—	.17	—	.08	.05		15
16	—	.08	—	.15	—	.25	—	—	.15	.02	.72	.01		16
17	Trace	—	.03	Trace	—	.12	—	—	.01	—	.54	—		17
18	—	—	—	.12	.07	.11	.11	—	.18	.04	.01	.03		18
19	Trace	—	—	—	.18	Trace	.03	—	.01	—	.09	Trace		19
20	Trace	.16	—	.02	.13	.04	.18	—	—	—	.07	—		20
21	.01	.22	—	—	—	—	—	—	.09	.08	.04	.01		21
22	—	.17	Trace	—	—	—	—	.25	.54	—	Trace	—		22
23	Trace	—	.05	—	—	—	—	.08	.06	—	Trace	.11		23
24	.03	.29	—	—	.49	—	—	.31	.22	Trace	—	.21		24
25	.23	.09	—	.34	Trace	.21	—	Trace	—	—	.01	.11		25
26	.09	.10	—	—	—	—	—	.10	Trace	.01	—	.23		26
27	Trace	.28	—	—	—	—	—	—	.04	—	.05	.13		27
28	—	.01	—	—	—	—	—	—	.04	.04	Trace	.07		28
29	—	X	Trace	—	—	—	—	—	.30	—	—	.11		29
30	.05	X	—	.11	.08	—	—	—	.05	.05	.28	.38		30
31	Trace	X	—	X	Trace	X	—	.76	X	.16	X	.20		31
TOTAL	1.36	2.12	.41	2.97	1.32	2.53	.68	2.08	2.67	2.13	4.03	2.07	24.37	
* Days with .01 in. or more.	13	18	7	17	8	18	4	7	18	13	22	18	163	
* Days with .04 in. or more.	10	13	4	16	7	14	3	6	16	10	16	14	129	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Archie Cunningham
Engineer.

P.T.O.

(Signed) ... *A. V. ...* [P.T.O.]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. **412**
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at *West Kent Main Sewage Board*
Long Beach, Margate
in the County of *Kent*

Diameter of Funnel of Gauge.....*5*.....in.
Height of top of Gauge above Ground.....*1*.....ft.....in.
„ Ground „ Sea Level.....*14*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	.42	.03	.01	.09	—	—	—	—	—	—	.66	.37		1	
2	<i>2</i>	.07	.02	.33	—	—	—	—	.09	<i>2</i>	.01	1.11		2	
3	—	.08	.01	<i>2</i>	—	—	—	—	—	<i>2</i>	—	.33		3	
4	.04	.36	—	—	—	—	—	—	—	—	—	.49		4	
5	.18	.22	.29	—	—	—	.15	—	—	—	<i>2</i>	.01		5	
6	.02	—	.65	—	.08	—	.03	—	—	.03	—	—		6	
7	—	.90	.11	.03	<i>2</i>	—	—	—	.05	—	—	.04		7	
8	—	.01	<i>2</i>	—	.13	.06	—	—	—	—	.28	.40		8	
9	—	.03	—	.38	.13	—	—	—	.24	—	—	.09		9	
10	<i>2</i>	—	.35	.14	.29	.48	.02	<i>2</i>	—	—	—	.40		10	
11	—	—	.31	—	.23	—	.02	—	—	<i>2</i>	—	.04		11	
12	.10	.28	.04	.01	.40	.24	.01	.08	.05	—	—	.05		12	
13	.12	.01	.35	—	.01	.49	—	.04	.06	—	—	.43		13	
14	.01	.03	.16	<i>2</i>	.06	—	—	.27	.06	—	—	.01		14	
15	.08	.06	—	.11	—	.09	1.74	—	.05	—	—	.01		15	
16	<i>2</i>	.13	.33	.28	—	.04	—	.23	.21	—	—	.03		16	
17	.14	.04	.03	.17	—	<i>2</i>	—	—	.14	—	.07	—		17	
18	.28	.03	—	—	.49	.71	—	—	.19	.01	.18	.08		18	
19	.04	.06	.01	.08	.02	.20	<i>2</i>	—	.01	—	—	.03		19	
20	.38	<i>2</i>	.05	.28	.89	.07	—	—	.04	—	—	—		20	
21	.19	.57	.03	.03	—	—	.01	.06	—	—	.01	.01		21	
22	.32	.02	<i>2</i>	—	<i>2</i>	.30	.02	—	—	.42	.31	.01		22	
23	.13	<i>2</i>	—	—	—	—	—	—	—	.32	.01	<i>2</i>		23	
24	.39	.44	—	—	.01	—	—	—	.09	.16	—	<i>2</i>		24	
25	.08	.34	.11	—	<i>2</i>	—	—	—	.06	.15	—	<i>2</i>		25	
26	<i>2</i>	.15	.05	—	.05	—	—	—	—	.04	—	<i>2</i>		26	
27	—	.05	—	.26	—	—	—	—	.07	.28	—	—		27	
28	<i>2</i>	.04	—	.01	—	—	—	—	—	.03	—	.02		28	
29	<i>2</i>		—	—	—	.03	—	—	—	.01	.03	.06		29	
30	.27	~~X~~	—	—	—	—	—	.02	—	—	.20	—		30	
31	.19	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.09	~~X~~	<i>2</i>		31	
TOTAL	3.38	3.95	2.91	2.19	2.79	2.71	2.00	.70	1.41	1.54	1.76	4.02	Year's Total	29.36	✓
* Days with .01 in. or more.	19	23	18	14	13	11	8	6	15	11	10	21	169	✓	
* Days with .04 in. or more.	17	16	12	10	10	10	2	5	14	7	6	13	122	✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 412

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at West Kent Main Sewage Board
Long Barn Road Kent

in the County of Kent

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	-	-	.04	-	-	-	.03	-	.02	.06		1
2	.06	-	-	.08	.10	.10	.09	-	-	.23	-	.03		2
3	.01	-	-	-	.16	-	-	-	-	.43	-	Trace		3
4	.01	-	-	-	-	-	.07	.03	-	.07	-	.04		4
5	Trace	-	-	-	-	Trace	.24	Trace	-	.11	-	-		5
6	.01	-	-	-	-	-	.01	Trace	.01	-	-	-		6
7	-	-	-	-	-	-	.03	.34	-	.13	-	.03		7
8	.12	-	-	-	-	-	.10	-	-	.12	-	-		8
9	.01	-	-	-	-	-	.09	.39	-	-	-	.42		9
10	.11	.03	-	-	-	-	-	.05	-	-	-	.09		10
11	.20	Trace	-	-	-	.12	-	-	-	-	.04	.11		11
12	.16	.04	-	-	-	-	-	.06	-	.07	.04	Trace		12
13	.25	.10	-	-	-	-	-	-	-	.01	.07	.02		13
14	.08	.05	-	-	.18	-	-	-	.04	-	Trace	.01		14
15	.04	.07	-	-	-	-	.16	-	-	.41	Trace	.03		15
16	.11	Trace	-	-	.01	-	.01	-	-	Trace	.03	.34		16
17	-	.10	-	-	.28	-	Trace	-	Trace	.13	-	-		17
18	.02	-	-	-	.06	-	-	-	.03	.03	.29	-		18
19	-	-	-	-	-	-	-	Trace	.02	-	.12	.10		19
20	-	-	-	-	-	-	-	-	.06	-	.40	Trace		20
21	.01	-	-	-	Trace	-	-	.03	.10	-	.02	.09		21
22	-	-	-	-	Trace	-	-	.01	-	-	.09	.14		22
23	-	-	-	-	.03	-	-	-	Trace	-	.03	.05		23
24	-	-	.05	.01	-	-	-	-	.14	-	.02	.10		24
25	.09	.01	.15	.04	.14	-	.03	.01	.08	.05	.59	.10		25
26	.14	.12	.08	-	-	-	-	Trace	.18	.31	-	.14		26
27	.07	.02	-	-	.27	.11	.08	-	1.22	.01	.10	.01		27
28	.19	.03	-	Trace	.16	.02	-	.13	.05	-	Trace	Trace		28
29	.22	-	-	.01	.06	-	-	-	-	-	.01	.21		29
30	.01	~~X~~	-	.12	Trace	Trace	-	-	-	.04	.16	-		30
31	.09	~~X~~	-	~~X~~	.03	~~X~~	-	-	~~X~~	.09	~~X~~	.11		31
TOTAL	2.03	.57	.28	.26	1.52	.35	.91	1.05	1.96	2.24	2.03	2.23	Year's Total 15.43	✓
* Days with .01 in. or more.	23	10	3	5	13	4	11	9	12	16	16	21	143	✓
* Days with .04 in. or more.	15	6	3	3	10	3	7	5	8	13	10	15	98	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) *[Signature]* [P.T.O.]

Engineer

Section

A

for the entry of Daily Observations

Station No. 412

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.Kept at West Kent Rain Gauge Road
Disposal Works, Kent
in the County of Kent

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level 14 ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	-	.24	.17	.34	-	-	.11	.25	-	.24	-		1
2	.02	-	-	.24	.01	-	-	.31	.10	-	-	-		2
3	.13	-	-	.22	-	-	-	.38	-	-	.21	.36		3
4	.08	.24	.07	.17	-	-	.01	1.64	-	.50	.01	.04		4
5	-	.24	-	.09	-	-	.10	.02	-	.06	.19	.04		5
6	.37	-	-	-	-	-	.24	.10	-	-	.20	.24		6
7	.05	.14	-	-	-	-	-	-	-	.22	.03	.02		7
8	-	.03	.08	-	-	-	-	.09	-	.52	.16	.18		8
9	.01	.02	-	-	-	-	-	.01	-	.63	.03	.08		9
10	.26	-	-	-	-	.37	-	.04	.06	.01	-	-		10
11	-	-	.26	-	.02	.47	-	-	-	.68	.24	.24		11
12	-	-	.24	-	-	.01	-	-	.01	-	-	-		12
13	-	-	.24	.01	-	-	-	-	.24	1.43	-	.24		13
14	.28	-	.01	.05	.21	.01	-	-	-	.28	.44	.04		14
15	.31	-	.01	-	.99	.24	-	-	.24	.52	.05	.24		15
16	.22	-	.12	.24	.17	.07	-	-	.11	-	.28	.24		16
17	.31	.02	.03	.03	.02	-	.08	-	-	-	.04	-		17
18	.12	-	.24	-	.17	.20	.09	-	-	.27	.31	-		18
19	.21	-	.02	-	-	-	.15	-	-	.58	-	.24		19
20	.16	-	-	-	-	.01	.52	-	-	-	-	.09		20
21	.07	-	.19	-	-	.08	.20	.07	.27	.03	-	-		21
22	.05	.13	.17	-	-	.24	.01	-	.24	.24	.04	-		22
23	.02	-	.24	.19	-	-	.06	.05	-	.04	.47	.24		23
24	.14	.08	.05	.06	-	-	.45	-	-	.09	.24	.24		24
25	.87	.28	.09	.01	-	-	.03	-	-	-	.38	.01		25
26	.08	.24	-	.01	-	-	-	-	-	.14	.20	.02		26
27	.05	.02	.04	.18	-	-	-	-	.04	.04	.24	-		27
28	.24	.27	.06	.11	-	.24	-	-	-	.03	.06	.09		28
29	-	X	-	.30	-	-	-	-	-	.13	.07	-		29
30	-	X	-	.48	-	.01	-	-	-	-	.05	.02		30
31	-	X	-	X	-	X	.05	-	X	.24	X	-		31
TOTAL	5.83	.99	1.20	2.08	1.93	1.23	1.75	2.82	1.08	6.24	3.46	.99	Year's Total	27.60
* Days with .01 in. or more.	22	9	14	15	8	9	12	11	8	19	20	12		159
* Days with .04 in. or more.	18	5	9	11	5	5	9	9	7	16	17	8		118

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Reservoir Engineer

[P.T.O.]

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934.

Kept at *North Kent* *North Kent* *North Kent*
in the County of *Kent*
Diameter of Funnel of Gauge.....*5*.....in.
Height of top of Gauge above Ground.....*1*ft.....in.
" Ground " Sea Level*14*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	.08	—	—	—	—	—	.12	—		1
2	—	.14	—	.08	Trace	—	.03	—	—	.12	.64	—		2
3	—	.15	—	.09	—	—	.14	—	—	.10	1.27	.03		3
4	—	.06	—	.10	—	—	—	—	—	.13	.13	.50		4
5	—	.01	—	—	Trace	—	.02	—	—	Trace	.49	.08		5
6	.19	.02	—	—	.02	—	.16	—	—	.18	.12	—		6
7	.34	—	—	—	—	—	.14	.01	.09	—	—	.05		7
8	—	—	—	—	—	—	—	—	—	.22	.03	.22		8
9	—	Trace	—	—	—	.05	.01	—	—	.12	.12	.02		9
10	—	.11	.02	—	—	—	.61	.01	—	.01	.04	Trace		10
11	—	—	.01	.02	—	—	—	—	—	Trace	.78	.02		11
12	—	.03	.03	—	—	—	.03	—	.10	Trace	.01	—		12
13	—	.01	1.03	Trace	—	—	Trace	—	.08	—	1.26	—		13
14	—	—	.14	.13	—	—	—	—	—	—	Trace	.16		14
15	Trace	—	.10	.06	.11	.05	1.16	—	Trace	.01	.39	Trace		15
16	.01	.07	.34	.22	—	.05	.40	—	.07	.79	.50	.04		16
17	—	—	.29	—	—	—	.06	—	—	—	.12	Trace		17
18	—	.38	.07	.38	—	—	.31	—	.01	.17	.11	.16		18
19	—	.15	.03	.02	—	—	.02	—	.77	.01	.08	.03		19
20	—	.03	—	.01	—	—	.20	.02	Trace	.01	.06	—		20
21	.10	—	—	—	.34	—	.15	—	Trace	.01	.07	—		21
22	—	—	.02	—	.33	.12	—	—	.13	.02	—	—		22
23	—	Trace	.04	.22	.03	—	—	—	Trace	.06	—	.04		23
24	—	Trace	Trace	.22	—	—	.20	—	—	Trace	—	.04		24
25	—	.07	.52	—	—	—	.11	—	—	.02	—	—		25
26	1.01	.02	.61	—	.71	.03	.04	—	—	—	—	—		26
27	.28	.22	Trace	.02	—	—	1.19	Trace	—	—	—	—		27
28	—	—	—	.01	.08	—	—	—	Trace	—	—	—		28
29	.16	—	.03	—	.13	.03	—	—	Trace	—	—	.13		29
30	.13	X	—	.13	—	—	—	—	—	.02	—	.02		30
31	.10	X	—	X	—	X	—	—	X	.40	X	Trace		31
TOTAL	2.32	1.41	3.32	1.71	1.83	.33	4.98	.04	1.25	2.39	6.33	1.54	Year's Total 27.45	✓
* Days with .01 in. or more.	9	15	15	15	9	6	19	3	7	18	19	15	150	✓
* Days with .04 in. or more.	8	8	9	10	7	4	14	—	6	10	17	10	103	✓

† Spare column, no entries required.

(Signed) Asst. Com. in Charge B.T.O.

* See Instruction 3 (f) on other side.

REGISTRE

Kept at *Erith Sanatorium*
in the County of *Kent*

Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground
Ground Sea Level

THE MORNING MEASURE

An observer who does not conform to this
year in the space on the right of this page
Please

413
ERITH SANATORIUM

1931-39

DAY.

the following

Jan. 1, following

18 01 09

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.04	.01	.45	—	.62	—	Trace	Trace	—	—	—	1
2	.19	.08	—	.18	1.42	—	Trace	.05	.24	—	—	.02	2
3	.04	.01	.01	.33	—	—	—	.14	.22	Trace	.01	.20	3
4	—	—	—	—	.18	—	—	.02	—	—	.02	—	4
5	—	—	—	.25	—	.49	—	Trace	.07	.02	Trace	.09	5
6	—	.10	—	.03	—	—	Trace	Trace	—	.24	.45	—	6
7	.02	Trace	—	Trace	.05	.05	—	.25	—	.01	.09	—	7
8	—	.03	—	—	.01	.22	—	.20	—	.01	.03	Trace	8
9	—	Trace	—	—	Trace	.03	—	.08	—	.01	.02	.01	9
10	.01	.11	—	—	Trace	—	—	.10	—	—	.71	.01	10
11	.10	.18	—	—	—	—	—	—	—	—	.15	—	11
12	Trace	.04	—	.01	—	—	—	.12	.10	—	Trace	—	12
13	—	—	.01	—	—	—	.08	.06	.38	.01	—	—	13
14	Trace	—	—	—	—	Trace	.58	1.55	—	.02	—	—	14
15	.05	—	—	.23	.13	—	.32	.23	—	—	.01	.09	15
16	—	.03	—	.13	.14	.02	—	.08	Trace	Trace	—	—	16
17	—	.01	—	.41	.20	—	.16	—	.08	—	—	—	17
18	.01	.08	Trace	.14	—	Trace	Trace	.51	.01	—	.40	.03	18
19	.05	Trace	—	.38	—	.44	.25	.30	.08	—	Trace	.01	19
20	Trace	.02	—	.02	—	—	.02	.21	Trace	—	Trace	Trace	20
21	.01	—	—	—	.50	—	Trace	.02	Trace	—	—	—	21
22	.08	—	.14	.02	.22	—	—	—	.02	—	.03	—	22
23	.17	—	—	—	.04	.03	—	—	.03	—	.02	—	23
24	—	—	Trace	.42	—	.04	—	.04	.01	—	.03	.01	24
25	.06	—	—	.35	.02	—	.42	—	Trace	—	.04	—	25
26	—	.05	—	.41	—	—	.66	—	—	—	.27	—	26
27	.10	.33	—	—	.20	—	.49	—	—	—	.03	—	27
28	.05	.15	—	.10	Trace	—	Trace	—	—	Trace	—	.08	28
29	.17	X	—	.12	Trace	—	.08	—	—	.22	.01	.10	29
30	.08	X	—	—	—	—	.02	.01	—	—	—	—	30
31	.06	X	—	X	—	X	.02	Trace	X	—	X	—	31
TOTAL	1.26	1.26	.17	3.98	3.11	1.94	3.10	3.97	1.24	.54	2.32	.65	YEAR'S TOTAL
*Days with ".01 in. or more.	18	15	4	18	12	9	12	18	11	8	17	11	23.54
*Days with ".04 in. or more.	13	10	1	14	10	6	9	15	7	2	7	4	98

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Grith Sanatorium
in the County of Kent
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground one ft. in.
Ground Sea Level 182 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.04	.01	.45	—	.62	—	Trace	Trace	—	—	—	1
2	.19	.08	—	.18	1.42	—	Trace	.05	.24	—	—	.02	2
3	.04	.01	.01	.33	—	—	—	.14	.22	Trace	.01	.20	3
4	—	—	—	—	.18	—	—	.02	—	—	.02	—	4
5	—	—	—	.25	—	.49	—	Trace	.07	.02	Trace	.09	5
6	—	.10	—	.03	—	—	Trace	Trace	—	.24	.45	—	6
7	.02	Trace	—	Trace	.05	.05	—	.25	—	.01	.09	—	7
8	—	.03	—	—	.01	.22	—	.20	—	.01	.03	Trace	8
9	—	Trace	—	—	Trace	.03	—	.08	—	.01	.02	.01	9
10	.01	.11	—	—	Trace	—	—	.10	—	—	.71	.01	10
11	.10	.18	—	—	—	—	—	—	—	—	.15	—	11
12	Trace	.04	—	.01	—	—	—	.12	.10	—	Trace	—	12
13	—	—	.01	—	—	—	.08	.06	.38	.01	—	—	13
14	Trace	—	—	—	—	Trace	.58	1.55	—	.02	—	—	14
15	.05	—	—	.23	.13	—	.32	.23	—	—	.01	.09	15
16	—	.03	—	.13	.14	.02	—	.08	Trace	Trace	—	—	16
17	—	.01	—	.41	.20	—	.16	—	.08	—	—	—	17
18	.01	.08	Trace	.14	—	Trace	Trace	.51	.01	—	.40	.03	18
19	.05	Trace	—	.38	—	.44	.25	.30	.08	—	Trace	.01	19
20	Trace	.02	—	.02	—	—	.02	.21	Trace	—	Trace	Trace	20
21	.01	—	—	—	.50	—	Trace	.02	Trace	—	—	—	21
22	.08	—	.14	.02	.22	—	—	—	.02	—	.03	—	22
23	.17	—	—	—	.04	.03	—	—	.03	—	.02	—	23
24	—	—	Trace	.42	—	.04	—	.04	.01	—	.03	.01	24
25	.06	—	—	.35	.02	—	.42	—	Trace	—	.04	—	25
26	—	.05	—	.41	—	—	.66	—	—	—	.27	—	26
27	.10	.33	—	—	.20	—	.49	—	—	—	.03	—	27
28	.05	.15	—	.10	Trace	—	Trace	—	—	Trace	—	.08	28
29	.17	X	—	.12	Trace	—	.08	—	—	.22	.01	.10	29
30	.08	X	—	—	—	—	.02	.01	—	—	—	—	30
31	.06	X	—	X	—	X	.02	Trace	X	—	X	—	31
TOTAL	1.26	1.26	.17	3.98	3.11	1.94	3.10	3.97	1.24	.54	2.32	.65	YEAR'S TOTAL
*Days with or in. or more.	18	15	4	18	12	9	12	18	11	8	17	11	153
*Days with .04 in. or more.	13	10	1	14	10	6	9	15	7	2	7	4	98

Section

A

for the entry of Daily Observations.

Station No.

5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Griffiths Sanatorium*in the County of *Kent*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft *0* in.,, Ground ,, Sea Level *182* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	<i>Tr.</i>	—	.04	—	—	—	.85	.02	.02	.02	.01	1
2	<i>Tr.</i>	—	—	.06	.01	.01	—	.02	.20	.05	<i>Tr.</i>	.10	2
3	<i>Tr.</i>	—	—	.08	.17	—	<i>Tr.</i>	.20	.46	—	—	—	3
4	<i>Tr.</i>	<i>Tr.</i>	—	—	<i>Tr.</i>	.15	.31	.01	—	—	.03	—	4
5	.08	—	<i>Tr.</i>	—	.04	.08	—	—	.03	—	—	—	5
6	.47	<i>Tr.</i>	.02	.21	<i>Tr.</i>	—	—	—	.06	—	—	—	6
7	.02	—	.08	.04	.02	<i>Tr.</i>	.02	—	.05	<i>Tr.</i>	—	—	7
8	—	—	.07	.01	—	—	—	—	.05	.46	—	.01	8
9	.06	—	.03	.10	.64	—	—	—	—	.04	<i>Tr.</i>	—	9
10	.100	—	—	.17	.03	—	—	—	<i>Tr.</i>	.08	—	—	10
11	.10	.08	—	.05	.04	—	.05	.10	<i>Tr.</i>	.30	.02	.02	11
12	<i>Tr.</i>	.01	—	—	<i>Tr.</i>	—	—	—	<i>Tr.</i>	.31	.01	—	12
13	.06	.01	—	.03	<i>Tr.</i>	—	—	—	.02	.25	.01	.01	13
14	.04	—	—	.07	.08	—	.02	<i>Tr.</i>	—	.02	.01	.01	14
15	<i>Tr.</i>	—	—	.03	.04	—	—	<i>Tr.</i>	<i>Tr.</i>	<i>Tr.</i>	—	<i>Tr.</i>	15
16	.09	—	<i>Tr.</i>	.19	.16	—	—	—	—	.08	—	—	16
17	—	—	—	.01	<i>Tr.</i>	—	—	—	—	.10	.01	—	17
18	—	—	—	—	—	—	.13	—	.20	<i>Tr.</i>	<i>Tr.</i>	—	18
19	—	—	—	—	<i>Tr.</i>	—	—	.12	.02	.03	.01	—	19
20	—	—	—	.19	.09	—	.02	.80	—	.80	.19	—	20
21	<i>Tr.</i>	—	—	.13	.34	—	—	—	—	.22	—	.02	21
22	—	.04	.33	.03	1.01	—	—	—	.28	.20	.24	—	22
23	—	.05	.10	.11	.18	—	.16	—	—	1.06	.08	.06	23
24	—	.03	—	—	<i>Tr.</i>	<i>Tr.</i>	.25	—	.02	.02	.08	—	24
25	—	—	—	—	—	—	.51	—	.05	.33	.01	—	25
26	—	—	.25	.08	.01	—	.25	.11	—	.01	.02	—	26
27	—	—	—	—	.43	.06	.17	—	—	.43	.06	—	27
28	—	—	.04	.03	.04	—	.06	—	.03	.16	<i>Tr.</i>	—	28
29	—	—	.20	<i>Tr.</i>	<i>Tr.</i>	.01	.01	.37	.03	.23	<i>Tr.</i>	.02	29
30	—	×	.03	.06	.06	.50	—	.01	—	.04	.04	<i>Tr.</i>	30
31	—	×	.15	×	—	×	<i>Tr.</i>	—	×	<i>Tr.</i>	×	.10	31
TOTAL	1.34	.22	1.30	1.72	3.39	.81	1.96	2.59	1.52	5.24	.84	.36	YEAR'S TOTAL
*Days with .01 in. or more.	10	6	11	21	18	6	13	10	15	23	16	10	159
*Days with .04 in. or more.	8	3	8	15	14	4	9	7	8	18	6	3	103

40-9999

*See Instruction 2 (f) on other side.

(Signed) *Wm. H. H. H.*

P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

413

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Erith Sanatorium ERITH
in the County of KentDiameter of Funnel of Gauge 6 in.Height of top of Gauge above Ground 1 ft. 0 in.Ground Sea Level 182' 0" ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.19	.10	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Trace	Nil		1
2	.11	Nil	.20	Nil	.16	Nil	Nil	Nil	Nil	.03	Trace	Nil		2
3	Nil	Nil	.07	Nil	.02	Nil	Nil	Nil	Nil	Nil	Nil	Nil		3
4	.19	Nil	Nil	Nil	.04	Nil	Nil	Nil	Nil	Nil	Trace	Nil		4
5	.04	Nil	.21	Nil	.27	Nil	Nil	Nil	Nil	Nil	Trace	Nil		5
6	Nil	.22	.02	Nil	.45	Nil	Nil	Nil	Nil	.11	.10	Nil		6
7	.19	.02	.12	Nil	Nil	Nil	Nil	Nil	Nil	.09	Nil	.02		7
8	.10	Nil	.01	Nil	Nil	Nil	.23	Nil	Nil	Trace	Nil	Nil		8
9	Nil	Nil	Nil	Nil	Nil	Nil	.05	Trace	Nil	Nil	.11	Nil		9
10	Nil	.32	Nil	Nil	Trace	Nil	Nil	Trace	Nil	.06	Nil	Nil		10
11	.05	Nil	Nil	Trace	.08	Nil	.13	.06	.05	Nil	Nil	Nil		11
12	Nil	Nil	Nil	Nil	Trace	.15	Trace	Nil	.54	Nil	Trace	Nil		12
13	.03	Nil	Nil	Nil	.02	Trace	.18	Nil	.23	Nil	.18	Nil		13
14	.02	Nil	Nil	Nil	.12	Nil	Nil	.03	Nil	.09	.14	.01		14
15	.06	Nil	Nil	Nil	Nil	Nil	.19	.15	Nil	.01	.02	Nil		15
16	.05	.05	.44	Nil	Nil	.26	.08	Nil	.01	Trace	.04	.016		16
17	Nil	.01	.33	Nil	Nil	.02	Trace	.03	.12	Nil	.02	.017		17
18	.03	.02	.02	Nil	Nil	.12	Trace	Nil	Nil	Nil	Trace	.018		18
19	.01	.01	.20	Nil	Nil	.36	.20	Nil	.10	Nil	Nil	.01		19
20	Nil	.02	.03	.06	Nil	.08	.38	Trace	Trace	Nil	.02	Nil		20
21	Nil	.01	Nil	Nil	Nil	Trace	Nil	.08	.36	Nil	Nil	Nil		21
22	Nil	.01	Nil	Nil	Nil	.68	Nil	.16	Nil	.06	Trace	Nil		22
23	Nil	.01	Nil	.12	.33	.02	Nil	Nil	.25	Nil	.02	Nil		23
24	Nil	.18	Nil	.13	.08	.27	Nil	Nil	.14	Trace	Trace	Nil		24
25	Nil	.20	Nil	.19	.01	Trace	Nil	Nil	Nil	Nil	Trace	.16		25
26	Nil	.20	Nil	.03	Nil	.01	Nil	Nil	.34	.04	.03	.16		26
27	Nil	.01	Nil	Nil	Nil	Nil	Trace	Nil	Trace	.22	Nil	.07		27
28	Nil	Nil	Nil	Nil	Nil	Trace	Trace	Nil	Trace	.49	Nil	.03		28
29	Nil	X	Nil	Nil	.40	Nil	.14	Nil	Nil	.10	Nil	.01		29
30	.12	X	.10	Nil	Nil	Nil	Nil	Nil	.03	Trace	Nil	.16		30
31	Nil	X	Nil	X	Nil	X	Nil	.10	X	.01	X	Nil		31
TOTAL	1.05	1.48	1.88	.53	1.98	~~2.45~~	1.58	.61	2.26	1.34	.68	.66	16.22	
*Days with ".01 in. or more.	14	16	13	5	12	10	9	7	11	12	10	12	131	
*Days with ".04 in. or more.	10	7	9	4	9	7	9	5	9	9	5	4	87	

40-9999

*See Instruction 2 (f) on other side.

1.97

† Spare column, no entries required.

(Signed)

John H. Blaylock

[P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No.

413

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Grith Sanatoriumin the County of KentDiameter of Funnel of Gauge 60 in.Height of top of Gauge above Ground 1 ft 0 in.,, Ground ,, Sea Level 44 192 ft.Ed days in Dec

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	* in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	Nil	Nil	Nil	Nil	Nil	Nil	.09	Nil	.33	Nil	.34		1
2	.02	.01	.11	Nil	Nil	Nil	Nil	Nil	.53	Nil	Nil	.22		2
3	.02	.03	Nil	.04	Nil	Nil	Nil	Nil	Nil	.34	Nil	.00		3
4	.09	.01	.04	Nil	.02	Nil	Nil	Nil	Nil	.36	.08	.37		4
5	Nil	Nil	.02	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.05	.30		5
6	Nil	Nil	.30	Nil	.20	.10	Nil	.07	Nil	.11	Trace	.36		6
7	.01	.01	Nil	Nil	Nil	Nil	Nil	.05	Nil	.11	Trace	.03		7
8	.04	.03	Nil	Nil	.10	Nil	Nil	.03	Nil	Nil	.21	.05		8
9	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.04	Nil	.70	.23		9
10	Nil	Nil	.15	.09	Nil	Nil	Nil	.01	Nil	.06	.64	.02		10
11	.30	Nil	.26	.04	Nil	Nil	.09	.02	Nil	Nil	Trace	.05		11
12	.07	Nil	.08	Nil	Nil	Nil	.06	.53	Nil	Nil	Trace	.19		12
13	.24	.01	.17	Nil	Nil	Nil	.22	.19	Nil	Nil	.34			13
14	.04	.01	.21	Nil	.02	Nil	Nil	Nil	Nil	Nil	Nil	.28		14
15	.03	.01	.14	Nil	.02	Nil	Nil	Nil	.19	Trace	.05	.57		15
16	.08	Nil	.09	.09	.07	Nil	Nil	Nil	Nil	Trace	Nil	Nil		16
17	.02	Nil	.08	Nil	Nil	Nil	Nil	Nil	Nil	.14	Nil	.11		17
18	.36	Nil	Nil	.21	Nil	Nil	.08	Nil	Nil	Trace	Nil	.25		18
19	Nil	Nil	.20	.21	Nil	Nil	Nil	Nil	.13	Nil	.01	.08		19
20	Nil	Nil	.17	Nil	Nil	Nil	.02	Nil	.01	Nil	Nil	.01		20
21	Nil	Nil	.02	.16	Nil	.06	Nil	Trace	Nil	Nil	Nil	Nil		21
22	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.21	Nil	Nil	Nil	Nil		22
23	Nil	Nil	Nil	.28	Nil	.59	.34	Nil	Nil	Nil	Nil	Nil		23
24	Nil	Nil	Nil	.07	Nil	.10	Nil	Nil	.24	Nil	Nil	Nil		24
25	Nil	.02	Nil	.06	Nil	.02	Nil	Nil	Nil	.03	Nil	Nil		25
26	.04	Nil	Nil	.33	Nil	.10	Nil	Nil	Nil	Nil	Nil	Trace		26
27	Nil	Nil	Nil	.12	Nil	.03	Nil	Nil	Nil	Nil	Nil	.11		27
28	Nil	.04	Nil	.09	Nil	.34	Nil	.36	Nil	Nil	Trace	.09		28
29	Nil	X	.03	Nil	Nil	Nil	For	.17	.06	Nil	.04	.03		29
30	.11	X	Nil	Nil	Nil	Nil	Nil	.01	.01	Nil	Nil	.14		30
31	.03	X	Nil	X	Nil	X	Nil	Nil	X	.11	X	.10		31
TOTAL	1.51	.18	2.07	1.79	.43	1.34	.83	1.74	1.21	1.59	2.12	1.40	19.25	
* Days with .01 in. or more.	17	10	16	13	6	8	7	12	8	9	9	13	142	✓
* Days with .04 in. or more.	10	1	12	13	3	6	5	8	6	8	8	9	102	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

413

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Grith Sanatorium*in the County of *Kent*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *—* in.Ground Sea Level *182* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.24	.06	Trace	.03	Nil	Trace	.23	Nil	.09	.01	.02	Nil		1
2	.06	Nil	.19	Nil	Nil	Nil	Nil	Nil	.08	.08	Nil	Nil		2
3	Nil	Nil	.16	.04	Nil	.25	Nil	Nil	.02	.68	<i>✓</i> .19	Nil		3
4	Nil	Nil	Nil	.14	Nil	.19	Nil	Nil	.17	.20	<i>✓</i>	.05		4
5	Nil	<i>✓</i> .45	.04	.09	Nil	.22	Nil	Nil	.41	Trace	.01	Trace		5
6	.03	<i>✓</i>	.01	.29	Nil	.13	Nil	Nil	Nil	Nil	.01	.02		6
7	.03	Nil	Nil	<i>✓</i> .80	Nil	.08	Nil	Nil	Nil	Nil	.75	.11		7
8	Nil	Nil	Nil	<i>✓</i>	Nil	.10	Nil	Nil	Nil	.29	.17	.10		8
9	Nil	Nil	Nil	.17	Nil	.90	Nil	Nil	Nil	1.20	.06	.01		9
10	.02	Nil	Nil	Trace	Nil	.02	Nil	Nil	Nil	Nil	.07	.02		10
11	.27	.04	Nil	.15	Nil	.04	Nil	Nil	Nil	Nil	.20	.04		11
12	.05	.01	Nil	Nil	Nil	.15	Nil	.11	Nil	Nil	.58	Trace		12
13	.08	.12	Nil	.05	.02	.04	Nil	Nil	Nil	Nil	.04	Nil		13
14	Nil	Nil	Nil	.17	.28	.06	Nil	Nil	Nil	Nil	.01	Nil		14
15	Nil	.16	Nil	.20	.01	.02	Nil	Nil	.31	Nil	.09	Nil		15
16	Nil	.07	Nil	Nil	Nil	.14	Nil	Nil	.31	.04	<i>✓</i> .10	Nil		16
17	Nil	Nil	.10	Nil	Nil	.14	Nil	Nil	.32	Nil	<i>✓</i>	.01		17
18	Nil	Nil	Nil	.19	.04	.18	.06	Nil	.29	.03	.04	Trace		18
19	Nil	Nil	Nil	Nil	.18	.01	.10	Nil	.28	Nil	.10	.14		19
20	Nil	.20	Nil	.06	.13	.04	.13	Nil	.07	Nil	.05	Nil		20
21	Trace	.19	Nil	.03	Nil	Nil	Nil	Nil	Nil	.04	.03	Nil		21
22	Nil	.08	Nil	Nil	Nil	Nil	Nil	.35	.21	Nil	Nil	Nil		22
23	Nil	Nil	.07	Nil	Nil	Nil	Nil	.10	.03	Nil	Nil	<i>✓</i> .25		23
24	.05	<i>✓</i> .42	Nil	Nil	.40	Nil	Nil	.30	.25	Nil	Nil	<i>✓</i>		24
25	<i>✓</i> .24	<i>✓</i>	Nil	.32	.07	Trace	Nil	Trace	Nil	Nil	Nil	.10		25
26	<i>✓</i>	Nil	Nil	Nil	Nil	Nil	Nil	.13	Nil	Nil	.00	.25		26
27	Nil	.34	Nil	Nil	Nil	Nil	Nil	Nil	.14	Nil	.05	.17		27
28	Nil	Trace	Nil	Nil	Nil	Nil	Nil	Nil	<i>✓</i> .05	Nil	Nil	.08		28
29	Nil	<i>×</i>	Nil	Nil	Nil	Nil	Nil	Nil	<i>✓</i> .34	Nil	Nil	<i>✓</i> .42		29
30	.05	<i>×</i>	Nil	.05	.09	Nil	Nil	.87	<i>✓</i>	.07	.25	<i>✓</i>		30
31	Nil	<i>×</i>	Nil	<i>×</i>	.01	<i>×</i>	Nil	Nil	<i>×</i>	.16	<i>×</i>	.27		31
TOTAL	1.10	2.10	.57	2.78	1.23	2.71	.52	1.86	3.32	2.85	3.79	2.04	Year's Total	24.87
* Days with .01 in. or more.	112	113	6	107	10	18	4	6	16	8	12	14	145	156
* Days with .04 in. or more.	78	101	5	145	7	15	4	6	14	6	10	145	148	126

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

John H. Clayton [P.O.]

Section

A

for the entry of Daily Observations

Station No.

413

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at ERITH SANATORIUM

in the County of KENT

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft. 0 in.

,, Ground ,, Sea Level 182.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.20	0.09	0.09	0.20	Nil		0.12	Trace	Nil	Trace	0.07	0.16		1
2	0.01	Nil	Nil	0.01	Nil	0.40	0.04	0.06	Nil	Nil	0.07	Nil		2
3	Nil	Nil	Nil	0.21	0.02	0.02	0.02	Nil	Trace	Nil	0.19	Nil		3
4	0.03	Nil	0.08	Nil	Nil		Nil	0.06	0.33	0.02	0.06	Nil		4
5	0.42	Trace	0.04	Nil	Nil		Nil	Trace	0.27	0.01	0.01	0.01		5
6	0.42	Nil	0.06	Nil	Nil	0.12	Nil	Nil	0.06	0.01	0.35	Nil		6
7	0.22	Nil	Nil	Nil	Nil	0.12	Nil	Nil	0.04	0.03	0.15	0.08		7
8	0.14	Nil	Nil	Nil	Nil		Nil	Nil	0.05	Trace	0.46	0.24		8
9	0.43	Nil	Nil	Nil	Nil		0.59	Nil	0.12	Trace	Trace	Nil		9
10	0.02	Nil	Nil	Nil	Nil		0.43	Nil	0.16	Nil	0.03	Trace		10
11	Nil	Nil	Nil	0.11	Nil		0.12	0.18	0.01	0.01	0.73	Nil		11
12	Nil	Nil	Nil	0.12	Nil	Trace	0.13	Nil	0.07	0.01	0.29	0.06		12
13	Nil	Nil	Nil	0.02	Nil	0.38	Trace	0.05	Nil	0.02	0.12	0.16		13
14	Nil	0.05	Nil	Nil	Nil	0.05	0.44	Nil	0.06	0.02	0.09	0.71		14
15	Trace	0.03	Nil	Nil	Nil	Nil	Trace	Nil	0.04	Trace	0.06	0.03		15
16	0.15	0.06	Nil	0.01	Nil	0.05	0.02	Nil	0.04	Nil	0.32	0.02		16
17	0.41	0.42	Nil	Nil	Nil	0.04	Nil	Nil	Nil	Nil	0.21	0.16		17
18	0.02	0.02	Nil	Trace	Nil	0.06	0.11	Nil	Nil	0.03	0.11	0.09		18
19	0.25	0.03	Nil	Trace	Nil	0.06	0.17	0.06	0.01	Trace	Trace	Nil		19
20	0.04	Nil	Nil	0.37	Nil	0.02	0.07	Nil	0.74	Nil	Nil	Nil		20
21	Nil	0.01	0.12	0.18	Nil	0.39	0.01	Nil	0.21	Nil	Nil	0.01		21
22	0.15	0.36	Nil	Nil	0.18	0.07	0.13	Nil	Trace	Nil	Trace	0.06		22
23	0.01	0.01	Nil	0.05	Nil	0.01	0.04	Nil	Nil	0.03	Nil	Nil		23
24	0.16	0.04	Nil	Nil	Nil	Nil	Nil	Nil	0.03	0.59	Trace	Nil		24
25	0.15	Nil	0.19	0.06	Nil	0.31	0.22	Nil	0.10	0.05	0.02	Nil		25
26	Trace	0.09	0.18	0.20	Nil	0.01	0.08	Nil	0.08	0.21	Nil	0.02		26
27	0.05	Trace	Nil	0.01	Nil	Nil	Nil	Nil	0.14	0.03	Nil	Nil		27
28	0.64	Nil	Nil	Nil	Nil	0.21	0.11	Nil	0.03	Nil	Nil	0.04		28
29	0.08	Trace	0.09	Nil	Nil	0.08	0.03	Nil	Nil	0.02	0.09	0.01		29
30	0.04	0.04	Nil	Nil	0.50	0.14	Trace	Nil	Nil	0.19	Nil	Nil		30
31	0.31	0.04	0.07	0.07	0.50	0.11	Nil	0.11	0.39	0.39	0.05	0.05		31
TOTAL	3.88	1.25	0.92	1.55	1.18	2.35	2.99	0.41	2.69	1.67	3.43	1.91	23.25	180
* Days with .01 in. or more.	23	13	9	13	5	10	20	5	20	17	19	17	174	180
* Days with .04 in. or more.	16	8	9	9	4	12	16	5	16	5	16	11	127	133

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

John H. Clayton

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

413

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at *Griffith Sanatorium*in the County of *Kent*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1*.....ft.....*0*.....in.,, Ground ,, Sea Level*18.2*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.57	0.03	Nil	0.11	Nil	Nil	Nil	Nil	Trace	Nil	0.72	0.51		1
2	Trace	0.10	0.02	0.38	Nil	Nil	Nil	Nil	0.11	Trace	Nil	0.70		2
3	Nil	0.06	Nil	Nil	Trace	Trace	Nil	0.01	Nil	0.03	Nil	0.28		3
4	0.04	0.41	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.31		4
5	0.22	0.21	0.32	Trace	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.10		5
6	0.01	Nil	0.31	Nil	0.12	Nil	0.03	Nil	Nil	0.04	Nil	0.01		6
7	Nil	0.81	0.20	0.05	Trace	Nil	Nil	Nil	0.08	0.01	Nil	0.03		7
8	Nil	0.02	0.01	Nil	0.04	0.06	Nil	Nil	Nil	Nil	0.22	0.29		8
9	Trace	0.05	Nil	0.28	0.27	Trace	Nil	Nil	0.22	Nil	Nil	0.18		9
10	Nil	Nil	0.35	0.21	0.35	0.40	0.09	Trace	Nil	Nil	Trace	0.27		10
11	Nil	Nil	0.38	0.03	0.61	Nil	0.01	Nil	Nil	Nil	Nil	0.04		11
12	0.12	0.09	0.05	Nil	0.15	0.09	0.01	Nil	0.04	Trace	Nil	0.05		12
13	0.12	0.08	0.32	0.01	0.06	0.61	Nil	0.12	0.48	Nil	Nil	0.10		13
14	0.04	0.15	0.10	0.01	0.01	Nil	Nil	Nil	0.08	Nil	Nil	0.21		14
15	0.05	0.06	Nil	0.11	Nil	Nil	0.64	0.42	0.19	Nil	Nil	0.07		15
16	0.06	0.15	0.26	0.30	Nil	0.06	Nil	Nil	0.12	Nil	0.03	0.04		16
17	0.10	0.01	0.06	0.10	Nil	Trace	Nil	Nil	0.02	Nil	0.05	0.02		17
18	0.23	0.05	Nil	0.08	0.37	0.78	Nil	Nil	0.02	Nil	0.21	0.07		18
19	0.16	0.07	0.02	0.03	0.65	0.08	Nil	Nil	0.03	Nil	Nil	0.09		19
20	0.19	0.06	0.03	0.23	0.84	0.05	Nil	Nil	Nil	Nil	Nil	0.01		20
21	0.19	0.49	0.04	0.10	0.03	0.10	Nil	Nil	Nil	Nil	Nil	Nil		21
22	0.23	0.04	0.02	0.05	Nil	Trace	0.03	Nil	Nil	0.84	0.29	0.02		22
23	0.26	Nil	Nil	Nil	Nil	Trace	0.01	Nil	Nil	0.45	0.01	0.01		23
24	0.32	0.48	Nil	Nil	Nil	Nil	Nil	Nil	0.09	0.12	Nil			24
25	0.06	0.28	0.14	Nil	Nil	Nil	Nil	Nil	Nil	0.06	Nil			25
26	Trace	0.10	0.06	Nil	0.23	Nil	Nil	Nil	Trace	0.03	Nil			26
27	Nil	0.13	Nil	0.30	Nil	Nil	Nil	Nil	0.12	0.30	Nil			27
28	Nil	Trace	Nil	0.01	Nil	Nil	Nil	Nil	Nil	0.04	Nil			28
29	Nil	~~Trace~~	Nil	Nil	Nil	Trace	Nil	Nil	Nil	0.02	0.12			29
30	0.04	~~Trace~~	Nil	Nil	Nil	Trace	Nil	0.10	Nil	0.05	0.09			30
31	0.40	~~Trace~~	Trace	~~Trace~~	Nil	~~Trace~~	Nil	Nil	~~Trace~~	0.04	~~Trace~~			31
TOTAL	3.41	3.93	2.69	2.39	3.73	2.23	0.82	0.65	1.60	2.03	1.74	3.52	Year's Total	
* Days with .01 in. or more.	X ₂₀	X ₂₃	X ₁₈	X ₁₇	X ₁₃	X ₉	X ₇	X ₄	X ₁₃	X ₁₃	X ₉	24	170	
* Days with .04 in. or more.	19	20	13	12	11	9	2	3	10	9	7	16	131	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

413

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at *Griff Sanatorium*in the County of *Kent*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1*.....ft.....*0*.....in.,, Ground ,, Sea Level*182*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	Trace	Trace	Nil	0.04	Nil	Nil	Nil	0.00	0.09	Nil	0.06		1
2	0.04	Nil	Nil	0.06	0.09	Nil	0.05	Nil	Nil	0.12	Nil	0.03		2
3	Nil	Nil	Nil	Nil	0.21	Nil	Nil	Nil	Nil	0.32	0.01	Nil		3
4	0.03	Nil	Nil	Nil	Nil	Nil	0.16	0.03	Nil	0.04	Nil	0.04		4
5	Nil	Nil	Nil	Nil	Nil	Nil	0.36	Nil	Nil	0.11	Nil	0.02		5
6	0.03	Nil	Nil	Nil	Nil	Nil	Nil	Trace	0.06	0.00	Nil	Nil		6
7	Nil	Nil	Nil	Nil	Nil	Nil	0.14	0.45	0.02	0.12	Nil	0.06		7
8	0.07	Nil	Nil	Nil	Nil	Nil	0.07	Nil	Nil	0.13	Trace	Nil		8
9	Nil	Trace	Nil	Nil	Nil	Nil	0.06	0.34	Nil	Nil	Trace	0.46		9
10	0.09	0.03	Nil	Nil	Nil	0.01	Nil	0.08	Trace	Nil	Nil	0.09		10
11	0.22	0.02	Nil	Nil	Nil	Trace	Nil	Nil	Nil	Nil	0.06	0.02		11
12	0.15	0.04	Nil	Nil	Nil	Nil	Nil	0.05	Nil	0.12	0.01	0.04		12
13	0.25	0.06	Nil	Nil	Nil	Nil	Nil	Trace	Nil	0.01	0.09	0.01		13
14	0.09	0.06	Nil	Nil	0.22	Nil	Nil	Nil	0.07	0.01	0.01	0.03		14
15	0.26	0.03	Nil	Nil	Trace	Nil	0.16	Nil	Nil	0.16	Trace	0.08		15
16	~~Nil~~	0.02	Nil	Nil	Nil	Nil	Trace	Nil	Nil	0.24	Trace	0.38		16
17	Nil	0.06	Nil	Nil	0.22	Nil	0.05	Nil	Nil	0.06	Nil	0.01		17
18	0.01	Nil	Nil	Nil	0.07	Nil	0.00	Nil	0.03	0.04	0.34	Nil		18
19	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.09	0.02	Nil	0.11	Nil		19
20	Nil	Nil	Nil	Nil	0.07	Nil	Nil	Nil	0.05	Nil	0.28	Nil		20
21	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.02	0.01	Nil	0.04	Nil		21
22	Nil	Trace	Nil	Nil	Nil	Trace	Nil	Trace	Trace	Nil	0.11	Nil		22
23	Nil	Nil	Nil	0.02	Nil	Nil	Nil	Nil	0.02	Nil	0.02	0.02		23
24	Nil	Nil	0.05	Nil	Trace	Nil	Nil	Nil	0.41	Trace	0.04	0.03		24
25	0.15	Nil	0.15	0.05	0.09	Nil	Trace	Nil	0.06	0.05	1.10	0.01		25
26	0.08	0.11	0.08	Nil	Nil	Nil	Trace	0.05	0.18	0.29	0.01	0.21		26
27	Nil	0.04	Nil	Trace	0.18	0.25	0.11	Nil	0.71	0.01	Nil	Nil		27
28	0.19	0.03	Nil	0.03	0.19	0.02	Nil	0.12	Trace	Nil	0.10	Nil		28
29	0.22	X	Nil	Trace	0.08	Trace	Nil	Nil	Nil	Trace	0.04	0.23		29
30	0.02	X	Nil	0.12	0.02	0.03	Nil	Nil	0.02	0.04	0.11	Nil		30
31	0.13	X	Nil	X	0.06	X	Nil	Nil	X	0.09	X	0.13		31
TOTAL	2.05	0.50	0.28	0.28	1.54	0.31	1.16	1.23	1.66	2.05	2.48	(2.46)	Year's Total	15.958
* Days with .01 in. or more.	18	11	7	5	13	4	10	9	13	19	17	28	148	
* Days with .04 in. or more.	12	6	3	3	12	1	9	6	7	16	12	14	101	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section **A** for the entry of Daily ObservationsStation No. **413**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at **Leich Sanatorium**in the County of **Kent**Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground...**1**...ft...**0**...in.,, Ground ,, Sea Level**192**.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	nil	0.01	0.01	0.33	nil	Trace						1
2	nil	nil	nil	0.01	0.01	nil	nil						2
3	0.16	nil	0.06	0.15	nil	nil	nil						3
4	0.07	nil	0.06	0.15	nil	nil	0.02						4
5	nil	nil	nil	0.10	nil	nil	0.16						5
6	0.91	0.15	nil	nil	nil	nil	0.03						6
7	0.01	0.01	nil	nil	nil	nil	nil						7
8	0.005	0.02	0.09	nil	nil	nil	nil						8
9	0.04	0.02	nil	nil	nil	nil	nil						9
10	0.13	nil	nil	nil	nil	0.32	nil						10
11	0.01	Trace	0.29	nil	nil	0.37	nil						11
12	nil	nil	0.01	nil	nil	0.01	nil						12
13	nil	nil	0.02	0.02	nil	0.03	nil						13
14	0.36	nil	0.02	0.10	0.21	nil	Trace						14
15	0.47	nil	Trace	nil	0.69	0.02	nil						15
16	0.27	nil	0.11	0.02	0.24	nil	0.01						16
17	0.36	0.04	0.03	0.01	0.02	nil	Trace						17
18	0.17	nil	0.03	nil	0.12	0.29	0.20						18
19	0.21	nil	0.05	nil	nil	0.01	0.10						19
20	0.21	nil	0.04	nil	nil	nil	0.91						20
21	0.05	nil	0.09	nil	nil	0.07	0.11						21
22	0.03	0.15	0.15	nil	nil	0.02	nil						22
23	0.05	nil	nil	0.23	nil	0.005	0.08						23
24	0.01	0.07	0.06	0.05	nil	nil	0.45						24
25	0.76	0.23	0.03	0.01	nil	nil	0.01						25
26	0.02	0.01	0.01	0.03	nil	0.09	nil						26
27	0.04	0.02	0.07	0.09	nil	Trace	nil						27
28	nil	0.25	0.07	0.18	nil	Trace	nil						28
29	nil	X	0.01	0.31	nil	nil	nil						29
30	nil	X	nil	0.52	nil	0.09	nil						30
31	nil	X	nil	X	nil	X	0.10		X		X		31
TOTAL	3.865	0.97	1.29	1.99	1.62	1.325	2.18						Year's Total
* Days with .01 in. or more.	22	11	21	17	7	11	12						..
* Days with .04 in. or more.	16	6	11	10	5	6	8						..

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

REGISTER

Kept at *Erith Sewage Disposal*
in the County of *Kent*

Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground *one*
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule
year in the space on the right of this paragraph
Please

4714
COPY FOR OFFICIAL USE.
LL ORGANIZATION.

4114
ERITH S.W.

1931-40

Y.
following

Jan. 1, following

780109

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Trace	Trace	.01	.45	Trace	.09	Trace	.02	Trace	Trace	Trace	Trace	1
2	.17	.08	Trace	.17	Trace	Trace	Trace	.04	.22	.02	Trace	.02	2
3	.04	Trace	.01	.29	1.30	Trace	Trace	.15	.22	Trace	.01	.18	3
4	Trace	Trace	Trace	Trace	Trace	Trace	Trace	.01	Trace	Trace	Trace	Trace	4
5	Trace	Trace	Trace	.25	.16	.49	.03	Trace	.04	Trace	Trace	.09	5
6	Trace	.09	Trace	.02	Trace	Trace	Trace	Trace	Trace	.22	.55	Trace	6
7	Trace	Trace	Trace	Trace	.04	.05	Trace	.17	Trace	Trace	.07	Trace	7
8	Trace	.01	Trace	Trace	Trace	.22	Trace	.25	Trace	.02	.04	Trace	8
9	Trace	Trace	.02	Trace	Trace	.01	Trace	Trace	.01	Trace	.39	.02	9
10	Trace	.09	Trace	Trace	Trace	Trace	Trace	.14	Trace	Trace	.30	Trace	10
11	.10	.18	Trace	Trace	Trace	Trace	Trace	Trace	.03	Trace	.10	Trace	11
12	.01	.05	Trace	Trace	Trace	Trace	Trace	Trace	.17	.38	Trace	Trace	12
13	.02	Trace	Trace	Trace	Trace	Trace	.05	.04	Trace	.04	Trace	Trace	13
14	Trace	.10	Trace	Trace	Trace	Trace	.60	1.31	Trace	Trace	Trace	Trace	14
15	.04	.03	Trace	.16	.14	Trace	.25	.17	Trace	Trace	Trace	.06	15
16	Trace	.03	Trace	.12	.25	Trace	Trace	.08	.03	Trace	Trace	Trace	16
17	Trace	.01	Trace	.42	.06	Trace	.14	Trace	.05	Trace	Trace	Trace	17
18	Trace	.07	Trace	.21	Trace	.28	.03	.52	Trace	Trace	.37	Trace	18
19	.04	Trace	Trace	.37	Trace	.26	.13	.40	.06	Trace	Trace	Trace	19
20	.01	.02	Trace	.03	Trace	Trace	Trace	.13	Trace	Trace	Trace	Trace	20
21	.01	Trace	Trace	Trace	.48	Trace	Trace	.02	.03	Trace	Trace	Trace	21
22	.09	Trace	.11	Trace	Trace	Trace	Trace	Trace	Trace	Trace	.03	Trace	22
23	.14	Trace	Trace	Trace	.16	.03	Trace	Trace	.01	Trace	.05	Trace	23
24	Trace	Trace	Trace	.50	.01	.04	Trace	.03	.01	Trace	Trace	Trace	24
25	.04	Trace	Trace	.30	.01	Trace	.36	Trace	Trace	Trace	.01	Trace	25
26	Trace	.06	Trace	.41	Trace	Trace	.36	Trace	.01	Trace	.25	Trace	26
27	.09	.31	Trace	.03	.13	Trace	.72	Trace	Trace	Trace	.02	Trace	27
28	.04	.11	Trace	.07	Trace	Trace	Trace	Trace	Trace	Trace	Trace	.14	28
29	.10	X	Trace	.13	.03	Trace	.07	Trace	Trace	.21	Trace	.03	29
30	.06	X	Trace	Trace	Trace	Trace	.01	Trace	Trace	Trace	Trace	Trace	30
31	.05	X	Trace	X	.02	X	Trace	Trace	X	Trace	X	Trace	31
TOTAL	1.05	1.24	0.15	3.93	2.79	1.47	2.75	3.65	1.10	.51	2.19	.54	YEAR'S TOTAL
*Days with or in. or more.	17	15	4	17	13	9	12	17	13	5	13	7	142
*Days with .04 in. or more.	13	10	1	14	9	7	9	13	6	3	9	4	98

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at *Grith Sewage Disposal Works*
in the County of *Kent*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *one* ft. in.
Ground Sea Level *13* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>Trace</i>	<i>Trace</i>	<i>.01</i>	<i>.45</i>	<i>Trace</i>	<i>.09</i>	<i>Trace</i>	<i>.02</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	1
2	<i>.17</i>	<i>.08</i>	<i>Trace</i>	<i>.17</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.04</i>	<i>.22</i>	<i>.02</i>	<i>Trace</i>	<i>.02</i>	2
3	<i>.04</i>	<i>Trace</i>	<i>.01</i>	<i>.29</i>	<i>1.30</i>	<i>Trace</i>	<i>Trace</i>	<i>.15</i>	<i>.22</i>	<i>Trace</i>	<i>.01</i>	<i>.18</i>	3
4	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.01</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	4
5	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.25</i>	<i>.16</i>	<i>.49</i>	<i>.03</i>	<i>Trace</i>	<i>.04</i>	<i>Trace</i>	<i>Trace</i>	<i>.09</i>	5
6	<i>Trace</i>	<i>.09</i>	<i>Trace</i>	<i>.02</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.22</i>	<i>.55</i>	<i>Trace</i>	6
7	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.04</i>	<i>.05</i>	<i>Trace</i>	<i>.17</i>	<i>Trace</i>	<i>Trace</i>	<i>.07</i>	<i>Trace</i>	7
8	<i>Trace</i>	<i>.01</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.22</i>	<i>Trace</i>	<i>.25</i>	<i>Trace</i>	<i>.02</i>	<i>.04</i>	<i>Trace</i>	8
9	<i>Trace</i>	<i>Trace</i>	<i>.02</i>	<i>Trace</i>	<i>Trace</i>	<i>.01</i>	<i>Trace</i>	<i>Trace</i>	<i>.01</i>	<i>Trace</i>	<i>.39</i>	<i>.02</i>	9
10	<i>Trace</i>	<i>.09</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.14</i>	<i>Trace</i>	<i>Trace</i>	<i>.30</i>	<i>Trace</i>	10
11	<i>.10</i>	<i>.18</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.03</i>	<i>Trace</i>	<i>.10</i>	<i>Trace</i>	11
12	<i>.01</i>	<i>.05</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.17</i>	<i>.38</i>	<i>Trace</i>	<i>Trace</i>	12
13	<i>.02</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.05</i>	<i>.04</i>	<i>Trace</i>	<i>.04</i>	<i>Trace</i>	<i>Trace</i>	13
14	<i>Trace</i>	<i>.10</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.60</i>	<i>1.31</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	14
15	<i>.04</i>	<i>.03</i>	<i>Trace</i>	<i>.16</i>	<i>.14</i>	<i>Trace</i>	<i>.25</i>	<i>.17</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.06</i>	15
16	<i>Trace</i>	<i>.03</i>	<i>Trace</i>	<i>.12</i>	<i>.25</i>	<i>Trace</i>	<i>Trace</i>	<i>.08</i>	<i>.03</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	16
17	<i>Trace</i>	<i>.01</i>	<i>Trace</i>	<i>.42</i>	<i>.06</i>	<i>Trace</i>	<i>.14</i>	<i>Trace</i>	<i>.05</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	17
18	<i>Trace</i>	<i>.07</i>	<i>Trace</i>	<i>.21</i>	<i>Trace</i>	<i>.28</i>	<i>.03</i>	<i>.52</i>	<i>Trace</i>	<i>Trace</i>	<i>.37</i>	<i>Trace</i>	18
19	<i>.04</i>	<i>Trace</i>	<i>Trace</i>	<i>.37</i>	<i>Trace</i>	<i>.26</i>	<i>.13</i>	<i>.40</i>	<i>.06</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	19
20	<i>.01</i>	<i>.02</i>	<i>Trace</i>	<i>.03</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.13</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	20
21	<i>.01</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.48</i>	<i>Trace</i>	<i>Trace</i>	<i>.02</i>	<i>.03</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	21
22	<i>.09</i>	<i>Trace</i>	<i>.11</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.03</i>	<i>Trace</i>	22
23	<i>.14</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.16</i>	<i>.03</i>	<i>Trace</i>	<i>Trace</i>	<i>.01</i>	<i>Trace</i>	<i>.05</i>	<i>Trace</i>	23
24	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.50</i>	<i>.01</i>	<i>.04</i>	<i>Trace</i>	<i>.03</i>	<i>.01</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	24
25	<i>.04</i>	<i>Trace</i>	<i>Trace</i>	<i>.30</i>	<i>.01</i>	<i>Trace</i>	<i>.36</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.01</i>	<i>Trace</i>	25
26	<i>Trace</i>	<i>.06</i>	<i>Trace</i>	<i>.41</i>	<i>Trace</i>	<i>Trace</i>	<i>.36</i>	<i>Trace</i>	<i>.01</i>	<i>Trace</i>	<i>.25</i>	<i>Trace</i>	26
27	<i>.09</i>	<i>.31</i>	<i>Trace</i>	<i>.03</i>	<i>.13</i>	<i>Trace</i>	<i>.72</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.02</i>	<i>Trace</i>	27
28	<i>.04</i>	<i>.11</i>	<i>Trace</i>	<i>.07</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.14</i>	28
29	<i>.10</i>	<i>X</i>	<i>Trace</i>	<i>.13</i>	<i>.03</i>	<i>Trace</i>	<i>.07</i>	<i>Trace</i>	<i>Trace</i>	<i>.21</i>	<i>Trace</i>	<i>.03</i>	29
30	<i>.06</i>	<i>X</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>.01</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	<i>Trace</i>	30
31	<i>.05</i>	<i>X</i>	<i>Trace</i>	<i>X</i>	<i>.02</i>	<i>X</i>	<i>Trace</i>	<i>Trace</i>	<i>X</i>	<i>Trace</i>	<i>X</i>	<i>Trace</i>	31
TOTAL	<i>1.05</i>	<i>1.24</i>	<i>0.15</i>	<i>3.93</i>	<i>2.79</i>	<i>1.47</i>	<i>2.75</i>	<i>3.65</i>	<i>1.10</i>	<i>.51</i>	<i>2.19</i>	<i>.54</i>	YEAR'S TOTAL
*Days with .01 in. or more.	<i>17</i>	<i>15</i>	<i>4</i>	<i>17</i>	<i>13</i>	<i>9</i>	<i>12</i>	<i>17</i>	<i>13</i>	<i>5</i>	<i>13</i>	<i>7</i>	<i>142</i>
*Days with .04 in. or more.	<i>13</i>	<i>10</i>	<i>1</i>	<i>14</i>	<i>9</i>	<i>7</i>	<i>9</i>	<i>13</i>	<i>6</i>	<i>3</i>	<i>9</i>	<i>4</i>	<i>98</i>

Section

A

for the entry of Daily Observations.

Station No.

414

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1932.

Kept at Grith Sewage Disposal Works
in the County of KentDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
Ground Sea Level 13 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	—	.04	.44	—	—	.57	.02	.01	—	.01	1
2	.02	—	—	.07	.01	—	—	.15	.24	.01	—	.10	2
3	—	—	—	.07	.17	—	—	—	.45	—	—	—	3
4	—	—	—	—	tr	.19	—	—	—	—	.04	—	4
5	.06	—	.02	—	.03	.03	.32	—	.04	—	—	—	5
6	.46	—	.01	.19	.02	—	—	—	.03	—	—	—	6
7	.02	—	.09	.04	.03	—	—	—	.04	—	—	—	7
8	—	—	.04	.01	.21	—	—	—	.05	.53	—	—	8
9	.14	—	—	.08	.38	—	—	—	—	.01	—	—	9
10	.29	.02	—	.15	.05	—	—	—	.01	.07	—	—	10
11	.08	.02	—	.06	.01	—	—	.03	.01	.22	.01	.02	11
12	.05	—	—	.02	—	—	—	—	—	.27	—	—	12
13	.03	—	—	.05	—	—	—	—	—	.27	.02	—	13
14	.02	—	—	.09	.07	—	—	—	—	.06	—	—	14
15	.08	—	—	.08	.03	—	—	—	—	.12	—	—	15
16	—	—	—	.13	.15	—	—	—	—	—	—	—	16
17	—	—	—	.01	—	—	.10	—	—	—	—	—	17
18	—	—	—	—	—	—	—	—	.13	—	.06	—	18
19	—	—	—	—	.01	—	—	—	.02	.12	.03	—	19
20	.01	—	—	.16	.10	—	—	Tr.	.04	.69	.10	—	20
21	—	—	—	.12	.37	—	—	.08	—	.23	—	.03	21
22	—	.02	.38	—	.73	—	.10	—	.24	.22	.24	—	22
23	—	.05	.31	.13	.10	—	—	—	.08	1.05	.08	.05	23
24	—	.03	—	—	—	—	.29	—	tr.	.02	.06	—	24
25	—	—	—	—	—	—	.48	—	.07	.56	.02	—	25
26	—	—	.03	.07	.01	—	.21	.10	—	—	—	—	26
27	—	—	.18	.04	.40	.01	.22	—	Tr.	.37	.05	—	27
28	—	—	—	—	.03	—	.06	—	.01	.16	—	—	28
29	—	—	.22	.04	—	—	.01	.31	.04	.25	—	.03	29
30	—	X	—	.06	.30	.57	—	—	tr.	.04	.04	.16	30
31	—	X	.15	X	—	X	—	—	X	—	X	—	31
TOTAL	1.29	.14	1.43	1.71	3.65	.80	1.79	1.24	1.52	5.28	.75	.40	YEAR'S TOTAL 20.00
*Days with .01 in. or more.	13	5	10	22	22	4	9	6	17	21	12	7	148
*Days with .04 in. or more.	7	1	7	19	13	2	8	5	11	17	8	3	101

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

414

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at *Erith Sewage Disposal Works, ERITH*
in the County of *Kent*Diameter of Funnel of Gauge *6* in.Height of top of Gauge above Ground *1* ft. *0* in.,, Ground ,, Sea Level *13' 0"* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>Trace</i>	<i>.13</i>	<i>.11</i>	<i>Nil</i>	<i>.04</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.01</i>	<i>Nil</i>		1
2	<i>.12</i>	<i>Nil</i>	<i>.14</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		2
3	<i>.03</i>	<i>.14</i>	<i>.04</i>	<i>Nil</i>	<i>.01</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		3
4	<i>.17</i>	<i>.01</i>	<i>.02</i>	<i>Nil</i>	<i>.09</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		4
5	<i>.05</i>	<i>Nil</i>	<i>.19</i>	<i>Nil</i>	<i>.21</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		5
6	<i>.04</i>	<i>.06</i>	<i>.01</i>	<i>Nil</i>	<i>.35</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.10</i>	<i>.09</i>	<i>Nil</i>		6
7	<i>.29</i>	<i>.04</i>	<i>.09</i>	<i>Nil</i>	<i>.09</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.08</i>	<i>Nil</i>	<i>Nil</i>		7
8	<i>.07</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.24</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		8
9	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.09</i>	<i>Nil</i>	<i>.05</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.10</i>	<i>Nil</i>		9
10	<i>Nil</i>	<i>.28</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.08</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.06</i>	<i>Nil</i>	<i>.01</i>		10
11	<i>.03</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.02</i>	<i>.14</i>	<i>.05</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		11
12	<i>Nil</i>	<i>Nil</i>	<i>.10</i>	<i>Nil</i>	<i>Nil</i>	<i>.13</i>	<i>Nil</i>	<i>Nil</i>	<i>.65</i>	<i>Nil</i>	<i>.02</i>	<i>Nil</i>		12
13	<i>.05</i>	<i>Nil</i>	<i>.04</i>	<i>Nil</i>	<i>.09</i>	<i>.03</i>	<i>.19</i>	<i>Nil</i>	<i>.20</i>	<i>Nil</i>	<i>.14</i>	<i>Nil</i>		13
14	<i>.05</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.04</i>	<i>Nil</i>	<i>.09</i>	<i>.16</i>	<i>.02</i>		14
15	<i>.04</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.13</i>	<i>.15</i>	<i>Nil</i>	<i>.01</i>	<i>.02</i>	<i>Nil</i>		15
16	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.05</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.04</i>	<i>Nil</i>		16
17	<i>.02</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.05</i>	<i>Nil</i>	<i>.03</i>	<i>.09</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		17
18	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.18</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		18
19	<i>Nil</i>	<i>.02</i>	<i>Nil</i>	<i>.01</i>	<i>Nil</i>	<i>.21</i>	<i>.19</i>	<i>Nil</i>	<i>.10</i>	<i>Nil</i>	<i>Nil</i>	<i>.03</i>		19
20	<i>Nil</i>	<i>.02</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.10</i>	<i>.48</i>	<i>Nil</i>	<i>.02</i>	<i>Nil</i>	<i>.01</i>	<i>Nil</i>		20
21	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.06</i>	<i>.34</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		21
22	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.08</i>	<i>Nil</i>	<i>.16</i>	<i>Nil</i>	<i>.05</i>	<i>.01</i>	<i>Nil</i>		22
23	<i>Nil</i>	<i>Nil</i>	<i>.48</i>	<i>.11</i>	<i>.48</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.22</i>	<i>Nil</i>	<i>.01</i>	<i>Nil</i>		23
24	<i>Nil</i>	<i>.25</i>	<i>.24</i>	<i>.13</i>	<i>.10</i>	<i>.28</i>	<i>Nil</i>	<i>Nil</i>	<i>.20</i>	<i>Nil</i>	<i>.02</i>	<i>Nil</i>		24
25	<i>Nil</i>	<i>.13</i>	<i>.14</i>	<i>.17</i>	<i>.01</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.21</i>	<i>.01</i>	<i>.07</i>		25
26	<i>Nil</i>	<i>.30</i>	<i>Nil</i>	<i>.03</i>	<i>Nil</i>	<i>.02</i>	<i>Nil</i>	<i>Nil</i>	<i>.39</i>	<i>.09</i>	<i>.02</i>	<i>.11</i>		26
27	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.12</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.15</i>	<i>Nil</i>	<i>.06</i>		27
28	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.30</i>	<i>Nil</i>	<i>.08</i>	<i>Nil</i>	<i>.01</i>	<i>.42</i>	<i>Nil</i>	<i>.01</i>		28
29	<i>Nil</i>	<i>x</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.17</i>	<i>Nil</i>	<i>.02</i>	<i>.10</i>	<i>Nil</i>	<i>Nil</i>		29
30	<i>.11</i>	<i>x</i>	<i>.09</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.15</i>		30
31	<i>.05</i>	<i>x</i>	<i>Nil</i>	<i>x</i>	<i>Nil</i>	<i>x</i>	<i>Nil</i>	<i>.09</i>	<i>x</i>	<i>Nil</i>	<i>x</i>	<i>Nil</i>		31
TOTAL	<i>1.12</i>	<i>1.38</i>	<i>1.72</i>	<i>.45</i>	<i>1.98</i>	<i>1.17</i>	<i>1.72</i>	<i>.58</i>	<i>2.24</i>	<i>1.36</i>	<i>.66</i>	<i>.46</i>	Year's Total	
*Days with ".01 in. or more.	<i>14</i>	<i>11</i>	<i>13</i>	<i>5</i>	<i>13</i>	<i>11</i>	<i>10</i>	<i>7</i>	<i>11</i>	<i>11</i>	<i>14</i>	<i>8</i>	<i>128</i>	
*Days with ".04 in. or more.	<i>11</i>	<i>8</i>	<i>11</i>	<i>3</i>	<i>11</i>	<i>8</i>	<i>10</i>	<i>6</i>	<i>8</i>	<i>10</i>	<i>5</i>	<i>4</i>	<i>95</i>	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

John M. Blayhys

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 414

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Sewage Disposal Works, Brith.

in the County of Kent

Diameter of Funnel of Gauge. 6.5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 13 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	Nil	Nil	Nil	Nil	Nil	Nil	.06	Nil	.06	Nil	.37		1
2	Nil	Nil	.10	Nil	Nil	Nil	Nil	Nil	.51	.30	Nil	.17		2
3	Nil	.03	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.45	Nil	Nil		3
4	.13	Nil	.04	Nil	Nil	Nil	Nil	Nil	Nil	.54	.07	.36		4
5	Nil	Nil	.01	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.04	.30		5
6	Nil	Nil	.29	Nil	.22	.07	Nil	.08	Nil	.13	Nil	.32		6
7	.04	Nil	Nil	Nil	Nil	.02	Nil	.04	Nil	.11	Nil	.07		7
8	Nil	Nil	Nil	Nil	.09	Nil	Nil	.04	.04	Nil	.24	.03		8
9	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.02	Nil	.52	.24		9
10	Nil	Nil	.11	Nil	Nil	Nil	Nil	.03	Nil	.05	.45	Nil		10
11	.31	Nil	.31	.09	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.06		11
12	.04	.01	.08	Nil	Nil	Nil	.05	.42	Nil	Nil	Nil	Nil		12
13	.25	Nil	.10	Nil	Nil	Nil	.18	.18	Nil	Nil	.02	.03		13
14	.05	Nil	.21	Nil	Nil	Nil	Nil	Nil	Nil	.03	.25	.25		14
15	.03	Nil	.19	Nil	.03	Nil	Nil	Nil	.03	.01	.05	.39		15
16	.07	Nil	.08	.11	.06	Nil	Nil	Nil	Nil	.04	Nil	Nil		16
17	.01	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.05	Nil	.10		17
18	.35	Nil	Nil	.12	Nil	Nil	.06	Nil	Nil	Nil	Nil	.21		18
19	Nil	Nil	.19	.10	Nil	Nil	Nil	Nil	.13	Nil	Nil	.07		19
20	Nil	Nil	.18	Nil	Nil	Nil	Nil	Nil	.03	Nil	Nil	Nil		20
21	Nil	Nil	Nil	.16	Nil	.06	Nil	Nil	Nil	Nil	Nil	.01		21
22	Nil	Nil	Nil	Nil	Nil	Nil	.04	.23	.15	Nil	Nil	.18		22
23	Nil	Nil	Nil	.33	Nil	.65	Nil	Nil	Nil	Nil	Nil	.09		23
24	Nil	Nil	.02	.06	Nil	.17	.75	Nil	.06	Nil	Nil	Nil		24
25	.03	Nil	Nil	.05	Nil	Nil	Nil	Nil	Nil	.02	Nil	.20		25
26	.03	Nil	Nil	.18	Nil	.10	Nil	Nil	Nil	Nil	Nil	.01		26
27	.01	Nil	Nil	.04	Nil	.05	Nil	Nil	Nil	Nil	Nil	.14		27
28	Nil	.06	Nil	.10	Nil	.20	Nil	.53	Nil	Nil	.02	.08		28
29	Nil	X	Nil	Nil	Nil	Nil	.01	.18	.05	Nil	Nil	.04		29
30	.10	X	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.12		30
31	.01	X	Nil	X	Nil	X	Nil	Nil	X	.06	X	.10		31
TOTAL	1.49	.10	2.01	1.34	.40	1.32	1.09	1.79	1.02	1.85	1.66	3.94	18.01	
* Days with .01 in. or more.	16	3	14	11	4	8	6	10	9	13	9	25	128	
* Days with .04 in. or more.	9	1	12	10	3	7	5	9	6	10	7	20	99	

Section



for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Brith Sewage Disposal Works*in the County of *Kent*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *4* ft. *1* in.Ground Sea Level *13* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28	.07	Nil	Nil	Nil	Nil	.18	Nil	.09	Nil	.05	Nil		1
2	.07	Nil	.07	.04	Nil	Nil	Nil	Nil	.07	.08	Nil	Nil		2
3	Nil	Nil	.15	.07	Nil	Nil	Nil	.02	.01	.55	.13	Nil		3
4	Nil	.06	Nil	.16	Nil	.45	Nil	Nil	.17	Nil	Nil	.04		4
5	Nil	.35	.05	.08	Nil	Nil	Nil	Nil	.34	.15	Nil	Nil		5
6	.03	.01	Nil	.27	Nil	.34	Nil	Nil	Nil	Nil	Nil	Nil		6
7	.04	Nil	Nil	.38	Nil	.17	Nil	Nil	Nil	Nil	.64	.09		7
8	Nil	Nil	.02	.31	Nil	.05	Nil	Nil	Nil	.23	.23	.13		8
9	Nil	Nil	Nil	.14	Nil	.89	Nil	Nil	Nil	1.18	.04	Nil		9
10	.03	.01	Nil	Nil	Nil	.02	Nil	Nil	Nil	Nil	.06	Nil		10
11	.22	Nil	Nil	.20	Nil	.04	Nil	Nil	Nil	Nil	.13	.06		11
12	Nil	.01	Nil	Nil	Nil	.10	Nil	.50	Nil	Nil	.57	Nil		12
13	.10	.11	Nil	.04	.12	.06	Nil	Nil	Nil	Nil	Nil	Nil		13
14	Nil	Nil	Nil	.38	.21	.06	Nil	Nil	Nil	Nil	Nil	.06		14
15	Nil	.13	Nil	.19	.02	.02	Nil	Nil	.14	Nil	.09	.06		15
16	Nil	.07	Nil	.05	Nil	.28	Nil	Nil	.19	.02	.50	.03		16
17	Nil	Nil	Nil	.01	Nil	.13	Nil	Nil	Nil	Nil	.57	Nil		17
18	Nil	Nil	Nil	.12	.04	.24	.05	Nil	.29	.03	.02	.03		18
19	Nil	Nil	Nil	Nil	.14	.06	.16	Nil	.01	Nil	.09	Nil		19
20	Nil	.19	Nil	.05	.12	Nil	.20	Nil	.05	Nil	.05	Nil		20
21	Nil	.19	Nil	.01	Nil	Nil	Nil	Nil	Nil	Nil	.05	Nil		21
22	Nil	.09	Nil	Nil	Nil	Nil	Nil	Nil	.20	.07	Nil	Nil		22
23	Nil	Nil	.06	Nil	Nil	Nil	Nil	.26	.04	Nil	Nil	Nil		23
24	Nil	.37	Nil	Nil	.50	Nil	Nil	.19	.24	Nil	Nil	.28		24
25	Nil	Nil	Nil	.37	.02	.38	Nil	.25	Nil	Nil	Nil	.05		25
26	.09	.11	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.29		26
27	.02	.18	Nil	Nil	Nil	Nil	Nil	.14	.06	Nil	.06	.08		27
28	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.05	.05	Nil	.12		28
29	Nil	X	Nil	Nil	Nil	Nil	Nil	Nil	.30	Nil	Nil	.10		29
30	.04	X	Nil	.06	.09	Nil	Nil	.87	.05	.10	.25	.27		30
31	Nil	X	Nil	X	Nil	X	Nil	Nil	X	.13	X	.28		31
TOTAL	.92	1.95	.35	2.93	1.26	3.23	.59	2.23	2.35	2.59	3.53	1.97	Year's total	23.90
* Days with .01 in. or more.	10	15	5	19	9	16	4	7	17	11	17	16		146
* Days with .04 in. or more.	7	12	4	17	7	14	4	6	15	9	16	14		125

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

John H. G. Gough [P.T.O.]

Section



for the entry of Daily Observations

Station No.

414

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at THE SEWAGE DISPOSAL WORKS.....

in the County of KENT.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

,, Ground ,, Sea Level 13.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.18	0.27	0.03	0.08	Nil	0.12	0.29	0.03	Nil	Nil	0.02	0.17		1
2	Nil	0.12	Nil	Nil	Nil	0.19	0.02	0.09	Nil	Nil	Nil	Nil		2
3	Nil	Nil	Nil	0.30	0.02	0.16	Nil	Nil	0.03	Nil	0.07	Nil		3
4	Nil	Nil	0.09	Nil	Nil	Nil	Nil	Nil	0.46	Nil	0.23	Nil		4
5	0.18	Nil	0.02	Nil	Nil	Nil	Nil	Nil	0.13	Trace	0.05	0.08		5
6	0.22	Nil	Nil	Nil	0.07	0.10	Nil	Nil	0.03	Nil	0.41	Nil		6
7	0.23	Nil	0.02	Nil	Nil	0.08	Nil	Nil	0.03	Nil	0.08	Nil		7
8	0.15	Nil	0.08	Nil	Nil	Nil	Nil	Nil	Nil	0.02	0.29	0.23		8
9	0.32	Nil	0.02	Nil	Nil	Nil	0.48	Nil	0.09	0.01	Nil	Nil		9
10	Nil	Nil	Nil	Nil	Nil	Nil	0.39	0.25	0.13	Nil	0.02	Nil		10
11	Nil	Nil	Nil	0.07	Nil	Nil	0.12	Nil	Nil	Nil	0.55	0.02		11
12	Nil	Nil	Nil	0.16	Nil	0.19	0.11	Nil	0.03	Nil	0.23	0.05		12
13	Nil	Nil	Nil	Nil	Nil	0.19	0.01	Nil	Nil	Nil	0.02	0.27		13
14	Nil	0.06	Nil	Nil	Nil	Nil	0.44	Nil	0.04	0.02	0.18	0.53		14
15	Nil	0.04	Nil	Nil	Nil	Nil	Nil	Nil	0.07	Nil	0.02	0.03		15
16	0.27	0.05	Nil	Nil	0.01	Nil	Nil	Nil	0.02	Nil	0.37	0.01		16
17	0.18	0.39	Nil	Nil	0.02	0.13	Nil	Nil	Nil	Nil	0.28	Nil		17
18	Nil	0.01	Nil	Nil	Nil	Nil	0.09	Nil	Nil	0.03	0.11	0.22		18
19	0.14	0.02	Nil	Nil	Nil	0.10	0.16	0.05	Nil	Nil	Nil	Nil		19
20	0.12	0.02	Nil	0.36	Nil	0.07	Nil	Nil	0.94	Nil	Nil	Nil		20
21	Nil	0.06	Nil	0.19	Nil	0.30	0.05	Nil	0.13	Nil	Nil	Nil		21
22	0.16	0.27	0.03	Nil	0.13	0.03	0.12	Nil	Nil	Nil	Nil	0.06		22
23	Nil	0.02	Nil	0.05	Nil	Nil	0.02	Nil	Nil	0.04	Nil	Nil		23
24	0.16	0.04	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.50	Nil	Nil		24
25	0.17	0.09	0.20	0.20	Nil	0.20	0.15	Nil	0.12	0.10	0.02	0.03		25
26	Nil	Nil	0.23	0.07	Nil	Nil	0.06	Nil	Nil	0.13	Nil	0.01		26
27	0.15	Nil	Nil	0.01	Nil	Nil	Nil	Nil	0.20	0.03	Nil	Nil		27
28	0.57	Nil	0.01	Nil	Nil	0.32	0.03	Nil	Nil	Nil	Nil	0.02		28
29	0.08	0.07	0.06	Nil	Nil	0.08	0.20	Nil	0.01	Nil	0.08	Nil		29
30	0.05	~~X~~	Nil	Nil	0.06	0.08	Nil	Nil	Nil	0.19	Nil	Nil		30
31	Nil	~~X~~	0.16	~~X~~	0.04	~~X~~	0.09	Nil	~~X~~	0.32	~~X~~	0.12		31
TOTAL	3.33	1.52	0.95	1.49	0.35	2.34	2.83	0.42	2.46	1.39	3.03	1.85	21.96	✓
* Days with .01 in. or more.	17	15	12	10	7	16	18	4	16	11	18	15	159	✓
* Days with .04 in. or more.	17	11	6	9	4	15	14	3	10	6	13	9	117	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Joseph H. Clayton Esq.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

414

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Smith's Garage Works*in the County of *Kent*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1* ft.....*0* in.,, Ground ,, Sea Level*13*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.38	0.03	<i>Nil</i>	0.10	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.61	0.45		1
2	<i>Nil</i>	<i>Nil</i>	0.03	0.34	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.10	0.03	<i>Nil</i>	0.85		2
3	<i>Nil</i>	0.08	0.01	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.26		3
4	0.04	0.35	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.45		4
5	0.19	<i>Nil</i>	0.30	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.14	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		5
6	0.10	0.21	0.50	<i>Nil</i>	0.08	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.02	<i>Nil</i>	<i>Nil</i>		6
7	<i>Nil</i>	0.77	0.21	0.04	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.05		7
8	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.10	0.06	<i>Nil</i>	<i>Nil</i>	0.05	<i>Nil</i>	0.23	0.36		8
9	<i>Nil</i>	0.06	<i>Nil</i>	0.33	0.15	<i>Nil</i>	0.01	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.09		9
10	<i>Nil</i>	<i>Nil</i>	0.33	0.16	0.18	0.45	<i>Nil</i>	0.01	0.22	<i>Nil</i>	0.02	<i>Nil</i>		10
11	<i>Nil</i>	<i>Nil</i>	0.38	<i>Nil</i>	0.31	<i>Nil</i>	0.04	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.40		11
12	0.11	0.27	0.07	0.01	0.45	0.30	0.02	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.13		12
13	0.12	0.02	0.38	<i>Nil</i>	0.02	0.48	<i>Nil</i>	0.14	0.06	<i>Nil</i>	<i>Nil</i>	0.42		13
14	0.01	0.03	0.37	<i>Nil</i>	0.11	<i>Nil</i>	<i>Nil</i>	0.35	0.52	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		14
15	0.08	0.06	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.05	<i>Nil</i>	0.10	<i>Nil</i>	<i>Nil</i>	0.02		15
16	<i>Nil</i>	0.15	0.26	0.33	<i>Nil</i>	0.03	<i>Nil</i>	0.23	0.17	<i>Nil</i>	<i>Nil</i>	0.02		16
17	0.15	0.04	0.05	0.18	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.07	<i>Nil</i>	0.06	<i>Nil</i>		17
18	0.24	0.03	<i>Nil</i>	<i>Nil</i>	0.50	0.52	<i>Nil</i>	<i>Nil</i>	0.13	<i>Nil</i>	0.20	<i>Nil</i>		18
19	0.02	0.07	0.02	0.09	0.05	0.19	<i>Nil</i>	<i>Nil</i>	0.02	<i>Nil</i>	<i>Nil</i>	0.10		19
20	0.32	<i>Nil</i>	0.04	0.27	0.79	0.15	<i>Nil</i>	<i>Nil</i>	0.03	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		20
21	0.18	0.54	0.03	0.06	0.01	<i>Nil</i>	0.02	0.03	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		21
22	0.30	0.03	<i>Nil</i>	<i>Nil</i>	0.02	0.05	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.67	0.30	0.02		22
23	0.18	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.53	0.03	<i>Nil</i>		23
24	0.45	0.46	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.07	0.21	<i>Nil</i>	<i>Nil</i>		24
25	0.08	0.31	0.12	<i>Nil</i>	0.02	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.06	0.21	<i>Nil</i>	0.02		25
26	<i>Nil</i>	0.09	0.07	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Trace</i>	<i>Nil</i>	<i>Nil</i>		26
27	<i>Nil</i>	0.11	<i>Nil</i>	0.25	0.05	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.03	0.33	<i>Nil</i>	<i>Nil</i>		27
28	<i>Nil</i>	0.04	<i>Nil</i>	0.01	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Trace</i>	<i>Nil</i>	0.03		28
29	<i>Nil</i>	<i>X</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.02	0.03	0.04		29
30	0.28	<i>X</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	0.02	<i>Nil</i>	<i>Nil</i>	0.17	<i>Nil</i>		30
31	0.18	<i>X</i>	<i>Nil</i>	<i>X</i>	<i>Nil</i>	<i>X</i>	<i>Nil</i>	<i>Nil</i>	<i>X</i>	0.02	<i>X</i>	0.01		31
TOTAL	3.41	3.75	3.17	2.17	2.84	2.23	0.28	0.78	1.61	2.04	1.65	3.72	Year's Total	27.65
* Days with .01 in. or more.	419	521	417	213	415	19	86	36	314	511	89	418	158	
* Days with .04 in. or more.	17	16	13	11	11	8	3	3	11	6	6	12	117	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

John H. Clayton [P.T.O.]

Section



for the entry of Daily Observations

Station No. 414

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Sewage Disposal Works*in the County of *Kent*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	Nil	Nil	Nil	0.03	0.08	Nil	Nil	Nil	Nil	Nil	0.05		1
2	0.05	Nil	Nil	0.07	0.10	Nil	0.13	Nil	Nil	0.22	Nil	0.03		2
3	Nil	Nil	Nil	Nil	0.20	Nil	Nil	Nil	Nil	0.35	0.01	Nil		3
4	0.03	Nil	Nil	Nil	Nil	Nil	0.07	0.02	Nil	0.04	Nil	0.01		4
5	0.01	Nil	Nil	Nil	Nil	Nil	0.40	Nil	Nil	0.11	Nil	0.02		5
6	0.02	Nil	Nil	Nil	Nil	Nil	0.03	Nil	0.04	Nil	Nil	Nil		6
7	Nil	Nil	Nil	Nil	Nil	Nil	0.03	0.32	0.02	0.12	Nil	0.05		7
8	0.06	Nil	Nil	Nil	Nil	Nil	0.08	Nil	Nil	0.12	Nil	Nil		8
9	0.04	Nil	Nil	Nil	Nil	Nil	0.08	0.34	Nil	Nil	Nil	0.43		9
10	0.10	Nil	Nil	Nil	Nil	0.04	Nil	0.06	Nil	Nil	Nil	0.06		10
11	0.21	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.04	0.11		11
12	0.18	0.04	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.14	0.03	Nil		12
13	0.25	0.12	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.02	0.08	0.01		13
14	0.10	0.03	Nil	Nil	0.24	Nil	Nil	Nil	0.05	Nil	Nil	Nil		14
15	Nil	0.06	Nil	Nil	0.01	Nil	0.14	Nil	Nil	0.40	Nil	0.08		15
16	0.16	0.02	Nil	Nil	Nil	Nil	0.01	Nil	Nil	Nil	0.01	0.38		16
17	Nil	0.09	Nil	Nil	0.30	Nil	0.01	Nil	Nil	0.12	Nil	Nil		17
18	0.03	Nil	Nil	Nil	0.07	Nil	Nil	Nil	0.03	0.06	0.34	Nil		18
19	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.02	Nil	0.12	Nil		19
20	Nil	Nil	Nil	Nil	0.07	Nil	Nil	Nil	0.07	Nil	0.40	Nil		20
21	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.06	0.11	Nil	0.03	Nil		21
22	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.01	Nil	Nil	0.10	0.12		22
23	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.06	Nil	0.06	0.01		23
24	Nil	Nil	0.05	Nil	0.01	Nil	Nil	Nil	0.19	Nil	0.02	0.09		24
25	0.09	Nil	0.13	0.09	0.11	Nil	0.02	Nil	0.05	Nil	0.84	0.01		25
26	0.15	0.11	0.08	Nil	Nil	Nil	Nil	0.01	0.18	0.34	Nil	0.26		26
27	0.07	0.02	Nil	Nil	0.10	0.12	0.09	Nil	0.94	Nil	0.12	Nil		27
28	0.20	0.04	Nil	Nil	0.25	0.05	Nil	0.14	Nil	Nil	Nil	Nil		28
29	0.44	X	Nil	0.02	0.08	Nil	Nil	Nil	Nil	Nil	0.01	0.24		29
30	0.02	X	Nil	0.13	Nil	0.02	Nil	Nil	0.03	0.03	0.18	Nil		30
31	0.11	X	Nil	X	0.08	X	Nil	Nil	X	0.08	X	0.14		31
TOTAL	2.33	0.53	0.26	0.31	1.65	0.31	1.09	1.02	1.79	2.15	2.39	2.10	Year's Total	15.93
* Days with .01 in. or more.	21	9	3	4	14	5	12	8	13	14	16	18	137	
* Days with .04 in. or more.	15	6	3	3	11	4	7	5	9	12	10	12	97	

† Spare column, no entries required

(Signed)

J. B. C. Lupton

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No.

414

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sewage Disposal Works East
in the County of Kent

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft.....in.

,, Ground ,, Sea Level 13.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	nil	0.02	0.17	0.53	nil	nil	0.08	nil	nil	nil	nil		1
2	0.02	nil	nil	nil	0.29	nil	nil	0.28	0.37	nil	0.01	nil		2
3	0.13	nil	nil	0.17	0.01	nil	nil	0.70	0.17	nil	0.17	0.35		3
4	0.08	nil	0.08	0.18	nil	nil	0.02	1.86	nil	0.47	0.12	0.05		4
5	nil	nil	nil	0.15	nil	nil	0.14	0.02	nil	nil	0.14	0.04		5
6	0.43	nil	nil	nil	nil	nil	nil	0.06	nil	0.03	0.27	nil		6
7	0.03	0.15	nil	nil	nil	nil	0.04	0.01	nil	0.20	0.05	nil		7
8	nil	0.03	0.10	nil	nil	nil	nil	0.25	nil	0.49	0.24	0.28		8
9	nil	nil	nil	nil	nil	nil	nil	0.02	nil	0.62	0.08	0.10		9
10	0.16	nil	nil	nil	nil	0.49	nil	0.03	nil	nil	0.01	nil		10
11	nil	nil	0.25	nil	nil	0.39	nil	nil	0.04	0.57	nil	nil		11
12	nil	nil	nil	nil	nil	0.02	nil	nil	0.02	nil	nil	nil		12
13	nil	nil	nil	0.01	nil	0.02	nil	nil	nil	1.40	nil	nil		13
14	0.36	nil	0.02	0.09	0.20	nil	nil	nil	nil	0.30	0.47	0.03		14
15	0.52	nil	0.01	nil	0.83	nil	nil	nil	0.16	0.73	0.03	0.05		15
16	0.40	nil	0.09	0.01	0.19	nil	nil	nil	0.05	nil	0.83	nil		16
17	0.25	0.04	0.02	0.03	0.01	nil	0.08	nil	0.05	nil	0.04	nil		17
18	0.35	nil	nil	nil	0.25	0.31	0.18	nil	nil	0.21	0.31	nil		18
19	0.15	nil	0.01	nil	nil	nil	0.11	nil	nil	0.56	nil	nil		19
20	0.25	nil	nil	nil	nil	0.03	0.86	nil	nil	nil	nil	0.09		20
21	0.06	nil	0.20	nil	nil	0.04	0.40	0.02	0.07	nil	nil	nil		21
22	0.04	0.15	0.19	nil	nil	nil	nil	nil	nil	0.02	0.05	nil		22
23	nil	nil	nil	0.20	nil	nil	0.09	0.04	nil	0.14	nil	nil		23
24	0.17	0.07	0.07	0.09	nil	nil	0.44	nil	nil	nil	0.53	nil		24
25	0.66	0.27	0.04	0.01	nil	nil	0.02	nil	nil	nil	0.45	nil		25
26	0.04	nil	nil	nil	nil	0.04	nil	nil	nil	0.14	0.22	0.03		26
27	0.04	0.04	0.04	0.17	nil	nil	nil	nil	nil	0.06	0.30	nil		27
28	nil	0.32	0.04	0.12	nil	nil	nil	nil	nil	0.04	0.05	0.05		28
29	nil	X	nil	0.23	nil	nil	nil	nil	nil	0.09	0.08	nil		29
30	nil	X	nil	0.24	nil	0.05	nil	nil	nil	nil	0.05	nil		30
31	nil	X	nil	X	nil	X	0.09	nil	X	nil	X	nil		31
TOTAL	4.16	1.07	1.18	1.87	2.31	1.39	2.47	3.37	0.93	6.07	4.50	1.07	Year's Total	30.39
* Days with .01 in. or more.	20	8	15	15	8	9	12	12	8	17	22	10		156
* Days with .04 in. or more.	17	7	10	11	6	6	10	7	7	15	19	8		123

† Spare column, no entries required.

(Signed)

[P.T.O.]

* See Instruction 3 (f) on other side.



AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Kept at MANOR ROAD, ERITH (OLD SEWAGE DISPOSAL WORKS).

in the County of KENT

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ¹³ ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

REGISTER

Kept at *St. Joseph's Convent*
in the County of *Kent*

Diameter of Funnel of Gauge. *5*
Height of top of Gauge above Ground *one*
Ground Sea Level

THE MORNING MEASUREME

An observer who does not conform to this rule
year in the space on the right of this paragraph
Please

415
COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

415
ST. JOSEPH'S CONVENT

1931-38

BY.
the following

Jan. 1, following

98 01 09

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.07	Trace	.49	—	.59	—	.03	.04	—	—	—	1
2	.24	—	—	.22	.01	—	—	.22	.24	.03	—	.02	2
3	.03	.08	.03	.35	1.17	—	—	—	.23	—	.01	.25	3
4	—	—	—	.01	Trace	—	—	.03	.01	Trace	.02	—	4
5	—	—	—	.26	.15	.54	Trace	—	.05	—	Trace	.10	5
6	—	.11	—	.03	—	.02	—	.27	—	.27	.47	—	6
7	.01	.02	—	—	.05	.02	—	.33	—	—	.09	—	7
8	.01	—	.01	—	—	.26	—	—	—	.02	.03	—	8
9	—	.02	.04	Trace	—	—	—	.01	—	—	.46	.02	9
10	—	.10	Trace	—	—	Trace	—	.20	—	—	.40	.01	10
11	.11	.19	—	—	—	—	—	Trace	.48	.01	.15	—	11
12	.01	.06	—	.01	—	—	.07	.06	—	—	—	—	12
13	—	.12	—	—	—	—	Trace	.07	—	Trace	—	—	13
14	—	—	—	—	Trace	—	.70	1.77	—	—	—	—	14
15	.06	.05	—	.23	.17	—	.33	.45	—	—	—	.10	15
16	—	.01	—	.14	.27	.03	.02	.04	—	—	.01	—	16
17	—	—	—	.38	.08	—	.18	—	—	—	.41	—	17
18	.01	—	—	.15	—	.11	.02	.58	.11	—	—	—	18
19	.06	—	—	.41	—	.28	.23	.22	.10	—	—	—	19
20	—	.09	—	.04	—	—	.02	.22	—	—	—	.01	20
21	—	—	—	.03	.49	—	—	.03	—	—	—	—	21
22	.09	—	.17	.02	—	—	—	—	Trace	—	.03	—	22
23	.17	—	—	.01	.24	.05	—	—	.08	—	.08	.01	23
24	—	—	—	.37	.02	.04	—	.06	.01	—	.01	—	24
25	—	—	—	.32	.03	—	.35	—	—	—	—	Trace	25
26	—	.09	—	.57	—	—	.61	—	—	—	.25	—	26
27	.15	.34	—	.02	.21	—	.32	Trace	—	—	.02	—	27
28	.02	.15	—	.08	—	—	—	—	—	—	—	.19	28
29	.03	X	—	.07	.03	—	.09	—	—	.25	—	.02	29
30	.08	X	—	Trace	.03	—	.01	.02	—	—	—	—	30
31	.01	X	—	X	Trace	X	—	—	X	—	X	—	31
TOTAL	1.06	1.50	.25	4.21	2.95	1.94	2.95	4.59	1.35	.58	2.44	.73	YEAR'S TOTAL
*Days with ".01 in. or more.	16	15	4	22	14	10	13	18	10	5	15	10	24.55
*Days with ".04 in. or more.	8	12	2	15	9	7	9	13	8	2	8	4	97

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at *St. Joseph's Convent*
in the County of *Hert*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *one* ft. *—* in.
Ground Sea Level *213* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.07	<i>Trace</i>	.49	—	.59	—	.03	.04	—	—	—	1
2	.21	—	—	.22	.01	—	—	.22	.24	.03	—	.02	2
3	.03	.08	.03	.35	1.17	—	—	—	.23	—	.01	.25	3
4	—	—	—	.01	<i>Trace</i>	—	—	.03	.01	<i>Trace</i>	.02	—	4
5	—	—	—	.26	.15	.54	<i>Trace</i>	—	.05	—	<i>Trace</i>	.10	5
6	—	.11	—	.03	—	.02	—	.27	—	.27	.47	—	6
7	.01	.02	—	—	.05	.02	—	.33	—	—	.09	—	7
8	.01	—	.01	—	—	.26	—	—	—	.02	.03	—	8
9	—	.02	.04	<i>Trace</i>	—	—	—	.01	—	—	.46	.02	9
10	—	.10	<i>Trace</i>	—	—	<i>Trace</i>	—	.20	—	—	.40	.01	10
11	.11	.19	—	—	—	—	—	<i>Trace</i>	{ .48	.01	.15	—	11
12	.01	.06	—	.01	—	—	.07	.06		—	—	—	12
13	—	.12	—	—	—	—	<i>Trace</i>	.07	—	<i>Trace</i>	—	—	13
14	—	—	—	—	<i>Trace</i>	—	.70	1.77	—	—	—	—	14
15	.06	.05	—	.23	.17	—	.33	.45	—	—	—	.10	15
16	—	.01	—	.14	.27	.03	.02	.04	—	—	.01	—	16
17	—	—	—	.38	.08	—	.18	—	—	—	.41	—	17
18	.01	—	—	.15	—	.11	.02	.56	.11	—	—	—	18
19	.06	—	—	.41	—	.28	.23	.22	.10	—	—	—	19
20	—	.09	—	.04	—	—	.02	.22	—	—	—	.01	20
21	—	—	—	.03	.49	—	—	.03	—	—	—	—	21
22	.09	—	.17	.02	—	—	—	—	<i>Trace</i>	—	.03	—	22
23	.17	—	—	.01	.24	.05	—	—	.08	—	.08	.01	23
24	—	—	—	.37	.02	.04	—	.06	.01	—	.01	—	24
25	—	—	—	.32	.03	—	.35	—	—	—	—	<i>Trace</i>	25
26	—	.09	—	.57	—	—	.61	—	—	—	.25	—	26
27	.15	.34	—	.02	.21	—	.32	<i>Trace</i>	—	—	.02	—	27
28	.02	.15	—	.08	—	—	—	—	—	—	—	.19	28
29	.03	X	—	.07	.03	—	.09	—	—	.25	—	.02	29
30	.08	X	—	<i>Trace</i>	.03	—	.01	.02	—	—	—	—	30
31	.01	X	—	X	<i>Trace</i>	X	—	—	X	—	X	—	31
TOTAL	1.06	1.50	.25	4.21	2.95	1.94	2.95	4.59	1.35	.58	2.44	.73	YEAR'S TOTAL 24.55
*Days with ".01 in. or more.	16	15	4	22	14	10	13	18	10	5	15	10	152
*Days with ".04 in. or more.	8	12	2	15	9	7	9	13	8	2	8	4	97

Section **A** for the entry of Daily Observations. Station No. 6.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at St. Joseph's Convent Abbey Woodin the County of KentDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 213 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	—	—	.10	.48	.02	—	.87	.05	—	—	.02	1
2	.03	—	—	.08	.01	.05	—	.10	.03	—	Jr.	.13	2
3	—	—	—	.19	.20	Jr.	—	.01	—	—	.05	—	3
4	—	—	—	.02	—	.05	—	—	—	—	—	Jr.	4
5	—	—	—	.03	.05	.20	.29	—	—	—	—	—	5
6	.61	—	.02	—	—	—	—	—	.03	.04	—	—	6
7	—	—	.10	.03	—	—	.02	—	—	—	—	—	7
8	—	—	.07	.02	.23	—	—	—	—	.48	—	—	8
9	.48	—	.02	.03	.56	—	—	—	—	.04	—	—	9
10	—	.02	—	.19	.05	—	—	—	—	.09	—	—	10
11	.14	.03	—	.05	.03	—	.02	.08	.37	.31	.03	.03	11
12	.06	.07	—	.01	Jr.	—	—	.03	.07	.31	Jr.	.03	12
13	.02	—	—	.06	—	—	—	—	—	.25	.02	—	13
14	.02	.02	—	.05	—	—	—	—	—	.06	.03	Jr.	14
15	—	—	—	.09	.11	—	—	—	.23	.13	Jr.	—	15
16	.07	—	—	.16	.20	—	—	—	.18	.01	.01	—	16
17	—	—	—	.02	—	—	.13	—	—	—	—	—	17
18	—	—	—	.02	.05	—	.03	—	—	—	.05	—	18
19	—	—	—	.01	Jr.	—	—	—	.14	.15	.12	—	19
20	—	—	—	.02	.15	—	—	.05	—	.67	.10	—	20
21	.01	—	—	.26	.37	—	—	.09	—	.27	—	.02	21
22	—	.02	.48	Jr.	.54	—	.17	—	.02	.22	.27	—	22
23	—	.09	.11	.12	.20	—	—	—	.01	.13	.09	—	23
24	—	.04	—	.01	—	—	.06	—	—	.01	.08	—	24
25	—	—	—	—	—	—	.73	—	.19	.37	.02	—	25
26	—	—	.03	.08	.02	—	.27	.12	.60	Jr.	.11	—	26
27	—	—	.25	.05	.48	.02	.24	—	—	.46	—	—	27
28	—	—	.01	Jr.	—	—	.04	—	.05	.15	Jr.	—	28
29	—	—	.25	—	.01	—	.01	.45	.04	.26	—	.09	29
30	—	×	.11	—	.01	.49	Jr.	—	.10	.04	.05	.12	30
31	—	×	.15	×	—	×	.01	—	×	—	×	.03	31
TOTAL	1.50	.29	1.60	1.70	3.75	.83	2.02	1.80	2.11	5.45	1.03	.47	YEAR'S TOTAL 22.55
*Days with ".01 in. or more.	10	7	12	24	19	6	13	9	15	21	14	8	158
*Days with ".04 in. or more.	6	3	8	13	14	4	8	7	11	19	9	3	105

Section

A

for the entry of Daily Observations.

Station No.

415

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Saint Joseph's Convent, Abbey Wood,*in the County of *Kent*Diameter of Funnel of Gauge *6* in.Height of top of Gauge above Ground *1* ft. *0* in.,, Ground ,, Sea Level *212* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>Nil</i>	<i>.15</i>	<i>.12</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.01</i>	<i>Nil</i>		1
2	<i>.1</i>	<i>Nil</i>	<i>.2</i>	<i>Nil</i>	<i>.12</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		2
3	<i>.02</i>	<i>Nil</i>	<i>.06</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		3
4	<i>.05</i>	<i>.01</i>	<i>.04</i>	<i>Nil</i>	<i>.04</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		4
5	<i>.15</i>	<i>Nil</i>	<i>.19</i>	<i>Nil</i>	<i>.32</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.02</i>	<i>Nil</i>		5
6	<i>.05</i>	<i>Nil</i>	<i>.03</i>	<i>Nil</i>	<i>.38</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.05</i>	<i>.13</i>	<i>Nil</i>		6
7	<i>.15</i>	<i>.04</i>	<i>.09</i>	<i>Nil</i>	<i>.06</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.15</i>	<i>Trace</i>	<i>Trace</i>		7
8	<i>.1</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.01</i>	<i>Nil</i>	<i>.26</i>	<i>Nil</i>	<i>Nil</i>	<i>.02</i>	<i>Nil</i>	<i>.02</i>		8
9	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.07</i>	<i>Nil</i>	<i>.07</i>	<i>Nil</i>	<i>Nil</i>	<i>.09</i>	<i>.11</i>	<i>Nil</i>		9
10	<i>Nil</i>	<i>.35</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.15</i>	<i>.01</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		10
11	<i>.05</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.03</i>	<i>.06</i>	<i>.11</i>	<i>.04</i>	<i>.05</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		11
12	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.01</i>	<i>Nil</i>	<i>.18</i>	<i>Nil</i>	<i>Nil</i>	<i>.89</i>	<i>Nil</i>	<i>.02</i>	<i>Nil</i>		12
13	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.08</i>	<i>Nil</i>	<i>.16</i>	<i>Nil</i>	<i>.89</i>	<i>.10</i>	<i>.18</i>	<i>Nil</i>		13
14	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.04</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.02</i>	<i>.15</i>	<i>Nil</i>		14
15	<i>.06</i>	<i>Nil</i>	<i>.04</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.15</i>	<i>.17</i>	<i>Nil</i>	<i>.02</i>	<i>Trace</i>	<i>Nil</i>		15
16	<i>.05</i>	<i>Trace</i>	<i>.44</i>	<i>Nil</i>	<i>Nil</i>	<i>.31</i>	<i>.13</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.05</i>	<i>.01</i>		16
17	<i>.06</i>	<i>Nil</i>	<i>.38</i>	<i>Nil</i>	<i>Nil</i>	<i>.06</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.05</i>	<i>Nil</i>		17
18	<i>.05</i>	<i>Nil</i>	<i>.21</i>	<i>.08</i>	<i>Nil</i>	<i>.25</i>	<i>.01</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		18
19	<i>Nil</i>	<i>Nil</i>	<i>.14</i>	<i>.02</i>	<i>Nil</i>	<i>.46</i>	<i>Nil</i>	<i>Nil</i>	<i>.24</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		19
20	<i>Nil</i>	<i>.04</i>	<i>.02</i>	<i>.10</i>	<i>Nil</i>	<i>.09</i>	<i>.40</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		20
21	<i>Nil</i>	<i>.05</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.09</i>	<i>.35</i>	<i>.05</i>	<i>Nil</i>	<i>Nil</i>		21
22	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.03</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Trace</i>	<i>.01</i>	<i>Nil</i>		22
23	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.10</i>	<i>.34</i>	<i>.25</i>	<i>Nil</i>	<i>Nil</i>	<i>.29</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		23
24	<i>Nil</i>	<i>.05</i>	<i>Nil</i>	<i>.18</i>	<i>.07</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.2</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		24
25	<i>Nil</i>	<i>.17</i>	<i>Nil</i>	<i>.19</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.02</i>	<i>.09</i>	<i>Nil</i>	<i>.08</i>		25
26	<i>Nil</i>	<i>.55</i>	<i>Nil</i>	<i>.04</i>	<i>.04</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.28</i>	<i>Nil</i>	<i>.06</i>	<i>.11</i>		26
27	<i>Nil</i>	<i>Trace</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.01</i>	<i>Nil</i>	<i>.05</i>	<i>.32</i>	<i>Trace</i>	<i>.08</i>		27
28	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.44</i>	<i>Nil</i>	<i>.09</i>	<i>Nil</i>	<i>.07</i>	<i>.49</i>	<i>Nil</i>	<i>.04</i>		28
29	<i>.02</i>	<i>×</i>	<i>Nil</i>	<i>.04</i>	<i>Nil</i>	<i>Nil</i>	<i>.09</i>	<i>Nil</i>	<i>.03</i>	<i>.05</i>	<i>Nil</i>	<i>Nil</i>		29
30	<i>.14</i>	<i>×</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>.14</i>		30
31	<i>.15</i>	<i>×</i>	<i>Nil</i>	<i>×</i>	<i>Nil</i>	<i>×</i>	<i>Nil</i>	<i>.11</i>	<i>×</i>	<i>Nil</i>	<i>×</i>	<i>Trace</i>		31
TOTAL	<i>1.20</i>	<i>1.41</i>	<i>1.96</i>	<i>.76</i>	<i>2.07</i>	<i>1.84</i>	<i>1.49</i>	<i>.44</i>	<i>3.36</i>	<i>1.45</i>	<i>.79</i>	<i>.48</i>	Year's Total <i>17.25</i>	
*Days with or in. or more.	<i>15</i>	<i>9</i>	<i>13</i>	<i>9</i>	<i>14</i>	<i>10</i>	<i>12</i>	<i>4</i>	<i>12</i>	<i>12</i>	<i>11</i>	<i>7</i>	<i>128.</i>	
*Days with .04 in. or more.	<i>13</i>	<i>8</i>	<i>11</i>	<i>7</i>	<i>12</i>	<i>9</i>	<i>9</i>	<i>4</i>	<i>11</i>	<i>9</i>	<i>7</i>	<i>5</i>	<i>105.</i>	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section **A** for the entry of Daily Observations.Station No. **415**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at St Joseph's Conventin the County of KentDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft 0 in.,, Ground ,, Sea Level 213 ft.*Est days in Dec.***THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Nil	Nil	.005	Nil	Nil	Nil	Nil	.14	Nil	.06	Nil	.41		1
2	.03	Nil	.10	Nil	Nil	Nil	Nil	Nil	.52	.27	Nil	.16		2
3	.11	.04	.05	.07	Nil	Nil	Nil	Nil	Nil	.40	Nil	.005		3
4	Nil	.005	Nil	.005	.01	Nil	Nil	Nil	Nil	.22	.09	.35		4
5	.005	Nil	.03	Nil	.02	Nil	Nil	Nil	Nil	Nil	.05	.28		5
6	Nil	Nil	.34	.005	.20	.12	Nil	.15	Nil	.12	.01	.50		6
7	.03	.01	.005	Nil	.005	.005	Nil	Nil	Nil	.11	Nil	.08		7
8	Trace	.02	Nil	Nil	.11	Nil	Nil	.04	.03	Nil	.22	Nil		8
9	Nil	Nil	.005	Nil	Nil	Nil	Nil	Nil	.07	Nil	.76	.23		9
10	Nil	Nil	.17	.10	Nil	Nil	Nil	.04	Nil	.07	.60	.005		10
11	.38	Nil	.25	.06	Nil	Nil	.16	.02	Nil	.005	.01	.07		11
12	.24	.01	.08	Nil	Nil	Nil	.05	.48	Nil	Nil	Nil	.015		12
13	.24	Nil	.28	Nil	Nil	Nil	.17	.18	Nil	Nil	.02	.12		13
14	Nil	Nil	.21	Nil	.02	Nil	Nil	Nil	Nil	.03	.35	~~.91~~		14
15	.11	Nil	.11	Nil	.07	Nil	.005	Nil	.02	.005	.07	~~.91~~		15
16	.10	Nil	.08	.06	.02	Nil	Nil	Nil	Nil	.05	Nil	Nil		16
17	.02	Nil	.005	Nil	Nil	Nil	Nil	Nil	Nil	.08	Nil	.10		17
18	.38	Nil	Nil	.12	Nil	Nil	.09	Nil	Nil	.005	.005	.26		18
19	Nil	Nil	.20	.09	Nil	.02	Nil	Nil	.14	Nil	.005	.08		19
20	Nil	Nil	.21	.14	Nil	Nil	.02	Nil	.02	Nil	Nil	.005		20
21	Nil	Nil	.01	Nil	Nil	.08	Nil	.02	Nil	Nil	.005	.01		21
22	Nil	Nil	Nil	Nil	.005	Nil	Nil	.25	Nil	.06	Nil	.02		22
23	Nil	Nil	Nil	.33	Nil	.57	Nil	Nil	.15	.005	Nil	.22		23
24	Nil	Nil	.02	.05	Nil	.12	.44	Nil	.11	Nil	Nil	Nil		24
25	.05	.02	Nil	.08	Nil	Nil	Nil	Nil	Nil	.05	Nil	.24		25
26	.03	Nil	Nil	.43	Nil	.10	Nil	Nil	.01	Nil	Nil	.02		26
27	Nil	.01	Nil	.13	Nil	.02	Nil	Nil	Nil	.005	Nil	~~.28~~		27
28	Nil	.02	.01	.31	Nil	.28	.005	.55	Nil	Nil	Nil	~~.28~~		28
29	Nil	X	Nil	.005	Nil	Nil	Nil	.09	.07	Nil	.02	.02		29
30	.11	X	Nil	Nil	Nil	Nil	Nil	.02	Nil	Nil	Nil	.14		30
31	.01	X	Nil	X	Nil	X	Nil	Nil	X	.08	X	.09		31
TOTAL	1.845	.135	2.17	1.985	.46	1.315	.94	1.98	1.14	1.625	2.215	4.620	20.43	
* Days with .01 in. or more.	14	7	16	13	7	8	6	12	10	13	11	(22)	144	
* Days with .04 in. or more.	9	1	12	13	3	6	5	9	6	12	7	(20)	103	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section **A** for the entry of Daily Observations.

Station No.

415

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ... *St. Josephs Convent, Erit...*in the County of ... *Kent*Diameter of Funnel of Gauge ... *5* in.Height of top of Gauge above Ground ... *1* ft. ... in.,, Ground ,, Sea Level ... *213* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.06	Nil	Nil	Nil	.11	.28	Nil	.13	.03	.03	.005		1
2	.07	Nil	Nil	.03	Nil	Nil	Nil	Nil	<i>X</i> .23	.10	.03	Nil		2
3	Nil	.08	.15	.03	Nil	.08	Nil	Nil	<i>X</i>	.80	.11	Nil		3
4	Nil	.01	.005	.13	Nil	.17	Nil	Nil	.45	.20	.01	.07		4
5	Nil	.31	.05	Nil	Nil	.23	.005	Nil	Nil	.005	Nil	.005		5
6	Nil	.01	.01	.38	Nil	.15	Nil	Nil	Nil	Nil	.02	Nil		6
7	.02	Nil	Nil	.57	Nil	Nil	Nil	.005	Nil	Nil	.70	.13		7
8	Nil	<i>X</i>	Nil	.32	Nil	<i>X</i> .08	Nil	Nil	Nil	.38	.22	.10		8
9	Nil	.01	Nil	.23	Nil	<i>X</i>	Nil	Nil	Nil	1.17	.05	.005		9
10	<i>X</i> .35	<i>X</i>	.02	Nil	Nil	<i>X</i> .8	Nil	Nil	Nil	Nil	.10	.02		10
11	<i>X</i>	Nil	.005	.12	Nil	<i>X</i>	Nil	Nil	Nil	Nil	.22	.015		11
12	<i>X</i> .10	.005	.005	Nil	Nil	.14	Nil	.08	Nil	Nil	.52	Nil		12
13	<i>X</i>	.12	Nil	.05	.11	.07	Nil	Nil	Nil	Nil	.005	Nil		13
14	Nil	Nil	Nil	Nil	.21	.06	Nil	Nil	Nil	Nil	.005	.09		14
15	Nil	.15	Nil	.39	.005	.02	Nil	Nil	.10	Nil	.12	.05		15
16	Nil	.08	Nil	Nil	Nil	.10	Nil	Nil	<i>X</i>	.05	.55	.02		16
17	Nil	Nil	.06	.14	Nil	.15	Nil	.005	<i>X</i> .57	Nil	.505	Nil		17
18	Nil	Nil	.005	Nil	<i>X</i> .21	.21	.08	Nil	<i>X</i>	.04	.05	Nil		18
19	Nil	Nil	Nil	Nil	<i>X</i>	.02	.12	Nil	.01	Nil	.10	.02		19
20	Nil	.18	Nil	.09	.17	.05	.24	Nil	<i>X</i>	Nil	.07	Nil		20
21	.01	.19	Nil	Nil	Nil	Nil	Nil	Nil	.28	.07	.04	Nil		21
22	.01	.08	Nil	Nil	Nil	Nil	Nil	.36	<i>X</i>	Nil	Nil	Nil		22
23	Nil	Nil	.07	Nil	Nil	Nil	Nil	.12	.02	Nil	.005	Nil		23
24	.01	.31	Nil	Nil	.45	Nil	Nil	.34	.27	Nil	Nil	<i>X</i>		24
25	<i>X</i> .30	.08	Nil	.34	Nil	.59	Nil	Nil	Nil	Nil	.01	<i>X</i> .67		25
26	<i>X</i>	.09	Nil	Nil	Nil	Nil	Nil	.17	Nil	.005	Nil	<i>X</i>		26
27	<i>X</i>	.30	Nil	Nil	Nil	Nil	Nil	Nil	.20	Nil	.06	Nil		27
28	.02	.005	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.05	.005	Nil		28
29	Nil	<i>X</i>	Nil	Nil	Nil	Nil	Nil	Nil	.74	Nil	Nil	.27		29
30	.05	<i>X</i>	Nil	.06	.12	Nil	Nil	.87	.07	.11	.27	<i>X</i> .96		30
31	Nil	<i>X</i>	Nil	<i>X</i>	.01	<i>X</i>	Nil	Nil	<i>X</i>	.18	<i>X</i>	<i>X</i> .4		31
TOTAL	1.19	2.07	.38	2.88	1.285	3.41	.725	1.95	3.07	3.19	3.805	2.43	26.38	
* Days with .01 in. or more.	125	167	6	14	78	179	4	6	125	12	21	127	154	
* Days with .04 in. or more.	68	13	4	12	67	157	4	6	103	11	16	811	122	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

John H. B. Taylor

Section

A

for the entry of Daily Observations

Station No. 415

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at ST. JOSEPH'S CONVENT....

in the County of KENT....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft....0.....in.

,, Ground ,, Sea Level ...213.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.19	0.11	0.02	0.12	Nil	0.20	0.14	0.02	Nil	Nil	0.02	0.16		1
2	Nil	Trace	Nil	0.20	Nil	0.28	0.02	0.09	Nil	Nil	0.05	Nil		2
3	Nil	Nil	Nil	Nil	0.02	0.11	0.01	0.01	✓	Nil	0.23	Nil		3
4	Nil	Nil	0.08	Nil	Nil	0.06	Nil	Nil		0.67	0.01	Trace	0.02	
5	Nil	Nil	0.02	Nil	Nil	Nil	Nil	Nil	✓	0.01	0.05	0.07		5
6	X 0.58	Nil	Nil	Nil	Nil	0.08	Nil	Trace	0.06	Trace	0.33	Nil		6
7		X	Nil	0.02	Nil	Nil	0.06	Nil	Nil	0.04	Trace	0.15	0.01	
8	0.14	Nil	0.04	Nil	Nil	Nil	0.04	Nil	✓	Trace	0.30	0.26		8
9	0.36	Nil	0.03	Nil	Nil	Nil	0.10	Nil	✓	0.01	Trace	Trace		9
10	0.02	Nil	Nil	Nil	Trace	Nil	0.90	0.21	✓	Trace	Nil	Nil		10
11	Nil	Nil	Nil	0.09	Nil	Nil	0.14	Nil	✓	Nil	0.80	Nil		11
12	Nil	Nil	Nil	0.09	Nil	0.25	0.15	Trace	✓	Nil	0.40	Nil		12
13	Nil	Nil	Nil	Trace	Nil	0.13	Nil	Nil	0.67	Nil	0.01	0.13		13
14	Nil	0.06	Nil	Nil	Nil	0.09	0.43	Nil		✓	0.04	0.17	0.68	
15	Nil	0.04	Nil	Nil	Nil	Trace	Trace	Nil	✓	Trace	Trace	0.01		15
16	X 0.53	0.05	Nil	Nil	0.10	Nil	0.03	Nil	✓	Nil	0.38	0.03		16
17		X	0.40	Nil	0.01	0.01	0.05	Nil	Nil	-	0.01	0.25	Nil	
18	Nil	0.03	Nil	Nil	Nil	Nil	0.07	Nil	-	0.01	0.10	0.18		18
19	0.25	0.04	Nil	0.02	Nil	0.08	0.29	0.06	✓	0.03	Trace	0.07		19
20	0.11	0.04	Nil	0.38	0.02	0.01	0.05	Nil	0.98	Trace	Nil	Nil		20
21	Nil	0.02	Nil	0.21	Nil	0.28	0.01	Nil	0.10	Nil	Nil	Nil		21
22	0.13	0.36	0.05	Nil	0.16	0.07	0.13	Nil	0.01	Nil	Nil	0.06		22
23	0.02	0.02	Nil	0.05	Nil	0.03	✓	Nil		-	0.08	Nil	0.06	
24	0.15	0.05	Nil	Nil	Nil	Nil	0.37	Nil	0.07	0.54	Nil	Nil		24
25	0.14	Trace	0.18	0.19	Nil	0.37		✓	Nil	0.17	0.06	0.02	0.02	
26	Nil	0.08	0.21	0.11	Nil	Trace	✓	Nil	0.03	0.20	Nil	0.04		26
27	0.15	Nil	Trace	0.02	Nil	Nil	Nil	Nil	0.18	0.04	Nil	Nil		27
28	0.50	Nil	0.02	Nil	Nil	0.25	Nil	Nil	0.01	Nil	Nil	0.02		28
29	0.07	0.08	0.06	Nil	Nil	0.10	0.07	Nil	Nil	Nil	0.08	Nil		29
30	0.05	✕	Nil	Nil	0.08	0.16	0.02	Nil	Nil	0.20	Trace	Nil		30
31	0.29	✕	0.18	✕	0.02	✕	0.09	Nil	✕	0.52	✕	0.05		31
TOTAL	3.68	1.38	0.91	1.49	0.41	2.66	3.06	0.39	2.99	1.76	3.34	1.81	Year's Total	23.88
* Days with .01 in. or more.	17	14	12	12	7	19	24	5	21	14	16	16	176	
* Days with .04 in. or more.	15	11	7	9	3	17	15	3	16	8	13	10	119	129

† Spare column, no entries required.

(Signed)

J. P. H. Chyngton

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

415

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090c

REGISTER OF RAINFALL IN 1937

Kept at *S^t Josephs Convent, Abbey wood.*
in the County of *Hert.*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground...*1* ft...*0* in.,, Ground ,, Sea Level...*213* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.49	0.02	Nil	0.04	Nil	Nil	Nil		Nil	Nil	0.52	0.38		1
2	Nil	0.10	0.01	0.49	Nil	Nil	Nil		Nil	Nil	Nil	0.81		2
3	Nil	0.08	Nil	Nil	Trace	Nil	Nil		Nil	Nil	Nil	Nil		3
4	0.05	0.35	Nil	Nil	Nil	Nil	Nil		0.06	Nil	Nil	Nil		4
5	0.22	0.28	} 0.80	Nil	Nil	Nil	0.14		Nil	Nil	Nil	0.64		5
6	Trace	Nil		Nil	Nil	Nil	0.02		Nil	Nil	Nil	Nil		6
7	Nil	0.73	0.30	0.06	Nil	Nil	Nil		Nil	Nil	Nil	0.03		7
8	Nil	0.05	Nil	Nil	0.10	0.04	Trace		Nil	Nil	0.25	0.27		8
9	Nil	Nil	Nil	0.20	0.27	Nil	0.08		0.01	Nil	Nil	0.09		9
10	0.02	Nil	0.34	0.30	0.28	0.43	Nil		0.02	Nil	0.01	Nil		10
11	Nil	Nil	Nil	Nil	} 1.11	Nil	0.01		Nil	Nil	Nil	Nil		11
12	0.11	0.30	0.03	Nil		0.27	0.02		Nil	Nil	Nil	0.48		12
13	0.12	0.02	0.27	Nil		0.33	Nil		0.12	Nil	Nil	0.52		13
14	0.01	0.02	0.25	Trace	Nil	Nil	Nil		0.14	Nil	Nil	0.06		14
15	0.07	0.02	Nil	0.13		Nil	0.06		0.08	Nil	Nil	Trace		15
16	Trace	0.12	0.22	0.33	} 0.58	0.05	Nil		0.25	Nil	Nil	Nil		16
17	0.16	0.02	0.07	0.18		Nil	Nil		0.25	Nil	0.12	Nil		17
18	0.23	Nil	0.07	Nil	} x	0.68	Nil		Nil	Trace	0.20	Nil		18
19	0.01	} 0.11	Nil	0.08		0.08	0.29		Nil	Trace	Nil	Nil		19
20	0.30		Trace	0.23	0.74	0.19	Nil		Nil	Nil	Nil	Nil		20
21	0.17	Trace	0.04	0.07	Trace	Nil	0.03		Nil	Nil	Nil	Nil		21
22	0.32	0.06	0.01	Nil	Nil	0.03	Nil		Nil	0.67	0.24	0.14		22
23	0.22	Nil	Nil	Nil	0.02	Nil	Nil		Nil	0.53	Nil	Nil		23
24	0.45	0.47	Nil	Nil	0.08	Nil	0.02		0.28	0.21	Trace	Nil		24
25	0.18	0.25	} x	Nil	Nil	Nil	Nil		Nil	0.21	Nil	Nil		25
26	Trace	0.11		0.20	Nil	Nil	Nil		Nil	Trace	Nil	Trace		26
27	Nil	0.11		0.27	Nil	Nil	Nil		0.35	0.33	Nil	Nil		27
28	Nil	0.06	Nil	0.01	Nil	Trace	Nil		Nil	Trace		Nil		28
29	Trace	x	Nil	Nil	Nil	Nil	Nil		Nil	0.02		0.09		29
30	0.25	x	Nil	Nil	Nil	Nil	Nil		Nil	Nil		Nil		30
31	0.18	x	Nil	x	Nil	x	Nil		x	0.02	x	0.01	d	31
TOTAL	3.56	3.28	2.61	2.39	3.26	2.31	0.38	(.70)	0.98	1.99	1.54	3.52	26.82	
* Days with .01 in. or more.	19	21	15	13	10	9	8	(6)	2	7	8	12	140	
* Days with .04 in. or more.	16	16	12	12	9	8	3	(4)	4	5	6	10	110	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

415

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1040

REGISTER OF RAINFALL IN 1938

Kept at *S^t George's Convent*
in the County of *Kent*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1*.....ft.....*0*.....in.,, Ground ,, Sea Level *213*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	0.02	Nil	Nil	Nil	0.03	0.09	Nil	Nil	0.01	Nil	0.01	0.02		1	
2	0.03	Nil	Nil	0.07	0.15	Nil	0.08	Nil	Nil	0.21	Trace	0.03		2	
3	Trace	Nil	Nil	Nil	0.18	Nil	Nil	Nil	0.02	0.36	Trace	Nil		3	
4	0.03	Nil	Nil	Nil	Nil	Nil	0.44	0.02	Nil	0.04	Nil	0.05		4	
5	Nil	Nil	Nil	Nil	Nil	Nil	0.21	Nil	Nil	0.13	Nil	0.01		5	
6	0.02	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.08	0.01	Nil	Nil		6	
7	Nil	Nil	Nil	Nil	Nil	Nil	0.15	0.47	0.01	0.01	Nil	0.05		7	
8	0.09	Nil	Nil	Nil	Nil	Nil	0.06	Nil	Nil	0.25	Trace	Trace		8	
9	0.01	Nil	Nil	Nil	Nil	Nil	0.08	0.32	Nil	0.005	Trace	0.48		9	
10	0.09	0.03	Nil	Nil	Nil	0.04	0.005	0.07	Nil	Nil	Nil	0.06		10	
11	0.24	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.06	0.10		11	
12	~~0.47~~	0.02	Nil	Nil	Nil	Nil	Nil	0.04	Nil	0.13	0.03	Nil		12	
13	0.47	0.08	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.03	0.10	0.025		13	
14	Nil	0.02	Nil	Nil	~~Trace~~	Nil	Nil	Nil	0.05	Nil	Trace	Nil		14	
15	~~0.28~~	Trace	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.39	Trace	Nil		15	
16	~~0.28~~	0.02	Nil	Nil	0.02	Nil	Nil	Nil	Nil	0.005	Trace	0.42		16	
17	0.28	0.09	Nil	Nil	0.20	Nil	0.20	Nil	0.07	0.08	Nil	Nil		17	
18	0.02	Nil	Nil	Nil	0.07	Nil	Nil	Nil	0.02	0.06	0.30	Nil		18	
19	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.02	0.025	0.005	0.14	0.19		19	
20	Nil	Trace	Nil	Nil	0.03	Nil	Nil	0.01	0.06	Nil	0.37	0.08		20	
21	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.02	0.12	Nil	0.02	0.25		21	
22	Nil	Nil	Nil	Nil	Nil	0.01	Nil	Nil	Nil	Nil	0.09	0.01		22	
23	Nil	Nil	Nil	Trace	Nil	Nil	Nil	Nil	0.07	Nil	0.03	0.03		23	
24	0.10	Trace	0.07	Nil	Nil	Nil	Nil	Nil	0.51	Trace	0.01	0.02		24	
25	0.16	Nil	0.16	0.03	0.07	Nil	0.04	Nil	0.04	0.04	1.10	0.04		25	
26	0.09	0.12	0.09	Nil	Nil	Nil	Nil	0.03	0.18	0.27	Nil	0.21		26	
27	Nil	0.03	Nil	Nil	0.13	0.16	0.09	Nil	0.72	0.01	0.14	Nil		27	
28	Nil	0.05	Nil	0.01	0.22	0.02	Nil	0.16	0.01	Nil	Trace	Nil		28	
29	0.46	X	Nil	Nil	0.07	Nil	Nil	Nil	Nil	Nil	0.075	0.25		29	
30	0.13	X	Nil	0.06	0.03	0.04	Nil	Nil	0.6	0.04	0.14	Nil		30	
31	Nil	X	Nil	X	0.06	X	Nil	Nil	X	0.07	X	0.16		31	
TOTAL	2.24	2.27	0.46	0.32	0.17	1.26	0.36	1.355	1.16	2.055	2.145	1.605	2.485	Year's Total	16.65
* Days with .01 in. or more.	19	9	3	4	14	6	10	10	17	17	15	20	142	✓	15.86
* Days with .04 in. or more.	12	4	3	2	10	4	9	5	11	13	10	13	96	✓	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

REGISTER

Kept at HIGHAM PUMPING
in the County of KENT

Diameter of Funnel of Gauge 8
Height of top of Gauge above Ground
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule
year in the space on the right of this paragraph

Please

416
COPY FOR OFFICIAL USE.
LL ORGANIZATION.

Y.
following

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.08	.02	.23		.01		.08	.03			.01	1
2	.25	.07		.26	.01			.04	.47	.01	.01	.02	2
3	.08	.02	.01	.13	1.31		.01	.13	.36		.01	.12	3
4		.01		.02	.01		.01	.01	.02		.01	.01	4
5				.19		.23	.01	.01	.03	.01	.03	.08	5
6		.13	.01	.02				.01	.01	.19	.48		6
7	.02	.01		.01	.02	.02		.06		.06	.07	.01	7
8	.01	.06	.01		.01	.25	.01	.21		.02	.06	.01	8
9		.02	.01	.01		.01		.01			.47	.02	9
10	.01	.10	.02			.01	.01	.13			.65		10
11	.06	.34						.01		.01	.26	.01	11
12	.07	.01		.01			.01	.10	.40	.01	.01	.01	12
13	.03	.01		.01	.08		.03	.04		.01			13
14	.01	.10				.01	.41	.48		.01			14
15	.02	.03		.28	.11		.08	.21			.01	.07	15
16	.02	.07		.11	.28	.01	.01	.10	.01		.01		16
17	.01	.12	.01	.28	.03		.18	.27	.07			.01	17
18	.01	.14		.25		.11	.02	.92		.01	.69		18
19	.02			.54	.10	.12	.14	.11	.01				19
20	.01	.05		.08		.01	.21	.28	.01		.01	.01	20
21	.01			.01	.58			.02	.01	.01			21
22	.13	.01	.11	.02	.03				.05		.03		22
23	.35	.01	.02		.15	.02			.02		.06	.01	23
24	.01	.01	.02	.38	.01	.03	.01	.03	.02		.01		24
25	.05			.51			.33	.01	.01		.02	.01	25
26		.04		.42	.01		.62			.02	.13		26
27	.11	.28		.02	.03		.94				.03		27
28	.03	.06		.01						.02	.01	.01	28
29	.11	X		.03	.14		.07			.24	.01	.01	29
30	.06	X			.01		.01	.02		.01	.01	.01	30
31	.19	X	X	X	.01	X		.19	X		X		31
TOTAL	1.67	1.76	.22	3.79	2.80	.80	3.07	3.47	1.61	.60	3.06	.46	YEAR'S TOTAL
*Days with or in. or more.	24	22	8	20	15	11	14	21	14	11	21	11	195
*Days with or in. or more.	11	14	1	13	7	4	9	16	6	3	9	4	94

REGISTER OF RAINFALL IN 1931.

Kept at HIGHAM PUMPING STATION
in the County of KENT

Station No. 416.

Diameter of Funnel of Gauge. 8 in.
Height of top of Gauge above Ground. 1 ft. — in.
Ground Sea Level 14.1 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.08	.02	.23		.01		.08	.03			.01	1
2	.25	.04		.26	.01			.04	.44	.01	.01	.02	2
3	.08	.02	.01	.13	1.31		.01	.13	.36		.01	.12	3
4		.01		.02	.01		.01	.01	.02		.01	.01	4
5				.19		.23	.01	.01	.03	.01	.03	.08	5
6		.13	.01	.02				.01	.01	.19	.48		6
7	.02	.01		.01	.02	.02		.06		.06	.04	.01	7
8	.01	.06	.01		.01	.25	.01	.21		.02	.06	.01	8
9		.02	.01	.01		.01		.01			.44	.02	9
10	.01	.10	.02			.01	.01	.13			.65		10
11	.06	.34						.01		.01	.26	.01	11
12	.04	.01		.01			.01	.10	.40	.01	.01	.01	12
13	.03	.01		.01	.08		.03	.04		.01			13
14	.01	.10				.01	.41	.48		.01			14
15	.02	.03		.28	.11		.08	.21			.01	.04	15
16	.02	.04		.11	.28	.01	.01	.10	.01		.01		16
17	.01	.12	.01	.28	.03		.18	.24	.04			.01	17
18	.01	.14		.25		.11	.02	.92		.01	.69		18
19	.02			.54		.10	.12	.14	.11	.01			19
20	.01	.05		.08		.01	.21	.28	.01		.01	.01	20
21	.01			.01	.58			.02	.01	.01	.01		21
22	.13	.01	.11	.02	.03				.05		.03		22
23	.35	.01	.02		.15	.02			.02		.06	.01	23
24	.01	.01	.02	.38	.01	.03	.01	.03	.02		.01		24
25	.05			.51			.33	.01	.01		.02	.01	25
26		.04		.42	.01		.62			.02	.13		26
27	.11	.28		.02	.03		.94				.03		27
28	.03	.06		.01						.02	.01	.09	28
29	.11	X		.03	.14		.04			.24	.01	.02	29
30	.06	X			.01		.01	.02		.01	.01		30
31	.19	X		X	.01	X		.19	X		X		31
TOTAL	1.64	1.76	.22	3.79	2.80	.80	3.07	3.47	1.61	.60	3.06	.46	YEAR'S TOTAL 23.31
*Days with or in. or more.	24	22	8	20	15	11	14	21	14	11	21	11	195
*Days with or in. or more.	11	14	1	13	7	4	9	16	6	3	9	4	94

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Chas. H. Clark
Manager

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

416

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at HIGHAM PUMPING STATION
in the County of KENT

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.01	.	.02	.24	Tr.	Tr.	.15	.01	.02	.02	.01	1
2	.01	.	.	.08	.04	Tr.	.	.05	.02	.01	.01	.10	2
3	Tr.	.	.	.02	.20	.	.	.	.51	Tr.	Tr.	.	3
4	Tr.	.01	.	.	Tr.	.14	.	.	.	.	Tr.	.	4
5	.06	.01	.02	.01	.03	.02	.10	.	.03	.	.	.	5
6	.28	.	.01	.09	.01	.	.	.	.01	.	.	.	6
7	.02	.	.10	.03	Tr.	.	.	.	.	.01	.02	.01	7
8	.	.	.14	.04	.16	.	.	.	.10	.46	Tr.	.	8
9	.16	snow .05	Tr.	.05	.49	.	.	.	.	.06	.	.	9
10	.54	snow .55	.01	.13	.04	.	.	.	Tr.	.02	.02	.	10
11	.13	Tr. .15	Tr. .02	.10	.01	.04	.02	.02	Tr.	.11	.01	.01	11
12	.07	Tr. .09	.	.	Tr.	.	.35	.	.	.51	Tr.	.	12
13	.04	.	.	.05	.02	.	Tr.	.	.01	.45	Tr.	.02	13
14	.10	Tr.	.	.07	.03	.	.	.	.	.10	.	.01	14
15	.01	.02	.	.14	.11	.	.	.	.	.08	.	.01	15
16	.03	.	.	.16	.08	.	.	Tr.	.	.	.	Tr.	16
17	Tr.	.	Tr.	.02	.	.	.06	.	.	.02	.	.	17
18	Tr.	.	.	.01	Tr.	.	.03	.	.05	.	.07	.01	18
19	.01	.01	.	.01	Tr.	.	.	.	.02	.12	.05	.	19
20	Tr.	.	.	.17	.10	.	.10	.02	.01	.48	.18	.	20
21	.01	.	.	.01	.13	.	.	.	.	.18	.	.03	21
22	.01	.	.32	Tr.	.21	.	.08	.	.28	.20	.20	.01	22
23	.	.06	.	.06	.08	.	.	.	.08	1.28	.08	.06	23
24	.	.05	.	.01	.01	Tr.	.29	.	.05	.04	.02	Tr.	24
25	.	.	.	Tr.	.01	.	.35	.	.12	.26	.01	.02	25
26	.	.	.01	.01	.02	.	.07	.10	.	.01	.01	.01	26
27	.	.	.12	.12	.47	.	.05	.	.	.25	.04	Tr.	27
28	.	.	.03	.02	.05	.	.	.	.	.26	.	Tr.	28
29	.	.	.24	.01	.01	.	.	.40	.06	.44	Tr.	.01	29
30	Tr.	×	.01	.02	Tr.	.65	.	.01	.01	.06	.04	.02	30
31	Tr.	×	.06	×	Tr.	×	Tr.	.	×	.01	×	.01	31
TOTAL	1.53	1.01	1.09	1.46	2.88	.85	1.50	.75	1.37	5.44	.78	.35	19.01
*Days with ".01 in. or more.	16	11	13	26	23	4	11	7	16	25	15	16	183
*Days with ".04 in. or more.	9	6	6	13	14	3	9	4	8	18	7	2	99
YEAR'S TOTAL													

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Chas. H. Clarke

Manager.

P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 416.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at HIGHAM PUMPING STATION

March 14th-17th and July 19th-20th altered by surrounding stations.

in the County of KENT

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.09	.07	.	.	.	.	.	.	.02	.07	.	1
2	.14	.	.31	.	.11	.	.	.	.	.	.	.	2
3	.02	.11	.18	.	.02	.	.	.	.	Tr.	.01	.	3
4	.08	Tr.	.	.	.	.	.	.	.	.	.	.	4
5	.20	Tr.	.19	.	.25	.	.	.	.	.	.	.	5
6	.	.08	.05	.	.51	.	.	.	.	.05	.10	.	6
7	.35	Tr.	.16	.	.11	.	.	.	.	.69	.	.	7
8	.11	Tr.	.	.	.01	.	.52	.	.	.	Tr.	.	8
9	.	.	.	.	.09	.	.06	Tr.	.	.03	.14	.	9
10	FOG .01	.27	.	.	Tr.	.03	.03	.	.	.08	.	.	10
11	.	.	.	.	.03	.02	.04	.01	.16	Tr.	.04	.	11
12	.	.	.	.06	.08	.16	.	.	.63	.	Tr.	.	12
13	F&R .02	.	.	.	.07	.06	.29	.	.47	.	.30	.	13
14	.02	.	.04	.	.	.	.01	Tr.	.	.27	.13	.	14
15	S&R .12	Tr.	.60	.	.	Tr.	.34	.12	.	.01	.01	SNOW .01	15
16	S&R .08	Tr.	.28	.	.	.15	.20	.	.	.03	.02	.	16
17	SNOW .01	Tr.	.02	.	.	.02	.	.02	.13	.	.02	.	17
18	SNOW FOG Tr.	.	.	.	.	.18	.	.	.	.	.01	.02	18
19	.	SNOW .01	.20	SNOW .03	.	.05	1.02	Tr.	.34	.	.01	.	19
20	.	SNOW .01	.02	S&R .04	.	.15	.21	Tr.	.	Tr.	.01	.	20
21	.	.	.	.	.	.10	.	.06	.56	.02	Tr.	.	21
22	.	SNOW .01	.	.	.	.10	.	.	Tr.	.	.01	.	22
23	.	Tr.	.	.08	.27	.02	.	.16	.19	.	.	.	23
24	.	SNOW .22	.	.12	.03	.17	.	.	.12	Tr.	.	.	24
25	.	.09	.	.19	.02	Tr.	.	.	.05	.	S&R .07	.20	25
26	.	.30	.	.03	.	.11	.	.	.65	.04	.24	.06	26
27	.	.02	.	Tr.	.01	.01	.	.	.02	.20	.01	.04	27
28	.	Tr.	.	.01	.27	.	.12	.	.	.25	.	.02	28
29	.01	X	.	.08	.	.	.21	.	.	.05	.	.	29
30	.10	X	.08	.01	.	.	.01	.	.02	.06	.	.	30
31	.04	X	.	X	.	X	.	.09	X	.01	X	.01	31
TOTAL	1.34	1.15	2.20	.65	1.88	1.33	3.96	.46	3.34	1.81	1.20	.36	Year's Total 19.68
*Days with or in. or more.	17	11	13	10	15	15	13	6	12	15	17	7	151
*Days with or in. or more.	9	6	11	6	9	10	9	4	10	9	8	3	94

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

Chas. H. Clark

P.T.O.

Section



for the entry of Daily Observations.

Station No. 416.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at HIGHAM PUMPING STATION

in the County of KENT

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.14							.30		.03	.01	.10		1
2	.02		.12	Tr.		Tr.			.66	.52		.30		2
3	.01	.06		.02						.68	Tr.	.01		3
4	.12		.03					.18		.06	.07	.47		4
5			.01		.03						.01	.29		5
6	.01		.36		.19	.20		.10		.17	.03	.27		6
7	.02	.02	Tr.	Tr.		.02			.05	.02		.13		7
8		.01		.12	.11			.05			.35	.03		8
9	.01		Tr.	.01							.64	.14		9
10		Tr.	.48	.12				.02		.07	.20	.01		10
11	.49	.01	.31	.17			.01	.04			.05	.08		11
12	.08		.17				.14	.30			.03	.07		12
13	.34		.03	.02			.33	.09		.01	.08	.07		13
14	.06	.02	.32	.01	Tr.					.04	.55	.45		14
15	.02	.01	Tr.		.03						.07	.39		15
16	.07		.17	.02	.13					.02	Tr.	.10		16
17	.01		.09							.05	.01	.25		17
18	.06		Tr.	.28			.03		.01		Tr.	.14		18
19	.01		.40	.29			.02		.17	Tr.	.01	.08		19
20			.16	.16		.06			.02	Tr.		Tr.		20
21			.01	Tr.		.08				.03		.01		21
22							.12	.05	.13		Tr.			22
23	.01			.21		.71		Tr.				.19		23
24	.02		.02	.03		.72			.09	.01		.01		24
25	.04	.02		.06		.11						.27		25
26	.10	Tr.		.08		.07			.02			.08		26
27	.01	Tr.		.05		.01						.19		27
28	Tr.	Snow .17		.33		.10		.52			.01	.15		28
29		X					.02	.02	.18			.04		29
30	.14	X										.11		30
31	.03	X		X		X			X	.06	X	.04		31
TOTAL	1.82	.32	2.68	1.98	.49	1.36	1.39	1.67	1.33	1.77	2.12	4.47	21.40	
*Days with ".01 in. or more.	23	8	15	17	5	9	8	11	9	14	15	29	163	
*Days with ".04 in. or more.	11	2	10	11	3	7	4	9	6	8	8	24	103	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Chas. H. Clark

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

416

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Higham Pumping Stationin the County of KentDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 141 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.29	.04		.02		.10	.10		.84	.05	.04	Tr.		1
2	.14		Tr.	.09					.04	.14	.06			2
3	.01	.04	.19	.03		.03		Tr.		1.13	.15	.01		3
4		.01		.20		.25			.20	.46	.01	.11		4
5		.55	.02	.06		.32	.02		.50	Tr.	.01	.01		5
6	In. .07		.01	.25		.21					.06			6
7	.05	In. .12		.16		.10					.44	.14		7
8			.03	.40		.01		.05		.13	.23	.07		8
9				.08		.16				.62	.09	.04		9
10	.02	.01		.02		.03					.15	.03		10
11	.18			.09		.03	Tr.				.23	.01		11
12	.02					.14		.39	Tr.		.80	Tr.		12
13	.03	.10		.05	.06	.02					.07	Tr.		13
14	.01			.23	.14	.07				Tr.	.01	.12		14
15		.07		.36		.03			.11		.20	.05		15
16		.03		.07		.35			.40	.02	.82	.01		16
17	.01		.18	.03		.12			.02		.60	.06		17
18				.13	.20	.02	.28	Tr.	.23	.01	.02			18
19				Tr.	.15	.03	.07		.02	Tr.	.05	Tr.		19
20	.01	.26		.18	.01	.05	.12		.03		.04			20
21	.01	.31		.03					Tr.	.08	.05	Tr.		21
22		.09	.02					.34	.06		.01	Tr.		22
23			.05		Tr.			.13			Tr.			23
24	.04	.72				.34		.14	.29	.08	Tr.	.44		24
25	.14	.21		.24	.10	.30				.01	.01	.20		25
26	.03	.05						.14		.09		.26		26
27		.37		Tr.	.01		Tr.		.06	Tr.	.04	.13		27
28		.03					.01	.05	.04	.05	.01	.12		28
29	.02	X						Tr.	.19	Tr.		.26		29
30	.05	X		.19	.08			.33	.04	.05	.26	.32		30
31		X		X		X			X	.15	X	.29		31
TOTAL	1.19	3.01	.50	2.94	1.09	2.34	.60	1.90	3.04	3.10	4.49	2.64	Year's Total. 26.93	
* Days with .01 in. or more.	18	14	7	21	9	20	6	8	16	15	26	20	183	
* Days with .04 in. or more.	8	13	3	16	7	12	4	8	13	12	19	15	130	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Chas. H. Clark

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 416

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Higham Pumping Station*
HIGHAM & HUNDRED OF HOO WATER CO.
in the County of *Kent.*

Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft. in.
,, Ground ,, Sea Level *14.1* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. r, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	.14	.03	.05	.	.09	.27	.12	.	.	.04	.14		1
2	TR	.02	TR	TR	.	.16	.03	.10	.	.	.04	.02		2
3	TR	.01	TR	.18	.07	.18	.	.	.02	.	.22	.		3
4	.08	.	.07	TR	.	.11	.	.	.	.02	.	.08		4
5	.10	.	TR	TR	.	.	.	.02	.21	.07	.02	.11		5
6	.24	.	TR	.	.12	.10	.	.03	.17	.02	.73	TR		6
7	.38	.	.04	.	.	.02	TR	.03	.09	.02	.42	.01		7
8	.15	.	.05	.	.01	.	.07	.	.03	.04	.26	.13		8
9	.38	.02	.08	.	.02	.	.35	.13	.09	.05	.	.07		9
10	.07	.	TR	.	.	.	.27	.83	.07	.	.	.		10
11	.	.	.	Snow	.	.	.31	.02	.12	.	.57	.		11
12	.	.	.	Snow	.01	.31	.10	.	.	.	.16	.08		12
13	.	.	.	.01	.	.25	.01	.	.	.01	.	.29		13
14	.	.06	.	.	.	.02	.30	.	TR	.03	.07	.25		14
15	.01	.12	.	.	.	.	.	.	.03	TR	TR	.04		15
16	Snow	.45	.06	.	.	.34	TR	.	.03	TR	.36	.01		16
17	Snow	.15	.51	.	.02	.17	.	.	.	.01	.18	.14		17
18	Snow	.13	.06	.	.	.14	.12	.	.	.	.13	.08		18
19	.20	.03	.	.	.	.	.30	.11	.	.03	.	.		19
20	H&R.	.37	.05	.36	.	.50	.03	.	.37	.	.01	.		20
21	TR	.01	.	S&R.	.	.240	.04	.	.05	.	.01	.		21
22	S&R	.14	.36	.02	.02	.05	.11	.	.	TR	TR	.14		22
23	.01	.34	TR	.05	.06	.17	.34	.	.	.	.	.		23
24	.25	.08	.	TR	.	.	.	.	.	.42	.	.		24
25	X	TR	.	.21	TR	.	.15	.	.13	.03	.04	.03		25
26	TR	.07	.16	TR	TR	.	TR	.	.04	.11	TR	TR		26
27	.06	.02	.21	.01	.	.	.03	.	.25	.02	TR	.		27
28	.72	.07	.09	.	.	.71	TR	.01	.03	.	.	.04		28
29	.06	.11	.06	.	.	.20	TR	.	TR	.02	.07	.01		29
30	.07	X	.	.	.15	.14	TR	.	TR	.09	.	.01		30
31	.33	X	.15	X	.08	X	.	.	X	.44	X	.06		31
TOTAL	4.56	2.14	.96	1.16	.88	5.72	2.83	1.40	1.73	1.43	3.33	1.74	27.88	Year's Total
* Days with .01 in. or more.	23	19	11	11	10	18	17	10	16	17	17	20	189	
* Days with .04 in. or more.	21	13	9	8	6	16	13	5	11	7	14	14	134	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

H. Clark

Manager, P.T.O.

Section



for the entry of Daily Observations

Station No. 416

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Highams Pumping Station

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1.1 ft.

Ground Sea Level 14.1 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.40	.01	$\frac{1}{2}$	.07	-	-	-	-	-	-	.65	.41		1
2	$\frac{1}{2}$	.09	.01	.32	-	-	-	-	.08	-	-	.70		2
3	$\frac{1}{2}$	.03	$\frac{1}{2}$	$\frac{1}{2}$	-	-	-	-	-	$\frac{1}{2}$	-	.40		3
4	.07	.37	$\frac{1}{2}$	$\frac{1}{2}$	.01	-	$\frac{1}{2}$	-	-	-	-	~~.46~~		4
5	.11	.12	Snow .32	-	-	-	-	-	-	-	-	~~.46~~		5
6	.02	-	S & R .54	-	.07	-	.09	-	-	.08	-	$\frac{1}{2}$		6
7	.01	.67	S & R .08	.03	-	-	-	$\frac{1}{2}$	.02	.07	-	.02		7
8	-	.01	Snow .07	-	.07	.07	-	$\frac{1}{2}$	-	-	.23	Snow .85		8
9	-	.03	Snow .01	.40	.05	-	.01	-	.21	-	-	.11		9
10	-	-	.19	.09	.09	.50	.08	-	-	-	-	.40		10
11	-	.01	.34	$\frac{1}{2}$	.24	-	.03	-	-	-	-	-		11
12	.07	.30	.07	$\frac{1}{2}$	.53	.12	$\frac{1}{2}$	-	.16	-	.01	.13		12
13	.12	.02	.31	.01	.07	.36	-	.11	.04	-	-	Snow .65		13
14	.01	.01	S & R .13	$\frac{1}{2}$	-	-	-	.31	.07	-	-	Snow .02		14
15	.08	.03	$\frac{1}{2}$	.07	.01	.04	.48	-	.28	-	$\frac{1}{2}$	Snow .01		15
16	.04	.08	.30	.28	-	.01	-	.26	.11	-	$\frac{1}{2}$	$\frac{1}{2}$		16
17	.25	$\frac{1}{2}$	.08	.18	$\frac{1}{2}$	.11	-	-	.17	-	.19	-		17
18	.40	.04	.07	$\frac{1}{2}$	.37	.95	-	-	.08	$\frac{1}{2}$	.20	Snow .02		18
19	.06	X	.03	.06	.27	.26	$\frac{1}{2}$	-	.07	$\frac{1}{2}$	-	Snow .01		19
20	.38	X	.12	.25	.84	.06	-	-	.11	$\frac{1}{2}$	-	-		20
21	.24	.52	S & R .07	.02	$\frac{1}{2}$	-	.05	.08	-	-	-	.01		21
22	.49	.02	Snow .01	-	.06	.56	.01	-	-	.79	-	.02		22
23	.12	$\frac{1}{2}$	-	-	-	-	.01	-	-	.44	.02	.01		23
24	.53	.32	-	-	.01	-	-	-	.10	.16	.25	$\frac{1}{2}$		24
25	.17	.35	Snow .17	-	-	$\frac{1}{2}$	-	-	.07	.09	-	.02		25
26	.01	.14	S & R .05	-	-	$\frac{1}{2}$	-	-	-	.08	-	-		26
27	$\frac{1}{2}$	.22	S & R .01	.27	-	-	-	-	.05	.19	-	.01		27
28	.01	.05	$\frac{1}{2}$	.01	-	-	-	-	-	.01	-	.04		28
29	.13	X	$\frac{1}{2}$	-	-	-	-	-	-	.33	.05	.01		29
30	.26	X	-	-	-	-	-	.01	-	-	.08	$\frac{1}{2}$		30
31	.14	X	.01	X	-	X	-	-	X	.02	X	.01		31
TOTAL	4.12	3.44	2.99	2.06	2.69	3.04	0.46	0.44	1.62	2.26	1.68	4.32	Year's Total 29.75	✓
* Days with .01 in. or more.	24	24	22	14	14	11	8	5	15	11	9	22	177	✓
* Days with .04 in. or more.	19	13	16	10	11	10	4	4	14	9	7	10	127	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Chas. H. Clark

[P.T.O.]

Manager

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 416

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Higham Pumping Station

in the County of Kent

Diameter of Funnel of Gauge. 8 in.

Height of top of Gauge above Ground. 1.5 ft.

Ground Sea Level 14.1 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.	.	.16	.37	.	.	.	.41	.	.	.		1
2	^{s.} .01	.	.	.	.	.	Tr.	.20	.06	.06	.03	.		2
3	^{s.} .16	.02	.	.25	.	.	.	.55	.	.01	.17	.30		3
4	.10	.	.20	.14	.	.	.02	1.44	.	.40	.09	.03		4
5	.	.02	.	.04	Tr.	.	.08	.25	.	.25	.21	.04		5
6	.34	.	.	.	.	.	.06	.	.	.	.28	.01		6
7	.07	.	.	.	.	.	.01	.04	.	.56	.09	.05		7
8	.	.18	.11	.	.	.	.	.22	.	.15	.23	.21		8
9	.01	.05	.	.	.	.	.	.02	.	.73	.29	.13		9
10	.16	.	.01	.	Tr.	.40	.	.05	.02	.02	.02	.01		10
11	.	.	.33	.	.02	.20	.	.	.	1.25	.01	.		11
12	.	.	.01	.	Tr.	.14	.	.	.	.	.01	.04		12
13	.	.	.01	.	.	.06	Tr.	.	.02	1.11	.	.05		13
14	.38	.	.02	.	.40	.01	.	.	.03	.35	.47	.05		14
15	.41	.	.	.	.40	.03	.03	.	.21	.77	.03	.01		15
16	.17	.	.06	.02	.15	.20	.03	.	^H .20	.	.32	.		16
17	.24	.02	.03	.03	.	.	.27	.	.	.	.08	.		17
18	.22	.	.02	.	.	.07	.06	.	.	.18	.42	.		18
19	.17	.	Tr.	.	.	.	.20	.05	.	.79	.	.01		19
20	.16	.	.	.	.	.03	.08	.	.07	.	.	.11		20
21	.12	.	.22	.	.	.05	.73	.	.	.	.	.		21
22	.05	.09	.15	.11	.	.02	Tr.	.	.13	Tr.	.05	.		22
23	.01	.	.02	.	.	.	.02	.05	.	.06	.42	.02		23
24	^{s.} .13	.11	.04	.22	.	.	.16	.	.02	.19	.01	.		24
25	^{s.} .77	.29	^{s.} .09	.06	.	.	.34	.	.	.	.20	.		25
26	.10	.	.	Tr.	.	.	.04	.	.03	.04	.23	.		26
27	^{s.} .04	.09	.08	.08	.	.	Tr.	.	.02	.09	.29	.		27
28	.	.42	.12	.01	.	.03	.	.	.	.04	.12	^{s.} .10		28
29	.	X	.	.37	.	.	.	.	.	.15	.03	.		29
30	.	X	.	.46	.	.	.	.	.	.	.07	Tr.		30
31	.	X	.	X	.	X	.14	.08	X	Tr.	X	.		31
TOTAL	3.84	1.29	1.52	1.95	1.84	1.24	2.27	2.95	1.21	7.20	4.17	1.17	Year's Total 30.65	
* Days with .01 in. or more.	22	10	17	14	5	12	16	11	12	20	25	16	180	
* Days with .04 in. or more.	18	7	10	10	4	7	11	10	6	18	18	10	129	

HIGHAM & HUNDRED OF HOOD WATER OS

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

W. H. Clark, Manager

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 416

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Higham Pumping Station, Higham

in the County of Kent

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 7 in.

Ground Sea Level 141 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.02			.01						.21			1
2		.02		.07			.02				.60			2
3		.10		.05			.09				1.54	.07		3
4		.07		.09						.36	.30	.06		4
5					.01		.23				.20	.09		5
6	.20	.11			.09						.12			6
7	.32	.08			.02		.09							7
8							.02			.34				8
9										.08				9
10							.50				.35			10
11		.01	.07	.04							.68			11
12		.05	.02				.14		.11					12
13		.02	.84	.02		.05			.09		.90			13
14			.18	.14		.07					.01			14
15			.05	.07	.26		2.03				.35	.18		15
16	.08	.10	.27	.01		.17	.46			.50	.61	.03		16
17			.10								.02			17
18	.02	.43	.33	.32			.32			.22		.17		18
19		.13	.08	.02	.01		.01		.67	.02		.04		19
20		.02		.02	.01	.01	.01	.04			.16			20
21		.01			.04					.20	.22			21
22	.06				.39	.21	.15		.04	.05		.01		22
23		.02	.05	.14								.03		23
24				.35			.20			.04		.02		24
25			.97				.17					.01		25
26	.85	.07	.66	.02	.18	.03	.05					.03		26
27	.18	.19		.01			.26			.05	.02			27
28	.20	.01		.01	.01					.01				28
29	.48	.01	.07		.07	.02			.01			.09		29
30	.20	X		.26						.06		.02		30
31	.23	X		X		X			X	.47	X	.02		31
TOTAL	3.34	1.47	3.69	1.64	1.10	.59	4.75	.04	.92	2.40	6.29	.87	Year's Total	26.10
* Days with .01 in. or more.	11	19	13	17	12	7	17	1	5	13	16	15	146	
* Days with .04 in. or more.	10	10	12	10	6	4	13	1	4	11	13	7	101	

HIGHAM & HUNDRED OF HOOD WATER

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

W. Paterson

Manager

[P.T.O.]

REGISTER OF

CROSSNESS - SOUTHERN OUTFALL

1931 .

Kept at *L.C. Southern Outfall Wor*
in the County of *Kent Crossness*

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft. in.
Ground Sea Level ft.

1931 - 1940

780109

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.04	0.01	0.40		0.08		0.03	0.03				1
2	0.17	0.07		0.18	0.92			0.01	0.23	0.01		0.02	2
3	0.03		0.01	0.32				0.20	0.18			0.19	3
4								0.01	0.01		0.01		4
5				0.22	0.10	0.32			0.01			0.09	5
6		0.10		0.01		0.18				0.27	0.44		6
7		0.01			0.02	0.01		0.02			0.06	0.01	7
8		0.01				0.24		0.44		0.01	0.03		8
9			0.02								0.36	0.01	9
10	0.01	0.09						0.14			0.33		10
11	0.09	0.21							0.02		0.17		11
12							0.06	0.20	0.37				12
13		0.03						0.04		0.05			13
14		0.09					0.54	0.87					14
15	0.05	0.02		0.20	0.20		0.25	0.26				0.06	15
16		0.06		0.12	0.24			0.05					16
17				0.39	0.01		0.11		0.10				17
18		0.08		0.13		0.10	0.04	0.54			0.35		18
19	0.05			0.31		0.37	0.09	0.17	0.06				19
20	0.01			0.02			0.01	0.12					20
21					0.46			0.01					21
22	0.06		0.17								0.02		22
23	0.14			0.01	0.23	0.03			0.03		0.06	0.01	23
24				0.52				0.03	0.01				24
25	0.04			0.19	0.04		0.35				0.01		25
26		0.06		0.41			0.56				0.20		26
27	0.10	0.34		0.02	0.13		0.07				0.01		27
28	0.04	0.10		0.06								0.19	28
29	0.11	X		0.11	0.01		0.02			0.20			29
30	0.06	X			0.01		0.05					0.01	30
31	0.04	X		X		X			X		X		31
TOTAL	1.00	1.31	0.21	3.62	2.37	1.33	2.15	3.14	1.05	0.54	2.05	0.59	19.36
Days with or in. or more.	15	15	4	18	12	8	12	17	11	5	13	9	139
Days with or in. or more.	12	11	1	14	8	6	10	11	5	3	8	4	93

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at *L B Southern Outfall Works*
in the County of *Kent Crossness*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.04	0.01	0.40		0.08		0.03	0.03				1
2	0.17	0.07		0.18	0.92			0.01	0.23	0.01		0.02	2
3	0.03		0.01	0.32				0.20	0.18			0.19	3
4								0.01	0.01		0.01		4
5				0.22	0.10	0.32			0.01			0.09	5
6		0.10		0.01		0.18				0.27	0.44		6
7		0.01			0.02	0.01		0.02			0.06	0.01	7
8		0.01				0.24		0.44		0.01	0.03		8
9			0.02								0.36	0.01	9
10	0.01	0.09						0.14			0.33		10
11	0.09	0.21							0.02		0.17		11
12							0.06	0.20	0.37				12
13		0.03						0.04		0.05			13
14		0.09					0.54	0.87					14
15	0.05	0.02		0.20	0.20		0.25	0.26				0.06	15
16		0.06		0.12	0.24			0.05					16
17				0.39	0.01		0.11		0.10				17
18		0.08		0.13		0.10	0.04	0.54			0.35		18
19	0.05			0.31		0.37	0.09	0.17	0.06				19
20	0.01			0.02			0.01	0.12					20
21					0.46			0.01					21
22	0.06		0.17								0.02		22
23	0.14			0.01	0.23	0.03			0.03		0.06	0.01	23
24				0.52				0.03	0.01				24
25	0.04			0.19	0.04		0.35				0.01		25
26		0.06		0.41			0.56				0.20		26
27	0.10	0.34		0.02	0.13		0.07				0.01		27
28	0.04	0.10		0.06								0.19	28
29	0.11	X		0.11	0.01		0.02			0.20			29
30	0.06	X			0.01		0.05					0.01	30
31	0.04	X		X		X			X		X		31
TOTAL	1.00	1.31	0.21	3.62	2.37	1.33	2.15	3.14	1.05	0.54	2.05	0.59	19.36
Days with 0.1 in. or more.	15	15	4	18	12	8	12	17	11	5	15	9	139
Days with 0.4 in. or more.	12	11	1	14	8	6	10	11	5	3	8	4	93

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1932.

Kept at Saxelham Aulfall, Broomsgrove
in the County of Kent, S.E.3

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	0.05			0.08	0.46			0.80	0.02	0.05	0.01	0.01	I
2	0.02			0.09				0.18	0.20	0.04	0.01	0.11	2
3				0.18	0.13				0.35				3
4						0.16					0.03		4
5	0.05				0.05	0.05	0.32		0.04				5
6	0.43		0.01	0.18	0.03		0.01						6
7	0.03		0.07	0.06			0.04		0.14				7
8			0.05		0.25				0.04	0.40			8
9	0.06		0.01	0.06	0.41					0.01			9
10	0.27	0.04		0.12	0.05				0.01	0.08			10
11	0.13			0.05			0.04	0.04		0.14		0.01	11
12	0.04	0.03		0.01				0.02	0.02	0.26			12
13				0.07	0.03					0.18	0.03		13
14	0.02	0.02		0.07	0.04					0.05	0.04		14
15				0.07	0.02					0.03			15
16	0.10			0.12	0.12					0.08			16
17							0.20						17
18									0.39		0.04		18
19									0.01	0.11	0.01		19
20				0.14	0.14		0.04	0.37	0.06	0.69	0.06		20
21	0.01			0.09	0.40			0.06		0.18		0.02	21
22		0.02	0.26		0.43		0.22		0.23	0.16	0.24		22
23		0.06	0.13	0.02	0.05				0.12	1.01	0.05	0.06	23
24		0.01					0.25		0.09		0.04		24
25							0.50		0.02	0.37	0.01		25
26			0.02	0.06	0.01		0.13	0.13		0.02	0.01		26
27			0.15	0.04	0.46	0.01	0.15			0.34	0.07		27
28			0.03		0.11		0.03			0.13			28
29			0.23	0.03				0.43	0.04	0.25		0.01	29
30		X	0.02	0.07		0.43		0.02		0.04	0.05	0.10	30
31		X	0.14	X		X			X		X		31
TOTAL	12.1	0.18	1.22	1.61	3.19	0.65	1.93	2.05	1.78	4.62	0.70	0.32	19.46
*Days with or in. or more.	12	6	12	20	18	4	12	9	16	22	15	7	153
*Days with or in. or more.	8	2	7	17	14	3	10	7	11	19	8	3	109

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Saxelham

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Southern Railway Works, Brighton*
in the County of *Sussex* *S.E.C.*

Diameter of Funnel of Gauge..... in.
Height of top of Gauge above Ground..... ft. in.
On *Before* Sea Level..... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.12	0.11							0.01			1
2	0.06		0.22		0.09						0.01		2
3		0.14	0.03										3
4	0.15		0.02		0.11						0.04		4
5	0.05		0.13		¹⁸ 0.18								5
6		0.06	0.02		0.36					0.11	0.10		6
7	0.23	0.03	0.07		0.03					0.06			7
8	0.06						0.21						8
9					0.10		0.06			0.02	0.09		9
10		0.18			0.02	0.10	0.02			0.06			10
11	0.04				0.01	0.05	0.33	0.03	0.01		0.02		11
12					0.05	0.15			0.58				12
13	0.06				0.09		0.13		0.12		0.17		13
14								0.04		0.12	0.16		14
15	0.04		0.02				0.27	0.10		0.01			15
16	0.04		0.34			0.22	0.02				0.04		16
17			0.33			0.05	0.01	0.01	0.08				17
18	0.03		¹⁵ 0.15			0.26					0.01		18
19			0.11			0.23	0.09		0.14			0.04	19
20		0.02	0.01	0.12		0.06	0.27						20
21		0.05						0.05	0.34				21
22						0.02		0.11		0.05	0.01		22
23				0.12	0.63	0.01			0.24				23
24		0.13		0.10	0.04	0.32			0.24		0.02		24
25		0.13		0.17	0.01				0.01	0.05	0.01	0.04	25
26		0.22		0.02		0.05			0.21	0.03	0.03	⁰⁸ 0.08	26
27					0.05					0.19		0.05	27
28					0.37		0.03			0.46		0.01	28
29		X		0.10			0.08			0.03			29
30	0.10	X	0.07				0.01		0.04	0.09		0.14	30
31	0.06	X		X		X		0.13	X		X		31
TOTAL	0.94	1.08	1.63	0.63	2.14	1.52	1.53	0.47	2.01	1.29	0.71	0.36	14.31
*Days with or in. or more.	13	10	14	6	15	12	13	7	11	14	13	6	134
*Days with or in. or more.	X	8	9	5	11	10	8	5	9	9	6	5	96

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

417

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Southern Giffall Works, Dronowood
in the County of Kent d.B.B.

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01							0.48		0.05		0.28		1
2	0.03		0.10					0.01	0.60	0.22		0.18		2
3		0.04		0.02				0.05		0.24				3
4	0.10		0.05							0.22	0.07	0.32		4
5			0.03		0.02						0.05	0.22		5
6			0.26		0.20	0.09		0.14		0.13		0.47		6
7	0.02									0.06		0.06		7
8		0.01			0.08			0.04	0.02		0.23			8
9			0.01						0.03		0.47	0.17		9
10			0.16	0.08				0.01		0.05	0.69	0.01		10
11	0.28		0.29	0.02			0.14	0.02				0.05		11
12	0.04		0.06		0.01		0.14	0.40						12
13	0.18		0.23				0.30	0.17			0.01	0.14		13
14	0.05		0.21		0.01					0.06	0.26	0.25		14
15	0.03		0.15		0.06				0.01		0.05	0.58		15
16	0.08		0.06	0.06						0.04				16
17										0.05		0.07		17
18	0.19			0.12			0.11					0.22		18
19			0.13	0.06	0.01	0.05			0.09			0.05		19
20			0.19				0.01		0.02					20
21				0.14		0.06		0.01		0.05				21
22								0.20	0.13			0.01		22
23				0.37		0.55						0.22		23
24		0.03	0.02	0.10		0.10	0.62		0.14					24
25				0.08		0.02	0.02			0.03		0.21		25
26	0.11			0.40		0.09			0.01			0.02		26
27				0.13								0.16		27
28		0.02	0.01	0.16		0.25		0.51				0.08		28
29		X	0.01					0.07	0.05			0.03		29
30	0.08	X						0.02				0.11		30
31	0.01	X		X		X			X	0.08	X	0.08		31
TOTAL	1.21	0.10	1.97	1.74	0.39	1.21	1.35	2.13	1.10	1.28	1.83	3.99	18.30	
*Days with or in. or more.	14	4	17	13	7	8	7	14	10	13	8	24	139	
*Days with or in. or more.	9	1	12	11	3	7	5	9	5	12	7	20	101	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

B. Chapman

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

417

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Southern Cuffall Works Green*
in the County of *Kent* *D.C.C.*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.22	0.07	0.04	0.02		0.07	0.20		0.09		0.02			1
2	0.07		0.08	0.03					0.03	0.09	0.04			2
3		0.04		0.04		0.02			0.10	0.77	0.10			3
4				0.17		0.23			0.18 0.18	0.21	0.02	0.04		4
5		0.29	0.05	0.08		0.13	0.01		0.34					5
6	0.01	0.02		0.25		0.13				0.01	0.01	0.01		6
7	0.01			0.49		0.04				0.01	0.60	0.07		7
8			0.01	0.36		0.01				0.39	0.19	0.12		8
9				0.11		0.77				0.66	0.03 0.03			9
10	0.01			0.02		0.01					0.10	0.02		10
11	0.26			0.10		0.09					0.15			11
12	0.03					0.06		0.02			0.45 0.45			12
13	0.09	0.11		0.05	0.11	0.07								13
14				0.13	0.21	0.04			0.06			0.06 0.08		14
15		0.14		0.19		0.02			0.05		0.10	0.08		15
16		0.11		0.03		0.04			0.26	0.03	0.42	0.02		16
17			0.01	0.01		0.15		0.01	0.01		0.44			17
18				0.11	0.07	0.25	0.05		0.31	0.03	0.03	0.01		18
19					0.15	0.02	0.09		0.01		0.03			19
20		0.15		0.05	0.18 0.18	0.05	0.11				0.09			20
21		0.14		0.01						0.06	0.04			21
22		0.03	0.01					0.34	0.26			0.03		22
23			0.08					0.12	0.06			0.02		23
24	0.03	0.35			0.36			0.24	0.28			0.25		24
25	0.11	0.08		0.30	0.03	0.26						0.04		25
26	0.10	0.03		0.01				0.19		0.01		0.23		26
27		0.32						0.01	0.08		0.04	0.15		27
28					0.06				0.17	0.04		0.13		28
29		X							0.39			0.07		29
30	0.08	X		0.06	0.12			0.72	0.08	0.09	0.24	0.38		30
31		X		X	0.01	X			X	0.16	X	0.35		31
TOTAL	1.02	1.88	0.28	2.62	1.36	2.46	0.46	1.65	2.76	2.56	3.14	2.08	22.21	
* Days with .01 in. or more.	12	14	7	22	10	20	5	8	18	14	20	19	169	
* Days with .04 in. or more.	7	11	4	15	8	15	4	5	15	9	14	13	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

H. C. Graham

P.T.O.

Section **A** for the entry of Daily Observations.

Station No. 417

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at SOUTHERN OUTFALL, CROSSNESS

in the County of

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.16	0.13	0.02	0.13		0.24	0.16	0.02				0.16		1
2						0.30					0.06			2
3				0.17	0.03	0.21	0.02		0.09		0.21			3
4			0.06			0.05	0.01		0.30			0.03		4
5	0.11		0.02						0.12		0.05	0.10		5
6	0.20					0.05			0.02		0.31			6
7	0.21		0.01			0.05			0.04		0.12			7
8	0.11		0.03							0.01	0.29	0.22		8
9	0.25		0.04				0.41		0.28	0.02				9
10								0.26	0.02		0.01			10
11				0.14			0.42				0.73			11
12				0.08		0.11	0.21		0.05		0.30	0.04		12
13					0.01	0.22	0.13				0.01	0.09		13
14		0.06				0.09	0.43		0.03	0.04	0.11	0.50		14
15		0.05							0.01		0.01			15
16	0.28	0.05		0.01	0.06		0.02		0.04		0.34	0.03		16
17	0.11	0.34			0.04	0.04		0.01		0.01	0.31	0.10		17
18	0.03	0.02				0.04	0.06			0.02	0.08	0.06		18
19	0.14	0.06				0.18	0.15	0.02		0.04				19
20	0.15	0.03		0.31		0.05	0.04		0.68					20
21				0.16	0.01	0.27			0.06					21
22	0.12	0.34	0.02		0.12	0.05	0.12					0.06		22
23				0.06	0.06	0.18				0.06				23
24	0.12	0.07							0.04	0.40				24
25	0.17		0.16	0.18		0.24	0.15		0.08	0.06		0.01		25
26		0.06	0.25				0.10		0.02	0.14		0.03		26
27	0.12			0.01					0.16	0.04				27
28	0.48		0.06			0.21	0.20					0.01		28
29	0.08	0.06	0.04			0.08	0.01			0.01	0.08			29
30	0.04	~~X~~				0.13				0.13				30
31	0.24	~~X~~	0.20	~~X~~	0.08	~~X~~	0.09		~~X~~	0.37	~~X~~	0.10		31
TOTAL	3.12	1.27	0.91	1.25	0.41	2.79	2.73	0.31	2.04	1.35	3.02	1.54	20.74	
* Days with .01 in. or more.	19	12	12	10	8	20	18	4	17	14	16	15	165	
* Days with .04 in. or more.	18	10	7	8	5	20	14	1	12	9	13	10	127	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

D. E. P. H. A. M.

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **417**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at **SOUTHERN OUTFALL WORKS.**in the County of **Kent.**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.50	0.01	0.01	0.08							0.53	0.39		1
2		0.09	0.02	0.44					0.11			0.66		2
3		0.11								0.01		0.21		3
4	0.02	0.29			0.02			0.27				0.41		4
5	0.19	0.18	0.28				0.10							5
6			0.70		0.09		0.02			0.01				6
7		0.69	0.07	0.06	0.01				0.03			0.02		7
8					0.05	0.06					0.17	0.28		8
9		0.03		0.26	0.19		0.01		0.22			0.20		9
10	0.01		0.35	0.17	0.22	0.35	0.04	0.14				0.43		10
11			0.29		0.38		0.02					0.04		11
12	0.12	0.28	0.04		0.49	0.31	0.01	0.01	0.03			0.03		12
13	0.13	0.02	0.28			0.30		0.09	0.20			0.56		13
14		0.04	0.19		0.16			0.24	0.03					14
15	0.06	0.06		0.10			0.38		0.07					15
16	0.01	0.13	0.19	0.35		0.04		0.26	0.05			0.02		16
17	0.11	0.03	0.06	0.18					0.04		0.03			17
18	0.21	0.02			0.41	0.52					0.19	0.01		18
19		0.07	0.01	0.07	0.01	0.23	0.08		0.01			0.09		19
20	0.28		0.02	0.34	0.70	0.25			0.02					20
21	0.13	0.49		0.06			0.02							21
22	0.28	0.04				0.02	0.03			0.73	0.23			22
23	0.20									0.32		0.02		23
24	0.40	0.45			0.02				0.10	0.16				24
25	0.06	0.23	0.13						0.05	0.19		0.01		25
26	0.01	0.12	0.04		0.07									26
27	0.01	0.15		0.24					0.06	0.30				27
28		0.07								0.01		0.01		28
29	0.04	X								0.01	0.01	0.04		29
30	0.13	X						0.03			0.16			30
31	0.18	X		X		X			X	0.05	X			31
TOTAL	3.08	3.60	2.68	2.35	2.82	2.08	0.71	1.04	1.02	1.79	1.32	3.43	25.92	
* Days with .01 in. or more.	21	22	16	12	14	9	10	7	14	10	7	18	160	
* Days with .04 in. or more.	16	17	12	12	10	8	4	5	9	6	5	11	115	

Section



for the entry of Daily Observations

Station No.

417

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at SOUTHERN OUTFALL WORKS
in the County of ERITH (CROSSNESS)

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02				0.03	0.10			0.01	0.01		0.02		1
2	0.02			0.08	0.10		0.17			0.20		0.03		2
3					0.14					0.37		0.01		3
4	0.02						0.28	0.01	0.01	0.03		0.04		4
5							0.29			0.10				5
6	0.03						0.01		0.15					6
7							0.12	0.43	0.02	0.13		0.07		7
8	0.06						0.03		0.02	0.18				8
9							0.07	0.34				0.43		9
10	0.12	0.01				0.03		0.01				0.03		10
11	0.23										0.05	0.09		11
12	0.14	0.05						0.02		0.13	0.02			12
13	0.25	0.07								0.02	0.08	0.02		13
14	0.05	0.01			0.22				0.03			0.01		14
15	0.03	0.06					0.15			0.34		0.07		15
16	0.16				0.02			0.01			0.02	0.38		16
17		0.08			0.23		0.01		0.01	0.11				17
18	0.01				0.06				0.01	0.01	0.27			18
19								0.02	0.01		0.15			19
20					0.06				0.05		0.31			20
21	0.01								0.10		0.03			21
22											0.09	0.12		22
23														23
24			0.07		0.01				0.41		0.03	0.02		24
25	0.08		0.14	0.04	0.17		0.04		0.04	0.04	0.98	0.04		25
26	0.12	0.08	0.06					0.02	0.18	0.27		0.17		26
27	0.08	0.01			0.06	0.16	0.10	0.01	0.70	0.01	0.13			27
28	0.21	0.03		0.01	0.21	0.04		0.20						28
29	0.27	X		0.01	0.05						0.02	0.25		29
30	0.01	X		0.01	0.04	0.02			0.04	0.04	0.14			30
31	0.11	X		X	0.10	X			X	0.07	X	0.12		31
TOTAL	2.03	0.40	0.27	0.15	1.50	0.35	1.27	1.17	1.79	2.06	2.32	1.92	15.23	
* Days with .01 in. or more.	21	9	3	5	15	5	11	10	16	17	14	18	144	
* Days with .04 in. or more.	13	5	3	2	12	3	8	4	8	12	9	11	90	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

X Snow, etc.

(Signed)

[Signature]

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

417

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at L.C.C. Southern Outfall Works...

in the County of KENT

Diameter of Funnel of Gauge 14.6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	nil	0.02	0.14	0.35	nil	0.01	0.12	0.36	nil	nil	0.01		1
2	0.01	nil	nil	nil	nil	nil	0.01	0.27	0.24	0.02	nil	nil		2
3	0.11	nil	nil	0.19	nil	nil	nil	0.48	0.06	0.02	0.18	0.32		3
4	0.05	nil	0.07	0.25	nil	nil	0.04	1.09	nil	0.04	0.10	0.03		4
5	nil	nil	nil	0.09	nil	nil	0.12	0.04	nil	0.44	0.10	0.03		5
6	0.40	nil	nil	0.01	nil	nil	0.04	0.09	nil	0.02	0.20	nil		6
7	0.07	0.11	nil	nil	nil	nil	nil	nil	nil	0.01	nil	0.02		7
8	nil	0.01	0.08	nil	nil	nil	nil	0.16	nil	0.10	0.11	0.26		8
9	0.01	0.03	nil	nil	nil	nil	nil	nil	nil	0.84	0.03	0.06		9
10	0.14	nil	nil	nil	nil	0.44	nil	0.04	nil	0.07	nil	nil		10
11	nil	nil	0.27	nil	nil	0.32	nil	nil	0.01	0.03	nil	nil		11
12	nil	nil	nil	nil	nil	0.01	nil	nil	0.01	0.28	nil	nil		12
13	nil	nil	nil	0.01	nil	0.01	nil	nil	nil	nil	nil	nil		13
14	0.85 0.85	nil	0.01	0.01	0.16	0.01	nil	nil	nil	1.38	0.31	0.03		14
15	0.45	nil	0.01	nil	0.62	0.03	0.01	nil	0.27	0.86	0.01	0.01		15
16	0.33	nil	0.14	nil	0.10	0.09	nil	nil	0.01	nil	0.32	nil		16
17	0.32	0.01	nil	0.06	0.02	nil	0.03	nil	0.09	nil	0.03	nil		17
18	0.12	nil	nil	nil	0.19	0.09	0.18	nil	nil	0.12	0.26	nil		18
19	0.17	nil	0.02	nil	nil	nil	0.05	nil	nil	0.64	nil	nil		19
20	0.11	nil	nil	nil	nil	0.01	1.17	nil	nil	nil	nil	0.06		20
21	0.07	nil	0.23	nil	nil	0.06	0.26	0.03	nil	nil	nil	nil		21
22	0.08	0.08	0.16	nil	nil	0.03	0.01	nil	0.13	0.01	0.01	nil		22
23	0.05	nil	nil	0.14	nil	nil	0.17	0.04	nil	nil	0.48	nil		23
24	0.10	0.03	0.05	0.07	nil	nil	0.46 0.46	nil	0.01	0.03	nil	nil		24
25	0.75	0.25	0.02	nil	nil	nil	0.01	nil	nil	0.11	0.38	nil		25
26	nil	nil	nil	0.04	nil	0.12	nil	nil	nil	0.13	0.20	nil		26
27	0.01	0.01	0.09	0.12	nil	nil	nil	nil	0.03	0.01	0.18	nil		27
28	nil	0.22	0.04	0.38	nil	nil	nil	nil	nil	0.11	0.05	0.06		28
29	nil	X	nil	0.25	nil	nil	nil	nil	nil	0.08	0.06	nil		29
30	nil	X	nil	0.54	nil	0.02	nil	nil	nil	nil	0.06	nil		30
31	nil	X	nil	X	nil	X	0.24	nil	X	nil	X	nil		31
TOTAL	3.62	0.75	1.21	2.30	1.44	1.24	2.81	2.41	1.22	5.40	3.07	0.89	Year's Total	26.36
* Days with .01 in. or more.	21	9	14	15	6	13	16	10	11	22	19	11	26.7	
* Days with .04 in. or more.	18	4	9	12	5	6	10	10	6	15	15	5	115	

† Spare column, no entries required.

(Signed)

P.T.O.

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No.

417

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at *L. b. b. Southern Catfall*in the County of *Gent*Diameter of Funnel of Gauge.....*13 1/2* in.Height of top of Gauge above Ground...*1* ft.....*1* in.

Ground

Sea Level *+26.1* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	0.07	—	—	—	—	0.03	0.20	—		1
2	—	0.04	—	0.05	—	—	0.03	—	—	0.03	0.51	0.01		2
3	—	0.08	—	0.07	—	—	0.01	—	—	0.09	~~0.71~~ 1.25	0.02		3
4	—	0.07	—	0.09	—	—	—	—	—	0.10	0.05	0.05		4
5	—	—	—	—	0.01	—	0.02	—	—	0.01	~~0.28~~ 0.28	0.08		5
6	0.13	0.06	—	—	—	—	0.14	—	—	0.08	0.15	—		6
7	0.31	0.01	—	—	0.01	—	0.11	0.03	—	—	—	0.02		7
8	—	—	—	—	—	0.14	0.01	—	0.02	0.16	0.03	0.24		8
9	—	—	—	—	—	—	—	—	—	0.02	0.06	0.01		9
10	—	—	—	—	—	—	0.65	—	—	0.09	0.10	0.01		10
11	—	—	0.01	0.01	—	—	—	—	—	—	0.74	—		11
12	—	—	0.04	—	—	—	0.08	—	0.04	—	—	0.01		12
13	—	—	0.71	0.02	—	—	0.02	—	0.09	—	0.89	—		13
14	—	0.07	0.16	0.17	0.09	—	—	—	—	—	—	0.12		14
15	—	—	0.06	0.05	0.01	0.07	0.80	—	0.01	0.01	0.25	0.01		15
16	0.01	—	0.23	0.14	—	0.06	0.48	—	0.16	0.94	0.45	0.02		16
17	—	0.03	0.35	—	—	—	0.06	—	—	—	0.09	—		17
18	—	0.38	0.05	0.29	—	—	0.06	0.02	0.05	0.12	0.14	0.12		18
19	—	0.14	0.04	0.06	—	—	0.04	—	0.83	—	0.11	0.02		19
20	—	0.02	—	—	—	—	0.09	0.02	—	0.03	0.01	—		20
21	—	—	—	—	0.39	—	0.23	—	—	0.04	0.15	—		21
22	0.03	—	—	0.04	0.31	0.11	—	—	0.09	0.02	—	—		22
23	—	—	—	0.17	—	0.03	—	—	—	0.03	0.01	—		23
24	—	—	—	0.21	—	—	0.18	—	—	—	—	0.01		24
25	—	—	0.58	—	—	—	0.18	—	—	0.01	—	—		25
26	1.05	0.03	0.59	0.01	0.18	—	0.09	—	—	—	—	—		26
27	0.23	0.16	—	0.01	—	—	0.43	—	—	—	—	—		27
28	0.04	—	—	—	0.10	—	—	—	—	—	—	—		28
29	—	0.01	0.03	—	0.23	—	—	—	—	—	—	0.15		29
30	0.10	×	—	0.09	—	—	—	—	—	0.04	—	0.02		30
31	0.06	×	—	×	—	×	—	—	×	0.37	×	—		31
TOTAL	1.96	1.10	2.55	1.48	1.40	0.41	3.71	0.07	1.29	2.29	5.47	0.92	22.95	
* Days with .01 in. or more.	9	13	12	16	10	5	20	3	8	18	19	17	150	
* Days with .04 in. or more.	7	8	10	12	7	4	15	—	6	11	16	6	102	

Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

M. Baylis. Sup't

[P.T.O.]

SELSEY BILL

Section **A** for the entry of

AIR MINISTR

FORM 1090

REGIS

Kept at *Selsey*

in the County of *Sussex*

Diameter of Funnel of Gauge.....

Height of top of Gauge above Gro

„ Ground „ Sea

THE MORNING MEASURE

An observer who does not conform to the year in the space on the right of this

Please

417/5

SELSEY BILL

1938-40

Station No. *417/5*

RAINFALL ORGANIZATION

1938

PREVIOUS DAY

at the following

Jan. 1, following

780109

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10												46		10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X	X	X	X	X	X	X	X	X	X			31
TOTAL												2.64		Year's Total
* Days with .01 in. or more.												23		
* Days with .04 in. or more.												14		

CHAMBER OF COMMERCE

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

wp incomplete
96
15/3/39

SELSEY BILL



FORM 1090

for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. 417/5

REGISTER OF RAINFALL IN 1938

Kept at Selsey

in the County of Sussex

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10												4.6		10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL												2.64		Year's Total
* Days with .01 in. or more.												23		
* Days with .04 in. or more.												17		

CHAMBER OF COMMERCE

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) [Signature] [P.T.O.]

mp incomplete
9.6
15/3/39

FORM 1020

REGISTER OF RAINFALL IN 1939

Kept at Selsey Bill
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 19 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2								54						2
3				62								32		3
4			42											4
5														5
6														6
7														7
8														8
9											73			9
10														10
11														11
12														12
13										1.27				13
14										1.27				14
15														15
16					57	32								16
17														17
18							38							18
19														19
20														20
21														21
22														22
23														23
24														24
25	1.49													25
26														26
27														27
28		48												28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	489	1.52	1.24	2.89	1.52	1.13	2.09	1.61	86	6.37	6.54	1.48	32.14	Year's Total
* Days with .01 in. or more.	221	9	14	15	8	13	18	10	7	19	23	12	169	
* Days with .04 in. or more:	146	7	11	13	7	11	12	8	3	15	20	8	131	

Section **A**

for the entry of Daily Observations

Station No.

417/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Seleseyin the County of Sussex

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13			.63								1.61			13
14												.46		14
15							.86							15
16		.62								.52				16
17														17
18				.22										18
19									.88					19
20														20
21														21
22						.22								22
23														23
24														24
25														25
26	1.01													26
27														27
28														28
29					.45									29
30		~~X~~												30
31		~~X~~		~~X~~		~~X~~			~~X~~		~~X~~			31
TOTAL	3.25	34.2	2.93	.84	1.13	.23	2.77	.00	2.22	3.63	7.64	2.45	30.51	Year's Total
* Days with .01 in. or more.	9	17	13	14	9	2	17	0	13	14	22	15	145	
* Days with .04 in. or more.	8	13	11	7	6	1	13	0	8	12	17	14	110	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Kept at SIDLESHAM
in the County of Wiltshire
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
" Ground " Sea Level
THE MORNING MEASUREMENT

417/8
SIDLESHAM
COUNCIL SCH

2 f. nearby shire

An observer who does not conform to the year in the space on the right of this page
Please

1939 - 40

780109

Previous Day
of the following

Jan. 1, following
Feb

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<u>4</u>	<u>6</u>	<u>.39</u>	<u>—</u>	<u>.57</u>	<u>—</u>	<u>6</u>	<u>.20</u>	<u>.03</u>	<u>—</u>	<u>.08</u>	<u>6</u>		1
2	<u>4</u>	<u>—</u>	<u>.02</u>	<u>.25</u>	<u>.58</u>	<u>—</u>	<u>.05</u>	<u>6</u>	<u>.57</u>	<u>.10</u>	<u>6</u>	<u>.03</u>		2
3	<u>4</u>	<u>—</u>	<u>—</u>	<u>.30</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.38</u>	<u>.01</u>	<u>.03</u>	<u>.26</u>	<u>.01</u>		3
4	<u>4</u>	<u>—</u>	<u>—</u>	<u>.35</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>.09</u>	<u>—</u>	<u>—</u>	<u>.53</u>	<u>.33</u>		4
5	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.05</u>	<u>—</u>	<u>.50</u>	<u>.45</u>	<u>—</u>	<u>—</u>	<u>.12</u>	<u>—</u>		5
6	<u>4</u>	<u>.02</u>	<u>.05</u>	<u>.13</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>.43</u>	<u>.13</u>		6
7	<u>4</u>	<u>.01</u>	<u>.11</u>	<u>6</u>	<u>—</u>	<u>—</u>	<u>.13</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>.30</u>	<u>.19</u>		7
8	<u>—</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.09</u>	<u>.06</u>	<u>—</u>	<u>.02</u>	<u>.05</u>	<u>.02</u>		8
9	<u>4</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>.76</u>	<u>.09</u>	<u>.20</u>		9
10	<u>4</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.07</u>	<u>—</u>	<u>.26</u>	<u>.04</u>	<u>—</u>		10
11	<u>3.40</u>	<u>—</u>	<u>6</u>	<u>—</u>	<u>—</u>	<u>.11</u>	<u>—</u>	<u>.14</u>	<u>—</u>	<u>.30</u>	<u>.25</u>	<u>—</u>		11
12	<u>4</u>	<u>6</u>	<u>.18</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.10</u>	<u>.01</u>	<u>—</u>		12
13	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.12</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>6</u>	<u>6</u>	<u>—</u>		13
14	<u>4</u>	<u>6</u>	<u>—</u>	<u>.15</u>	<u>—</u>	<u>.12</u>	<u>.12</u>	<u>—</u>	<u>.39</u>	<u>.23</u>	<u>.02</u>	<u>.16</u>		14
15	<u>4</u>	<u>.24</u>	<u>.05</u>	<u>.08</u>	<u>.01</u>	<u>.02</u>	<u>.02</u>	<u>—</u>	<u>6</u>	<u>.35</u>	<u>.63</u>	<u>—</u>		15
16	<u>4</u>	<u>.25</u>	<u>.02</u>	<u>.01</u>	<u>.48</u>	<u>.25</u>	<u>.03</u>	<u>—</u>	<u>.11</u>	<u>.08</u>	<u>.26</u>	<u>—</u>		16
17	<u>4</u>	<u>.06</u>	<u>.06</u>	<u>—</u>	<u>.30</u>	<u>.06</u>	<u>.39</u>	<u>—</u>	<u>.02</u>	<u>.45</u>	<u>.26</u>	<u>—</u>		17
18	<u>4</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>.08</u>	<u>—</u>	<u>.26</u>	<u>—</u>	<u>6</u>	<u>6</u>	<u>.03</u>	<u>—</u>		18
19	<u>4</u>	<u>—</u>	<u>.05</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.12</u>	<u>—</u>	<u>6</u>	<u>6</u>	<u>.49</u>	<u>—</u>		19
20	<u>4</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.25</u>	<u>—</u>	<u>6</u>	<u>—</u>	<u>—</u>	<u>—</u>		20
21	<u>4</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.05</u>	<u>.01</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>		21
22	<u>.10</u>	<u>.24</u>	<u>6</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.21</u>	<u>—</u>	<u>.05</u>	<u>—</u>	<u>—</u>	<u>—</u>		22
23	<u>.81</u>	<u>.25</u>	<u>.03</u>	<u>6</u>	<u>—</u>	<u>.17</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.07</u>	<u>—</u>		23
24	<u>.01</u>	<u>.02</u>	<u>6</u>	<u>.23</u>	<u>—</u>	<u>—</u>	<u>.11</u>	<u>—</u>	<u>6</u>	<u>.08</u>	<u>.57</u>	<u>—</u>		24
25	<u>.46</u>	<u>—</u>	<u>.03</u>	<u>.08</u>	<u>—</u>	<u>.06</u>	<u>.25</u>	<u>—</u>	<u>6</u>	<u>—</u>	<u>.01</u>	<u>—</u>		25
26	<u>.96</u>	<u>—</u>	<u>.05</u>	<u>.08</u>	<u>—</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.33</u>	<u>—</u>		26
27	<u>6</u>	<u>.21</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.05</u>	<u>.25</u>	<u>6</u>		27
28	<u>.03</u>	<u>—</u>	<u>.03</u>	<u>.05</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.05</u>	<u>.11</u>	<u>—</u>		28 up
29	<u>—</u>	<u>X</u>	<u>—</u>	<u>.09</u>	<u>—</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>6</u>	<u>—</u>	<u>.19</u>	<u>.24</u>		29 late
30	<u>—</u>	<u>X</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>6</u>	<u>—</u>		30
31	<u>—</u>	<u>X</u>	<u>—</u>	<u>X</u>	<u>—</u>	<u>X</u>	<u>6</u>	<u>—</u>	<u>X</u>	<u>.31</u>	<u>X</u>	<u>.02</u>		31
TOTAL	<u>5.71</u>	<u>1.46</u>	<u>1.10</u>	<u>1.82</u>	<u>1.80</u>	<u>.89</u>	<u>2.44</u>	<u>1.49</u>	<u>.20</u>	<u>.520</u>	<u>.638</u>	<u>.133</u>	Year's Total	
* Days with .01 in. or more.	<u>24</u>	<u>12</u>	<u>14</u>	<u>14</u>	<u>9</u>	<u>10</u>	<u>22</u>	<u>10</u>	<u>8</u>	<u>17</u>	<u>24</u>	<u>10</u>	<u>24.81</u>	<u>31.21</u>
* Days with .04 in. or more.	<u>18</u>	<u>8</u>	<u>9</u>	<u>11</u>	<u>7</u>	<u>7</u>	<u>14</u>	<u>8</u>	<u>4</u>	<u>13</u>	<u>20</u>	<u>6</u>	<u>15.6</u>	<u>174</u>
													<u>44</u>	<u>125</u>

Section



for the entry of Daily Observations

Station No. 417/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at SIDLESHAM (Council School)

in the County of SUSSEX

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground...2 ft.....in.

„ Ground „ Sea Level 15.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Feb

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>4</i>	<i>6</i>	<i>.39</i>	<i>—</i>	<i>.57</i>	<i>—</i>	<i>6</i>	<i>.20</i>	<i>.03</i>	<i>—</i>	<i>.08</i>	<i>6</i>		1
2	<i>4</i>	<i>—</i>	<i>.02</i>	<i>.25</i>	<i>.58</i>	<i>—</i>	<i>.05</i>	<i>6</i>	<i>.57</i>	<i>.10</i>	<i>6</i>	<i>.03</i>		2
3	<i>4</i>	<i>—</i>	<i>—</i>	<i>.30</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.38</i>	<i>.01</i>	<i>.03</i>	<i>.26</i>	<i>.01</i>		3
4	<i>4</i>	<i>—</i>	<i>—</i>	<i>.35</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.09</i>	<i>—</i>	<i>—</i>	<i>.53</i>	<i>.33</i>		4
5	<i>4</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.05</i>	<i>—</i>	<i>.50</i>	<i>.45</i>	<i>—</i>	<i>—</i>	<i>.12</i>	<i>—</i>		5
6	<i>4</i>	<i>.02</i>	<i>.05</i>	<i>.13</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>.43</i>	<i>.13</i>		6
7	<i>4</i>	<i>.01</i>	<i>.11</i>	<i>4</i>	<i>—</i>	<i>—</i>	<i>.13</i>	<i>.08</i>	<i>—</i>	<i>—</i>	<i>.30</i>	<i>.19</i>		7
8	<i>4</i>	<i>.08</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.09</i>	<i>.06</i>	<i>—</i>	<i>.02</i>	<i>.05</i>	<i>.02</i>		8
9	<i>4</i>	<i>.06</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>.76</i>	<i>.09</i>	<i>.20</i>		9
10	<i>4</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>.26</i>	<i>1.04</i>	<i>—</i>		10
11	<i>(3.40)</i>	<i>—</i>	<i>6</i>	<i>—</i>	<i>—</i>	<i>.11</i>	<i>—</i>	<i>.14</i>	<i>—</i>	<i>.30</i>	<i>.25</i>	<i>—</i>		11
12	<i>4</i>	<i>6</i>	<i>.18</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>1.10</i>	<i>.01</i>	<i>—</i>		12
13	<i>4</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.12</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>6</i>	<i>6</i>	<i>—</i>		13
14	<i>4</i>	<i>6</i>	<i>—</i>	<i>.15</i>	<i>—</i>	<i>.12</i>	<i>.12</i>	<i>—</i>	<i>.39</i>	<i>1.23</i>	<i>.02</i>	<i>.16</i>		14
15	<i>4</i>	<i>.24</i>	<i>.05</i>	<i>.08</i>	<i>.01</i>	<i>.02</i>	<i>.02</i>	<i>—</i>	<i>6</i>	<i>.35</i>	<i>.63</i>	<i>—</i>		15
16	<i>4</i>	<i>.25</i>	<i>.02</i>	<i>.01</i>	<i>.48</i>	<i>.25</i>	<i>.03</i>	<i>—</i>	<i>.11</i>	<i>.08</i>	<i>.26</i>	<i>—</i>		16
17	<i>4</i>	<i>.06</i>	<i>.06</i>	<i>—</i>	<i>.30</i>	<i>.06</i>	<i>.39</i>	<i>—</i>	<i>.02</i>	<i>.45</i>	<i>.26</i>	<i>—</i>		17
18	<i>4</i>	<i>—</i>	<i>1.03</i>	<i>—</i>	<i>.08</i>	<i>—</i>	<i>.26</i>	<i>—</i>	<i>6</i>	<i>6</i>	<i>.03</i>	<i>—</i>		18
19	<i>4</i>	<i>—</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.12</i>	<i>—</i>	<i>6</i>	<i>6</i>	<i>.49</i>	<i>—</i>		19
20	<i>4</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.25</i>	<i>—</i>	<i>6</i>	<i>—</i>	<i>—</i>	<i>—</i>		20
21	<i>4</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.05</i>	<i>.01</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>		21
22	<i>.10</i>	<i>.24</i>	<i>6</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.21</i>	<i>—</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>—</i>		22
23	<i>.81</i>	<i>.25</i>	<i>.03</i>	<i>6</i>	<i>—</i>	<i>.17</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>—</i>		23
24	<i>.01</i>	<i>.02</i>	<i>6</i>	<i>.23</i>	<i>—</i>	<i>—</i>	<i>.11</i>	<i>—</i>	<i>6</i>	<i>.08</i>	<i>.57</i>	<i>—</i>		24
25	<i>.46</i>	<i>—</i>	<i>.03</i>	<i>.08</i>	<i>—</i>	<i>.06</i>	<i>.25</i>	<i>—</i>	<i>6</i>	<i>—</i>	<i>.01</i>	<i>—</i>		25
26	<i>.96</i>	<i>—</i>	<i>.05</i>	<i>.08</i>	<i>—</i>	<i>—</i>	<i>.04</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.33</i>	<i>—</i>		26
27	<i>6</i>	<i>.21</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>.05</i>	<i>.25</i>	<i>6</i>		27
28	<i>.03</i>	<i>—</i>	<i>.03</i>	<i>.05</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.05</i>	<i>.11</i>	<i>—</i>		28 <i>wp</i>
29	<i>—</i>	<i>X</i>	<i>—</i>	<i>.09</i>	<i>—</i>	<i>.06</i>	<i>—</i>	<i>—</i>	<i>6</i>	<i>—</i>	<i>.19</i>	<i>.24</i>		29 <i>late</i>
30	<i>—</i>	<i>X</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>6</i>	<i>—</i>		30 <i>late</i>
31	<i>—</i>	<i>X</i>	<i>—</i>	<i>X</i>	<i>—</i>	<i>X</i>	<i>6</i>	<i>—</i>	<i>X</i>	<i>.31</i>	<i>X</i>	<i>.02</i>		31 <i>late</i>
TOTAL	<i>5.71</i>	<i>1.46</i>	<i>1.10</i>	<i>1.82</i>	<i>1.80</i>	<i>.89</i>	<i>2.44</i>	<i>1.49</i>	<i>1.20</i>	<i>5.20</i>	<i>6.38</i>	<i>1.33</i>	Year's Total	<i>31.21</i>
* Days with .01 in. or more.	<i>24</i>	<i>12</i>	<i>14</i>	<i>14</i>	<i>9</i>	<i>10</i>	<i>22</i>	<i>10</i>	<i>8</i>	<i>17</i>	<i>24</i>	<i>10</i>	<i>156</i>	<i>174</i>
* Days with .04 in. or more.	<i>18</i>	<i>8</i>	<i>9</i>	<i>11</i>	<i>7</i>	<i>7</i>	<i>14</i>	<i>8</i>	<i>4</i>	<i>13</i>	<i>20</i>	<i>6</i>	<i>44</i>	<i>125</i>

† Spare column, no entries required

(Signed) *W. H. H. H. H. H.* [P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No

417/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1934

Kept at SIDLESHAM (Council School) ~~X~~in the County of SUSSEXDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground...2 ft. in.,, Ground ,, Sea Level 15 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

19.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.03	.35	—	—	—	—	tr	—	~~.45~~	.45	—		1
2	—	—	—	tr	.06	—	—	—	.01	~~.02~~	.14	.02		2
3	—	.39	—	.06	—	—	.03	—	tr	~~.32~~	.32	.06		3
4	.03	.31	—	.01	—	—	—	—	tr	~~.26~~	1.06	.21		4
5	—	—	—	—	—	—	.06	.02	—	~~.32~~	.04	.03		5
6	—	.22	—	—	—	—	—	tr	tr	~~.01~~	.30	.21		6
7	.39	.21	—	—	.02	—	—	—	—	~~.45~~	.14	.04		7
8	.14	.22	—	.02	.01	—	tr	—	—	—	—	—		8
9	—	—	—	—	.02	—	.14	—	.03	~~.24~~	tr	.21		9
10	—	—	—	—	—	—	—	tr	.02	.30	.31	.36		10
11	—	—	—	—	—	—	.18	.01	—	.09	.04	tr		11
12	—	.05	.01	—	—	—	.01	—	—	~~.83~~	.83	—		12
13	—	—	.08	tr	—	—	.29	—	.25	~~.03~~	.03	—		13
14	—	tr	.60	—	—	—	.01	—	.08	~~1.54~~	1.54	—		14
15	—	—	.13	.04	—	—	.20	—	.03	.18	—	.41		15
16	—	—	.06	—	.02	—	.74	—	.55	~~.38~~	.38	.01		16
17	—	.39	.34	.03	—	tr	—	—	.10	~~1.01~~	1.01	.05		17
18	—	—	.35	—	—	—	.04	—	—	~~.55~~	.55	—		18
19	—	.46	.15	.26	—	—	.02	—	.11	~~.01~~	.01	.12		19
20	—	.11	.03	.02	—	—	.01	—	.66	~~.15~~	.15	—		20
21	—	.02	.01	.07	—	—	.02	tr	.08	~~.05~~	.05	—		21
22	—	.01	—	—	.09	—	—	—	.05	.02	.22	—		22
23	—	tr	.05	tr	—	.22	—	—	.09	—	—	—		23
24	—	.12	.11	.01	—	tr	—	—	tr	~~.04~~	.04	tr		24
25	—	—	—	.09	—	—	.31	—	tr	~~.02~~	.02	.02		25
26	—	—	.59	.02	.02	—	.08	tr	—	—	—	—		26
27	.85	.22	.20	.02	.18	tr	.06	—	—	tr	.01	—		27
28	.51	.23	.02	—	.03	—	.35	tr	—	—	—	—		28
29	.51	—	—	.06	.21	—	—	tr	—	—	—	.01		29
30	.48	~~X~~	.11	.10	.60	—	tr	—	—	tr	—	.24		30
31	.05	~~X~~	.01	~~X~~	—	~~X~~	—	—	~~X~~	.06	~~X~~	.03		31
TOTAL	2.99	3.31	2.85	.81	1.26	.22	8.55	.03	2.06	3.51	2.22	2.90	Year's Total	28.90
* Days with .01 in. or more.	9.8	15	18.17	14	11	1	17	2	13	15.16	22.2	16.17	15.3	153
* Days with .04 in. or more.	8	14.3	13.12	7	5	1	11	—	9	11.12	18.17	10.11	10.7	108.7

* See Instruction B (f) on other side.

[P.T.O.]

Kept at GREENWAYS
in the County of WEST SUSSEX
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
" Ground " Sea Level

THE MORNING MEASUREME

An observer who does not conform to this rule
year in the space on the right of this parag
Please

ALL ORGANIZATION.

1.

418

AY.

following

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr.	0.03	--	0.35	Tr.	0.01	--	0.08	0.17	0.01	--	Tr.	1
2	0.14	0.04	--	0.45	--	--	--	0.03	0.37	--	--	0.01	2
3	0.14	Tr.	0.44	0.06	0.38	--	Tr.	Tr.	0.77	Tr.	0.01	0.21	3
4	--	Tr.	0.02	0.11	0.02	--	0.05	--	0.02	0.05	0.08	Tr.	4
5	--	0.08	--	0.17	--	0.49	0.19	0.12	Tr.	0.01	0.01	0.13	5
6	Tr.	0.10	--	0.01	--	0.01	Tr.	0.08	0.04	0.31	0.22	0.31	6
7	0.01	Tr.	Tr.	--	0.14	0.21	--	0.25	0.02	0.06	0.26	Tr.	7
8	Tr.*	0.16	--	--	0.01	0.28	0.11	0.04	--	Tr.	0.09	0.13	8
9	Tr.*	0.06	Tr.*	--	Tr.	0.01	0.01	--	--	Tr.	0.70	0.01	9
10	0.01	0.12	Tr.*	--	--	0.13	0.08	0.09	--	--	0.95	Tr.	10
11	0.15	0.29	Tr.	--	Tr.	Tr.	Tr.	--	0.01	Tr.	0.17	Tr.	11
12	0.02	Tr.	--	--	--	Tr.	0.05	0.04	0.36	--	Tr.	--	12
13	0.11	--	Tr.	--	--	Tr.	Tr.	0.38	--	Tr.	Tr.	--	13
14	0.02	0.16	0.01	--	--	0.10	0.51	0.06	--	Tr.	--	--	14
15	0.02	0.02	--	0.01	0.17	--	0.15	0.53	0.01	--	--	0.02	15
16	Tr.	0.02	--	0.16	0.28	0.01	Tr.	0.03	0.18	--	--	Tr.	16
17	0.01	0.05	--	0.10	--	--	0.34	--	--	--	--	--	17
18	0.03	0.01	0.07	0.11	--	0.11	0.08	0.55	0.08	Tr.	0.43	Tr.	18
19	0.15	Tr.	Tr.	--	--	Tr.	0.04	0.27	0.03	--	Tr.	Tr.	19
20	Tr.	0.06	Tr.	0.18	--	--	--	0.27	--	Tr.	0.06	--	20
21	0.02	--	Tr.	0.01	0.32	Tr.	--	--	--	--	Tr.	--	21
22	0.25	Tr.	0.24	--	0.01	--	--	--	--	--	0.01	--	22
23	0.39	Tr.	Tr.	0.01	0.20	Tr.	--	--	0.02	--	0.28	Tr.	23
24	0.02	Tr.	--	0.50	0.09	Tr.	0.27	0.55	Tr.	--	Tr.	Tr.	24
25	0.08	Tr.	--	0.20	0.01	Tr.	0.08	Tr.	Tr.	--	0.04	Tr.	25
26	Tr.	0.05	Tr.	0.13	--	--	0.32	--	--	Tr.	0.28	--	26
27	0.28	0.22	Tr.	0.01	0.39	--	0.47	--	--	Tr.	0.07	--	27
28	0.11	0.14	--	0.14	0.02	--	--	--	--	0.01	Tr.	0.03	28
29	0.08	X	--	Tr.	0.46	--	0.11	Tr.	--	0.01	Tr.	--	29
30	0.01	X	--	0.11	Tr.	--	Tr.	0.03	0.01	Tr.	Tr.	--	30
31	0.33	X	--	X	0.02	X	--	Tr.	X	--	X	Tr.	31
TOTAL	2.38	1.61	0.78	2.82	2.52	1.36	2.86	3.40	2.09	0.46	3.66	0.85	24.79"
*Days with or in. or more.	22	17	5	19	15	10	16	17	14	7	16	8	166
*Days with or 4 in. or more.	12	13	3	13	9	6	15	14	7	3	13	4	112

Section.



for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at GREENWAYS

in the County of WEST SUSSEX

STATION NUMBER 418

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 23.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr.	0.03	--	0.35	Tr.	0.01	--	0.08	0.17	0.01	--	Tr.	1
2	0.14	0.04	--	0.45	--	--	--	0.03	0.37	--	--	0.01	2
3	0.14	Tr.	0.44	0.06	0.38	--	Tr.	Tr.	0.77	Tr.	0.01	0.21	3
4	--	Tr.	0.02	0.11	0.02	--	0.05	--	0.02	0.05	0.08	Tr.	4
5	--	0.08	--	0.17	--	0.49	0.19	0.12	Tr.	0.01	0.01	0.13	5
6	Tr.	0.10	--	0.01	--	0.01	Tr.	0.08	0.04	0.31	0.22	0.31	6
7	0.01	Tr.	Tr.	--	0.14	0.21	--	0.25	0.02	0.06	0.26	Tr.	7
8	Tr.*	0.16	--	--	0.01	0.28	0.11	0.04	--	Tr.	0.09	0.13	8
9	Tr.*	0.06	Tr.*	--	Tr.	0.01	0.01	--	--	Tr.	0.70	0.01	9
10	0.01	0.12	Tr.*	--	--	0.13	0.08	0.09	--	--	0.95	Tr.	10
11	0.15	0.29	Tr.	--	Tr.	Tr.	Tr.	--	0.01	Tr.	0.17	Tr.	11
12	0.02	Tr.	--	--	--	Tr.	0.05	0.04	0.36	--	Tr.	--	12
13	0.11	--	Tr.	--	--	Tr.	Tr.	0.38	--	Tr.	Tr.	--	13
14	0.02	0.16	0.01	--	--	0.10	0.51	0.06	--	Tr.	--	--	14
15	0.02	0.02	--	0.01	0.17	--	0.15	0.53	0.01	--	--	0.02	15
16	Tr.	0.02	--	0.16	0.28	0.01	Tr.	0.03	0.18	--	--	Tr.	16
17	0.01	0.05	--	0.10	--	--	0.34	--	--	--	--	--	17
18	0.03	0.01	0.07	0.11	--	0.11	0.08	0.55	0.08	Tr.	0.43	Tr.	18
19	0.15	Tr.	Tr.	--	--	Tr.	0.04	0.27	0.03	--	Tr.	Tr.	19
20	Tr.	0.06	Tr.	0.18	--	--	--	0.27	--	Tr.	0.06	--	20
21	0.02	--	Tr.	0.01	0.32	Tr.	--	--	--	--	Tr.	--	21
22	0.25	Tr.	0.24	--	0.01	--	--	--	--	--	0.01	--	22
23	0.39	Tr.	Tr.	0.01	0.20	Tr.	--	--	0.02	--	0.23	Tr.	23
24	0.02	Tr.	--	0.50	0.09	Tr.	0.27	0.55	Tr.	--	Tr.	Tr.	24
25	0.08	Tr.	--	0.20	0.01	Tr.	0.08	Tr.	Tr.	--	0.04	Tr.	25
26	Tr.	0.05	Tr.	0.13	--	--	0.32	--	--	Tr.	0.28	--	26
27	0.28	0.22	Tr.	0.01	0.39	--	0.47	--	--	Tr.	0.07	--	27
28	0.11	0.14	--	0.14	0.02	--	--	--	--	0.01	Tr.	0.03	28
29	0.08	-X--	--	Tr.	0.46	--	0.11	Tr.	--	0.01	Tr.	--	29
30	0.01	X	--	0.11	Tr.	--	Tr.	0.03	0.01	Tr.	Tr.	--	30
31	0.33	X	--	X	0.02	X	--	Tr.	X	--	X	Tr.	31
TOTAL	2.38	1.61	0.78	2.82	2.52	1.36	2.86	3.40	2.09	0.46	3.66	0.85	YEAR'S TOTAL 24.79"
*Days with "or in. or more.	22	17	5	19	15	10	16	17	14	7	16	8	166
*Days with "04 in. or more.	12	13	3	13	9	6	15	14	7	3	13	4	112

40-9999

*See Instruction 2 (f) on other side.

(Signed)

D. S. H. H. H.

[P.T.O.]

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1932.

Kept at GREENWAYS

in the County of WEST SUSSEX

STATION NUMBER 418.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 23.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11	Tr.	--	0.05	0.85	--	Tr.	--	0.01	Tr.	0.14	Tr.	1
2	Tr.	--	--	0.28	0.01	--	--	0.03	0.02	Tr.	Tr.	0.35	2
3	Tr.	--	--	0.24	0.01	0.60	Tr.	Tr.	0.47	--	--	Tr.	3
4	0.01	--	--	--	--	0.18	--	--	Tr.	--	Tr.	Tr.	4
5	0.22	--	0.01	--	Tr.	Tr.	0.20	--	0.11	Tr.	Tr.	Tr.	5
6	0.41	--	Tr.	0.18	Tr.	--	--	--	0.09	--	Tr.	Tr.	6
7	0.07	--	0.01	0.01	0.10	--	--	--	Tr.	0.03	--	Tr.	7
8	Tr.	--	0.32	0.01	0.34	--	--	Tr.	0.13	0.44	--	Tr.	8
9	0.13	0.02	--	0.09	0.01	--	--	Tr.	Tr.	Tr.	--	--	9
10	0.26	0.02	Tr.	0.43	0.17	Tr.	Tr.	Tr.	0.07	0.09	Tr.	--	10
11	0.20	Tr.	--	0.06	Tr.	Tr.	0.01	Tr.	0.02	0.03	Tr.	0.03	11
12	0.32	Tr.	Tr.	--	0.01	--	--	0.03	0.08	0.42	Tr.	Tr.	12
13	0.07	0.01	--	0.13	0.10	--	0.55	--	0.01	0.87	--	0.01	13
14	0.55	Tr.	--	0.04	0.03	--	--	0.33	--	0.02	0.05	Tr.	14
15	0.01	Tr.	--	0.02	0.33	--	Tr.	Tr.	--	0.05	Tr.	Tr.	15
16	0.15	--	--	0.11	Tr.	--	0.08	--	--	--	Tr.	Tr.	16
17	Tr.	--	--	0.02	--	--	Tr.	0.01	Tr.	0.02	--	Tr.	17
18	0.03	Tr.	Tr.	Tr.	0.02	--	--	--	0.01	Tr.	0.01	Tr.	18
19	0.01	Tr.	--	--	0.04	--	--	--	0.05	0.22	Tr.	--	19
20	--	Tr.	Tr.	0.02	0.02	--	0.02	0.07	--	1.21	0.16	Tr.	20
21	--	Tr.	Tr.	--	1.12	--	--	--	--	0.26	Tr.	0.12	21
22	0.01	Tr.	0.21	0.02	0.03	--	0.32	0.23	0.62	0.20	0.39	Tr.	22
23	0.01	0.02	Tr.	0.02	0.17	--	--	Tr.	0.27	0.90	Tr.	0.18	23
24	--	0.04	Tr.	--	--	Tr.	0.84	--	0.09	0.06	Tr.	Tr.	24
25	Tr.	Tr.	--	--	Tr.	0.01	0.48	--	0.10	0.47	0.06	0.01	25
26	--	--	0.06	0.15	--	--	0.03	--	Tr.	0.01	0.03	Tr.	26
27	--	--	0.24	0.26	0.12	Tr.	0.01	--	Tr.	0.74	--	Tr.	27
28	--	--	Tr.	0.01	0.02	--	0.25	--	--	Tr.	--	Tr.	28
29	--	--	0.36	0.21	0.06	0.05	--	0.01	0.30	0.41	0.01	0.11	29
30	--	X	0.06	0.10	Tr.	0.86	0.12	Tr.	0.13	Tr.	0.57	0.14	30
31	--	X	Tr.	X	--	X	0.08	--	X	Tr.	X	0.15	31
TOTAL	2.57	0.11	1.29	2.48	3.62	1.08	2.42	0.71	2.54	6.45	1.42	1.10	27.05
*Days with or in. or more.	17	5	8	22	20	5	13	7	18	19	9	9	152
*Days with or 0.4 in. or more.	11	1	6	14	11	4	9	3	12	14	7	5	97

40-9999

*See Instruction 2 (f) on other side.

(Signed)

D. H. Hancock

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at GREENWAYS
in the County of WEST SUSSEX
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 23.50 ft.

STATION NUMBER 418.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05	0.49	0.14	-	Tr.	-	-	-	-	Tr.	Tr.	-	1
2	0.18	-	0.62	-	0.5	-	-	-	-	Tr.	0.02	-	2
3	0.03	0.17	0.21	-	Tr.	-	-	-	-	-	Tr.	-	3
4	0.23	0.07	Tr.	-	0.33	-	-	-	-	-	Tr.	-	4
5	0.15	Tr.	0.26	-	Tr.	-	-	-	-	-	-	-	5
6	Tr.	0.19	0.02	-	0.41	-	-	-	-	0.02	0.09	-	6
7	0.14	0.07	Tr.	-	0.19	-	-	-	-	0.17	Tr.	0.01	7
8	0.05	Tr.	Tr.	-	0.02	-	0.21	-	-	0.02	-	-	8
9	-	Tr.	Tr.	-	0.08	Tr.	0.23	-	-	0.06	0.22	-	9
10	Tr.	0.05	-	-	0.01	Tr.	0.04	0.03	-	0.30	Tr.	Tr.	10
11	0.25	Tr.	-	-	0.09	0.02	Tr.	0.05	-	0.04	0.01	Tr.	11
12	-	-	-	0.02	Tr.	Tr.	0.08	-	1.20	Tr.	Tr.	-	12
13	Tr.	-	-	-	0.05	0.05	0.28	0.25	0.11	0.07	0.06	-	13
14	Tr.	-	-	-	Tr.	-	0.01	-	-	0.35	0.52	-	14
15	0.39	-	0.05	-	-	Tr.	0.01	0.55	-	0.11	0.12	-	15
16	Tr.	-	0.60	-	Tr.	0.16	0.13	Tr.	0.03	Tr.	Tr.	-	16
17	-	Tr.	0.29	-	Tr.	Tr.	Tr.	0.05	0.06	-	0.01	-	17
18	0.21	*Tr.	0.12	-	-	0.68	-	-	-	-	Tr.	Tr.	18
19	Tr.	*0.02	0.05	0.01	-	-	-	-	0.32	-	0.05	0.01	19
20	Tr.	*Tr.	0.02	0.09	-	0.29	-	-	0.14	-	Tr.	Tr.	20
21	-	-	-	-	-	Tr.	-	0.04	0.03	0.01	Tr.	Tr.	21
22	-	*0.01	-	-	-	Tr.	-	0.18	0.09	0.39	0.02	-	22
23	-	Tr.	-	0.11	-	0.08	-	-	0.42	0.11	Tr.	Tr.	23
24	-	*0.36	-	0.33	-	0.01	-	-	0.72	Tr.	Tr.	Tr.	24
25	-	0.30	-	0.57	Tr.	-	-	-	0.07	Tr.	0.03	0.13	25
26	-	0.67	-	0.06	Tr.	0.24	-	-	-	-	Tr.	0.08	26
27	-	Tr.	-	Tr.	0.97	Tr.	0.02	-	Tr.	0.20	Tr.	0.21	27
28	-	Tr.	-	0.02	Tr.	Tr.	0.28	-	-	0.05	Tr.	0.31	28
29	0.13	X	Tr.	Tr.	0.12	Tr.	0.01	-	-	Tr.	-	Tr.	29
30	0.10	X	0.02	-	-	-	0.05	-	0.41	0.05	-	0.03	30
31	0.08	X	Tr.	X	-	X	-	-	X	-	X	-	31
TOTAL	1.97	2.40	2.40	1.21	2.82	1.53	1.35	1.13	3.60	1.93	1.15	0.78	22.27
*Days with "or in. or more.	13	11	12	8	11	8	12	7	12	15	11	7	127
*Days with "or in. or more.	12	9	9	5	9	6	8	6	10	11	6	4	95

40-9999

*See Instruction 2 (f) on other side.

* = SNOW

(Signed)

D. J. Hancock

[P.T.O.]

Section **A** for the entry of Daily Observations. Station No. 418

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at GREENWAYS
in the County of WEST SUSSEXDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 23.50 ft.

STATION NUMBER 418.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr.	-	-	-	-	0.08	-	0.19	-	0.22	0.02	0.78	1
2	0.09	-	0.25	0.01	0.03	0.02	-	0.01	0.59	0.46	0.02	0.57	2
3	~~0.10~~	Tr.	Tr.	0.05	-	Tr.	-	~~0.01~~	0.01	0.62	-	0.35	3
4	0.14	Tr.	0.11	0.03	0.08	-	-	-	-	0.22	0.03	0.61	4
5	Tr.	-	0.01	-	0.01	-	-	0.08	-	0.01	0.01	0.46	5
6	Tr.	Tr.	0.41	0.02	0.12	0.18	-	0.19	-	0.29	0.08	0.52	6
7	0.01	-	Tr.	Tr.	-	Tr.	-	0.22	-	0.09	-	0.17	7
8	-	-	Tr.	-	0.16	-	-	0.01	0.28	Tr.	1.38	0.01	8
9	Tr.	-	0.09	Tr.	Tr.	-	-	-	0.01	Tr.	0.73	0.37	9
10	-	Tr.	0.12	0.17	Tr.	-	-	0.03	0.01	-	0.50	0.02	10
11	0.57	-	0.45	0.15	-	-	0.20	0.47	-	-	Tr.	0.37	11
12	0.11	Tr.	Tr.	-	-	-	0.41	0.07	-	-	Tr.	0.02	12
13	0.40	Tr.	0.02	0.05	-	-	-	0.06	-	Tr.	0.39	0.02	13
14	0.25	Tr.	0.30	Tr.	-	Tr.	-	-	-	Tr.	0.24	0.66	14
15	Tr.	-	0.04	-	0.03	Tr.	-	-	-	0.04	0.08	0.69	15
16	0.20	-	0.27	0.04	0.04	-	-	-	-	-	Tr.	0.11	16
17	0.12	-	0.13	0.01	-	-	-	-	0.01	0.02	Tr.	0.24	17
18	0.05	-	0.03	0.41	-	-	Tr.	-	0.03	-	Tr.	0.35	18
19	Tr.	-	0.29	Tr.	-	0.02	-	-	0.21	Tr.	Tr.	0.13	19
20	-	-	Tr.	0.04	-	Tr.	0.68	0.01	-	-	-	Tr.	20
21	-	Tr.	Tr.	0.31	-	0.15	Tr.	Tr.	0.01	0.05	-	Tr.	21
22	-	Tr.	-	Tr.	-	-	Tr.	0.32	0.37	0.02	-	0.25	22
23	-	Tr.	-	0.44	-	0.34	Tr.	0.05	0.01	-	-	Tr.	23
24	-	0.01	0.05	0.17	-	0.04	0.03	Tr.	0.09	-	-	-	24
25	0.20	Tr.	Tr.	0.15	-	-	Tr.	-	Tr.	0.06	-	0.65	25
26	0.02	Tr.	Tr.	0.05	-	0.19	Tr.	-	0.02	0.01	-	0.01	26
27	Tr.	-	-	0.27	-	Tr.	-	-	Tr.	Tr.	-	0.27	27
28	Tr.	Tr.	-	Tr.	-	0.23	Tr.	0.59	-	-	-	0.29	28
29	Tr.	X	-	Tr.	-	-	-	0.12	0.08	Tr.	Tr.	0.01	29
30	0.03	X	-	-	-	-	-	0.01	0.04	-	Tr.	0.60	30
31	0.05	X	-	X	Tr.	X	Tr.	-	X	-	X	0.04	31
TOTAL	2.34"	0.01"	2.57"	2.37"	0.47"	1.25"	1.32"	2.43"	1.77"	2.11"	3.48"	8.57"	28.69"
*Days with 0.1 in. or more.	15	1	15	17	7	9	4	16	15	13	11	27	150
*Days with 0.04 in. or more.	12	0	12	13	3	7	3	11	7	9	7	21	105

Section **A** for the entry of Daily Observations. Station No. 418.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090. REGISTER OF RAINFALL IN 1935.

Kept at GREENWAYS
in the County of WEST SUSSEX
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 23.50 ft.

8425/30.
*Entire 1st pl amended } letter from above.
also 15th pl to agree letter
Cm
30.3.36*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.13	0.01	0.27	-	0.03	0.07	0.26 0.62	-	0.01	0.09	0.09	0.05		1
2	0.01	Tr.	Tr.	Tr.	-	0.10	Tr.	-	0.03	0.46	0.01	Tr.		2
3	Tr.	Tr.	Tr.	0.03	-	0.01	-	-	0.22	1.13	0.01	-		3
4	-	0.13	Tr.	0.23	-	0.42	-	-	0.53	0.64	Tr.	0.63		4
5	-	0.27	0.27	0.06	-	0.01	-	-	0.43	0.22	0.04	0.03		5
6	-	0.11	0.09	0.28	-	0.42	-	-	Tr.	0.03	0.05	Tr.		6
7	-	Tr.	Tr.	0.48	-	0.11	-	-	-	0.15	1.47	0.13		7
8	Tr.	Tr.	0.01	0.28	-	Tr.	-	-	Tr.	0.57	0.49	Tr.		8
9	0.04	-	Tr.	0.26	-	0.15	-	-	0.03	0.63	0.04	Tr.		9
10	0.31	Tr.	0.28	0.01	-	0.01	-	-	-	Tr.	0.19	0.01		10
11	0.16	Tr.	0.01	-	-	0.13	Tr.	-	-	-	0.51	Tr.		11
12	0.01	0.04	-	-	-	0.14	-	0.18	0.03	-	0.91	Tr.		12
13	0.06	0.13	Tr.	0.17	Tr.	0.02	-	-	Tr.	Tr.	0.12	-		13
14	Tr.	Tr.	-	0.05	0.04	0.19	-	-	0.06	-	0.03	0.13		14
15	Tr.	0.28	-	0.55	-	0.01	-	-	0.36	0.04	0.24	0.05		15
16	-	0.13	0.06	0.10	-	Tr.	-	-	0.32	0.04	0.81	-		16
17	0.01	Tr.	0.01	0.11	Tr.	0.31	Tr.	0.04	0.09	-	0.28	Tr.		17
18	-	Tr.	-	0.25	Tr.	0.02	0.03	0.01	0.47	0.02	0.01	Tr.		18
19	-	Tr.	-	0.05	-	0.08	0.10 0.01	-	0.09	0.02	0.29	-		19
20	-	0.25	Tr.	0.18	0.72	0.05	-	-	0.45	-	0.47	-		20
21	-	0.29	Tr.	0.01	0.02	Tr.	Tr.	-	Tr.	0.16	0.01	-		21
22	-	0.11	Tr.	-	-	-	-	0.14	0.11	-	Tr.	-		22
23	-	0.01	0.03	-	-	-	-	0.29	Tr.	0.04	Tr.	0.24		23
24	Tr.	0.82	Tr.	-	0.14	-	-	0.93	0.74	0.05	-	0.33		24
25	0.07	0.44	Tr.	0.24	-	0.01	-	Tr.	Tr.	-	-	0.17		25
26	Tr.	0.22	-	Tr.	-	-	-	0.10	0.01	-	Tr.	0.29		26
27	-	0.48	Tr.	-	Tr.	-	-	0.01	0.07	0.01	0.09	0.34		27
28	-	0.03	-	-	0.11	-	-	Tr.	0.06	Tr.	0.03	0.16		28
29	-	X	-	-	0.32	-	-	0.31	0.37	Tr.	0.01	0.41		29
30	0.04	X	Tr.	0.07	-	-	-	1.21	0.05	0.04	0.26	0.50		30
31	Tr.	X	-	X	-	X	-	Tr.	X	0.25	X	0.53		31
TOTAL	0.84	3.75	1.03 1.23	3.41	1.38	2.26	0.39 0.39	3.22	4.53	4.59	6.46	4.00	36.06	
*Days with 0.1 in. or more.	10	17	9	19	7	19	3	10	21	19	24	16	174	
*Days with 0.4 in. or more.	7	14	5	16	5	12	8	8	16	15	17	14	131	

Section

A

for the entry of Daily Observations.

Station No. 418

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at GREENWAYS SCHOOL

in the County of WEST SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 23.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
x 1	0.27	0.12	Tr.	0.17	-	0.21	0.58	0.52	-	-	-	0.11		1
2	0.01	0.34	Tr.	Tr.	-	0.35	0.02	0.08	-	-	-	Tr.		2
3	Tr.	-	-	0.24	-	Tr.	0.01	-	0.17	-	0.58	-		3
4	0.01	-	0.06	-	-	-	0.11	-	0.26	-	0.02	0.14		4
5	0.25	-	0.03	Tr.	Tr.	-	-	0.07	0.10	-	0.28	0.02		5
6	0.37	-	Tr.	-	Tr.	-	0.01	0.01	0.14	-	0.55	Tr.		6
7	0.25	-	0.06	-	-	0.03	Tr.	-	-	-	0.39	0.08		7
8	0.28	-	0.38	-	-	-	0.02	-	-	Tr.	0.54	0.15		8
9	0.30	-	0.10	-	-	Tr.	0.47	-	0.15	-	0.06	Tr.		9
10	0.01	-	Tr.	-	-	Tr.	0.25	Tr.	Tr.	-	0.03	-		10
11	0.16	* 0.58	-	0.01	-	-	0.12	0.03	-	-	1.02	-		11
12	0.01	-	-	0.01	-	Tr.	0.61	-	-	-	0.60	0.06		12
13	-	-	-	-	-	0.01	0.01	-	-	0.01	0.01	0.18		13
14	-	0.06	-	-	-	0.15	0.70	Tr.	0.05	0.06	0.14	0.33		14
15	-	-	-	-	-	-	0.06	-	0.03	Tr.	0.19	0.20		15
16	0.12	0.37	-	-	0.01	-	-	-	Tr.	Tr.	0.11	0.04		16
17	Tr.	0.50	-	-	-	0.34	Tr.	0.05	0.03	0.05	0.17	0.46		17
18	0.09	0.05	-	-	-	0.15	-	Tr.	Tr.	Tr.	Tr.	0.03		18
19	0.17	Tr.	0.04	0.01	-	0.40	Tr.	0.04	-	0.01	Tr.	Tr.		19
20	0.45	0.06	0.33	0.30	-	-	-	Tr.	0.81	Tr.	-	Tr.		20
21	-	0.05	Tr.	0.69	Tr.	-	0.01	-	0.03	-	-	-		21
22	-	0.45	0.08	Tr.	0.31	Tr.	0.15	-	-	-	-	0.12		22
23	0.04	0.06	0.08	0.09	0.02	-	0.14	-	-	0.07	-	-		23
24	0.14	Tr.	0.10	Tr.	0.01	-	0.11	-	0.01	0.26	Tr.	-		24
25	0.17	Tr.	Tr.	0.29	0.05	0.01	-	-	0.05	0.15	-	0.01		25
26	Tr.	0.13	0.03	-	-	-	Tr.	-	0.10	0.12	-	Tr.		26
27	0.23	Tr.	Tr.	-	-	-	Tr.	-	0.21	0.15	-	Tr.		27
28	0.52	Tr.	0.28	-	Tr.	0.02	0.13	-	0.01	-	-	0.07		28
* 29	0.03	0.06	Tr.	-	-	* 0.25	0.03	-	Tr.	0.08	0.15	0.01		29
30	0.13	X	Tr.	-	0.11	0.33	Tr.	-	-	0.05	Tr.	Tr.		30
31	0.01	X	0.53	X	Tr.	X	0.18	-	X	0.24	X	0.11		31
TOTAL	4.02	2.83	2.10	1.81	0.51	2.25	3.72	0.80	2.15	1.25	4.84	2.12	28.40	✓
* Days with .01 in. or more.	23	13	13	9	6	12	20	7	15	12	16	17	163	✓
* Days with .04 in. or more.	17	13	11	6	3	8	13	5	9	10	13	13	121	✓

Section



for the entry of Daily Observations

Station No. 418.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937.

Kept at GREENWAYS SCHOOL

in the County of WEST SUSSEX.

Diameter of Funnel of Gauge.....5....in.

Height of top of Gauge above Ground...1...ft...0...in.

,, Ground ,, Sea Level 23.50.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.67	0.13	Tr.	0.14	-	-	-	-	-	0.04	0.68	0.24		1
2	0.01	0.27	Tr.	0.22	-	-	-	-	0.02	0.07	Tr.	0.34		2
3	0.02	0.22	-	Tr.	-	-	Tr.	-	-	Tr.	-	Tr.		3
4	0.06	0.82	-	-	-	-	-	-	-	-	-	0.31		4
5	0.32	0.01	0.12	Tr.	-	-	0.08	-	Tr.	Tr.	-	Tr.		5
6	0.17	0.09	0.66	0.08	0.14	-	-	-	-	0.01	-	Tr.		6
7	Tr.	0.76	0.01	0.06	0.30	-	0.10	-	-	0.01	-	1.24		7
8	-	Tr.	0.05	-	0.29	0.02	-	-	-	Tr.	0.01	0.06		8
9	-	0.02	-	0.37	0.05	0.01	-	-	0.19	Tr.	-	0.63		9
10	0.02	Tr.	0.59	0.17	0.15	0.31	0.14	-	-	-	-	0.11		10
11		-	0.18	Tr.	0.09	0.01	0.13	-	-	Tr.	-	0.21		11
12		0.33	0.14	0.05	0.37	0.31	-	0.91	0.18	-	-	0.79		12
13		0.09	0.63	0.06	0.01	0.03	-	Tr.	0.02	-	-	-		13
14		0.01	0.01	0.11	0.02	-	-	0.03	0.15	-	-	-		14
15		0.12	-	0.33	-	-	0.61	-	0.16	-	Tr.	0.02		15
16		0.10	0.25	0.07	-	0.02	-	0.98	0.12	-	-	-		16
17		Tr.	0.03	Tr.	-	-	Tr.	-	0.12	Tr.	0.07	-		17
18		0.05	-	-	Tr.	-	-	-	0.28	-	0.08	0.13		18
19		0.16	0.05	0.16	-	0.09	-	-	0.16	-	0.10	Tr.		19
20	1.98	Tr.	0.10	0.21	0.72	Tr.	-	-	Tr.	-	Tr.	0.06		20
21	0.37	0.27	0.01	0.02	0.01	-	Tr.	-	Tr.	-	0.06	0.08		21
22	0.40	0.01	Tr.*	-	0.08	-	0.22	-	-	0.75	0.33	0.04		22
23	0.08	0.13	-	-	0.03	-	0.26	-	Tr.	0.25	0.30	0.01		23
24	0.21	0.43	-	-	-	-	-	-	0.01	0.28	Tr.	Tr.		24
25	0.18	0.34	0.40	-	0.02	-	-	-	0.09	0.11	Tr.	Tr.		25
26	Tr.	0.37	Tr.	-	-	-	-	-	Tr.	0.07	Tr.	Tr.		26
27	0.01	0.16	-	0.09	-	-	-	-	0.02	0.12	Tr.	-		27
28	0.19*	0.07	-	Tr.	-	-	-	Tr.	-	0.09	Tr.	-		28
29	0.05*	X	-	-	-	0.01	-	-	-	Tr.	Tr.	Tr.		29
30	0.27	X	-	-	-	Tr.	-	-	-	0.14	0.23	Tr.		30
31	0.31	X	-	X	-	X	-	-	X	0.19	X	0.01		31
TOTAL	5.32	4.96	3.23	2.13	2.28	0.81	1.54	1.92	1.81	2.13	1.86	4.28	Year's Total 32.27	✓✓
* Days with .01 in. or more.	* 25	23	15	15	14	9	7	3	13	13	9	16	162	✓✓
* Days with .04 in. or more.	* 20	19	11	14	9	3	7	2	9	11	8	13	126	✓✓

† checked
with Began Regis
* See Instruction 8 (f) on other side.
Town Hall Observations.

† Spare column, no entries required.

(Signed) *as Hana* [P.T.O.]

Section



for the entry of Daily Observations

Station No. 418

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Greenway School, Bagna Regu

in the County of West Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 25.00 ft.

Ground Sea Level 27.50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.05	-	0.04	0.19	0.19	-	0.04	Tr.	0.06	-	X	0.05		1
2	0.01	Tr.	Tr.	0.02	Tr.	-	-	-	0.15	-	-	-		2
3	0.24	0.01	-	0.60	-	-	0.05	0.48	-	-	X	0.37		3
4	0.06	Tr.	0.48	0.12	0.03	-	-	0.20	-	-	0.58	-		4
5	-	Tr.	0.05	0.33	0.12	-	-	0.36	-	0.36	0.61	0.10		5
6	0.31	0.01	0.10	Tr.	-	-	Tr.	-	-	0.25	0.46	0.28		6
7	0.03	0.08	Tr.	-	Tr.	-	0.08	0.08	-	-	0.03	0.18		7
8	Tr.	0.06	0.26	-	-	-	0.04	0.14	-	0.61	0.14	0.15		8
9	0.04	0.03	Tr.	-	-	-	Tr.	0.12	-	0.41	0.87	0.01		9
10	0.09	0.01	-	-	-	0.11	0.01	0.19	0.18	0.44	0.23	Tr.		10
11	0.01	Tr.	0.20	-	-	Tr.	-	-	-	0.14	-	-		11
12	0.01	-	Tr.	-	-	-	Tr.	-	-	0.02	0.04	-		12
13	Tr.	-	Tr.	-	-	-	0.01	-	-	1.24	0.03	-		13
14	0.50	-	Tr.	0.16	0.01	0.06	Tr.	-	0.06	-	0.70	-		14
15	0.36	-	-	0.06	0.55	0.26	-	-	-	0.26	0.35	0.15		15
16	0.29	-	0.11	0.01	0.25	0.07	-	-	0.07	0.24	0.30	-		16
17	0.15	0.03	0.02	0.11	0.03	-	0.76	-	0.03	-	0.08	-		17
18	0.07	-	-	Tr.	-	-	0.57	-	-	-	0.08	-		18
19	0.27	Tr.	Tr.	-	Tr.	Tr.	-	-	0.02	-	0.49	-		19
20	0.57	Tr.	Tr.	-	-	0.06	0.27	-	-	0.02	Tr.	-		20
21	0.12	0.25	Tr.	-	-	0.05	-	0.03	-	-	0.01	-		21
22	0.30	0.22	0.09	-	-	0.06	-	-	-	-	0.71	-		22
23	Tr.	-	0.04	0.18	-	0.09	-	-	-	-	0.01	-		23
24	0.32	-	-	0.17	-	-	-	-	-	0.02	-	0.01		24
25	1.34	0.25	0.02	0.34	-	0.08	-	-	-	-	X	Tr.		25
26	0.01	Tr.	0.06	Tr.	-	-	0.98	-	-	0.10	0.82	0.01		26
27	0.06	0.09	Tr.	0.03	-	-	-	-	-	-	0.16	-		27
28	0.01	0.46	0.01	0.09	-	-	-	-	-	-	0.19	0.18	*	28
29	0.01	X	0.02	0.01	-	-	-	-	-	-	Tr.	-		29
30	Tr.	X	-	0.58	-	-	0.01	-	-	0.19	-	-		30
31	-	X	-	X	-	X	0.01	-	X	-	X	-		31
TOTAL	5.23	1.50	1.49	3.00	1.18	0.84	2.83	1.60	0.87	4.30	6.89	1.49	Year's Total	
* Days with .01 in. or more.	25	12	14	16	7	9	16	8	7	14	23	11	31.22	162
* Days with .04 in. or more.	18	7	10	12	4	9	10	7	5	11	19	8	120	120

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

D. J. H. H. H.

[P.T.O.]

Kept at *Bognor*
in the County of

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	04		35		01	12	09	18	01			1
2	—	05		50			—	03	36			06	2
3	13		46	06	41		12	—	62			18	3
4	—		04		04		04	02	02	06	08		4
5	—	09		10		53	27	02			01	11	5
6	—	10		19		05	—	08	05	37	13	27	6
7	—	02		03	13	16	—	22	01	05	23		7
8	01	13				24	05	04			09	15	8
9	—	08				01	01				70	01	9
10	02	09				14	05	09			62		10
11	16	27					12		01		23		11
12	06						01	04	36				12
13	10						04	28					13
14	02	14			03	11	57	09					14
15	04	03			14		16	31				03	15
16	—			18	35		12	04	15				16
17	01	08		09			34		12				17
18	03	01	06	02		09	08	51	02		41		18
19	14			15		05	04	30					19
20	01	07	01	16			03	20			06		20
21	03				30		—						21
22	33		18		01		—				01		22
23	38			02	22		—		01		28		23
24	03			46	09	12	23	55					24
25	03			16	03		09				04		25
26	—	06		12			28				29		26
27	25	25			37		42				07		27
28	11	14		14	03		—			01		03	28
29	09	X			44		09			01			29
30	02	X				—	12	03					30
31	24	X		X	08	X	—		X		X	01	31
TOTAL	2.37	1.65	0.75	2.73	2.67	1.51	2.82	3.09	1.91	0.51	3.25	0.85	YEAR'S TOTAL
*Days with or in. or more.	23	17	5	16	15	11	18	17	12	6	15	9	164
*Days with or in. or more.	14	14	4	13	11	9	15	15	7	3	13	5	123

Section

A

for the entry of

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1990.

REGISTER OF RAINFALL IN 1931.

Kept at Bognor Regis
in the County of SussexDiameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	04		35		01	hr	09	18	01			I
2	—	05		50			—	03	36			06	2
3	—		—	46	06	41	hr	—	62			18	3
4	—		04		04		04	02	02	06	08		4
5	—	09		10		53	27	02			01	11	5
6	—	10		19		05	—	08	05	37	13	27	6
7	—	02		03	13	16	—	22	01	05	23		7
8	—	13				24	05	04			09	15	8
9	—	08				01	01				70	01	9
10	—	09				14	05	09			62		10
11	—	27					hr		01		23		11
12	—						01	04	36				12
13	—						04	28					13
14	—	14			03	11	59	09					14
15	—	03			14		16	31				03	15
16	—			18	35		hr	04	15				16
17	—	08		09			34		12				17
18	—	01	06	02		09	08	51	02		41		18
19	—			15		05	04	30					19
20	—	07	01	16			03	20			06		20
21	—				30		—						21
22	—		18		01		—				01		22
23	—			02	22		—		01		28		23
24	—			46	09	12	23	55					24
25	—			16	03		09				04		25
26	—	06		12			28				29		26
27	—	25			37		42				07		27
28	—	14		14	03		—			01		03	28
29	—	X			44		09			01			29
30	—	X					hr	03					30
31	—	X		X	08	X	—		X		X	01	31
TOTAL	2.37	1.65	0.75	2.73	2.67	1.51	2.82	3.09	1.91	0.51	3.25	0.90	24.16
*Days with or in. or more.	23	17	5	16	15	11	18	17	12	6	15	9	164
*Days with or in. or more.	14	14	4	13	11	9	15	15	7	3	13	5	123

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

REGISTER OF RAINFALL IN 1932.

Kept at *Boynor Regis*
in the County of *Sussex*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11			11	97		—				12		1
2	.01			19	01		—	04	04			.48	2
3	—			24	02	58	14		42				3
4	.01					17	—				01		4
5	.14		01				.20		11				5
6	.29			18			—		10				6
7	.07		02	01	13		—		01	03			7
8	—		33		40		—		15	46			8
9	.12	03		04	03		—						9
10	.27	04		.39	15		—		05	08			10
11	.32	02		08			.11		01	04	01	03	11
12	.31				02		—	03	08	34			12
13	.06			10	16		.60			88		01	13
14	.53			05	03		—	.30		01	06	01	14
15	.02			03	31		.01			04			15
16	.18			11			.02						16
17	14			03			—			02			17
18	.02				04		—		01		08		18
19	.03				02		—		05	18			19
20	—			03	03		.03	05		1.08	21		20
21	.01				1.22		14			23		12	21
22	.02		21	02	04		.26	.30	.76	21	36		22
23	14	02	01	02	16		.10		28	66		18	23
24	—	.05					.79		10	09			24
25	—						.40		09	43	07	02	25
26	—		09	16			.04			02	02		26
27	—		23	22	12		.02			72			27
28	—		01	02	03		.20			01			28
29	—		.38	28	05	07	—		29	40	01	17	29
30	—	X	06	07		.75	.16		17		0.64	14	30
31	—	X	01	X		X	.13		X		X	.20	31
TOTAL	2.52	0.16	1.36	2.38	3.94	1.57	3.07	.72	2.72	5.93	1.59	136	27 32
*Days with or in. or more.	18	5	11	21	20	4	15	5	17	20	11	10	156
*Days with .04 in. or more.	14	2	6	14	12	4	11	4	14	15	7	6	144

40-9999 64.0 4.1 311.5 60.5 100.1 39.9 72.0 18.3 69.1 150.6 40.4 34.5

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

REGISTER OF RAINFALL IN 1933.

Kept at Bognor Regis
in the County of West Sussex

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level 24 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	48	19				—				02		1
2	.24		.63		46		—						2
3	.05	18	22				—						3
4	.26	08			35		—						4
5	.14		24		02		—						5
6	—	21	02		47		—			03	08		6
7	.17	07			19		—			15			7
8	.14				03		.19			04			8
9	—				06		.20				20		9
10	—	03					.04	05		25	01		10
11	.24				13	02	—	06		04			11
12	—			02	02	01	.01		1.20				12
13	.01				05	05	.25	29	12	04	05		13
14	—						.01			33	.47		14
15	.04		08				.02	.50		13	17		15
16	.01		61			14	.09		03		01		16
17	—		28				—	05	13		01		17
18	.21		12			.56	—						18
19	.14	03	13	01			—		33		05	01	19
20	—	18	01	11		47	—		19				20
21	—						—	04	05				21
22	—						—	17	08	.37	01		22
RP 23	—			12		06	—		44	11			23
RP 24	—	37		32			—		77				24
25	—	27		0.60			—		04		05	15	25
RP 26	—	.70		05		24	—			01		08	26
27	—				1.06		.02			18		20	27
RP 28	—			02			.24			05		.35	28
29	.12	X			10		.05						29
30	.09	X	03			—	.03		39	03		04	30
31	.10	X		X		X	—		X		X	—	31
TOTAL	2.13	2.60	2.56	1.25	2.94	1.55	1.17	1.16	3.77	1.76	1.13	0.83	YEAR'S TOTAL 22.85
*Days with .01 in. or more.	14	11	12	8	12	8	12	7	12	14	12	6	128
*Days with .04 in. or more.	12	9	9	5	9	6	7	7	11	11	7	5	98

40-9999 54.1

65.4 31.7

29.9

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

419

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Bognor Regis*
in the County of *Sussex*

400

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground *1* ft _____ in.
Ground Sea Level *24* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	L.			.02	.07		.18	<i>hil</i>	.22	.04	.84		1
2	.12		.26	L.	L.	.04		L.	.59	.48	.01	.54		2
3	.11	L.		.08					.01	.48		.39		3
4	.13		.12	.04	.08					.20	.04	.58		4
5	L.		.02		L.			.08		.02	.02	.43		5
6	L.		.42	.03	.12	.12		.22		.30	.08	.53		6
7	.02					L.		.21		.08		.18		7
8		L.			.15	L.		.01	.22		.140	.03		8
9	L.		.09	.02	.01	L.			L.		.74	.29		9
10		L.	.12	.18				.02	L.		.52	.01		10
11	.50		.44	.10			.10	.58				.36		11
12	.08	.01	.01				.41	.07			.03	.03		12
13	.43 (fog)		.02	.05			L.	.13		L.	.42	.03		13
14	.30		.30	L.		L.				L.	.26	.68		14
15			.06		.05	L.			L.	.04	.09	.69		15
16	.23		.35	.04	.05				L.	L.	L.	.10		16
17	.11		.10	.01					L.	.03	L.	.26		17
18	.06		.07	.45					L.			.34		18
19			.26	L.		.01		L.	.15	L.		.15		19
20			L.	.05	L.	L.	.62	L.	L.	L.				20
21		L.		.34		.14		.01	.02	.04				21
22								.25	.34	.04		.24		22
23		L.		.44		.32		.03	.03	L.		.01		23
24		.02	.05	.19		.01	.02		.09			L.		24
25	.21			.21			L.	L.		.05		.62		25
26	.01	L.		.08		.20	L.		.01	L.		.01		26
27	L.			.36		L.				L.		.27		27
28		L.				.20	L.	.59			.01	.31		28
29		X						.20	.08		L.	.01		29
30	.04	X			L.			L.	.05	L.		.59		30
31	.03	X		X		X			X		X	.11		31
TOTAL	2.39	0.03	2.69	2.67	.48	1.11	1.15	2.58	1.59	1.08	3.66	8.63	28.96	
*Days with or in. or more.	16	2	16	17	9	4	14	11	12	13	28	140		
*Days with .04 in. or more.	1	0	3	14	5	7	3	10	7	10	9	21	111	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.
(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

419

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at

Bognor

in the County of

Sussex

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.

,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	10	102	29		03	08	26		02	08	09	04		1
2	5					09	15		03	33	02	01		2
3	—		01	08		02	—		15	1.04	09			3
4	—	13		24		42	—		61	68	01	61		4
5	—	28	11	07		02	—		38	15	03	01		5
6	—	06	06	27		48	—			01	43	01		6
7	—	01		53		11	—			09	1.45	11		7
8	15		02	28			—			61	52	01		8
9	05		01	27		12	—		08	72	03			9
10	00	01	26			02	—			01	23	02		10
11	18		02			08	01				49			11
12	15	04				32	—	19	04		82			12
13	07	14		16	04	01	—				10			13
14	—			08		23	—		11	03	04	06		14
15	—	30		52		02	—		31	05	33	07		15
16	—	09	08	14			—		30		80			16
17	15		02	09		30	01	04	08		27			17
18	—			26		03	05	02	39	02	01			18
19	—	01		07	97	11	03		10	02	26			19
20	15	37		18	01	05	05		04		51			20
21	15	28		01			15		02	15	01			21
22	—	07					—	16	09		01			22
23	—	02	03				—	33		38		26		23
24	02	86			12		—	87	78	03		30		24
25	08	41		21	01	01	—					19		25
26	15	28			01		—	12	03			30		26
27	15	47					—		07		09	41		27
28	—	03			14		—		07		05	14		28
29	—	X			1.46		—	40	38	01	01	47		29
30	04	X		05		—	—	1.21	10	04	26	59		30
31	—	X		X		X	—		X	20	X	55		31
TOTAL	85	3.88	0.91	3.51	2.79	2.52	0.41	3.34	4.18	4.65	6.96	4.16	38.16	
*Days with or in. or more.	18	20	11	18	9	19	6	9	22	20	26	19	18	
*Days with .04 in. or more.	7	14	5	17	5	12	8	8	18	13	18	14	13	

40-9999

*See Instruction 2(f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

for the entry of Daily Observations.

Station No.

419

FORM 1000.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1936.

197

Kept at Bognor
in the County of SussexDiameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground 1 ft. _____ in.
Ground Sea Level 24 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.29	23	01	18		26	.54	.48			06	11		1
2	.02	10				27	.03	.08						2
3	—			2.1		02	.02		17		58			3
4	.01		10			14	.12		51		07	13		4
5	.19		04				—	08	10		08	01		5
6	.48					03	—	01	14		49			6
7	.22		09				.5				48	09		7
8	.34		28				.5				62	15		8
9	.36		14				.69		12		07			9
10	.01						.15				04			10
11	.17	.58		01			.07	02			1.08			11
12	.01			03		29	.31		01		42	06		12
13	—					02	.02			01	01	17		13
14	—	08				11	.41		05	05	14	.39		14
15	—	07					.5		02		09	19		15
16	.12	31					.06				11	06		16
17	.5	47				.61	.5	06	03	03	17	42		17
18	.12	08				18	.11					04		18
19	.13	01	02	03		31	—	05						19
20	.39	04	11	31		12	.5		.86					20
21	—	08		.73		23	.01		01					21
22	.20	46	08		.30		.14					13		22
23	.04	05	08	11	02		.16			07				23
24	.23	02			01		.08		01	23				24
25	.12		10	27	07		.15		02	19		02		25
26	.03	12	02			06	—		10	08				26
27	.31		01				—		24	15				27
28	.48		.31			07	.13		02			06		28
29	.01	06	07			04	.06			09	16	01		29
30	.11	X			11	.30	.5			03				30
31	.11	X	26	X	01	X	.17		X	.27	X	.12		31
TOTAL	4.55	2.76	1.42	1.88	0.52	3.06	3.58	0.78	2.41	1.20	4.67	2.16	29.29	29.29
* Days with .01 in. or more.	25	16	16	9	6	14	19	4	16	14	17	17	176	✓
* Days with .04 in. or more.	19	14	12	6	3	14	15	5	9	8	16	14	135	✓

Section

A

for the entry of Daily Observations.

Station No.

1937
419

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at

Bognor Regis (Waterloo Square)

in the County of

Sussex

Diameter of Funnel of Gauge.....8 in.

Height of top of Gauge above Ground.....1 ft. 0 in.

,, Ground ,, Sea Level 2 ft. 4 in.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.71	09		15			—				.68	21		1
2	.01	26		23			—		01	07		48		2
3	.02	20					W							3
4	.07	85					W					21		4
5	.33		13	03			.18							5
6	.15	10	.69	10	11		.10							6
7	—	71		04	27		—			01		1.17		7
8	W	03	06		28	04	—				03	07		8
9	—			.38	06		.12		.51					9
10	.02		64	13	15	.32	—					56		10
11	W		25		08	01	.14					10		11
12	.40	34	21	06	38	30	.01	91	18			23		12
13	.33	09	62	05		05	—		03			79		13
14	.03		01	12	03		—	03	13					14
15	.26	14		34			.54		16			01		15
16	—	12	26	08		02	—	1.02	11					16
17	.34	01	05				W		17		08			17
18	.21	05		W			—		33		10	11		18
19	.01	13	05	15		09	W		20		08	03		19
20	.23		10	22	.69		—					06		20
21	.39	25		02	03		W				10	07		21
22	.41	01	04		10		.32			.86	38	03		22
23	.09	14			33		.14			27	11	01		23
24	.24	43			02		—		01	31		02		24
25	.19	38	38				—		10	15				25
26	W	36	01				—			09				26
27	.02	16		09			—		02	12				27
28	.19	08					—			08				28
29	.05	X					—			01				29
30	.26	X				W	—			06	22			30
31	.31	X		X		X	—		X	19	X	.02		31
TOTAL	5.33	4.93	3.50	2.19	2.53	.83	1.55	1.96	1.96	2.22	1.78	4.18	32.96	✓
* Days with .01 in. or more.	28	22	15	16	13	7	8	3	13	12	9	18	161	✓
* Days with .04 in. or more.	20	9	13	14	10	5	4	2	9	10	8	12	129	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 419

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1

REGISTER OF RAINFALL IN 1938

Kept at Bognor Regis (Waterloo Square.)

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 24 ft.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—				10	15	15		29	07	01	05		1
2	01			02			03			58				2
3	—		01		03		15			66	08			3
4	—						31	43		12		07		4
5	—						13			37				5
6	22					02	02		22	01	05	02		6
7	15					02	12	54	09	10	01	10		7
8	21						27	08		11	01	09		8
9	11	04					01			03		40		9
10	11	08					05	01				17		10
11	29						15				05	08		11
12	40				02		15	03		03				12
13	46						—			09	29	14		13
14	30	02			31		15							14
15	05	14					07			19		31		15
16	30	05	02				—	05		03		13		16
17	—	13	02				15		03	40	07			17
18	13				08	01	—		03		43			18
19	02						—	05	16		47	43		19
20	15						—	15	01		61	01		20
21	04						15	02	18		01	04		21
22	02					02	—	61			34	10		22
23	15						—		11		01			23
24	13		17				—		21		36	02		24
25	15	01	12		11		15		13	05	43	03		25
26	47	11	04				—		101	19		53		26
27	12	03			12	14	37		91		24			27
28	13	09			24	08	—	77	16			08		28
29	20	X			32		—			01	03	03		29
30	06	X		18	21	15	—		20	12	18			30
31	19	X		X	09	X	—		X	22	X	23		31
TOTAL	3.97	.70	.38	.20	1.63	.44	1.38	2.74	3.74	3.38	3.68	3.06	25.30	
* Days with .01 in. or more.	22	10	6	2	1	7	10	11	15	19	19	21	153	✓
* Days with .04 in. or more.	19	7	3	1	1	3	7	8	12	14	13	10	112	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

1.28

Section



for the entry of Daily Observations

Station No.

419

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Bognor Regis (Waterloo Square)*in the County of *Sussex*Diameter of Funnel of Gauge.....*2*.....in.Height of top of Gauge above Ground.....*1* ft.....*0*.....in.,, Ground ,, Sea Level*24*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04		.04	18	19		.05	02	03			.04		1
2	.01			04			—	47	.37		.04	.01		2
3	.24			48			.03	29			44	.38		3
4	.06	.01	.49	11	03		.12	.56		35	03			4
5	—	.01	05	34	09		W			24	60	10		5
6	.31		09				.14	09		04	59			6
7	.03	08					.01	12			06	28		7
8	W	06	14				W			72	06	17		8
9	.06	03					—	11		29	.81	14		9
10	.09					11	—	17	17	75	27			10
11	.01		16				—			118	03			11
12	.01					22	—			02				12
13	W			17		01	.15		05	119	03			13
14	.51			06	01	06	W			22	62	14		14
15	.52				.49	.24	.02		08		34	.01		15
16	.14		08	11	28	08	.49		02	11	42			16
17	.11	01	02		08		.02				09			17
18	.08				06	05	.51				55			18
19	.26						.14			03				19
20	.59					02	.11	04						20
21	.07	27	09			07	.16							21
22	.29	17	03			08	.01				09			22
23	W			36			.08			04	69			23
24	.37		03	06		06	12			02				24
25	1.32	27	06	38			.13				53			25
26	W						—			11	40			26
27	.05	09	02	03		04	—			07	18			27
28	—	.41	02	03		07	W			01	20	17		28
29	.01	X		01			.02			05				29
30	—	X		.73		—	W			19	02			30
31	—	X		X		X	.02		X	09	X	—		31
TOTAL	5.18	1.41	1.32	3.09	1.23	1.11	2.33	1.87	.72	5.72	7.09	1.44	32.51	
* Days with .01 in. or more.	23	11	14	15	8	13	19	9	6	20	23	10	17	
* Days with .04 in. or more.	18	7	9	12	6	11	12	8	4	16	19	9	18	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

419

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Bognor Regis (Waterloo Square)

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 2 1/2 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—						—				09			1
2	—	28		05			02			04	28	02		2
3	06	36		02			15			47	136	19		3
4	15	12		01			07			36	02	06		4
5	—	04					15				21	19		5
6	52	21					21			52	11	03		6
7	17	29					03							7
8	01	02					06		02	32		22		8
9	—						15	01	04	16	45	36		9
10	—						08	03		24	05			10
11	—	11					—				118			11
12	—	01	11	02		01	13				05			12
13	—	02	59				—		42		147			13
14	—		20	03			12		03	12	01	49		14
15	—				02		71		07		64	01		15
16	04	66	36			01	15		11	97	112	04		16
17	—		46				02				42			17
18	—	43	23	26			11		07	25	04	11		18
19	—	13		02			15		82		17			19
20	—	01	02	03			15	01	06	13	11	02		20
21	15	01			18		—		02	05	37			21
22	15		03			19	—		04					22
23	—	19	12	02	01		15				05			23
24	—			24			39				01	01		24
25	—		57	02	01		04							25
26	95	20	16	02	31	20	15				01			26
27	57	18	01		05		14							27
28	43			21	11		—							28
29	48	34	15	09	09		—					32		29
30	34	15	01	08		—	—			12		04		30
31	12	15	15	15	15	15	15	15	15	54	15	22		31
TOTAL	369	361	302	112	78	41	228	25	140	429	822	233	3150	
* Days with .01 in. or more.	19	19	14	15	8	4	15	3	11	14	22	16	152	
* Days with .04 in. or more.	10	14	10	1	5	8	13	9	8	14	18	11	111	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]